6089

U.S. Army Environmental Center

FORT DEVENS
SITE INVESTIGATION
GROUPS 3, 5, AND 6

DISTRIBUTION STATEMENT A
Approved for Public Release
Distribution Unlimited

REVISED
FINAL SITE INVESTIGATION REPORT
DATA ITEM A009

VOLUME II of II
APPENDICES

CONTRACT DAAA15-91-D-0008

U.S. ARMY ENVIRONMENTAL CENTER
ABERDEEN PROVING GROUND, MARYLAND

20070502756

JANUARY 1996

PRINTED ON RECYCLED PAPER

AEC Form 45, 1 Feb 93 replaces THAMA Form 45 which is obsolete.

APPENDIX A

AQUIFER TEST DATA/CALCULATIONS

AQUIFER TEST DATA/CALCULATIONS

Aquifer test data and calculations are included in this appendix for the following wells drilled as part of the site investigations at the Groups 3, 5, and 6 Study Areas:

Initial site investigations	G3M-92-01X
	G3M-92-02X
	G3M-92-03X
	G3M-92-04X
	G3M-92-05X
	G3M-92-06X
	G3M-92-07X
	G5M-92-01X
	G5M-92-02X
	G5M-92-03B
	G6M-92-01X
	G6M-92-02X
	G6M-92-03X
	G6M-92-04X
	G6M-92-05X
	G6M-92-06X
	G6M-92-07X
	G6M-92-08X
	G6M-92-09X
	G6M-92-10X
	G6M-92-11X
Supplemental site investigations	G3M-93-08X
	G3M-93-09X
	G3M-93-10X
	G3M-93-11X
	G6M-93-12X
	G6M-93-13X
	G6M-93-14X
Phase III site investigation	G6M-94-15A
	G6M-94-16X
	G6M-94-17A
	G6M-94-18X
	G6M-95-19X
	G6M-95-12X

WELL G3M-92-01X
WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 7.2 FT, BORING DIAMETER = 0.833 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET
0	-0.009	0	0.012
0.0033	0.075	0.0033	0.009
0.0066	1.48	0.0066	1.006
0.01	2.746	0.01	1.9
0.0133	0.198	0.0133	1.221
0.0166	0.46	0.0166	0.981
0.02	1.625	0.02	0.842
0.0233	2.209	0.0233	2.108
0.0266	1.912	0.0266	1.897
0.03	1.837	0.03	1.862
0.0333	1.83	0.0333	1.859
0.0366	1.837	0.0366	1.862
0.04	1.84	0.04	1.84
0.0433	1.833	0.0433	1.84
0.0466	1.824	0.0466	1.84
0.05	1.805	0.05	1.821
0.0533	1.799	0.0533	1.814
0.0566	1.796	0.0566	1.802
0.06	1.777	0.06	1.805
0.0633	1.773	0.0633	1.789
0.0666	1.77	0.0666	1.786
0.07	1.758	0.07	1.773
0.0733	1.755	0.0733	1.796
0.0766	1.761	0.0766	1.77
0.08	1.745	0.08	1.761
0.0833	1.732	0.0833	1.755
0.0866	1.726	0.0866	1.755
0.09	1.723	0.09	1.742
0.0933	1.72	0.0933	1.729
0.0966	1.71	0.0966	1.723
0.1	1.688	0.1	1.72
0.1033	1.685	0.1033	1.717
0.1066	1.698	0.1066	1.71
0.11	1.679	0.11	1.691
0.1133	1.669	0.1133	1.698
0.1166	1.663	0.1166	1.688
0.12	1.657	0.12	1.682
0.1233	1.653	0.1233	1.676
0.1266	1.638	0.1266	1.669
0.13	1.638	0.13	1.663
0.1333	1.631	0.1333	1.66
0.1366	1.638	0.1366	1.653
0.14	1.619	0.14	1.644
0.1433	1.606	0.1433	1.641
0.1466	1.603	0.1466	1.635
0.15	1.603	0.15	1.628
0.1533	1.594	0.1533	1.625
0.1566	1.584	0.1566	1.612
0.16	1.581	0.16	1.609
0.1633	1.565	0.1633	1.6
0.1666	1.565	0.1666	1.597
0.17	1.559	0.17	1.594
0.1733	1.552	0.1733	1.584
0.1766	1.549	0.1766	1.581
0.18	1.54	0.18	1.571
0.1833	1.534	0.1833	1.562
0.1866	1.53	0.1866	1.562
0.19	1.524	0.19	1.556
0.1933	1.515	0.1933	1.552
0.1966	1.508	0.1966	1.543
0.2	1.505	0.2	1.543
0.2033	1.499	0.2033	1.534
0.2066	1.492	0.2066	1.527
0.21	1.486	0.21	1.521
0.2133	1.48	0.2133	1.518
0.2166	1.474	0.2166	1.508
0.22	1.467	0.22	1.499
0.2233	1.461	0.2233	1.499
0.2266	1.455	0.2266	1.489
0.23	1.451	0.23	1.489
0.2333	1.445	0.2333	1.486
0.2366	1.439	0.2366	1.477
0.24	1.433	0.24	1.474
0.2433	1.423	0.2433	1.461
0.2466	1.42	0.2466	1.461
0.25	1.414	0.25	1.451
0.2533	1.41	0.2533	1.451
0.2566	1.401	0.2566	1.445
0.26	1.398	0.26	1.439
0.2633	1.395	0.2633	1.433
0.2666	1.388	0.2666	1.429
0.27	1.382	0.27	1.423
0.2733	1.379	0.2733	1.42
0.2766	1.369	0.2766	1.414
0.28	1.366	0.28	1.407
0.2833	1.36	0.2833	1.404
0.2866	1.354	0.2866	1.401
0.29	1.347	0.29	1.391
0.2933	1.344	0.2933	1.391
0.2966	1.338	0.2966	1.379
0.3	1.335	0.3	1.379
0.3033	1.328	0.3033	1.376
0.3066	1.322	0.3066	1.369
0.31	1.316	0.31	1.363
0.3133	1.313	0.3133	1.354
0.3166	1.309	0.3166	1.354
0.32	1.3	0.32	1.347
0.3233	1.297	0.3233	1.347
0.3266	1.294	0.3266	1.338
0.33	1.287	0.33	1.335
0.3333	1.281	0.3333	1.328
0.35	1.259	0.35	1.303
0.3666	1.231	0.3666	1.278
0.3833	1.208	0.3833	1.256
0.4	1.183	0.4	1.234
0.4166	1.161	0.4166	1.212
0.4333	1.139	0.4333	1.193
0.45	1.12	0.45	1.174
0.4666	1.098	0.4666	1.152
0.4833	1.079	0.4833	1.136
0.5	1.063	0.5	1.117
0.5166	1.047	0.5166	1.101
0.5333	1.032	0.5333	1.085
0.55	1.016	0.55	1.07

0.5666	1.003
0.5833	0.987
0.6	0.978
0.6166	0.965
0.6333	0.953
0.65	0.943
0.6666	0.934
0.6833	0.924
0.7	0.915
0.7166	0.909
0.7333	0.899
0.75	0.893
0.7666	0.886
0.7833	0.88
0.8	0.874
0.8166	0.868
0.8333	0.861
0.85	0.855
0.8666	0.852
0.8833	0.845
0.9	0.839
0.9166	0.836
0.9333	0.83
0.95	0.826
0.9666	0.823
0.9833	0.817
1	0.814
1.2	0.763
1.4	0.732
1.6	0.707
1.8	0.688
2	0.669
2.2	0.653
2.4	0.637
2.6	0.624
2.8	0.612
3	0.602
3.2	0.59
3.4	0.58
3.6	0.571
3.8	0.561
4	0.552
4.2	0.542
4.4	0.536
4.6	0.527
4.8	0.52
5	0.511
5.2	0.505
5.4	0.498
5.6	0.489
5.8	0.482
6	0.476
6.2	0.47
6.4	0.464
6.6	0.457
6.8	0.451
7	0.445
7.2	0.441
7.4	0.435
7.6	0.429
7.8	0.422
8	0.419
8.2	0.413
8.4	0.41
8.6	0.404
8.8	0.397
9	0.394
9.2	0.388
9.4	0.385
9.6	0.378
9.8	0.375
10	0.372
11	0.35
12	0.331
13	0.312
14	0.296
15	0.28
16	0.268

PERMEABILITY TEST RESULTS FOR G3M-92-01X
TEST 1
HVORSLEV:
K= 0.000042 CM/SEC
BOUWER & RICE:
K= 0.00012 CM/SEC

0.5666	1.057
0.5833	1.044
0.6	1.032
0.6166	1.019
0.6333	1.006
0.65	0.997
0.6666	0.987
0.6833	0.978
0.7	0.969
0.7166	0.959
0.7333	0.953
0.75	0.943
0.7666	0.937
0.7833	0.931
0.8	0.924
0.8166	0.918
0.8333	0.912
0.85	0.905
0.8666	0.899
0.8833	0.896
0.9	0.89
0.9166	0.886
0.9333	0.88
0.95	0.874
0.9666	0.871
0.9833	0.864
1	0.861
1.2	0.804
1.4	0.773
1.6	0.744
1.8	0.722
2	0.703
2.2	0.688
2.4	0.672
2.6	0.656
2.8	0.647
3	0.634
3.2	0.621
3.4	0.609
3.6	0.599
3.8	0.59
4	0.58
4.2	0.571
4.4	0.561
4.6	0.552
4.8	0.546
5	0.536
5.2	0.53
5.4	0.52
5.6	0.514
5.8	0.505
6	0.498
6.2	0.492
6.4	0.486
6.6	0.479
6.8	0.473
7	0.467
7.2	0.46
7.4	0.454
7.6	0.448
7.8	0.441
8	0.435
8.2	0.432
8.4	0.426
8.6	0.419
8.8	0.416
9	0.41
9.2	0.404
9.4	0.4
9.6	0.394
9.8	0.391
10	0.385
11	0.363
12	0.34
13	0.325
14	0.306
15	0.29
16	0.274
17	0.261

TEST 2
HVORSLEV:
K= 0.000043 CM/SEC
BOUWER & RICE:
K= 0.00012 CM/SEC



G3M-92-01X PERMEABILITY TESTS
HEAD STRESS (FEET)
2.50
2.00
1.50
1.00
0.50
0.00
0.01
0.1
1
10
TIME (MINUTES)
TEST #1
TEST #2

G3M-92-01X PERMEABILITY TEST #1



G3M-92-01X PERMEABILITY TEST #1



AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. ______

SETUP	DATE	BY WHOM
MONITORING WELL ID	G3M-92-01X 4"	R. Rustad
DATE OF TEST	10-08-92	
TYPE OF TEST	Rising Head	
HERMIT TYPE/SERIAL#	SE 1000C / 1KC01358	
TEST #	SEL 1 / 2 of 2	
DATA COLLECTION RATE	Log 1	
TRANSDUCER		
SERIAL #	2045 DE	
PSIG	10	
SCALE FACTOR	9.983	
OFFSET	-0.035	
INPUT CHANNEL	#1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	25.60 (PVC)	
WELL DEPTH (FT./TOC)	32.80 (PVC)	
XD DEPTH (FT.TOC)	31.80 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	29.80 (PVC)	
TIME OF SLUG PLACEMENT	0910	
TIME OF WL EQUILIBRATION	—	
NEW XD REFERENCE	0.26	
START TIME OF TEST	0910	
END TIME OF TEST	0927	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. ______

SETUP	DATE	BY WHOM
MONITORING WELL ID	63M.92.01X 4"	R. RUSTAD
DATE OF TEST	10.08.92	
TYPE OF TEST	Rising Head	
HERMIT TYPE/SERIAL#	SE1000C / 1KC01232	
TEST #	SEL 0 / 1 of 2	
DATA COLLECTION RATE	Log 1	
TRANSDUCER		
SERIAL #	20456E	
PSIG	10	
SCALE FACTOR	~~10.001~~ RR 9.983	
OFFSET	-0.035	
INPUT CHANNEL	# 1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	25.68 (PVC)	
WELL DEPTH (FT./TOC)	32.80 (PVC)	
XD DEPTH (FT.TOC)	31.80 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	29.80 (PVC)	
TIME OF SLUG PLACEMENT	0804	
TIME OF WL EQUILIBRATION		
NEW XD REFERENCE	0.28	
START TIME OF TEST	0804	
END TIME OF TEST	0819	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

WELL G3M-92-02X
WELL DIAMETER = 0.333 FT. SATURATED SCREEN LENGTH = 6.7 FT. BORING DIAMETER = 0.833 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET
0	-0.015	0	0.015
0.0033	0.23	0.0033	0.293
0.0066	1.111	0.0066	1.354
0.01	2.307	0.01	1.609
0.0133	0.912	0.0133	1.814
0.0166	0.77	0.0166	0.486
0.02	1.379	0.02	1.272
0.0233	1.47	0.0233	1.565
0.0266	1.404	0.0266	1.426
0.03	1.306	0.03	1.344
0.0333	1.224	0.0333	1.246
0.0366	1.152	0.0366	1.171
0.04	1.076	0.04	1.098
0.0433	1.006	0.0433	1.029
0.0466	0.937	0.0466	0.965
0.05	0.88	0.05	0.905
0.0533	0.82	0.0533	0.842
0.0566	0.763	0.0566	0.801
0.06	0.716	0.06	0.741
0.0633	0.669	0.0633	0.691
0.0666	0.624	0.0666	0.643
0.07	0.58	0.07	0.596
0.0733	0.539	0.0733	0.561
0.0766	0.517	0.0766	0.523
0.08	0.47	0.08	0.489
0.0833	0.435	0.0833	0.454
0.0866	0.404	0.0866	0.426
0.09	0.388	0.09	0.394
0.0933	0.353	0.0933	0.369
0.0966	0.325	0.0966	0.344
0.1	0.303	0.1	0.321
0.1033	0.277	0.1033	0.299
0.1066	0.261	0.1066	0.28
0.11	0.243	0.11	0.262
0.1133	0.224	0.1133	0.243
0.1166	0.208	0.1166	0.227
0.12	0.195	0.12	0.214
0.1233	0.179	0.1233	0.198
0.1266	0.17	0.1266	0.186
0.13	0.157	0.13	0.176
0.1333	0.145	0.1333	0.164
0.1366	0.135	0.1366	0.154
0.14	0.126	0.14	0.148
0.1433	0.116	0.1433	0.135
0.1466	0.11	0.1466	0.129
0.15	0.104	0.15	0.123
0.1533	0.097	0.1533	0.113
0.1566	0.088	0.1566	0.107
0.16	0.085	0.16	0.1
0.1633	0.078	0.1633	0.097
0.1666	0.075	0.1666	0.091
0.17	0.069	0.17	0.085
0.1733	0.066	0.1733	0.082
0.1766	0.059	0.1766	0.078
0.18	0.056	0.18	0.072
0.1833	0.05	0.1833	0.069
0.1866	0.05	0.1866	0.066
0.19	0.044	0.19	0.063
0.1933	0.044	0.1933	0.059
0.1966	0.041	0.1966	0.056
0.2	0.037	0.2	0.056
0.2033	0.037	0.2033	0.053
0.2066	0.034	0.2066	0.05
0.21	0.031	0.21	0.047
0.2133	0.031	0.2133	0.047
0.2166	0.028	0.2166	0.044
0.22	0.028	0.22	0.044
0.2233	0.025	0.2233	0.041
0.2266	0.025	0.2266	0.041
0.23	0.022	0.23	0.041
0.2333	0.022	0.2333	0.037
0.2366	0.018	0.2366	0.037
0.24	0.018	0.24	0.034
0.2433	0.018	0.2433	0.034
0.2466	0.018	0.2466	0.034
0.25	0.015	0.25	0.031
0.2533	0.015	0.2533	0.031
0.2566	0.015	0.2566	0.031
0.26	0.015	0.26	0.028
0.2633	0.012	0.2633	0.028
0.2666	0.012	0.2666	0.028
0.27	0.012	0.27	0.028
0.2733	0.009	0.2733	0.025
0.2766	0.009	0.2766	0.025
0.28	0.009	0.28	0.025
0.2833	0.009	0.2833	0.025
0.2866	0.009	0.2866	0.025
0.29	0.009	0.29	0.025
0.2933	0.009	0.2933	0.022
0.2966	0.009	0.2966	0.022
0.3	0.009	0.3	0.022
0.3033	0.006	0.3033	0.022
0.3066	0.006	0.3066	0.022
0.31	0.006	0.31	0.022
0.3133	0.006	0.3133	0.022
0.3166	0.006	0.3166	0.022
0.32	0.006	0.32	0.022
0.3233	0.003	0.3233	0.018
0.3266	0.003	0.3266	0.018
0.33	0.003	0.33	0.018
0.3333	0.003	0.3333	0.018
0.35	0.003	0.35	0.018
0.3666	0.003	0.3666	0.018
0.3833	0	0.3833	0.015
0.4	0	0.4	0.015
0.4166	0	0.4166	0.015
0.4333	0	0.4333	0.015
0.45	0	0.45	0.012
0.4666	-0.003	0.4666	0.012
0.4833	0	0.4833	0.012
0.5	-0.003	0.5	0.012
0.5166	-0.003	0.5166	0.012
0.5333	-0.003	0.5333	0.012
0.55	-0.003	0.55	0.012

0.5666	-0.003
0.5833	-0.003
0.6	-0.003
0.6166	-0.003
0.6333	-0.003
0.65	-0.003
0.6666	-0.003
0.6833	-0.003
0.7	-0.003
0.7166	-0.003
0.7333	-0.003
0.75	-0.003
0.7666	-0.006
0.7833	-0.006
0.8	-0.006
0.8166	-0.006
0.8333	-0.006
0.85	-0.006
0.8666	-0.006
0.8833	-0.006
0.9	-0.006
0.9166	-0.006
0.9333	-0.006
0.95	-0.006
0.9666	-0.006
0.9833	-0.006
1	-0.006
1.2	-0.009
1.4	-0.006
1.6	-0.009
1.8	-0.009
2	-0.009
2.2	-0.009
2.4	-0.006
2.6	-0.009
2.8	-0.009

PERMEABILITY TEST RESULTS FOR G3M-92-02X
TEST 1
HVORSLEV:
K= 0.011 CM/SEC
BOUWER & RICE:
K= 0.034 CM/SEC

0.5666	0.012
0.5833	0.012
0.6	0.012
0.6166	0.012
0.6333	0.009
0.65	0.012
0.6666	0.012
0.6833	0.009
0.7	0.012
0.7166	0.012
0.7333	0.012
0.75	0.009
0.7666	0.012
0.7833	0.009
0.8	0.009
0.8166	0.009
0.8333	0.009
0.85	0.009
0.8666	0.009
0.8833	0.009
0.9	0.009
0.9166	0.009
0.9333	0.009
0.95	0.009
0.9666	0.009
0.9833	0.009
1	0.009
1.2	0.009
1.4	0.009
1.6	0.009
1.8	0.006
2	0.006
2.2	0.006
2.4	0.006

TEST 2
HVORSLEV:
K= 0.011 CM/SEC
BOUWER & RICE:
K= 0.033 CM/SEC



G3M-92-02X PERMEABILITY TESTS
HEAD STRESS (FEET)
2.00
1.50
1.00
0.50
0.00
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2

G3M-92-02X PERMEABILITY TEST #1



G3M-92-02X PERMEABILITY TEST #2



AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. ______

SETUP	DATE	BY WHOM
MONITORING WELL ID	G3M-92-02X 4"	R. Rustad
DATE OF TEST	10.07.92	
TYPE OF TEST	Rising Head	
HERMIT TYPE/SERIAL#	SE 1000 C / 1KC01732	
TEST #	SEL 6 / 10 of 2	
DATA COLLECTION RATE	Log 1	
TRANSDUCER		
SERIAL #	~~2046DS~~ 2045DC	
PSIG	10	
SCALE FACTOR	~~10.004~~ 9.983	
OFFSET	~~-0.024~~ -0.035	
INPUT CHANNEL	# 1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	26.42 (PVC)	
WELL DEPTH (FT./TOC)	33.08 (PVC)	
XD DEPTH (FT.TOC)	32.08 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	30.08 (PVC)	
TIME OF SLUG PLACEMENT	~~14.02~~ 1447	
TIME OF WL EQUILIBRATION		
NEW XD REFERENCE	-0.00	
START TIME OF TEST	~~14.02~~ 1447	
END TIME OF TEST	1450	
NOTES: * USING NEW TRANSDUCER *		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. ______

SETUP	DATE	BY WHOM
MONITORING WELL ID	G3M-92-02X 4"	R. RUSTAD
DATE OF TEST	10-07-92	
TYPE OF TEST	RISING HEAD	
HERMIT TYPE/SERIAL#	SE 1000C / 1KC01732	
TEST #	SEL 7 / 2 of 2	
DATA COLLECTION RATE	2061	
TRANSDUCER		
SERIAL #	2045DE	
PSIG	10	
SCALE FACTOR	9.983	
OFFSET	-0.025	
INPUT CHANNEL	#1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	26.42 (PVC)	
WELL DEPTH (FT./TOC)	33.08 (PVC)	
XD DEPTH (FT.TOC)	32.08 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	30.08 (PVC	
TIME OF SLUG PLACEMENT	1454	
TIME OF WL EQUILIBRATION	—	
NEW XD REFERENCE	0.00	
START TIME OF TEST	1454	
END TIME OF TEST	1456	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

92215SD (B)

WELL G3M-92-03X
WELL DIAMETER = 0.333 FT. SATURATED SCREEN LENGTH = 7.4 FT. BORING DIAMETER = 0.833 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET
0	0	0	-0.015
0.0033	0.031	0.0033	0.363
0.0066	0.692	0.0066	1.824
0.01	1.575	0.01	1.378
0.0133	1.135	0.0133	1.103
0.0166	0.999	0.0166	1.031
0.02	1.144	0.02	0.126
0.0233	0.373	0.0233	0.759
0.0266	1.186	0.0266	1.587
0.03	1.518	0.03	1.239
0.0333	1.29	0.0333	1.173
0.0366	1.189	0.0366	1.091
0.04	1.091	0.04	1.012
0.0433	1.012	0.0433	0.933
0.0466	0.933	0.0466	0.86
0.05	0.86	0.05	0.793
0.0533	0.793	0.0533	0.73
0.0566	0.73	0.0566	0.673
0.06	0.676	0.06	0.619
0.0633	0.623	0.0633	0.572
0.0666	0.569	0.0666	0.528
0.07	0.525	0.07	0.48
0.0733	0.483	0.0733	0.445
0.0766	0.442	0.0766	0.404
0.08	0.411	0.08	0.373
0.0833	0.376	0.0833	0.344
0.0866	0.344	0.0866	0.316
0.09	0.316	0.09	0.281
0.0933	0.287	0.0933	0.272
0.0966	0.268	0.0966	0.246
0.1	0.246	0.1	0.227
0.1033	0.224	0.1033	0.208
0.1066	0.208	0.1066	0.192
0.11	0.189	0.11	0.183
0.1133	0.177	0.1133	0.167
0.1166	0.161	0.1166	0.154
0.12	0.148	0.12	0.145
0.1233	0.136	0.1233	0.129
0.1266	0.126	0.1266	0.12
0.13	0.117	0.13	0.11
0.1333	0.107	0.1333	0.104
0.1366	0.098	0.1366	0.094
0.14	0.091	0.14	0.088
0.1433	0.085	0.1433	0.082
0.1466	0.079	0.1466	0.079
0.15	0.072	0.15	0.072
0.1533	0.066	0.1533	0.066
0.1566	0.063	0.1566	0.063
0.16	0.056	0.16	0.06
0.1633	0.053	0.1633	0.06
0.1666	0.05	0.1666	0.05
0.17	0.047	0.17	0.047
0.1733	0.044	0.1733	0.047
0.1766	0.041	0.1766	0.047
0.18	0.037	0.18	0.037
0.1833	0.034	0.1833	0.034
0.1866	0.034	0.1866	0.034
0.19	0.031	0.19	0.034
0.1933	0.028	0.1933	0.031
0.1966	0.025	0.1966	0.028
0.2	0.025	0.2	0.031
0.2033	0.025	0.2033	0.028
0.2066	0.022	0.2066	0.028
0.21	0.022	0.21	0.025
0.2133	0.022	0.2133	0.022
0.2166	0.018	0.2166	0.025
0.22	0.018	0.22	0.022
0.2233	0.015	0.2233	0.022
0.2266	0.015	0.2266	0.022
0.23	0.015	0.23	0.018
0.2333	0.012	0.2333	0.018
0.2366	0.012	0.2366	0.018
0.24	0.012	0.24	0.018
0.2433	0.012	0.2433	0.018
0.2466	0.012	0.2466	0.015
0.25	0.009	0.25	0.015
0.2533	0.012	0.2533	0.015
0.2566	0.009	0.2566	0.015
0.26	0.009	0.26	0.012
0.2633	0.009	0.2633	0.015
0.2666	0.009	0.2666	0.015
0.27	0.009	0.27	0.015
0.2733	0.006	0.2733	0.012
0.2766	0.006	0.2766	0.012
0.28	0.006	0.28	0.012
0.2833	0.006	0.2833	0.012
0.2866	0.006	0.2866	0.012
0.29	0.006	0.29	0.012
0.2933	0.006	0.2933	0.012
0.2966	0.006	0.2966	0.012
0.3	0.006	0.3	0.012
0.3033	0.006	0.3033	0.009
0.3066	0.006	0.3066	0.012
0.31	0.006	0.31	0.012
0.3133	0.003	0.3133	0.009
0.3166	0.006	0.3166	0.009
0.32	0.006	0.32	0.012
0.3233	0.006	0.3233	0.009
0.3266	0.006	0.3266	0.009
0.33	0.006	0.33	0.009
0.3333	0.003	0.3333	0.009
0.35	0.006	0.35	0.009
0.3666	0.003	0.3666	0.009
0.3833	0.003	0.3833	0.009
0.4	0.003	0.4	0.009
0.4166	0.003	0.4166	0.009
0.4333	0.003	0.4333	0.009
0.45	0.003	0.45	0.009
0.4666	0.003	0.4666	0.009
0.4833	0.003	0.4833	0.009
0.5	0.003	0.5	0.009
0.5166	0.003	0.5166	0.009
0.5333	0.003	0.5333	0.009
0.55	0.003	0.55	0.009

0.5666	0.003
0.5833	0.003
0.6	0.003
0.6166	0.003
0.6333	0.003
0.65	0.003
0.6666	0
0.6833	0.003
0.7	0
0.7166	0
0.7333	0.003
0.75	0.003
0.7666	0.003
0.7833	0.003
0.8	0
0.8166	0.003
0.8333	0.003
0.85	0.003
0.8666	0.003
0.8833	0
0.9	0.003
0.9166	0.003
0.9333	0.003
0.95	0.003
0.9666	0.003
0.9833	0
1	0.003
1.2	0
1.4	0
1.6	0
1.8	0
2	0
2.2	0
2.4	0
2.6	0
2.8	0
3	0
3.2	0
3.4	0
3.6	0

PERMEABILITY TEST RESULTS FOR G3M−92−03X
TEST 1
HVORSLEV:
K= 0.013 CM/SEC
BOUWER & RICE:
K= 0.039 CM/SEC

0.5666	0.009
0.5833	0.006
0.6	0.009
0.6166	0.009
0.6333	0.009
0.65	0.009
0.6666	0.006
0.6833	0.006
0.7	0.009
0.7166	0.006
0.7333	0.009
0.75	0.009
0.7666	0.006
0.7833	0.009
0.8	0.006
0.8166	0.009
0.8333	0.009
0.85	0.006
0.8666	0.006
0.8833	0.006
0.9	0.006
0.9166	0.006
0.9333	0.006
0.95	0.006
0.9666	0.006
0.9833	0.006
1	0.009
1.2	0.009
1.4	0.006
1.6	0.006
1.8	0.006
2	0.006

TEST 2
HVORSLEV:
K= 0.013 CM/SEC
BOUWER & RICE:
K= 0.039 CM/SEC


G3M-92-03X PERMEABILITY TESTS
1.60
1.20
0.80
0.40
0.00
HEAD STRESS (FEET)
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2



G9M-92-03X PERMEABILITY TEST #1
K = 0.03857 cm/sec
y0 = 88.67 cm
100.
10.
1.
0.1
0.01
Displacement (cm)
0.
4.
8.
12.
16.
20.
Time (sec)

G3M-92-03X PERMEABILITY TEST #2



AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. G3M-92-03X

SETUP	DATE	BY WHOM
MONITORING WELL ID	G3M-92-03X 4"	R. Rustad
DATE OF TEST	10-07-92	
TYPE OF TEST	Rising Head	
HERMIT TYPE/SERIAL#	SE 1000C / 1C80/332	
TEST #	SEL 2 / 1 of 2	
DATA COLLECTION RATE	Log 1	
TRANSDUCER		
SERIAL #	2046DE	
PSIG	10	
SCALE FACTOR	10.001	
OFFSET	~~0.034~~ -0.034	
INPUT CHANNEL	# 1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	26.09' (PVC)	
WELL DEPTH (FT./TOC)	33.44 (PVC)	
XD DEPTH (FT.TOC)	32.44 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	30.44 (PVC)	
TIME OF SLUG PLACEMENT	1212	
TIME OF WL EQUILIBRATION	—	
NEW XD REFERENCE	0.00	
START TIME OF TEST	1212 (0.00)	
END TIME OF TEST	1216 (4.60)	
NOTES: Slug: 3'x3" Solid	PVC Rod	

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

© 95611 2002

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. G3M-92-03X

SETUP	DATE	BY WHOM
MONITORING WELL ID	G3M-92-03X	R. Rustad
DATE OF TEST	10-07-92	
TYPE OF TEST	RISING HEAD	
HERMIT TYPE/SERIAL#	SE1000C / CK01232	
TEST #	SLL 3 / 2002	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	2046DE	
PSIG	10	
SCALE FACTOR	10.001	
OFFSET	-0.034	
INPUT CHANNEL	#1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	26.05 (PVC)	
WELL DEPTH (FT./TOC)	33.44 (PVC)	
XD DEPTH (FT.TOC)	32.44 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	30.44 (PVC)	
TIME OF SLUG PLACEMENT	1221	
TIME OF WL EQUILIBRATION		
NEW XD REFERENCE	0.00	
START TIME OF TEST	1221	
END TIME OF TEST	1223	
NOTES: SLUG 1 3'x3" BAR	STOCK PVC	

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

WELL G3M-92-04X
WELL DIAMETER = 0.333 FT. SATURATED SCREEN LENGTH = 6.7 FT. BORING DIAMETER = 0.833 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET
0	0	0	0.157
0.0033	0.71	0.0033	0.82
0.0066	0.89	0.0066	0.82
0.01	0.675	0.01	0.508
0.0133	0.277	0.0133	0.217
0.0166	0.823	0.0166	0.618
0.02	1.01	0.02	0.984
0.0233	1.262	0.0233	1.155
0.0266	1.253	0.0266	1.249
0.03	1.101	0.03	1.111
0.0333	0.975	0.0333	0.987
0.0366	0.868	0.0366	0.88
0.04	0.77	0.04	0.779
0.0433	0.681	0.0433	0.691
0.0466	0.606	0.0466	0.615
0.05	0.536	0.05	0.542
0.0533	0.47	0.0533	0.479
0.0566	0.419	0.0566	0.422
0.06	0.369	0.06	0.375
0.0633	0.331	0.0633	0.331
0.0666	0.29	0.0666	0.29
0.07	0.255	0.07	0.255
0.0733	0.224	0.0733	0.227
0.0766	0.198	0.0766	0.202
0.08	0.176	0.08	0.176
0.0833	0.154	0.0833	0.154
0.0866	0.135	0.0866	0.135
0.09	0.119	0.09	0.119
0.0933	0.107	0.0933	0.107
0.0966	0.097	0.0966	0.094
0.1	0.082	0.1	0.082
0.1033	0.072	0.1033	0.072
0.1066	0.063	0.1066	0.063
0.11	0.053	0.11	0.059
0.1133	0.05	0.1133	0.05
0.1166	0.047	0.1166	0.044
0.12	0.037	0.12	0.037
0.1233	0.034	0.1233	0.034
0.1266	0.031	0.1266	0.031
0.13	0.028	0.13	0.028
0.1333	0.025	0.1333	0.025
0.1366	0.022	0.1366	0.022
0.14	0.018	0.14	0.022
0.1433	0.015	0.1433	0.015
0.1466	0.015	0.1466	0.015
0.15	0.012	0.15	0.012
0.1533	0.012	0.1533	0.009
0.1566	0.012	0.1566	0.012
0.16	0.009	0.16	0.009
0.1633	0.009	0.1633	0.009
0.1666	0.006	0.1666	0.006
0.17	0.006	0.17	0.006
0.1733	0.006	0.1733	0.006
0.1766	0.006	0.1766	0.006
0.18	0.006	0.18	0.003
0.1833	0.006	0.1833	0.003
0.1866	0.003	0.1866	0.003
0.19	0.003	0.19	0.003
0.1933	0.003	0.1933	0.003
0.1966	0.003	0.1966	0.003
0.2	0.003	0.2	0.003
0.2033	0.003	0.2033	0.003
0.2066	0.003	0.2066	0
0.21	0.003	0.21	0.003
0.2133	0.003	0.2133	0
0.2166	0.003	0.2166	0
0.22	0.003	0.22	0
0.2233	0.003	0.2233	0
0.2266	0	0.2266	0
0.23	0	0.23	0
0.2333	0	0.2333	0
0.2366	0	0.2366	0
0.24	0	0.24	0
0.2433	0	0.2433	0
0.2466	0	0.2466	0
0.25	0	0.25	0
0.2533	0	0.2533	0
0.2566	0	0.2566	0
0.26	0	0.26	0
0.2633	0	0.2633	0
0.2666	0	0.2666	0
0.27	0	0.27	0
0.2733	0	0.2733	0
0.2766	0	0.2766	0
0.28	0	0.28	0
0.2833	0	0.2833	0
0.2866	0	0.2866	0
0.29	0	0.29	0
0.2933	0	0.2933	0
0.2966	0	0.2966	0
0.3	0	0.3	-0.003
0.3033	0	0.3033	0
0.3066	0	0.3066	-0.003
0.31	0	0.31	0
0.3133	0	0.3133	0
0.3166	0	0.3166	0
0.32	0	0.32	0
0.3233	0	0.3233	0
0.3266	0	0.3266	0
0.33	0	0.33	0
0.3333	0	0.3333	0
0.35	0	0.35	-0.003
0.3666	0	0.3666	-0.003
0.3833	0	0.3833	0
0.4	0	0.4	-0.003
0.4166	0	0.4166	-0.003
0.4333	0	0.4333	-0.003
0.45	0	0.45	-0.003
0.4666	0	0.4666	-0.003
0.4833	0	0.4833	-0.003
0.5	0	0.5	-0.003
0.5166	0	0.5166	-0.003
0.5333	0	0.5333	-0.003
0.55	0	0.55	-0.003

0.5666	0
0.5833	0
0.6	0
0.6166	0
0.6333	−0.003
0.65	0
0.6666	0
0.6833	−0.003
0.7	−0.003
0.7166	0
0.7333	−0.003
0.75	−0.003
0.7666	−0.003
0.7833	−0.003
0.8	0
0.8166	0
0.8333	0
0.85	0
0.8666	0
0.8833	0
0.9	0
0.9166	0
0.9333	0
0.95	0
0.9666	0
0.9833	0
1	−0.003
1.2	0
1.4	0
1.6	0
1.8	0
2	0
2.2	0
2.4	0
2.6	0
2.8	0
3	0
3.2	0
3.4	0
3.6	0
3.8	0
4	−0.003
4.2	−0.003

0.5666	−0.003
0.5833	−0.003
0.6	−0.003
0.6166	−0.003
0.6333	−0.003
0.65	−0.003
0.6666	−0.003
0.6833	−0.003
0.7	−0.003
0.7166	−0.003
0.7333	−0.003
0.75	−0.003
0.7666	−0.003
0.7833	−0.003
0.8	−0.003
0.8166	−0.003
0.8333	−0.003
0.85	−0.003
0.8666	−0.003
0.8833	−0.003
0.9	−0.003
0.9166	−0.003
0.9333	−0.003
0.95	−0.003
0.9666	−0.003
0.9833	−0.003
1	−0.003
1.2	−0.003
1.4	−0.003
1.6	−0.003
1.8	−0.003
2	−0.003
2.2	−0.003
2.4	−0.003
2.6	−0.003
2.8	−0.003

PERMEABILITY TEST RESULTS FOR G3M−92−04X

TEST 1
HVORSLEV:
K= 0.020 CM/SEC
BOUWER & RICE:
K= 0.062 CM/SEC

TEST 2
HVORSLEV:
K= 0.020 CM/SEC
BOUWER & RICE:
K= 0.060 CM/SEC


G3M-92-04X PERMEABILITY TESTS
HEAD STRESS (FEET)
1.60
1.20
0.80
0.40
0.00
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2

G3M-92-04X PERMEABILITY TEST #1



G3M-92-04 PERMEABILITY TEST #2



AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. ______

SETUP	DATE	BY WHOM
MONITORING WELL ID	G3M-92-04X 4"	R. RUSTAD
DATE OF TEST	10.08.92	
TYPE OF TEST	RISING HEAD	
HERMIT TYPE/SERIAL #	SE 1000 C //KC01732	
TEST #	SEL 3 / 2 of 2	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	2045DE	
PSIG	10	
SCALE FACTOR	9.983	
OFFSET	-0.025	
INPUT CHANNEL	#1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	28.72 (PVC)	
WELL DEPTH (FT./TOC)	35.40 (PVC)	
XD DEPTH (FT.TOC)	34.40 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	32.40 (PVC	
TIME OF SLUG PLACEMENT	1000	
TIME OF WL EQUILIBRATION	1002	
NEW XD REFERENCE	0.00	
START TIME OF TEST	1003	
END TIME OF TEST	1006	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. ______

SETUP	DATE	BY WHOM
MONITORING WELL ID	G3M-92-04X 4"	R. RUSTAD
DATE OF TEST	10.08.92	
TYPE OF TEST	RISING HEAD	
HERMIT TYPE/SERIAL#	SE 1000 C / 1KC01732	
TEST #	SEL 2 / 1 OF 2	
DATA COLLECTION RATE	LOG /	
TRANSDUCER		
SERIAL #	2045-DE	
PSIG	10	
SCALE FACTOR	9.983	
OFFSET	-0.035	
INPUT CHANNEL	# 1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	28.72' (PVC)	
WELL DEPTH (FT./TOC)	35.40 (PVC)	
XD DEPTH (FT.TOC)	34.40 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	32.40 (PVC)	
TIME OF SLUG PLACEMENT	0952	
TIME OF WL EQUILIBRATION	0953	
NEW XD REFERENCE	0.00	
START TIME OF TEST	0954	
END TIME OF TEST	0958	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

G3M-92-05X
WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 7.2 FT, BORING DIAMETER = 0.833 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET
0	-0.003	0	0
0.0033	0.666	0.0033	0
0.0066	0.669	0.0066	-0.003
0.01	1.335	0.01	0.536
0.0133	1.338	0.0133	1.594
0.0166	1.139	0.0166	1.89
0.02	1.458	0.02	1.291
0.0233	0.315	0.0233	1.101
0.0266	1.42	0.0266	0.217
0.03	1.546	0.03	1.347
0.0333	1.442	0.0333	1.508
0.0366	1.35	0.0366	1.404
0.04	1.259	0.04	1.313
0.0433	1.193	0.0433	1.256
0.0466	1.12	0.0466	1.177
0.05	1.057	0.05	1.107
0.0533	0.994	0.0533	1.047
0.0566	0.934	0.0566	0.987
0.06	0.874	0.06	0.927
0.0633	0.82	0.0633	0.868
0.0666	0.767	0.0666	0.814
0.07	0.719	0.07	0.763
0.0733	0.672	0.0733	0.713
0.0766	0.628	0.0766	0.675
0.08	0.59	0.08	0.634
0.0833	0.549	0.0833	0.596
0.0866	0.517	0.0866	0.561
0.09	0.482	0.09	0.523
0.0933	0.445	0.0933	0.492
0.0966	0.413	0.0966	0.463
0.1	0.391	0.1	0.432
0.1033	0.366	0.1033	0.404
0.1066	0.337	0.1066	0.378
0.11	0.312	0.11	0.353
0.1133	0.293	0.1133	0.328
0.1166	0.274	0.1166	0.315
0.12	0.258	0.12	0.287
0.1233	0.239	0.1233	0.271
0.1266	0.224	0.1266	0.255
0.13	0.211	0.13	0.236
0.1333	0.195	0.1333	0.217
0.1366	0.179	0.1366	0.211
0.14	0.17	0.14	0.198
0.1433	0.157	0.1433	0.186
0.1466	0.148	0.1466	0.173
0.15	0.138	0.15	0.164
0.1533	0.129	0.1533	0.151
0.1566	0.119	0.1566	0.145
0.16	0.113	0.16	0.135
0.1633	0.104	0.1633	0.126
0.1666	0.097	0.1666	0.119
0.17	0.091	0.17	0.113
0.1733	0.088	0.1733	0.107
0.1766	0.082	0.1766	0.101
0.18	0.075	0.18	0.094
0.1833	0.069	0.1833	0.088
0.1866	0.063	0.1866	0.085
0.19	0.063	0.19	0.078
0.1933	0.059	0.1933	0.075
0.1966	0.053	0.1966	0.069
0.2	0.053	0.2	0.066
0.2033	0.047	0.2033	0.063
0.2066	0.047	0.2066	0.059
0.21	0.044	0.21	0.056
0.2133	0.041	0.2133	0.053
0.2166	0.041	0.2166	0.05
0.22	0.037	0.22	0.05
0.2233	0.034	0.2233	0.047
0.2266	0.034	0.2266	0.044
0.23	0.031	0.23	0.044
0.2333	0.031	0.2333	0.041
0.2366	0.028	0.2366	0.037
0.24	0.028	0.24	0.037
0.2433	0.025	0.2433	0.034
0.2466	0.025	0.2466	0.034
0.25	0.025	0.25	0.034
0.2533	0.022	0.2533	0.031
0.2566	0.022	0.2566	0.031
0.26	0.022	0.26	0.031
0.2633	0.025	0.2633	0.028
0.2666	0.018	0.2666	0.028
0.27	0.018	0.27	0.028
0.2733	0.018	0.2733	0.025
0.2766	0.018	0.2766	0.025
0.28	0.015	0.28	0.025
0.2833	0.015	0.2833	0.025
0.2866	0.015	0.2866	0.025
0.29	0.015	0.29	0.025
0.2933	0.015	0.2933	0.022
0.2966	0.015	0.2966	0.022
0.3	0.015	0.3	0.022
0.3033	0.012	0.3033	0.022
0.3066	0.012	0.3066	0.022
0.31	0.012	0.31	0.018
0.3133	0.012	0.3133	0.018
0.3166	0.012	0.3166	0.018
0.32	0.012	0.32	0.018
0.3233	0.012	0.3233	0.018
0.3266	0.012	0.3266	0.018
0.33	0.012	0.33	0.018
0.3333	0.012	0.3333	0.018
0.35	0.009	0.35	0.018
0.3666	0.009	0.3666	0.015
0.3833	0.009	0.3833	0.015
0.4	0.009	0.4	0.015
0.4166	0.009	0.4166	0.012
0.4333	0.006	0.4333	0.012
0.45	0.006	0.45	0.012
0.4666	0.006	0.4666	0.012
0.4833	0.006	0.4833	0.012
0.5	0.006	0.5	0.012
0.5166	0.006	0.5166	0.012
0.5333	0.006	0.5333	0.012
0.55	0.006	0.55	0.012

0.5666	0.006
0.5833	0.006
0.6	0.006
0.6166	0.006
0.6333	0.006
0.65	0.006
0.6666	0.006
0.6833	0.006
0.7	0.006
0.7166	0.006
0.7333	0.006
0.75	0.006
0.7666	0.006
0.7833	0.006
0.8	0.006
0.8166	0.006
0.8333	0.006
0.85	0.006
0.8666	0.006
0.8833	0.006
0.9	0.006
0.9166	0.006
0.9333	0.006
0.95	0.006
0.9666	0.006
0.9833	0.006
1	0.006
1.2	0.006
1.4	0.006
1.6	0.006
1.8	0.003
2	0.006
2.2	0.003
2.4	0.009
2.6	0.003
2.8	0.006
3	0.006
3.2	0.006
3.4	0.003
3.6	0.006
3.8	0.006
4	0.003
4.2	0.006
4.4	0.006
4.6	0.006
4.8	0.006
5	0.006

0.5666	0.012
0.5833	0.012
0.6	0.012
0.6166	0.012
0.6333	0.009
0.65	0.009
0.6666	0.012
0.6833	0.012
0.7	0.012
0.7166	0.012
0.7333	0.009
0.75	0.009
0.7666	0.009
0.7833	0.009
0.8	0.009
0.8166	0.009
0.8333	0.012
0.85	0.009
0.8666	0.009
0.8833	0.009
0.9	0.009
0.9166	0.009
0.9333	0.009
0.95	0.009
0.9666	0.009
0.9833	0.009
1	0.009
1.2	0.009
1.4	0.009
1.6	0.009
1.8	0.009
2	0.009
2.2	0.009
2.4	0.009
2.6	0.009
2.8	0.009
3	0.009
3.2	0.009
3.4	0.009
3.6	0.012
3.8	0.006
4	0.006

PERMEABILITY TEST RESULTS FOR G3M-92-05X

TEST 1
HVORSLEV:
K= 0.010 CM/SEC
BOUWER & RICE:
K= 0.031 CM/SEC

TEST 2
HVORSLEV:
K= 0.010 CM/SEC
BOUWER & RICE:
K= 0.030 CM/SEC



G3M-92-05X PERMEABILITY TESTS
2.00
1.50
1.00
0.50
0.00
HEAD STRESS (FEET)
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2


G3M-92-05X PERMEABILITY TEST #1
K = 0.03139 cm/sec
y0 = 85.33 cm
100.
10.
1.
0.1
0.
3.8
7.6
11.4
15.2
19.
Time (sec)
Displacement (cm)

G3M-92-05X PERMEABILITY TEST #2



AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. ______

SETUP	DATE	BY WHOM
MONITORING WELL ID	G3M.92.05X 4"	R. RUSTAD
DATE OF TEST	10.07.92	
TYPE OF TEST	Rising Head	
HERMIT TYPE/SERIAL#	SE 1000C / / KC01732	
TEST #	SEL 10 / 1 of 2	
DATA COLLECTION RATE	LOG /	
TRANSDUCER		
SERIAL #	2045 DE	
PSIG	10	
SCALE FACTOR	9.983	
OFFSET	-0.035	
INPUT CHANNEL	# 1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	29.99 (PVC)	
WELL DEPTH (FT./TOC)	37.23 (PVC)	
XD DEPTH (FT.TOC)	36.23 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	34.23 (PVC)	
TIME OF SLUG PLACEMENT		
TIME OF WL EQUILIBRATION		
NEW XD REFERENCE		
START TIME OF TEST		
END TIME OF TEST		
NOTES: SLUG 3' x 3" PVC BAR STOCK		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. ______

SETUP	DATE	BY WHOM
MONITORING WELL ID	G3M-92-05X 4"	R. Rustad
DATE OF TEST	10.07.92	
TYPE OF TEST	Rising Head	
HERMIT TYPE/SERIAL#	SE 1000C / 1KC01725	
TEST #	SEL 11 / 2052	
DATA COLLECTION RATE	Log /	
TRANSDUCER		
SERIAL #	2045 DE	
PSIG	10	
SCALE FACTOR	9.983	
OFFSET	-0.035	
INPUT CHANNEL	#1	
TEST DATA		
INPUT MODE (TOC/SUR)	~~29.99 (PVC)~~ TOC	
STATIC WATER LEVEL (FT./TOC)	~~37.23 (PVC)~~ 29.99	(PVC)
WELL DEPTH (FT./TOC)	~~36~~ 37.23 (PVC)	
XD DEPTH (FT.TOC)	36.23 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	34.23 (PVC)	
TIME OF SLUG PLACEMENT		
TIME OF WL EQUILIBRATION		
NEW XD REFERENCE		
START TIME OF TEST		
END TIME OF TEST		
NOTES: Slug: 3' x 3" Bar	Stock PVC	

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

WELL G3M−92−06X
WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 6.9 FT, BORING DIAMETER = 0.833 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET
0	−0.012	0	−0.003
0.0033	0.003	0.0033	−0.015
0.0066	0.729	0.0066	0.05
0.01	0.318	0.01	1.874
0.0133	1.455	0.0133	1.982
0.0166	1.41	0.0166	1.114
0.02	0.7	0.02	1.051
0.0233	1.221	0.0233	1.852
0.0266	1.559	0.0266	1.433
0.03	1.401	0.03	1.385
0.0333	1.332	0.0333	1.303
0.0366	1.243	0.0366	1.215
0.04	1.161	0.04	1.133
0.0433	1.079	0.0433	1.057
0.0466	1.01	0.0466	0.988
0.05	0.937	0.05	0.921
0.0533	0.871	0.0533	0.852
0.0566	0.808	0.0566	0.789
0.06	0.754	0.06	0.744
0.0633	0.691	0.0633	0.681
0.0666	0.647	0.0666	0.643
0.07	0.602	0.07	0.59
0.0733	0.549	0.0733	0.558
0.0766	0.52	0.0766	0.508
0.08	0.467	0.08	0.476
0.0833	0.445	0.0833	0.438
0.0866	0.404	0.0866	0.41
0.09	0.375	0.09	0.378
0.0933	0.35	0.0933	0.356
0.0966	0.321	0.0966	0.328
0.1	0.296	0.1	0.306
0.1033	0.277	0.1033	0.284
0.1066	0.255	0.1066	0.258
0.11	0.236	0.11	0.246
0.1133	0.214	0.1133	0.224
0.1166	0.202	0.1166	0.211
0.12	0.189	0.12	0.202
0.1233	0.173	0.1233	0.186
0.1266	0.16	0.1266	0.173
0.13	0.148	0.13	0.16
0.1333	0.142	0.1333	0.151
0.1366	0.132	0.1366	0.138
0.14	0.119	0.14	0.132
0.1433	0.107	0.1433	0.126
0.1466	0.101	0.1466	0.116
0.15	0.101	0.15	0.113
0.1533	0.088	0.1533	0.104
0.1566	0.085	0.1566	0.097
0.16	0.075	0.16	0.094
0.1633	0.072	0.1633	0.088
0.1666	0.069	0.1666	0.085
0.17	0.063	0.17	0.082
0.1733	0.06	0.1733	0.075
0.1766	0.06	0.1766	0.072
0.18	0.053	0.18	0.069
0.1833	0.047	0.1833	0.066
0.1866	0.05	0.1866	0.063
0.19	0.044	0.19	0.059
0.1933	0.037	0.1933	0.056
0.1966	0.037	0.1966	0.053
0.2	0.037	0.2	0.053
0.2033	0.034	0.2033	0.053
0.2066	0.031	0.2066	0.05
0.21	0.031	0.21	0.047
0.2133	0.028	0.2133	0.047
0.2166	0.028	0.2166	0.044
0.22	0.025	0.22	0.044
0.2233	0.022	0.2233	0.037
0.2266	0.022	0.2266	0.041
0.23	0.022	0.23	0.044
0.2333	0.018	0.2333	0.037
0.2366	0.015	0.2366	0.034
0.24	0.018	0.24	0.034
0.2433	0.022	0.2433	0.037
0.2466	0.015	0.2466	0.034
0.25	0.012	0.25	0.034
0.2533	0.018	0.2533	0.034
0.2566	0.009	0.2566	0.025
0.26	0.009	0.26	0.028
0.2633	0.009	0.2633	0.034
0.2666	0.015	0.2666	0.031
0.27	0.018	0.27	0.034
0.2733	0.018	0.2733	0.031
0.2766	0.018	0.2766	0.028
0.28	0.006	0.28	0.025
0.2833	0.009	0.2833	0.025
0.2866	0.009	0.2866	0.028
0.29	0.009	0.29	0.031
0.2933	0.003	0.2933	0.025
0.2966	0.003	0.2966	0.022
0.3	0.003	0.3	0.025
0.3033	0.006	0.3033	0.028
0.3066	0.009	0.3066	0.025
0.31	0.006	0.31	0.025
0.3133	0.009	0.3133	0.022
0.3166	0.009	0.3166	0.025
0.32	0.006	0.32	0.031
0.3233	0.006	0.3233	0.031
0.3266	0.006	0.3266	0.022
0.33	0.006	0.33	0.018
0.3333	0.006	0.3333	0.022
0.35	0.003	0.35	0.022
0.3666	0.006	0.3666	0.025
0.3833	0.003	0.3833	0.025
0.4	0.003	0.4	0.012
0.4166	0.003	0.4166	0.022
0.4333	0.003	0.4333	0.018
0.45	0	0.45	0.022
0.4666	0	0.4666	0.025
0.4833	0	0.4833	0.022
0.5	0	0.5	0.015
0.5166	0.003	0.5166	0.018
0.5333	0	0.5333	0.022
0.55	0	0.55	0.015

0.5666	0
0.5833	0
0.6	0
0.6166	0
0.6333	0
0.65	0
0.6666	0.003
0.6833	0
0.7	0
0.7166	0
0.7333	−0.003
0.75	0
0.7666	−0.003
0.7833	0
0.8	0
0.8166	−0.003
0.8333	−0.003
0.85	0
0.8666	0
0.8833	−0.003
0.9	−0.003
0.9166	0
0.9333	0
0.95	0
0.9666	−0.003
0.9833	0
1	−0.003
1.2	0
1.4	−0.003
1.6	−0.003
1.8	−0.003
2	−0.003
2.2	−0.003
2.4	−0.003
2.6	−0.003
2.8	−0.003
3	−0.003
3.2	−0.003
3.4	−0.003
3.6	−0.006
3.8	−0.003
4	0
4.2	−0.003

0.5666	0.015
0.5833	0.015
0.6	0.015
0.6166	0.015
0.6333	0.015
0.65	0.015
0.6666	0.015
0.6833	0.018
0.7	0.015
0.7166	0.018
0.7333	0.018
0.75	0.018
0.7666	0.012
0.7833	0.015
0.8	0.015
0.8166	0.015
0.8333	0.025
0.85	0.015
0.8666	0.015
0.8833	0.015
0.9	0.015
0.9166	0.015
0.9333	0.015
0.95	0.015
0.9666	0.015
0.9833	0.012
1	0.015
1.2	0.012
1.4	0.015
1.6	0.015
1.8	0.012
2	0.012
2.2	0.012
2.4	0.012
2.6	0.015
2.8	0.012

PERMEABILITY TEST RESULTS FOR G3M−92−06X
TEST 1
HVORSLEV:
K= 0.012 CM/SEC
BOUWER & RICE:
K= 0.036 CM/SEC

TEST 2
HVORSLEV:
K= 0.012 CM/SEC
BOUWER & RICE:
K= 0.035 CM/SEC


G3M-92-06X PERMEABILITY TESTS
HEAD STRESS (FEET)
2.00
1.50
1.00
0.50
0.00
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2



G3M-92-06X PERMEABILITY TEST #1
K = 0.03636 cm/sec
y0 = 86.08 cm
100.
10.
1.
0.1
0.01
Displacement (cm)
0.
3.6
7.2
10.8
14.4
18.
Time (sec)

G3M-92-06X PERMEABILITY TEST #2



AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. ______

SETUP	DATE	BY WHOM
MONITORING WELL ID	G3M-92-06X 4"	D. PIERCE R. ROSTAD
DATE OF TEST	10.07.92	
TYPE OF TEST	RISING HEAD	
HERMIT TYPE/SERIAL#	SE 1000C / 1KC0172	
TEST #	SEL 8 / 1 OF 2	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	2045DE	
PSIG	10	
SCALE FACTOR	9.983	
OFFSET	-0.035	
INPUT CHANNEL	# 1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	27.40 (PVC)	
WELL DEPTH (FT./TOC)	34.26 (PVC)	
XD DEPTH (FT.TOC)	33.26 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	31.26 (PVC)	
TIME OF SLUG PLACEMENT		
TIME OF WL EQUILIBRATION		
NEW XD REFERENCE		
START TIME OF TEST		
END TIME OF TEST		
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. ______

SETUP	DATE	BY WHOM
MONITORING WELL ID	G3M-92-06X 4"	R. RUSTAD
DATE OF TEST	10.07.92	
TYPE OF TEST	Rising Head	
HERMIT TYPE/SERIAL#	SE 1000C/1[illegible]	
TEST #	SEC 9/2002	
DATA COLLECTION RATE	LOG	
TRANSDUCER		
SERIAL #	2045 DE	
PSIG	10	
SCALE FACTOR	9.983	
OFFSET	-0.035	
INPUT CHANNEL	# 1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	27.40 (PVC)	
WELL DEPTH (FT./TOC)	34.26 (PVC)	
XD DEPTH (FT.TOC)	33.26 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	31.26 (PVC)	
TIME OF SLUG PLACEMENT		
TIME OF WL EQUILIBRATION		
NEW XD REFERENCE		
START TIME OF TEST		
END TIME OF TEST		
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

WELL G3M-92-07X
WELL DIAMETER = 0.333 FT. SATURATED SCREEN LENGTH = 7.1 FT. BORING DIAMETER = 0.833 FT

TEST 1		TEST 2	
MINUTES	FEET	MINUTES	FEET
0	0	0	-0.003
0.0033	0.015	0.0033	-0.009
0.0066	1.23	0.0066	0.328
0.01	0.86	0.01	1.669
0.0133	0.793	0.0133	1.328
0.0166	1.176	0.0166	1.16
0.02	1.445	0.02	1.189
0.0233	1.84	0.0233	1.657
0.0266	1.733	0.0266	1.707
0.03	1.704	0.03	1.717
0.0333	1.644	0.0333	1.663
0.0366	1.6	0.0366	1.616
0.04	1.549	0.04	1.571
0.0433	1.511	0.0433	1.527
0.0466	1.473	0.0466	1.486
0.05	1.423	0.05	1.439
0.0533	1.386	0.0533	1.407
0.0566	1.347	0.0566	1.363
0.06	1.309	0.06	1.331
0.0633	1.28	0.0633	1.303
0.0666	1.236	0.0666	1.258
0.07	1.205	0.07	1.22
0.0733	1.173	0.0733	1.189
0.0766	1.136	0.0766	1.151
0.08	1.1	0.08	1.122
0.0833	1.069	0.0833	1.087
0.0866	1.04	0.0866	1.05
0.09	1.008	0.09	1.024
0.0933	0.983	0.0933	0.996
0.0966	0.951	0.0966	0.967
0.1	0.923	0.1	0.936
0.1033	0.891	0.1033	0.907
0.1066	0.866	0.1066	0.879
0.11	0.836	0.11	0.853
0.1133	0.809	0.1133	0.825
0.1166	0.787	0.1166	0.803
0.12	0.762	0.12	0.771
0.1233	0.743	0.1233	0.755
0.1266	0.717	0.1266	0.73
0.13	0.695	0.13	0.708
0.1333	0.676	0.1333	0.686
0.1366	0.657	0.1366	0.667
0.14	0.635	0.14	0.645
0.1433	0.616	0.1433	0.629
0.1466	0.597	0.1466	0.61
0.15	0.578	0.15	0.591
0.1533	0.562	0.1533	0.572
0.1566	0.547	0.1566	0.556
0.16	0.531	0.16	0.534
0.1633	0.515	0.1633	0.525
0.1666	0.499	0.1666	0.506
0.17	0.483	0.17	0.493
0.1733	0.471	0.1733	0.48
0.1766	0.458	0.1766	0.468
0.18	0.442	0.18	0.452
0.1833	0.433	0.1833	0.439
0.1866	0.42	0.1866	0.426
0.19	0.404	0.19	0.414
0.1933	0.395	0.1933	0.404
0.1966	0.385	0.1966	0.392
0.2	0.376	0.2	0.382
0.2033	0.363	0.2033	0.37
0.2066	0.354	0.2066	0.36
0.21	0.344	0.21	0.351
0.2133	0.335	0.2133	0.341
0.2166	0.325	0.2166	0.332
0.22	0.319	0.22	0.325
0.2233	0.309	0.2233	0.316
0.2266	0.3	0.2266	0.309
0.23	0.294	0.23	0.3
0.2333	0.287	0.2333	0.294
0.2366	0.281	0.2366	0.284
0.24	0.271	0.24	0.278
0.2433	0.268	0.2433	0.271
0.2466	0.259	0.2466	0.262
0.25	0.253	0.25	0.259
0.2533	0.246	0.2533	0.253
0.2566	0.243	0.2566	0.246
0.26	0.234	0.26	0.24
0.2633	0.23	0.2633	0.234
0.2666	0.227	0.2666	0.227
0.27	0.221	0.27	0.224
0.2733	0.215	0.2733	0.221
0.2766	0.211	0.2766	0.215
0.28	0.205	0.28	0.211
0.2833	0.202	0.2833	0.205
0.2866	0.196	0.2866	0.202
0.29	0.192	0.29	0.196
0.2933	0.189	0.2933	0.192
0.2966	0.186	0.2966	0.189
0.3	0.18	0.3	0.186
0.3033	0.177	0.3033	0.18
0.3066	0.173	0.3066	0.177
0.31	0.164	0.31	0.173
0.3133	0.167	0.3133	0.17
0.3166	0.164	0.3166	0.167
0.32	0.158	0.32	0.164
0.3233	0.154	0.3233	0.158
0.3266	0.154	0.3266	0.154
0.33	0.148	0.33	0.154
0.3333	0.148	0.3333	0.151
0.35	0.132	0.35	0.132
0.3666	0.117	0.3666	0.123
0.3833	0.107	0.3833	0.11
0.4	0.094	0.4	0.098
0.4166	0.085	0.4166	0.088
0.4333	0.079	0.4333	0.079
0.45	0.069	0.45	0.072
0.4666	0.06	0.4666	0.066
0.4833	0.053	0.4833	0.056
0.5	0.047	0.5	0.05
0.5166	0.041	0.5166	0.044
0.5333	0.034	0.5333	0.041
0.55	0.031	0.55	0.034

0.5666	0.028
0.5833	0.025
0.6	0.022
0.6166	0.018
0.6333	0.018
0.65	0.015
0.6666	0.012
0.6833	0.012
0.7	0.015
0.7166	0.009
0.7333	0.009
0.75	0.009
0.7666	0.009
0.7833	0.009
0.8	0.006
0.8166	0.006
0.8333	0.006
0.85	0.006
0.8666	0.006
0.8833	0.006
0.9	0.006
0.9166	0.006
0.9333	0.006
0.95	0.006
0.9666	0.003
0.9833	0.003
1	0.003
1.2	0.003
1.4	0.003
1.6	0.003
1.8	0.003
2	0.003
2.2	0
2.4	0
2.6	0.003
2.8	0.003
3	0
3.2	0
3.4	0.003
3.6	0

PERMEABILITY TEST RESULTS FOR G3M-92-07X
TEST 1
HVORSLEV:
K= 0.0049 CM/SEC
BOUWER & RICE:
K= 0.015 CM/SEC

0.5666	0.031
0.5833	0.028
0.6	0.025
0.6166	0.025
0.6333	0.022
0.65	0.018
0.6666	0.018
0.6833	0.018
0.7	0.015
0.7166	0.015
0.7333	0.015
0.75	0.012
0.7666	0.012
0.7833	0.012
0.8	0.012
0.8166	0.009
0.8333	0.009
0.85	0.012
0.8666	0.009
0.8833	0.009
0.9	0.009
0.9166	0.009
0.9333	0.009
0.95	0.009
0.9666	0.009
0.9833	0.009
1	0.006
1.2	0.006
1.4	0.003
1.6	0.003
1.8	0.003
2	0.003
2.2	0.003
2.4	0.003
2.6	0.003
2.8	0.003
3	0.003
3.2	0.003

TEST 2
HVORSLEV:
K= 0.0049 CM/SEC
BOUWER & RICE:
K= 0.015 CM/SEC


G3M-92-07X PERMEABILITY TESTS
HEAD STRESS (FEET)
2.00
1.50
1.00
0.50
0.00
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2



G3M-92-07X PERMEABILITY TEST #1
K = 0.01484 cm/sec
H0 = 70.22 cm
100.
10.
1.
0.1
Displacement (cm)
0.
11.
22.
33.
44.
55.
Time (sec)

G3M-92-07X PERMEABILITY TEST #2



92115D (B)

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. 63M.92.07X

SETUP	DATE	BY WHOM
MONITORING WELL ID	63M.92.07X 4"	R Rustad / D. Pierce
DATE OF TEST	10.02.92	
TYPE OF TEST	Rising Head	
HERMIT TYPE/SERIAL#	SE1000C / 1KE01332	
TEST #	SEL 4 / 1 or 2	
DATA COLLECTION RATE	Log 1	
TRANSDUCER		
SERIAL #	2046DE	
PSIG	10	
SCALE FACTOR	10.001	
OFFSET	-0.074	
INPUT CHANNEL	# 1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	27.03 (PVC)	
WELL DEPTH (FT./TOC)	34.10 (PVC)	
XD DEPTH (FT.TOC)	33.10 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	31.10 (PVC)	
TIME OF SLUG PLACEMENT	1255	
TIME OF WL EQUILIBRATION		
NEW XD REFERENCE	0.00	
START TIME OF TEST	1255	
END TIME OF TEST	1259	
NOTES: SLUG: 3'x3" PVC Bar Stock		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. ______

SETUP	DATE	BY WHOM
MONITORING WELL ID	G3M-92-07X 4"	R. Rustad
DATE OF TEST	10.07.92	
TYPE OF TEST	Rising Head	
HERMIT TYPE/SERIAL#	SE 1000C / 1KC0732	
TEST #	SEL 5 / 2 OF 2	
DATA COLLECTION RATE	LOG /	
TRANSDUCER		
SERIAL #	2646 DE	
PSIG	10	
SCALE FACTOR	10.001	
OFFSET	-0.034	
INPUT CHANNEL	#1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	27.02	
WELL DEPTH (FT./TOC)	34.10	
XD DEPTH (FT.TOC)	33.10	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	31.10	
TIME OF SLUG PLACEMENT	1305	
TIME OF WL EQUILIBRATION	RR ~~1305~~ 1306	
NEW XD REFERENCE	0.00	
START TIME OF TEST	1305	
END TIME OF TEST	1308	
NOTES: Slug: 3' x 3" PVC ~~Bar~~ Stock		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

CALCULATION OF HYDRAULIC CONDUCTIVITIES USING THE HVORSLEV EQUATION
GROUP 3 WELLS

K = −[(LOG Ht1 − LOG Ht2)/(t1 − t2)]{[(r) ^ 2 LOG (L/R)]/2L}

WHERE:

t1 = TIME 1 (MINUTES)
t2 = TIME 2 (MINUTES)
Ht1 = HEAD STRESS AT TIME 1 (FEET)
Ht2 = HEAD STRESS AT TIME 2 (FEET)
r = RADIUS OF WELL CASING (FEET)
R = RADUS OF BOREHOLE (FEET)
L = EFFECTIVE SATURATED LENGTH OF SCREEN (FEET)

WELL	t1	t2	Ht1	Ht2	r	R	L	TEST #	K (FT/MIN)	K (CM/SEC)
G3M−92−01X	1.2	11	0.763	0.35	0.167	0.417	7.2	1	8.3E−05	4.2E−05
G3M−92−01X	1.2	11	0.804	0.363	0.167	0.417	7.2	2	8.4E−05	4.3E−05
G3M−92−02X	0.03	0.08	1.306	0.47	0.167	0.417	6.7	1	2.2E−02	1.1E−02
G3M−92−02X	0.03	0.08	1.344	0.489	0.167	0.417	6.7	2	2.2E−02	1.1E−02
G3M−92−03X	0.0366	0.07	1.189	0.525	0.167	0.417	7.4	1	2.5E−02	1.3E−02
G3M−92−03X	0.0366	0.0766	1.091	0.404	0.167	0.417	7.4	2	2.5E−02	1.3E−02
G3M−92−04X	0.03	0.0533	1.101	0.47	0.167	0.417	6.7	1	4.0E−02	2.0E−02
G3M−92−04X	0.03	0.0533	1.111	0.479	0.167	0.417	6.7	2	3.9E−02	2.0E−02
G3M−92−05X	0.03	0.1	1.546	0.391	0.167	0.417	7.2	1	2.0E−02	1.0E−02
G3M−92−05X	0.0466	0.1066	1.177	0.378	0.167	0.417	7.2	2	2.0E−02	1.0E−02
G3M−92−06X	0.0333	0.08	1.332	0.467	0.167	0.417	6.9	1	2.4E−02	1.2E−02
G3M−92−06X	0.0333	0.08	1.303	0.476	0.167	0.417	6.9	2	2.3E−02	1.2E−02
G3M−92−07X	0.0933	0.17	0.983	0.483	0.167	0.417	7.1	1	9.7E−03	4.9E−03
G3M−92−07X	0.0933	0.17	0.996	0.493	0.167	0.417	7.1	2	9.6E−03	4.9E−03

WELL G5M-92-01X
WELL DIAMETER = 0.333 FT. SATURATED SCREEN LENGTH = 6.4 FT. BORING DIAMETER = 0.833 FT

TEST 1

MINUTES	FEET
0.0033	0.471
0.0066	0.268
0.01	0.512
0.0133	0.765
0.0166	0.898
0.02	0.86
0.0233	0.696
0.0266	0.547
0.03	0.426
0.0333	0.325
0.0366	0.246
0.04	0.186
0.0433	0.139
0.0466	0.101
0.05	0.075
0.0533	0.056
0.0566	0.044
0.06	0.031
0.0633	0.025
0.0666	0.018
0.07	0.015
0.0733	0.012
0.0766	0.012
0.08	0.006
0.0833	0.003
0.0866	0.006
0.09	0.006
0.0933	0.003
0.0966	0.003
0.1	0.003
0.1033	0.003
0.1066	0.003
0.11	0.003
0.1133	0.003
0.1166	0.003
0.12	0.003
0.1233	0.003
0.1266	0.003
0.13	0.003
0.1333	0.003
0.1366	0.003
0.14	0.003
0.1433	0.003
0.1466	0.003
0.15	0.003
0.1533	0.003
0.1566	0.003
0.16	0.003
0.1633	0.003
0.1666	0
0.17	0.003
0.1733	0
0.1766	0.003
0.18	0
0.1833	0
0.1866	0
0.19	0.003
0.1933	0
0.1966	0.003
0.2	0
0.2033	0
0.2066	0
0.21	0
0.2133	0
0.2166	0
0.22	0
0.2233	0
0.2266	0
0.23	0
0.2333	0
0.2366	0
0.24	0
0.2433	0
0.2466	0
0.25	0
0.2533	0
0.2566	0
0.26	0
0.2633	0
0.2666	0
0.27	0
0.2733	0
0.2766	0
0.28	0
0.2833	0
0.2866	0
0.29	0
0.2933	0
0.2966	0
0.3	0
0.3033	0
0.3066	0
0.31	0
0.3133	0
0.3166	0
0.32	0
0.3233	0
0.3266	0
0.33	0
0.3333	0
0.35	0
0.3666	0
0.3833	0
0.4	0
0.4166	0
0.4333	0
0.45	0
0.4666	0
0.4833	0
0.5	0
0.5166	0
0.5333	0
0.55	0
0.5666	0

TEST 2

MINUTES	FEET
0	0.003
0.0033	-0.009
0.0066	1.034
0.01	1.084
0.0133	0.696
0.0166	0.717
0.02	0.306
0.0233	0.281
0.0266	0.645
0.03	0.834
0.0333	0.686
0.0366	0.54
0.04	0.423
0.0433	0.322
0.0466	0.243
0.05	0.183
0.0533	0.136
0.0566	0.101
0.06	0.079
0.0633	0.056
0.0666	0.044
0.07	0.031
0.0733	0.025
0.0766	0.018
0.08	0.012
0.0833	0.009
0.0866	0.006
0.09	0.006
0.0933	0.006
0.0966	0.006
0.1	0.006
0.1033	0.003
0.1066	-0.003
0.11	0.003
0.1133	0.003
0.1166	0.003
0.12	0.003
0.1233	0.003
0.1266	0.003
0.13	0.003
0.1333	0.003
0.1366	0.003
0.14	0.003
0.1433	0.003
0.1466	0.003
0.15	0.003
0.1533	0.003
0.1566	0.003
0.16	0.003
0.1633	0.003
0.1666	0.003
0.17	0.003
0.1733	0.003
0.1766	0.003
0.18	0
0.1833	0.003
0.1866	0
0.19	0
0.1933	0.003
0.1966	0
0.2	0
0.2033	0
0.2066	0
0.21	0
0.2133	0
0.2166	0
0.22	0
0.2233	0
0.2266	0
0.23	0
0.2333	0
0.2366	0
0.24	0
0.2433	0
0.2466	0
0.25	0
0.2533	0
0.2566	0
0.26	0
0.2633	0
0.2666	0
0.27	0
0.2733	0
0.2766	0
0.28	0
0.2833	0
0.2866	0
0.29	0
0.2933	0
0.2966	0
0.3	0
0.3033	0
0.3066	0
0.31	0
0.3133	0
0.3166	0
0.32	0
0.3233	0
0.3266	0
0.33	0
0.3333	0
0.35	0
0.3666	0
0.3833	0
0.4	0
0.4166	0
0.4333	0
0.45	0
0.4666	0
0.4833	0
0.5	0
0.5166	0
0.5333	0
0.55	0

0.5833	0
0.6	0
0.6166	0
0.6333	0
0.65	0
0.6666	0
0.6833	0
0.7	0
0.7166	0
0.7333	0
0.75	0
0.7666	0
0.7833	0
0.8	0
0.8166	0
0.8333	0
0.85	0
0.8666	0
0.8833	0
0.9	0
0.9166	0
0.9333	0
0.95	0
0.9666	0
0.9833	0
1	0
1.2	0
1.4	0
1.6	0
1.8	0
2	0
2.2	0
2.4	0
2.6	0
2.8	0
3	0

PERMEABILITY TEST RESULTS FOR GSM-92-01X
TEST 1
HVORSLEV:
K= 0.042 CM/SEC
BOUWER & RICE:
K= 0.14 CM/SEC

0.5666	0
0.5833	0
0.6	0
0.6166	0
0.6333	0
0.65	0
0.6666	0
0.6833	0
0.7	0
0.7166	0
0.7333	0
0.75	0
0.7666	0
0.7833	0
0.8	0
0.8166	0
0.8333	0
0.85	0
0.8666	0
0.8833	0
0.9	0
0.9166	0
0.9333	0
0.95	0
0.9666	0
0.9833	0
1	0
1.2	0
1.4	0
1.6	0
1.8	0
2	0
2.2	0
2.4	-0.003
2.6	-0.003
2.8	0
3	0
3.2	0
3.4	0
3.6	-0.003
3.8	-0.003

TEST 2
HVORSLEV:
K= 0.041 CM/SEC
BOUWER & RICE:
K= 0.13 CM/SEC

G5M-92-01X PERMEABILITY TESTS



G5M-92-01X PERMEABILITY TEST #1



G5M-92-01X PERMEABILITY TEST #2



AQUIFER TESTING

SETUP	
WELL ID	G5M-92-01X
DATE OF TEST	10.05.92
TYPE OF TEST	SLUG OUT/RISING HEAD
HERMIT TYPE / SERIAL #	
TEST #	#6 SEL 6
DATA COLLECTION RATE	LOG
DUCER	
SERIAL #	
PSIG	
SCALE FACTOR	
OFFSET	
INPUT CHANNEL	
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	34.94 (PVC) 35.12 (TOC)
WELL DEPTH (FT/TOC)	41.38 (PVC) 41.58 (TOC)
XD DEPTH (FT/TOC)	40.5' (PVC)
INITIAL XD REFERENCE	0.0
SLUG DEPTH (FT/TOC)	
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST 1 OF 2

R. RUSTAD D. PIERCE

AQUIFER TESTING

SETUP	
WELL ID	GSM-92-01X
DATE OF TEST	10-05-92
TYPE OF TEST	SLUG OUT / RISING HEAD
HERMIT TYPE / SERIAL #	
TEST #	#7 SEL 7
DATA COLLECTION RATE	LOG
DUCER	
SERIAL #	
PSIG	
SCALE FACTOR	
OFFSET	
INPUT CHANNEL	
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	34.94 (pvc)
WELL DEPTH (FT/TOC)	41.38 (pvc)
XD DEPTH (FT/TOC)	40.5' (pvc)
INITIAL XD REFERENCE	
SLUG DEPTH (FT/TOC)	
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES:
COMPLETED 1600

WELL G5M-92-02X
WELL DIAMETER = 0.333 FT. SATURATED SCREEN LENGTH = 6.3 FT. BORING DIAMETER = 0.833 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET	TEST 3 MINUTES	FEET
0	1.505	0	0.322	0	1.182
0.0033	1.094	0.0033	0.366	0.0033	2.644
0.0066	2.236	0.0066	0.531	0.0066	2.53
0.01	1.815	0.01	0.338	0.01	2.476
0.0133	1.862	0.0133	0.774	0.0133	2.451
0.0166	1.805	0.0166	0.607	0.0166	2.4
0.02	1.764	0.02	0.692	0.02	2.353
0.0233	1.726	0.0233	0.385	0.0233	2.321
0.0266	1.685	0.0266	1.072	0.0266	2.277
0.03	1.65	0.03	0.876	0.03	2.255
0.0333	1.613	0.0333	0.215	0.0333	2.213
0.0366	1.571	0.0366	1.037	0.0366	2.176
0.04	1.543	0.04	0.708	0.04	2.15
0.0433	1.508	0.0433	1.233	0.0433	2.122
0.0466	1.473	0.0466	1.016	0.0466	2.09
0.05	1.445	0.05	0.433	0.05	2.055
0.0533	1.416	0.0533	0.809	0.0533	2.03
0.0566	1.385	0.0566	0.866	0.0566	2.005
0.06	1.353	0.06	1.366	0.06	1.986
0.0633	1.328	0.0633	0.816	0.0633	1.951
0.0666	1.296	0.0666	0.474	0.0666	1.922
0.07	1.271	0.07	0.866	0.07	1.9
0.0733	1.242	0.0733	0.607	0.0733	1.881
0.0766	1.214	0.0766	1.018	0.0766	1.843
0.08	1.186	0.08	0.844	0.08	1.824
0.0833	1.167	0.0833	0.246	0.0833	1.805
0.0866	1.141	0.0866	0.717	0.0866	1.777
0.09	1.116	0.09	0.654	0.09	1.755
0.0933	1.094	0.0933	0.512	0.0933	1.733
0.0966	1.069	0.0966	0.49	0.0966	1.711
0.1	1.046	0.1	0.48	0.1	1.688
0.1033	1.021	0.1033	0.458	0.1033	1.663
0.1066	1.002	0.1066	0.414	0.1066	1.644
0.11	0.98	0.11	0.395	0.11	1.622
0.1133	0.958	0.1133	0.379	0.1133	1.603
0.1166	0.936	0.1166	0.36	0.1166	1.581
0.12	0.917	0.12	0.338	0.12	1.562
0.1233	0.898	0.1233	0.322	0.1233	1.54
0.1266	0.876	0.1266	0.306	0.1266	1.521
0.13	0.857	0.13	0.29	0.13	1.502
0.1333	0.838	0.1333	0.278	0.1333	1.48
0.1366	0.822	0.1366	0.265	0.1366	1.467
0.14	0.8	0.14	0.253	0.14	1.442
0.1433	0.784	0.1433	0.24	0.1433	1.42
0.1466	0.765	0.1466	0.23	0.1466	1.401
0.15	0.749	0.15	0.221	0.15	1.388
0.1533	0.73	0.1533	0.211	0.1533	1.369
0.1566	0.714	0.1566	0.205	0.1566	1.35
0.16	0.695	0.16	0.196	0.16	1.334
0.1633	0.68	0.1633	0.186	0.1633	1.315
0.1666	0.664	0.1666	0.18	0.1666	1.296
0.17	0.651	0.17	0.173	0.17	1.277
0.1733	0.635	0.1733	0.167	0.1733	1.261
0.1766	0.619	0.1766	0.161	0.1766	1.246
0.18	0.604	0.18	0.154	0.18	1.23
0.1833	0.588	0.1833	0.151	0.1833	1.211
0.1866	0.581	0.1866	0.145	0.1866	1.195
0.19	0.559	0.19	0.142	0.19	1.179
0.1933	0.553	0.1933	0.136	0.1933	1.163
0.1966	0.534	0.1966	0.132	0.1966	1.167
0.2	0.525	0.2	0.129	0.2	1.132
0.2033	0.509	0.2033	0.126	0.2033	1.116
0.2066	0.496	0.2066	0.123	0.2066	1.1
0.21	0.487	0.21	0.117	0.21	1.084
0.2133	0.474	0.2133	0.117	0.2133	1.069
0.2166	0.461	0.2166	0.113	0.2166	1.056
0.22	0.449	0.22	0.11	0.22	1.04
0.2233	0.439	0.2233	0.107	0.2233	1.027
0.2266	0.43	0.2266	0.104	0.2266	1.012
0.23	0.417	0.23	0.101	0.23	0.996
0.2333	0.408	0.2333	0.101	0.2333	0.983
0.2366	0.398	0.2366	0.098	0.2366	0.97
0.24	0.385	0.24	0.094	0.24	0.955
0.2433	0.376	0.2433	0.094	0.2433	0.942
0.2466	0.37	0.2466	0.091	0.2466	0.929
0.25	0.36	0.25	0.091	0.25	0.914
0.2533	0.351	0.2533	0.088	0.2533	0.901
0.2566	0.341	0.2566	0.088	0.2566	0.888
0.26	0.332	0.26	0.085	0.26	0.876
0.2633	0.319	0.2633	0.085	0.2633	0.863
0.2666	0.313	0.2666	0.082	0.2666	0.853
0.27	0.306	0.27	0.082	0.27	0.838
0.2733	0.3	0.2733	0.079	0.2733	0.828
0.2766	0.294	0.2766	0.079	0.2766	0.815
0.28	0.281	0.28	0.079	0.28	0.803
0.2833	0.275	0.2833	0.075	0.2833	0.79
0.2866	0.268	0.2866	0.075	0.2866	0.781
0.29	0.262	0.29	0.072	0.29	0.768
0.2933	0.256	0.2933	0.072	0.2933	0.759
0.2966	0.248	0.2966	0.072	0.2966	0.746
0.3	0.24	0.3	0.069	0.3	0.736
0.3033	0.234	0.3033	0.069	0.3033	0.724
0.3066	0.227	0.3066	0.069	0.3066	0.714
0.31	0.221	0.31	0.069	0.31	0.705
0.3133	0.215	0.3133	0.066	0.3133	0.695
0.3166	0.208	0.3166	0.066	0.3166	0.683
0.32	0.205	0.32	0.066	0.32	0.673
0.3233	0.196	0.3233	0.063	0.3233	0.664
0.3266	0.192	0.3266	0.063	0.3266	0.657
0.33	0.186	0.33	0.063	0.33	0.645
0.3333	0.183	0.3333	0.06	0.3333	0.635
0.35	0.154	0.35	0.056	0.35	0.588
0.3666	0.132	0.3666	0.053	0.3666	0.547
0.3833	0.11	0.3833	0.05	0.3833	0.509
0.4	0.091	0.4	0.072	0.4	0.471
0.4166	0.075	0.4166	0.047	0.4166	0.439
0.4333	0.063	0.4333	0.047	0.4333	0.408
0.45	0.05	0.45	0.044	0.45	0.382
0.4666	0.037	0.4666	0.044	0.4666	0.357
0.4833	0.028	0.4833	0.041	0.4833	0.332
0.5	0.018	0.5	0.037	0.5	0.309
0.5166	0.012	0.5166	0.037	0.5166	0.29
0.5333	0.006	0.5333	0.037	0.5333	0.271
0.55	0	0.55	0.034	0.55	0.256

0.5666	-0.006
0.5833	-0.012
0.6	-0.015
0.6166	-0.022
0.6333	-0.025
0.65	-0.028
0.6666	-0.031
0.6833	-0.034
0.7	-0.037
0.7166	-0.037
0.7333	-0.041
0.75	-0.044
0.7666	-0.047
0.7833	-0.047
0.8	-0.047
0.8166	-0.05
0.8333	-0.053
0.85	-0.053
0.8666	-0.056
0.8833	-0.056
0.9	-0.06
0.9166	-0.06
0.9333	-0.06
0.95	-0.06
0.9666	-0.063
0.9833	-0.063
1	-0.06
1.2	-0.069
1.4	-0.075
1.6	-0.072
1.8	-0.075
2	-0.075
2.2	-0.075
2.4	-0.079
2.6	-0.075
2.8	-0.079
3	-0.075
3.2	-0.075
3.4	-0.079
3.6	-0.079
3.8	-0.079
4	-0.075
4.2	-0.079
4.4	-0.079
4.6	-0.079
4.8	-0.079
5	-0.079
5.2	-0.079
5.4	-0.075
5.6	-0.075
5.8	-0.079
6	-0.079
6.2	-0.075
6.4	-0.079

PERMEABILITY TEST RESULTS FOR GSM-92-02X
TEST 1
HVORSLEV:
K= 0.0042 CM/SEC
BOUWER & RICE:
K= 0.013 CM/SEC

0.5666	0.031
0.5833	0.031
0.6	0.028
0.6166	0.028
0.6333	0.028
0.65	0.025
0.6666	0.025
0.6833	0.025
0.7	0.022
0.7166	0.022
0.7333	0.022
0.75	0.015
0.7666	0.018
0.7833	0.015
0.8	0.015
0.8166	0.012
0.8333	0.012
0.85	0.012
0.8666	0.012
0.8833	0.009
0.9	0.009
0.9166	0.006
0.9333	0.006
0.95	0.006
0.9666	0.006
0.9833	0.006
1	0.003
1.2	-0.003
1.4	-0.012
1.6	-0.012
1.8	-0.015
2	-0.015
2.2	-0.018
2.4	-0.022
2.6	-0.018
2.8	-0.022
3	-0.022
3.2	-0.022
3.4	-0.022
3.6	-0.022
3.8	-0.022
4	-0.022
4.2	-0.022
4.4	-0.022
4.6	-0.022

TEST 2
HVORSLEV:
K= 0.0066 CM/SEC
BOUWER & RICE:
K= 0.026 CM/SEC

0.5666	0.24
0.5833	0.227
0.6	0.211
0.6166	0.199
0.6333	0.189
0.65	0.18
0.6666	0.17
0.6833	0.164
0.7	0.154
0.7166	0.148
0.7333	0.142
0.75	0.136
0.7666	0.129
0.7833	0.123
0.8	0.12
0.8166	0.113
0.8333	0.107
0.85	0.104
0.8666	0.101
0.8833	0.098
0.9	0.094
0.9166	0.088
0.9333	0.085
0.95	0.082
0.9666	0.079
0.9833	0.075
1	0.075
1.2	0.05
1.4	0.037
1.6	0.034
1.8	0.028
2	0.028
2.2	0.025
2.4	0.025
2.6	0.025
2.8	0.025
3	0.025
3.2	0.025
3.4	0.025
3.6	0.025
3.8	0.025
4	0.025
4.2	0.022
4.4	0.025
4.6	0.022

TEST 3
HVORSLEV:
K= 0.0025 CM/SEC
BOUWER & RICE:
K= 0.0073 CM/SEC


G5M-92-02X PERMEABILITY TESTS
HEAD STRESS (FEET)
2.50
1.50
0.50
-0.50
0.001
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2
TEST #3

G5M-92-02X PERMEABILITY TEST #1



G5M-92-02X PERMEABILITY TEST #2



G5M-92-02X PERMEABILITY TEST #3



AQUIFER TESTING

SETUP	
WELL ID	G5M·92·02X
DATE OF TEST	10·5·92.
TYPE OF TEST	~~Falling Head~~ RR Rising Head
HERMIT TYPE / SERIAL #	SE 1000C / 1KC01732
TEST #	#0
DATA COLLECTION RATE	LOG 1
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	#1
TEST DATA	
INPUT MODE (TOC/SUR)	RR ~~TOC~~ SUR
STATIC WATER LEVEL (FT/TOC)	19.27
WELL DEPTH (FT/TOC)	25.56
XD DEPTH (FT/TOC)	24.5
INITIAL XD REFERENCE	0.0
SLUG DEPTH (FT/TOC)	— 24.0
TIME OF SLUG PLACEMENT	—
TIME OF WL EQUILIBRATION	—
NEW XD REFERENCE	—
START TIME OF TEST	1220
END TIME OF TEST	1226

NOTES: APPARENTLY SOME SEDIMENT HAS COLLECTED IN THE BASE OF THE WELL.

R. RUSTAD, D. PIERCE, B. RICE TEST ~~#1~~ A

AQUIFER TESTING

SETUP	
WELL ID	GSM-92-02X
DATE OF TEST	10-05-92
TYPE OF TEST	SLUG IN / FALLING HEAD
HERMIT TYPE / SERIAL #	SE-1000C / 1KC0173 2
TEST #	# 1
DATA COLLECTION RATE	LOG
DUCER	
SERIAL #	
PSIG	
SCALE FACTOR	
OFFSET	
INPUT CHANNEL	
TEST DATA	
INPUT MODE (TOC/SUR)	SUR
STATIC WATER LEVEL (FT/TOC)	19.27
WELL DEPTH (FT/TOC)	
XD DEPTH (FT/TOC)	
INITIAL XD REFERENCE	
SLUG DEPTH (FT/TOC)	
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST #8 AT 02X

AQUIFER TESTING

SETUP	
WELL ID	GSM-92-02X
DATE OF TEST	10.5.92
TYPE OF TEST	SLUG OUT RISING HEAD
HERMIT TYPE / SERIAL #	SE 1000C
TEST #	SEL # 2
DATA COLLECTION RATE	LOG 1
DUCER	
SERIAL #	
PSIG	
SCALE FACTOR	
OFFSET	
INPUT CHANNEL	
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	19.27
WELL DEPTH (FT/TOC)	
XD DEPTH (FT/TOC)	
INITIAL XD REFERENCE	
SLUG DEPTH (FT/TOC)	
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST C AT 02X

WELL G5M-92-03B
WELL DIAMETER = 0.333 FT. SATURATED SCREEN LENGTH = 4.4 FT. BORING DIAMETER = 0.833 FT

TEST 1

MINUTES	FEET
0	1.635
0.0033	1.021
0.0066	0.961
0.01	1.543
0.0133	1.65
0.0166	1.616
0.02	1.502
0.0233	1.413
0.0266	1.337
0.03	1.265
0.0333	1.189
0.0366	1.122
0.04	1.059
0.0433	1.002
0.0466	0.948
0.05	0.895
0.0533	0.844
0.0566	0.793
0.06	0.746
0.0633	0.698
0.0666	0.657
0.07	0.61
0.0733	0.575
0.0766	0.537
0.08	0.502
0.0833	0.471
0.0866	0.439
0.09	0.411
0.0933	0.382
0.0966	0.357
0.1	0.335
0.1033	0.309
0.1066	0.287
0.11	0.268
0.1133	0.249
0.1166	0.23
0.12	0.215
0.1233	0.199
0.1266	0.186
0.13	0.173
0.1333	0.158
0.1366	0.148
0.14	0.136
0.1433	0.126
0.1466	0.117
0.15	0.107
0.1533	0.101
0.1566	0.094
0.16	0.085
0.1633	0.079
0.1666	0.075
0.17	0.069
0.1733	0.063
0.1766	0.06
0.18	0.053
0.1833	0.05
0.1866	0.047
0.19	0.044
0.1933	0.041
0.1966	0.037
0.2	0.034
0.2033	0.031
0.2066	0.028
0.21	0.028
0.2133	0.025
0.2166	0.025
0.22	0.022
0.2233	0.022
0.2266	0.018
0.23	0.018
0.2333	0.015
0.2366	0.015
0.24	0.012
0.2433	0.012
0.2466	0.012
0.25	0.012
0.2533	0.009
0.2566	0.009
0.26	0.009
0.2633	0.009
0.2666	0.006
0.27	0.006
0.2733	0.006
0.2766	0.006
0.28	0.006
0.2833	0.006
0.2866	0.006
0.29	0.003
0.2933	0.003
0.2966	0.003
0.3	0.003
0.3033	0.003
0.3066	0.003
0.31	0.003
0.3133	0.003
0.3166	0.003
0.32	0.003
0.3233	0.003
0.3266	0.003
0.33	0
0.3333	0.003
0.35	0
0.3666	0
0.3833	0
0.4	0
0.4166	0
0.4333	0
0.45	0
0.4666	0
0.4833	0
0.5	0
0.5166	0
0.5333	0
0.55	0

TEST 2

MINUTES	FEET
0	0
0.0033	-0.022
0.0066	1.578
0.01	1.106
0.0133	0.872
0.0166	1.543
0.02	1.382
0.0233	1.315
0.0266	1.236
0.03	1.163
0.0333	1.091
0.0366	1.024
0.04	0.961
0.0433	0.904
0.0466	0.85
0.05	0.797
0.0533	0.746
0.0566	0.695
0.06	0.651
0.0633	0.607
0.0666	0.562
0.07	0.525
0.0733	0.487
0.0766	0.455
0.08	0.42
0.0833	0.392
0.0866	0.363
0.09	0.336
0.0933	0.309
0.0966	0.287
0.1	0.265
0.1033	0.246
0.1066	0.227
0.11	0.211
0.1133	0.196
0.1166	0.18
0.12	0.167
0.1233	0.151
0.1266	0.142
0.13	0.129
0.1333	0.12
0.1366	0.11
0.14	0.101
0.1433	0.094
0.1466	0.088
0.15	0.082
0.1533	0.075
0.1566	0.069
0.16	0.063
0.1633	0.06
0.1666	0.053
0.17	0.05
0.1733	0.047
0.1766	0.041
0.18	0.037
0.1833	0.037
0.1866	0.034
0.19	0.031
0.1933	0.028
0.1966	0.028
0.2	0.025
0.2033	0.022
0.2066	0.022
0.21	0.018
0.2133	0.018
0.2166	0.018
0.22	0.015
0.2233	0.015
0.2266	0.012
0.23	0.012
0.2333	0.012
0.2366	0.012
0.24	0.009
0.2433	0.009
0.2466	0.009
0.25	0.009
0.2533	0.009
0.2566	0.006
0.26	0.006
0.2633	0.006
0.2666	0.006
0.27	0.006
0.2733	0.006
0.2766	0.006
0.28	0.006
0.2833	0.006
0.2866	0.006
0.29	0.003
0.2933	0.003
0.2966	0.003
0.3	0.003
0.3033	0.003
0.3066	0.003
0.31	0.003
0.3133	0.003
0.3166	0.003
0.32	0.003
0.3233	0.003
0.3266	0.003
0.33	0.003
0.3333	0.003
0.35	0.003
0.3666	0.003
0.3833	0.003
0.4	0.003
0.4166	0.003
0.4333	0.003
0.45	0.003
0.4666	0.003
0.4833	0.003
0.5	0.003
0.5166	0.003
0.5333	0.003
0.55	0.003

0.5666	0	0.5666	0.003
0.5833	0	0.5833	0.003
0.6	0	0.6	0.003
0.6166	0	0.6166	0.003
0.6333	0	0.6333	0.003
0.65	0	0.65	0.003
0.6666	0	0.6666	0.003
0.6833	0	0.6833	0.003
0.7	0	0.7	0.003
0.7166	0	0.7166	0.003
0.7333	0	0.7333	0.003
0.75	0	0.75	0.003
0.7666	0	0.7666	0.003
0.7833	0	0.7833	0.003
0.8	0	0.8	0.003
0.8166	0	0.8166	0.003
0.8333	0	0.8333	0.003
0.85	0	0.85	0.003
0.8666	0	0.8666	0.003
0.8833	0	0.8833	0.003
0.9	0	0.9	0.003
0.9166	0	0.9166	0.003
0.9333	0	0.9333	0.003
0.95	0	0.95	0.003
0.9666	0	0.9666	0.003
0.9833	0	0.9833	0.003
1	0	1	0.003
1.2	0	1.2	0.003
1.4	0	1.4	0
1.6	-0.003	1.6	0
1.8	-0.003		
2	-0.003		
2.2	-0.003		
2.4	-0.003		
2.6	-0.003		
2.8	-0.003		
3	-0.003		
3.2	-0.003		

PERMEABILITY TEST RESULTS FOR G5M-92-03B

TEST 1
HVORSLEV:
K= 0.014 CM/SEC
BOUWER & RICE:
K= 0.040 CM/SEC

TEST 2
HVORSLEV:
K= 0.015 CM/SEC
BOUWER & RICE:
K= 0.044 CM/SEC


G5M-92-03B PERMEABILITY TESTS
2.00
1.50
1.00
0.50
0.00
HEAD STRESS (FEET)
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2


G5M-92-03B PERMEABILITY TEST #1
K = 0.04002 cm/sec
y0 = 73.91 cm
100.
10.
1.
0.1
0.01
Displacement (cm)
0.
4.
8.
12.
16.
20.
Time (sec)

G5M-92-03B PERMEABILITY TEST #2



AQUIFER TESTING

SETUP	
WELL ID	65M-92-03B
DATE OF TEST	10.05.92.
TYPE OF TEST	SLUG OUT / RISING HEAD
HERMIT TYPE / SERIAL #	
TEST #	# 4
DATA COLLECTION RATE	LOG
DUCER	
SERIAL #	
PSIG	
SCALE FACTOR	
OFFSET	
INPUT CHANNEL	
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	34.65 (PIC)
WELL DEPTH (FT/TOC)	
XD DEPTH (FT/TOC)	
INITIAL XD REFERENCE	
SLUG DEPTH (FT/TOC)	
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST 2 OF 3

AQUIFER TESTING

SETUP	
WELL ID	GSM-92-03B
DATE OF TEST	10.05.92
TYPE OF TEST	SLUG OUT / Rising Head
HERMIT TYPE / SERIAL #	
TEST #	#5 SEL 5
DATA COLLECTION RATE	
DUCER	
SERIAL #	
PSIG	
SCALE FACTOR	
OFFSET	
INPUT CHANNEL	
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	34.65 (PVC)
WELL DEPTH (FT/TOC)	
XD DEPTH (FT/TOC)	
INITIAL XD REFERENCE	
SLUG DEPTH (FT/TOC)	
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST 3 OF 3

CALCULATION OF HYDRAULIC CONDUCTIVITIES USING THE HVORSLEV EQUATION
GROUP 5 WELLS

K = −[(LOG Ht1 − LOG Ht2)/(t1 − t2)]{[(r)^2 LOG (L/R)]/2L}

WHERE:

t1 = TIME 1 (MINUTES)
t2 = TIME 2 (MINUTES)
Ht1 = HEAD STRESS AT TIME 1 (FEET)
Ht2 = HEAD STRESS AT TIME 2 (FEET)
r = RADIUS OF WELL CASING (FEET)
R = RADUS OF BOREHOLE (FEET)
L = EFFECTIVE SATURATED LENGTH OF SCREEN (FEET)

WELL	t1	t2	Ht1	Ht2	r	R	L	TEST #	K (FT/MIN)	K (CM/SEC)
G5M−92−01X	0.02	0.0333	0.86	0.325	0.167	0.417	6.4	1	8.2E−02	4.2E−02
G5M−92−01X	0.03	0.0433	0.834	0.322	0.167	0.417	6.4	2	8.0E−02	4.1E−02
G5M−92−02X	0.1133	0.2933	0.958	0.256	0.167	0.417	6.3	1	8.3E−03	4.2E−03
G5M−92−02X	0.1066	0.1366	0.414	0.265	0.167	0.417	6.3	2	1.7E−02	8.6E−03
G5M−92−02X	0.13	0.4	1.502	0.471	0.167	0.417	6.3	3	4.9E−03	2.5E−03
G5M−92−03B	0.0433	0.1	1.002	0.335	0.167	0.417	4.4	1	2.7E−02	1.4E−02
G5M−92−03B	0.04	0.1	0.961	0.265	0.167	0.417	4.4	2	3.0E−02	1.5E−02

WELL G6M-92-01X
WELL DIAMETER = 0.3125 FT. SATURATED SCREEN LENGTH = 6.5 FT. BORING DIAMETER = 0..833 FT

TEST 1

MINUTES	FEET
0	-0.003
0.0033	0.003
0.0066	0
0.01	0.866
0.0133	2.416
0.0166	0.91
0.02	1.16
0.0233	1.125
0.0266	1.954
0.03	1.812
0.0333	1.79
0.0366	1.783
0.04	1.752
0.0433	1.733
0.0466	1.698
0.05	1.679
0.0533	1.666
0.0566	1.631
0.06	1.622
0.0633	1.594
0.0666	1.581
0.07	1.556
0.0733	1.543
0.0766	1.521
0.08	1.502
0.0833	1.483
0.0866	1.464
0.09	1.448
0.0933	1.429
0.0966	1.413
0.1	1.394
0.1033	1.378
0.1066	1.363
0.11	1.347
0.1133	1.328
0.1166	1.312
0.12	1.296
0.1233	1.28
0.1266	1.271
0.13	1.252
0.1333	1.236
0.1366	1.22
0.14	1.208
0.1433	1.192
0.1466	1.179
0.15	1.163
0.1533	1.151
0.1566	1.138
0.16	1.122
0.1633	1.11
0.1666	1.097
0.17	1.084
0.1733	1.072
0.1766	1.059
0.18	1.046
0.1833	1.034
0.1866	1.021
0.19	1.008
0.1933	0.996
0.1966	0.986
0.2	0.974
0.2033	0.961
0.2066	0.948
0.21	0.939
0.2133	0.926
0.2166	0.914
0.22	0.904
0.2233	0.895
0.2266	0.882
0.23	0.872
0.2333	0.86
0.2366	0.85
0.24	0.838
0.2433	0.828
0.2466	0.819
0.25	0.806
0.2533	0.797
0.2566	0.787
0.26	0.778
0.2633	0.768
0.2666	0.759
0.27	0.749
0.2733	0.74
0.2766	0.73
0.28	0.721
0.2833	0.711
0.2866	0.705
0.29	0.695
0.2933	0.686
0.2966	0.676
0.3	0.67
0.3033	0.661
0.3066	0.651
0.31	0.645
0.3133	0.635
0.3166	0.629
0.32	0.619
0.3233	0.613
0.3266	0.604
0.33	0.597
0.3333	0.588
0.35	0.547
0.3666	0.512

TEST 2

MINUTES	FEET
0	0.003
0.0033	0.003
0.0066	1.635
0.01	1.948
0.0133	0.389
0.0166	1.17
0.02	1.815
0.0233	1.799
0.0266	1.802
0.03	1.786
0.0333	1.761
0.0366	1.73
0.04	1.711
0.0433	1.688
0.0466	1.669
0.05	1.641
0.0533	1.625
0.0566	1.638
0.06	1.581
0.0633	1.568
0.0666	1.546
0.07	1.53
0.0733	1.518
0.0766	1.48
0.08	1.48
0.0833	1.451
0.0866	1.407
0.09	1.416
0.0933	1.382
0.0966	1.385
0.1	1.372
0.1033	1.344
0.1066	1.325
0.11	1.347
0.1133	1.309
0.1166	1.293
0.12	1.265
0.1233	1.261
0.1266	1.249
0.13	1.205
0.1333	1.211
0.1366	1.205
0.14	1.17
0.1433	1.167
0.1466	1.148
0.15	1.125
0.1533	1.135
0.1566	1.116
0.16	1.106
0.1633	1.091
0.1666	1.069
0.17	1.062
0.1733	1.056
0.1766	1.034
0.18	1.021
0.1833	1.015
0.1866	1.002
0.19	0.989
0.1933	0.98
0.1966	0.964
0.2	0.955
0.2033	0.942
0.2066	0.929
0.21	0.917
0.2133	0.907
0.2166	0.898
0.22	0.885
0.2233	0.876
0.2266	0.863
0.23	0.853
0.2333	0.841
0.2366	0.831
0.24	0.822
0.2433	0.812
0.2466	0.803
0.25	0.793
0.2533	0.781
0.2566	0.771
0.26	0.762
0.2633	0.755
0.2666	0.746
0.27	0.733
0.2733	0.724
0.2766	0.714
0.28	0.708
0.2833	0.698
0.2866	0.689
0.29	0.68
0.2933	0.673
0.2966	0.664
0.3	0.661
0.3033	0.648
0.3066	0.638
0.31	0.629
0.3133	0.623
0.3166	0.616
0.32	0.607
0.3233	0.6
0.3266	0.591
0.33	0.585
0.3333	0.575
0.35	0.544
0.3666	0.502

0.3833	0.477	0.3833	0.468
0.4	0.442	0.4	0.433
0.4166	0.414	0.4166	0.408
0.4333	0.382	0.4333	0.379
0.45	0.357	0.45	0.354
0.4666	0.332	0.4666	0.328
0.4833	0.309	0.4833	0.306
0.5	0.287	0.5	0.284
0.5166	0.268	0.5166	0.265
0.5333	0.249	0.5333	0.249
0.55	0.234	0.55	0.234
0.5666	0.218	0.5666	0.218
0.5833	0.205	0.5833	0.202
0.6	0.192	0.6	0.192
0.6166	0.18	0.6166	0.18
0.6333	0.17	0.6333	0.17
0.65	0.161	0.65	0.161
0.6666	0.151	0.6666	0.151
0.6833	0.142	0.6833	0.142
0.7	0.136	0.7	0.136
0.7166	0.126	0.7166	0.129
0.7333	0.12	0.7333	0.12
0.75	0.113	0.75	0.117
0.7666	0.11	0.7666	0.11
0.7833	0.104	0.7833	0.104
0.8	0.098	0.8	0.101
0.8166	0.094	0.8166	0.094
0.8333	0.091	0.8333	0.091
0.85	0.088	0.85	0.088
0.8666	0.082	0.8666	0.085
0.8833	0.079	0.8833	0.079
0.9	0.079	0.9	0.075
0.9166	0.075	0.9166	0.075
0.9333	0.072	0.9333	0.072
0.95	0.069	0.95	0.069
0.9666	0.066	0.9666	0.066
0.9833	0.063	0.9833	0.063
1	0.063	1	0.063
1.2	0.037	1.2	0.041
1.4	0.031	1.4	0.031
1.6	0.025	1.6	0.025
1.8	0.018	1.8	0.022
2	0.015	2	0.018
2.2	0.015	2.2	0.015
2.4	0.015	2.4	0.012
2.6	0.015	2.6	0.012
2.8	0.012	2.8	0.012
3	0.012	3	0.012
3.2	0.012	3.2	0.012
3.4	0.009	3.4	0.009
3.6	0.012	3.6	0.012
3.8	0.009	3.8	0.009
4	0.012	4	0.009
4.2	0.009	4.2	0.009
4.4	0.009	4.4	0.009
4.6	0.009	4.6	0.009
4.8	0.009	4.8	0.009
5	0.009	5	0.009
5.2	0.012	5.2	0.009
5.4	0.012		
5.6	0.012		
5.8	0.012		
6	0.012		
6.2	0.012		

PERMEABILITY TEST RESULTS FOR G6M-92-01X
HVORSLEV:
0.0022 CM/SEC
BOUWER & RICE:
0.0056 CM/SEC

HVORSLEV:
0.0022 CM/SEC
BOUWER & RICE:
0.0056 CM/SEC


G6M-92-01X PERMEABILITY TESTS
2.00
1.50
1.00
0.50
0.00
HEAD STRESS (FEET)
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2


G6M-92-01X PERMEABILITY TEST #1
K = 0.005579 cm/sec
y0 = 63.35 cm
Displacement (cm)
100.
10.
1.
0.
12.
24.
36.
48.
60.
Time (sec)

G6M-92-01X PERMEABILITY TEST #2



✓ WKI
✓ GRAPH

AQUIFER TESTING

SETUP	
WELL ID	GGM-92-01X / 4"
DATE OF TEST	10.06.92
TYPE OF TEST	RISING HEAD / SLUG OUT
HERMIT TYPE / SERIAL #	SE 1000C / 1KC01732
TEST #	SEL 8
DATA COLLECTION RATE	LOG 1
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	60.76 (PVC)
WELL DEPTH (FT/TOC)	67.26 (PVC)
XD DEPTH (FT/TOC)	66.5 (PVC)
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	65.00 (PVC)
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST 1 OF 2

R. RUSTAD
D. PIERCE

SLUG: 3' x 2" SOLID CORE PVC ROD

✓ WKI
✓ GRAPH

AQUIFER TESTING

SETUP	
WELL ID	66M-92-01X / 4"
DATE OF TEST	10.06.92
TYPE OF TEST	SLUG OUT / RISING HEAD
HERMIT TYPE / SERIAL #	SE 1000C / 1KC01732
TEST #	SEL 9
DATA COLLECTION RATE	LOG /
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	60.74 (PVC)
WELL DEPTH (FT/TOC)	67.26 (PVC)
XD DEPTH (FT/TOC)	66.5 (PVC)
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	65.00 (PVC)
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST 2 OF 2

R. RUSTAD
D. PIERCE

WELL G6M-92-02X
WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 7.4FT, BORING DIAMETER = 0.833 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET
0	0.294	0	0
0.0033	2.014	0.0033	0.072
0.0066	1.616	0.0066	1.733
0.01	2.03	0.01	2.621
0.0133	1.151	0.0133	1.818
0.0166	1.587	0.0166	1.704
0.02	1.777	0.02	0.373
0.0233	2.106	0.0233	1.992
0.0266	1.992	0.0266	1.707
0.03	1.954	0.03	1.733
0.0333	1.922	0.0333	1.682
0.0366	1.903	0.0366	1.654
0.04	1.869	0.04	1.622
0.0433	1.84	0.0433	1.597
0.0466	1.815	0.0466	1.549
0.05	1.79	0.05	1.54
0.0533	1.761	0.0533	1.508
0.0566	1.736	0.0566	1.483
0.06	1.711	0.06	1.454
0.0633	1.685	0.0633	1.435
0.0666	1.663	0.0666	1.416
0.07	1.638	0.07	1.388
0.0733	1.606	0.0733	1.363
0.0766	1.6	0.0766	1.347
0.08	1.568	0.08	1.328
0.0833	1.552	0.0833	1.306
0.0866	1.53	0.0866	1.284
0.09	1.508	0.09	1.274
0.0933	1.492	0.0933	1.242
0.0966	1.47	0.0966	1.227
0.1	1.458	0.1	1.205
0.1033	1.432	0.1033	1.186
0.1066	1.42	0.1066	1.17
0.11	1.394	0.11	1.154
0.1133	1.385	0.1133	1.138
0.1166	1.366	0.1166	1.119
0.12	1.353	0.12	1.103
0.1233	1.334	0.1233	1.087
0.1266	1.318	0.1266	1.072
0.13	1.303	0.13	1.056
0.1333	1.284	0.1333	1.04
0.1366	1.274	0.1366	1.024
0.14	1.255	0.14	1.008
0.1433	1.239	0.1433	0.993
0.1466	1.227	0.1466	0.98
0.15	1.211	0.15	0.961
0.1533	1.195	0.1533	0.939
0.1566	1.182	0.1566	0.933
0.16	1.167	0.16	0.926
0.1633	1.154	0.1633	0.907
0.1666	1.141	0.1666	0.895
0.17	1.125	0.17	0.879
0.1733	1.113	0.1733	0.866
0.1766	1.1	0.1766	0.853
0.18	1.088	0.18	0.841
0.1833	1.075	0.1833	0.828
0.1866	1.062	0.1866	0.815
0.19	1.05	0.19	0.803
0.1933	1.037	0.1933	0.793
0.1966	1.027	0.1966	0.787
0.2	1.015	0.2	0.762
0.2033	1.002	0.2033	0.755
0.2066	0.993	0.2066	0.743
0.21	0.98	0.21	0.736
0.2133	0.97	0.2133	0.705
0.2166	0.958	0.2166	0.717
0.22	0.948	0.22	0.702
0.2233	0.939	0.2233	0.683
0.2266	0.926	0.2266	0.683
0.23	0.917	0.23	0.667
0.2333	0.907	0.2333	0.67
0.2366	0.898	0.2366	0.648
0.24	0.888	0.24	0.638
0.2433	0.879	0.2433	0.632
0.2466	0.869	0.2466	0.619
0.25	0.86	0.25	0.613
0.2533	0.85	0.2533	0.604
0.2566	0.841	0.2566	0.594
0.26	0.831	0.26	0.588
0.2633	0.825	0.2633	0.572
0.2666	0.816	0.2666	0.572
0.27	0.806	0.27	0.553
0.2733	0.8	0.2733	0.553
0.2766	0.79	0.2766	0.544
0.28	0.784	0.28	0.525
0.2833	0.774	0.2833	0.531
0.2866	0.765	0.2866	0.518
0.29	0.759	0.29	0.512
0.2933	0.752	0.2933	0.506
0.2966	0.743	0.2966	0.496
0.3	0.736	0.3	0.49
0.3033	0.73	0.3033	0.483
0.3066	0.724	0.3066	0.471
0.31	0.714	0.31	0.471
0.3133	0.708	0.3133	0.464
0.3166	0.702	0.3166	0.455
0.32	0.695	0.32	0.449
0.3233	0.689	0.3233	0.449
0.3266	0.683	0.3266	0.433
0.33	0.673	0.33	0.426
0.3333	0.67	0.3333	0.42
0.35	0.635	0.35	0.389
0.3666	0.607	0.3666	0.36
0.3833	0.578	0.3833	0.332
0.4	0.553	0.4	0.306
0.4166	0.531	0.4166	0.284
0.4333	0.509	0.4333	0.262
0.45	0.487	0.45	0.243
0.4666	0.471	0.4666	0.221
0.4833	0.452	0.4833	0.205
0.5	0.439	0.5	0.192
0.5166	0.423	0.5166	0.177
0.5333	0.411	0.5333	0.164
0.55	0.398	0.55	0.151

0.5666	0.385
0.5833	0.376
0.6	0.366
0.6166	0.357
0.6333	0.351
0.65	0.344
0.6666	0.335
0.6833	0.332
0.7	0.325
0.7166	0.319
0.7333	0.316
0.75	0.309
0.7666	0.306
0.7833	0.303
0.8	0.297
0.8166	0.294
0.8333	0.294
0.85	0.287
0.8666	0.287
0.8833	0.284
0.9	0.281
0.9166	0.281
0.9333	0.278
0.95	0.278
0.9666	0.275
0.9833	0.275
1	0.272
1.2	0.259
1.4	0.256
1.6	0.256
1.8	0.256
2	0.256
2.2	0.253
2.4	0.256
2.6	0.253
2.8	0.253
3	0.253
3.2	0.253
3.4	0.253
3.6	0.253
3.8	0.253
4	0.253
4.2	0.253
4.4	0.253
4.6	0.253
4.8	0.253
5	0.253
5.2	0.253
5.4	0.253
5.6	0.249
5.8	0.253
6	0.253
6.2	0.249
6.4	0.253
6.6	0.249
6.8	0.253

PERMEABILITY TEST RESULTS FOR G6M-92-02X
HVORSLEV:
0017 CM/SEC
OUWER & RICE:
0052 CM/SEC

0.5666	0.139
0.5833	0.129
0.6	0.12
0.6166	0.11
0.6333	0.104
0.65	0.098
0.6666	0.091
0.6833	0.085
0.7	0.079
0.7166	0.072
0.7333	0.069
0.75	0.063
0.7666	0.06
0.7833	0.056
0.8	0.05
0.8166	0.05
0.8333	0.044
0.85	0.044
0.8666	0.041
0.8833	0.037
0.9	0.034
0.9166	0.034
0.9333	0.031
0.95	0.031
0.9666	0.028
0.9833	0.025
1	0.025
1.2	0.015
1.4	0.009
1.6	0.009
1.8	0.009
2	0.006
2.2	0.006
2.4	0.006
2.6	0.003
2.8	0.006
3	0.006
3.2	0.006
3.4	0.006
3.6	0.006
3.8	0.006
4	0.006
4.2	0.006
4.4	0.003
4.6	0.006
4.8	0.006
5	0.006
5.2	0.006

HVORSLEV:
0.0025 CM/SEC
BOUWER & RICE:
0.0071 CM/SEC



G6M-92-02X PERMEABILITY TESTS
HEAD STRESS (FEET)
2.50
2.00
1.50
1.00
0.50
0.00
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2


G6M-92-02X PERMEABILITY TEST #1
K = 0.005238 cm/sec
Y0 = 60.17 cm
Displacement (cm)
100.
10.
1.
0.
8.4
16.8
25.2
33.6
42.
Time (sec)

0.55


G6M-92-02X PERMEABILITY TEST #2
K = 0.007118 cm/sec
y0 = 57.56 cm
100.
10.
1.
Displacement (cm)
0.
8.4
16.8
25.2
33.6
42.
Time (sec)

✓ WK1
✓ GRAPH

AQUIFER TESTING	
SETUP	
WELL ID	GGM-92-02X / 4"
DATE OF TEST	10.06.92
TYPE OF TEST	SLUG OUT / RISING HEAD
HERMIT TYPE / SERIAL #	SE 1000C / 1KK01732
TEST #	SEL 2
DATA COLLECTION RATE	LOG 1
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	68.15 (PVC)
WELL DEPTH (FT/TOC)	75.55
XD DEPTH (FT/TOC)	74.5
INITIAL XD REFERENCE	0.0
SLUG DEPTH (FT/TOC)	73.0
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST 1 OF 2

R. Rusmo
D. Pierce

✓ WK1
✓ GRAPH

AQUIFER TESTING

SETUP	
WELL ID	GGM-92-02X / 4"
DATE OF TEST	10.06.92
TYPE OF TEST	SLUG OUT / RISING HEAD
HERMIT TYPE / SERIAL #	SE1000C / 1KC01732
TEST #	SEL 3
DATA COLLECTION RATE	LOG 1
DUCER	
SERIAL #	2046D2
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	68.14
WELL DEPTH (FT/TOC)	75.55
XD DEPTH (FT/TOC)	74.5
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	73.0
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST 2 OF 2

R. RUSTAD
D. PIERCE

WELL G6M-92-03X
WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 8.7 FT, BORING DIAMETER = 0.833 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET
0	0.759	0	-0.003
0.0033	1.359	0.0033	1.401
0.0066	0.825	0.0066	0.632
0.01	-0.265	0.01	1.521
0.0133	1.138	0.0133	-0.142
0.0166	1.132	0.0166	0.768
0.02	1.66	0.02	1.454
0.0233	1.698	0.0233	1.711
0.0266	1.704	0.0266	1.495
0.03	1.663	0.03	1.486
0.0333	1.635	0.0333	1.483
0.0366	1.613	0.0366	1.48
0.04	1.581	0.04	1.445
0.0433	1.549	0.0433	1.429
0.0466	1.54	0.0466	1.413
0.05	1.521	0.05	1.369
0.0533	1.486	0.0533	1.391
0.0566	1.483	0.0566	1.382
0.06	1.467	0.06	1.347
0.0633	1.467	0.0633	1.359
0.0666	1.445	0.0666	1.303
0.07	1.432	0.07	1.318
0.0733	1.42	0.0733	1.315
0.0766	1.401	0.0766	1.277
0.08	1.388	0.08	1.265
0.0833	1.372	0.0833	1.258
0.0866	1.356	0.0866	1.246
0.09	1.344	0.09	1.223
0.0933	1.325	0.0933	1.214
0.0966	1.299	0.0966	1.201
0.1	1.293	0.1	1.182
0.1033	1.28	0.1033	1.179
0.1066	1.265	0.1066	1.157
0.11	1.258	0.11	1.144
0.1133	1.252	0.1133	1.141
0.1166	1.239	0.1166	1.116
0.12	1.227	0.12	1.119
0.1233	1.223	0.1233	1.078
0.1266	1.211	0.1266	1.094
0.13	1.195	0.13	1.065
0.1333	1.179	0.1333	1.065
0.1366	1.163	0.1366	1.046
0.14	1.151	0.14	1.037
0.1433	1.141	0.1433	1.031
0.1466	1.129	0.1466	1.012
0.15	1.116	0.15	1.008
0.1533	1.113	0.1533	0.996
0.1566	1.103	0.1566	0.963
0.16	1.087	0.16	0.963
0.1633	1.078	0.1633	0.964
0.1666	1.081	0.1666	0.958
0.17	1.075	0.17	0.948
0.1733	1.062	0.1733	0.933
0.1766	1.05	0.1766	0.929
0.18	1.04	0.18	0.91
0.1833	1.031	0.1833	0.904
0.1866	1.015	0.1866	0.895
0.19	1.005	0.19	0.888
0.1933	0.999	0.1933	0.876
0.1966	0.986	0.1966	0.866
0.2	0.974	0.2	0.853
0.2033	0.964	0.2033	0.841
0.2066	0.958	0.2066	0.838
0.21	0.948	0.21	0.825
0.2133	0.936	0.2133	0.812
0.2166	0.929	0.2166	0.809
0.22	0.923	0.22	0.8
0.2233	0.914	0.2233	0.787
0.2266	0.904	0.2266	0.784
0.23	0.895	0.23	0.774
0.2333	0.891	0.2333	0.765
0.2366	0.879	0.2366	0.759
0.24	0.869	0.24	0.746
0.2433	0.866	0.2433	0.743
0.2466	0.857	0.2466	0.733
0.25	0.847	0.25	0.736
0.2533	0.841	0.2533	0.714
0.2566	0.834	0.2566	0.708
0.26	0.828	0.26	0.702
0.2633	0.815	0.2633	0.689
0.2666	0.809	0.2666	0.683
0.27	0.806	0.27	0.68
0.2733	0.797	0.2733	0.673
0.2766	0.787	0.2766	0.67
0.28	0.781	0.28	0.654
0.2833	0.774	0.2833	0.648
0.2866	0.771	0.2866	0.645
0.29	0.755	0.29	0.632
0.2933	0.755	0.2933	0.626
0.2966	0.746	0.2966	0.623
0.3	0.74	0.3	0.613
0.3033	0.73	0.3033	0.604
0.3066	0.727	0.3066	0.6
0.31	0.717	0.31	0.597
0.3133	0.711	0.3133	0.575
0.3166	0.708	0.3166	0.585
0.32	0.702	0.32	0.575
0.3233	0.692	0.3233	0.569
0.3266	0.686	0.3266	0.562
0.33	0.683	0.33	0.556
0.3333	0.676	0.3333	0.553
0.35	0.648	0.35	0.521
0.3666	0.616	0.3666	0.487
0.3833	0.586	0.3833	0.464
0.4	0.562	0.4	0.436
0.4166	0.537	0.4166	0.407
0.4333	0.515	0.4333	0.389
0.45	0.496	0.45	0.363
0.4666	0.474	0.4666	0.338
0.4833	0.455	0.4833	0.328
0.5	0.442	0.5	0.309
0.5166	0.423	0.5166	0.294
0.5333	0.408	0.5333	0.281
0.55	0.401	0.55	0.265

0.5666	0.385
0.5833	0.379
0.6	0.37
0.6166	0.357
0.6333	0.347
0.65	0.344
0.6666	0.335
0.6833	0.325
0.7	0.322
0.7166	0.316
0.7333	0.306
0.75	0.306
0.7666	0.3
0.7833	0.294
0.8	0.29
0.8166	0.287
0.8333	0.281
0.85	0.278
0.8666	0.278
0.8833	0.271
0.9	0.268
0.9166	0.268
0.9333	0.262
0.95	0.259
0.9666	0.259
0.9833	0.256
1	0.253
1.2	0.224
1.4	0.215
1.6	0.205
1.8	0.196
2	0.192
2.2	0.186
2.4	0.183
2.6	0.18
2.8	0.177
3	0.173
3.2	0.17
3.4	0.17
3.6	0.167
3.8	0.167
4	0.164
4.2	0.167
4.4	0.161
4.6	0.164
4.8	0.161
5	0.161
5.2	0.161
5.4	0.164
5.6	0.161
5.8	0.161

PERMEABILITY TEST RESULTS FOR G6M-92-03X
HVORSLEV:
0.0013 CM/SEC
BOUWER & RICE:
0.004 CM/SEC\

0.5666	0.256
0.5833	0.246
0.6	0.234
0.6166	0.227
0.6333	0.218
0.65	0.208
0.6666	0.202
0.6833	0.196
0.7	0.186
0.7166	0.183
0.7333	0.18
0.75	0.17
0.7666	0.167
0.7833	0.164
0.8	0.154
0.8166	0.154
0.8333	0.151
0.85	0.145
0.8666	0.142
0.8833	0.139
0.9	0.135
0.9166	0.132
0.9333	0.132
0.95	0.126
0.9666	0.126
0.9833	0.123
1	0.12
1.2	0.094
1.4	0.082
1.6	0.069
1.8	0.06
2	0.056
2.2	0.05
2.4	0.044
2.6	0.041
2.8	0.037
3	0.034
3.2	0.031
3.4	0.031
3.6	0.031
3.8	0.028
4	0.028
4.2	0.028
4.4	0.028
4.6	0.025
4.8	0.028
5	0.028
5.2	0.028
5.4	0.028
5.6	0.028
5.8	0.028
6	0.025
6.2	0.026
6.4	0.025
6.6	0.025
6.8	0.025
7	0.022
7.2	0.025
7.4	0.025
7.6	0.025
7.8	0.025
8	0.025
8.2	0.025

HVORSLEV:
0.0016 CM/SEC
BOUWER & RICE:
0.0049 CM/SEC



G6M-92-03X PERMEABILITY TESTS
2.00
1.50
1.00
0.50
0.00
HEAD STRESS (FEET)
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2



G6M-92-09X PERMEABILITY TEST #1
K = 0.003956 cm/sec
y0 = 51.2 cm
100.
10.
1.
Displacement (cm)
0.
12.
24.
36.
48.
60.
Time (sec)

G6M-92-03X PERMEABILITY TEST #2



✓ NKI
✓ GRAPH

AQUIFER TESTING	
SETUP	
WELL ID	GGM-92-03X / 4"
DATE OF TEST	10.06.92
TYPE OF TEST	SLUG OUT / RISING HEAD
HERMIT TYPE / SERIAL #	SE1000C / 1KC01732
TEST #	SEL 0
DATA COLLECTION RATE	LOG
DUCER	
SERIAL #	20460E
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	# 1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	63.41
WELL DEPTH (FT/TOC)	71.58
XD DEPTH (FT/TOC)	70.5
INITIAL XD REFERENCE	0.0
SLUG DEPTH (FT/TOC)	
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST #1 OF 2

R. RUSTAD
D. PIERCE

✓ WKI
✓ GRAPH

AQUIFER TESTING

SETUP	
WELL ID	66M-92-03X / 4"
DATE OF TEST	10.06.92
TYPE OF TEST	Rising Head
HERMIT TYPE / SERIAL #	SE1000C / 1KC01732
TEST #	SEL 1
DATA COLLECTION RATE	LOG 1
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	#1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	63.38
WELL DEPTH (FT/TOC)	71.58
XD DEPTH (FT/TOC)	70.5
INITIAL XD REFERENCE	0
SLUG DEPTH (FT/TOC)	68'
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST 2 OF 2

R. Rustad
D. Ackell

WELL G6M-92-04X
WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 5.9 FT, BORING DIAMETER = 0.833 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET
0	0.145	0	0.056
0.0033	0.933	0.0033	2.368
0.0066	1.008	0.0066	1.018
0.01	0.948	0.01	2.052
0.0133	0.398	0.0133	0.819
0.0166	0.885	0.0166	1.492
0.02	1.375	0.02	1.594
0.0233	1.73	0.0233	1.489
0.0266	1.442	0.0266	1.404
0.03	1.394	0.03	1.312
0.0333	1.334	0.0333	1.233
0.0366	1.258	0.0366	1.163
0.04	1.179	0.04	1.094
0.0433	1.116	0.0433	1.024
0.0466	1.04	0.0466	0.955
0.05	0.977	0.05	0.907
0.0533	0.914	0.0533	0.844
0.0566	0.847	0.0566	0.787
0.06	0.793	0.06	0.733
0.0633	0.743	0.0633	0.683
0.0666	0.689	0.0666	0.629
0.07	0.638	0.07	0.588
0.0733	0.585	0.0733	0.537
0.0766	0.556	0.0766	0.515
0.08	0.515	0.08	0.499
0.0833	0.477	0.0833	0.436
0.0866	0.449	0.0866	0.411
0.09	0.411	0.09	0.382
0.0933	0.382	0.0933	0.36
0.0966	0.354	0.0966	0.325
0.1	0.354	0.1	0.303
0.1033	0.306	0.1033	0.272
0.1066	0.284	0.1066	0.265
0.11	0.265	0.11	0.259
0.1133	0.246	0.1133	0.227
0.1166	0.227	0.1166	0.205
0.12	0.215	0.12	0.199
0.1233	0.196	0.1233	0.177
0.1266	0.183	0.1266	0.177
0.13	0.17	0.13	0.151
0.1333	0.164	0.1333	0.158
0.1366	0.148	0.1366	0.142
0.14	0.139	0.14	0.135
0.1433	0.132	0.1433	0.123
0.1466	0.123	0.1466	0.12
0.15	0.113	0.15	0.107
0.1533	0.107	0.1533	0.104
0.1566	0.101	0.1566	0.094
0.16	0.094	0.16	0.091
0.1633	0.088	0.1633	0.082
0.1666	0.085	0.1666	0.079
0.17	0.079	0.17	0.075
0.1733	0.075	0.1733	0.063
0.1766	0.069	0.1766	0.069
0.18	0.066	0.18	0.063
0.1833	0.063	0.1833	0.063
0.1866	0.06	0.1866	0.056
0.19	0.056	0.19	0.056
0.1933	0.053	0.1933	0.056
0.1966	0.05	0.1966	0.053
0.2	0.047	0.2	0.044
0.2033	0.047	0.2033	0.047
0.2066	0.044	0.2066	0.044
0.21	0.041	0.21	0.037
0.2133	0.041	0.2133	0.041
0.2166	0.037	0.2166	0.041
0.22	0.037	0.22	0.037
0.2233	0.034	0.2233	0.034
0.2266	0.034	0.2266	0.034
0.23	0.034	0.23	0.031
0.2333	0.031	0.2333	0.031
0.2366	0.031	0.2366	0.031
0.24	0.028	0.24	0.028
0.2433	0.028	0.2433	0.028
0.2466	0.028	0.2466	0.028
0.25	0.028	0.25	0.025
0.2533	0.025	0.2533	0.028
0.2566	0.025	0.2566	0.025
0.26	0.025	0.26	0.025
0.2633	0.022	0.2633	0.025
0.2666	0.022	0.2666	0.022
0.27	0.022	0.27	0.022
0.2733	0.022	0.2733	0.022
0.2766	0.015	0.2766	0.018
0.28	0.022	0.28	0.018
0.2833	0.018	0.2833	0.025
0.2866	0.022	0.2866	0.018
0.29	0.018	0.29	0.018
0.2933	0.018	0.2933	0.015

0.2966	0.018
0.3	0.018
0.3033	0.018
0.3066	0.015
0.31	0.015
0.3133	0.015
0.3166	0.015
0.32	0.015
0.3233	0.015
0.3266	0.018
0.33	0.015
0.3333	0.015
0.35	0.015
0.3666	0.012
0.3833	0.012
0.4	0.009
0.4166	0.009
0.4333	0.009
0.45	0.009
0.4666	0.009
0.4833	0.009
0.5	0.009
0.5166	0.006
0.5333	0.009
0.55	0.006
0.5666	0.006
0.5833	0.006
0.6	0.006
0.6166	0.006
0.6333	0.006
0.65	0.006
0.6666	0.006
0.6833	0.006
0.7	0.009
0.7166	0.003
0.7333	0.006
0.75	0.003
0.7666	0.006
0.7833	0.006
0.8	0.003
0.8166	0.003
0.8333	0.003
0.85	0.003
0.8666	0.003
0.8833	0.003
0.9	0.003
0.9166	0.003
0.9333	0.003
0.95	0.003
0.9666	0.003
0.9833	0.003
1	0.003
1.2	0
1.4	0
1.6	0
1.8	0
2	0
2.2	0.003
2.4	0.003
2.6	0.003
2.8	0
3	0
3.2	0
3.4	0
3.6	0
3.8	0
4	0
4.2	0
4.4	0
4.6	0
4.8	0
5	0
5.2	0
5.4	0
5.6	0
5.8	0

PERMEABILITY TEST RESULTS FOR G6M-92-04X
HVORSLEV:
K= 0.013 CM/SEC
BOUWER & RICE:
K= 0.036 CM/SEC

0.2966	0.015
0.3	0.018
0.3033	0.015
0.3066	0.015
0.31	0.018
0.3133	0.018
0.3166	0.015
0.32	0.015
0.3233	0.012
0.3266	0.012
0.33	0.009
0.3333	0.012
0.35	0.012
0.3666	0.012
0.3833	0.012
0.4	0.009
0.4166	0.009
0.4333	0.006
0.45	0.009
0.4666	0.006
0.4833	0.006
0.5	0.006
0.5166	0.006
0.5333	0.006
0.55	0.006
0.5666	0.006
0.5833	0.006
0.6	0.006
0.6166	0.006
0.6333	0.003
0.65	0.003
0.6666	0.003
0.6833	0.006
0.7	0.003
0.7166	0.003
0.7333	0.003
0.75	0.003
0.7666	0.003
0.7833	0.003
0.8	0.003
0.8166	0.003
0.8333	0.003
0.85	0.003
0.8666	0.003
0.8833	0.003
0.9	0.003
0.9166	0.003
0.9333	0.003
0.95	0.003
0.9666	0.003
0.9833	0.003
1	0.003
1.2	0.003
1.4	0
1.6	0
1.8	0.003
2	0.003
2.2	0
2.4	0
2.6	0.003
2.8	0.003
3	0.003
3.2	0
3.4	0.003

HVORSLEV:
K= 0.013 CM/SEC
BOUWER & RICE:
K= 0.039 CM/SEC

G6M-92-04X PERMEABILITY TESTS




G6M-92-04X PERMEABILITY TEST #1
K = 0.03763 cm/sec
y0 = 86. cm
100.
10.
1.
Displacement (cm)
0.
2.4
4.8
7.2
9.6
12.
Time (sec)

G6M-92-04X PERMEABILITY TEST #2



✓WRI
✓GRAPH

AQUIFER TESTING	
SETUP	
WELL ID	G6M-92-04X / 4"
DATE OF TEST	10.06.92
TYPE OF TEST	Rising Head / Slug out
HERMIT TYPE / SERIAL #	SE 1000C / 1KC0#732
TEST #	SEL 7
DATA COLLECTION RATE	Log 1
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	68.10
WELL DEPTH (FT/TOC)	74.01
XD DEPTH (FT/TOC)	73.5
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	72.00
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES:
Test 2 of 2 — R. Rustad
Slug: 3' x 3" PVC Rod — D. Pierce

✓ WKI
✓GIZAPU

AQUIFER TESTING

SETUP	
WELL ID	GSM.92.04X / 4"
DATE OF TEST	10.06.92
TYPE OF TEST	SLUG OUT / RISING HEAD
HERMIT TYPE / SERIAL #	SE 1000C / 1KC01732
TEST #	SEC 6
DATA COLLECTION RATE	LOG 1
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	68.10 (PVC)
WELL DEPTH (FT/TOC)	74.01 (PVC)
XD DEPTH (FT/TOC)	73.5 (PVC)
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	72.0 (PVC)
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST 1 OF 2
SLUG: 3' x 3" PVC 200

R. RUSTAD
D. PIERCE

WELL G6M–92–06X
WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 6.2 FT, BORING DIAMETER = 0.833 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET
0	0.009	0	0.012
0.0033	0.17	0.0033	0.069
0.0066	1.499	0.0066	2.242
0.01	1.714	0.01	0.951
0.0133	1.059	0.0133	1.869
0.0166	1.913	0.0166	0.36
0.02	0.297	0.02	1.031
0.0233	1.755	0.0233	1.635
0.0266	1.416	0.0266	1.445
0.03	1.366	0.03	1.382
0.0333	1.293	0.0333	1.299
0.0366	1.233	0.0366	1.227
0.04	1.16	0.04	1.157
0.0433	1.097	0.0433	1.088
0.0466	1.031	0.0466	1.031
0.05	0.97	0.05	0.97
0.0533	0.92	0.0533	0.914
0.0566	0.863	0.0566	0.857
0.06	0.809	0.06	0.809
0.0633	0.771	0.0633	0.768
0.0666	0.724	0.0666	0.714
0.07	0.683	0.07	0.68
0.0733	0.635	0.0733	0.642
0.0766	0.604	0.0766	0.6
0.08	0.566	0.08	0.562
0.0833	0.537	0.0833	0.531
0.0866	0.502	0.0866	0.499
0.09	0.471	0.09	0.471
0.0933	0.439	0.0933	0.442
0.0966	0.417	0.0966	0.42
0.1	0.395	0.1	0.392
0.1033	0.376	0.1033	0.37
0.1066	0.36	0.1066	0.347
0.11	0.335	0.11	0.328
0.1133	0.332	0.1133	0.309
0.1166	0.297	0.1166	0.294
0.12	0.287	0.12	0.278
0.1233	0.265	0.1233	0.262
0.1266	0.249	0.1266	0.246
0.13	0.237	0.13	0.234
0.1333	0.221	0.1333	0.221
0.1366	0.211	0.1366	0.211
0.14	0.202	0.14	0.199
0.1433	0.189	0.1433	0.189
0.1466	0.18	0.1466	0.18
0.15	0.173	0.15	0.17
0.1533	0.164	0.1533	0.161
0.1566	0.151	0.1566	0.154
0.16	0.151	0.16	0.148
0.1633	0.145	0.1633	0.139
0.1666	0.136	0.1666	0.132
0.17	0.126	0.17	0.126
0.1733	0.123	0.1733	0.12
0.1766	0.117	0.1766	0.117
0.18	0.113	0.18	0.11
0.1833	0.104	0.1833	0.107
0.1866	0.101	0.1866	0.101
0.19	0.098	0.19	0.098
0.1933	0.094	0.1933	0.091
0.1966	0.091	0.1966	0.088
0.2	0.088	0.2	0.088
0.2033	0.085	0.2033	0.082
0.2066	0.079	0.2066	0.079
0.21	0.075	0.21	0.079
0.2133	0.075	0.2133	0.072
0.2166	0.072	0.2166	0.069
0.22	0.069	0.22	0.069
0.2233	0.069	0.2233	0.066
0.2266	0.066	0.2266	0.063
0.23	0.063	0.23	0.063
0.2333	0.063	0.2333	0.06
0.2366	0.06	0.2366	0.056
0.24	0.06	0.24	0.056
0.2433	0.056	0.2433	0.053
0.2466	0.05	0.2466	0.053
0.25	0.053	0.25	0.053
0.2533	0.05	0.2533	0.05
0.2566	0.05	0.2566	0.05
0.26	0.05	0.26	0.047
0.2633	0.047	0.2633	0.047
0.2666	0.047	0.2666	0.044
0.27	0.047	0.27	0.044
0.2733	0.044	0.2733	0.044
0.2766	0.044	0.2766	0.041
0.28	0.044	0.28	0.044
0.2833	0.044	0.2833	0.041
0.2866	0.041	0.2866	0.041
0.29	0.041	0.29	0.037
0.2933	0.041	0.2933	0.037
0.2966	0.037	0.2966	0.037
0.3	0.037	0.3	0.037
0.3033	0.037	0.3033	0.034
0.3066	0.037	0.3066	0.034
0.31	0.037	0.31	0.034
0.3133	0.034	0.3133	0.034
0.3166	0.034	0.3166	0.034
0.32	0.034	0.32	0.031
0.3233	0.034	0.3233	0.031
0.3266	0.034	0.3266	0.031
0.33	0.034	0.33	0.031
0.3333	0.034	0.3333	0.031
0.35	0.031	0.35	0.028
0.3666	0.028	0.3666	0.025
0.3833	0.028	0.3833	0.022
0.4	0.028	0.4	0.025
0.4166	0.025	0.4166	0.022
0.4333	0.025	0.4333	0.022
0.45	0.025	0.45	0.022
0.4666	0.022	0.4666	0.018
0.4833	0.022	0.4833	0.018
0.5	0.022	0.5	0.018
0.5166	0.022	0.5166	0.018
0.5333	0.022	0.5333	0.018
0.55	0.022	0.55	0.018

0.5666	0.022	0.5666	0.015
0.5833	0.022	0.5833	0.015
0.6	0.018	0.6	0.015
0.6166	0.018	0.6166	0.015
0.6333	0.018	0.6333	0.015
0.65	0.018	0.65	0.015
0.6666	0.018	0.6666	0.015
0.6833	0.018	0.6833	0.015
0.7	0.018	0.7	0.015
0.7166	0.018	0.7166	0.015
0.7333	0.018	0.7333	0.015
0.75	0.018	0.75	0.015
0.7666	0.018	0.7666	0.012
0.7833	0.018	0.7833	0.015
0.8	0.018	0.8	0.012
0.8166	0.018	0.8166	0.015
0.8333	0.018	0.8333	0.015
0.85	0.018	0.85	0.015
0.8666	0.018	0.8666	0.012
0.8833	0.018	0.8833	0.012
0.9	0.018	0.9	0.012
0.9166	0.018	0.9166	0.015
0.9333	0.018	0.9333	0.012
0.95	0.018	0.95	0.012
0.9666	0.018	0.9666	0.012
0.9833	0.015	0.9833	0.012
1	0.018	1	0.012
1.2	0.015	1.2	0.012
1.4	0.015	1.4	0.012
1.6	0.015	1.6	0.012
1.8	0.015	1.8	0.012
2	0.015	2	0.012
2.2	0.015	2.2	0.012
2.4	0.015	2.4	0.012
2.6	0.015	2.6	0.012
2.8	0.015	2.8	0.012
3	0.015	3	0.012
3.2	0.015	3.2	0.012
3.4	0.015	3.4	0.012
		3.6	0.009
		3.8	0.012
		4	0.012
		4.2	0.012
		4.4	0.012
		4.6	0.012
		4.8	0.012
		5	0.012
		5.2	0.012
		5.4	0.012
		5.6	0.012
		5.8	0.012
		6	0.012
		6.2	0.012
		6.4	0.012
		6.6	0.012
		6.8	0.012
		7	0.012
		7.2	0.012
		7.4	0.012
		7.6	0.012

ERMEABILITY TEST RESULTS FOR G6M-92-05X

HVORSLEV:
K= 0.011 CM/SEC
BOUWER & RICE:
K= 0.031 CM/SEC

HVORSLEV:
K= 0.010 CM/SEC
BOUWER & RICE:
K= 0.031 CM/SEC



G6M-92-05X PERMEABILITY TESTS
2.00
1.50
1.00
0.50
0.00
HEAD STRESS (FEET)
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2

G6M-92-05X PERMEABILITY TEST #1



G6M-92-05X PERMEABILITY TEST #2



✓ WK1
✓ GRAPH

AQUIFER TESTING

SETUP	
WELL ID	66M-92-05X / 4"
DATE OF TEST	10.06.92
TYPE OF TEST	SLUG OUT RISING HEAD
HERMIT TYPE / SERIAL #	SE 1000C / 1KC01732
TEST #	SEL 4
DATA COLLECTION RATE	LOG 1
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	66.33 (PVC)
WELL DEPTH (FT/TOC)	72.54 (PVC)
XD DEPTH (FT/TOC)	72.00
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	70.0
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST 1 OF 2

SLUG: 3' x 3" SOLID PVC ROD

R. RUSTAD
D. PIERCE

✓ WKI
GG ✓GRAZE

AQUIFER TESTING	
SETUP	
WELL ID	GGM · 92 · 05X / 4"
DATE OF TEST	10 · 06 · 92.
TYPE OF TEST	Rising Head / Slug out
HERMIT TYPE / SERIAL #	SE1000C / 1KC01732
TEST #	SEL # 5
DATA COLLECTION RATE	LOG 1
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	66.32 (PVC)
WELL DEPTH (FT/TOC)	72.54 (PVC)
XD DEPTH (FT/TOC)	72.00
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	70.00
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST 2 of 2

3' x 3" SLUG SOLID PVC ROD

WELL G6M-92-06X
WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 6.7 FT, BORING DIAMETER = 0.833 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET
0	0.003	0	0.012
0.0033	0.025	0.0033	0.778
0.0066	1.325	0.0066	1.094
0.01	1.48	0.01	1.48
0.0133	0.439	0.0133	0.784
0.0166	1.151	0.0166	1.556
0.02	1.723	0.02	1.524
0.0233	1.464	0.0233	1.423
0.0266	1.385	0.0266	1.337
0.03	1.296	0.03	1.246
0.0333	1.214	0.0333	1.163
0.0366	1.135	0.0366	1.087
0.04	1.056	0.04	1.015
0.0433	0.986	0.0433	0.945
0.0466	0.92	0.0466	0.879
0.05	0.853	0.05	0.822
0.0533	0.793	0.0533	0.762
0.0566	0.743	0.0566	0.711
0.06	0.692	0.06	0.651
0.0633	0.642	0.0633	0.613
0.0666	0.597	0.0666	0.569
0.07	0.553	0.07	0.525
0.0733	0.512	0.0733	0.49
0.0766	0.477	0.0766	0.452
0.08	0.445	0.08	0.426
0.0833	0.414	0.0833	0.389
0.0866	0.382	0.0866	0.36
0.09	0.357	0.09	0.338
0.0933	0.328	0.0933	0.313
0.0966	0.303	0.0966	0.29
0.1	0.284	0.1	0.271
0.1033	0.265	0.1033	0.253
0.1066	0.246	0.1066	0.234
0.11	0.23	0.11	0.218
0.1133	0.211	0.1133	0.199
0.1166	0.196	0.1166	0.186
0.12	0.183	0.12	0.18
0.1233	0.173	0.1233	0.164
0.1266	0.161	0.1266	0.151
0.13	0.145	0.13	0.139
0.1333	0.139	0.1333	0.129
0.1366	0.129	0.1366	0.123
0.14	0.12	0.14	0.117
0.1433	0.113	0.1433	0.107
0.1466	0.107	0.1466	0.101
0.15	0.098	0.15	0.091
0.1533	0.091	0.1533	0.088
0.1566	0.085	0.1566	0.082
0.16	0.082	0.16	0.079
0.1633	0.079	0.1633	0.072
0.1666	0.072	0.1666	0.066
0.17	0.069	0.17	0.063
0.1733	0.063	0.1733	0.06
0.1766	0.06	0.1766	0.06
0.18	0.056	0.18	0.053
0.1833	0.056	0.1833	0.05
0.1866	0.053	0.1866	0.047
0.19	0.047	0.19	0.044
0.1933	0.047	0.1933	0.044
0.1966	0.044	0.1966	0.041
0.2	0.044	0.2	0.037
0.2033	0.041	0.2033	0.034
0.2066	0.037	0.2066	0.034
0.21	0.034	0.21	0.031
0.2133	0.034	0.2133	0.031
0.2166	0.034	0.2166	0.031
0.22	0.031	0.22	0.028
0.2233	0.028	0.2233	0.025
0.2266	0.028	0.2266	0.025
0.23	0.028	0.23	0.025
0.2333	0.028	0.2333	0.025
0.2366	0.025	0.2366	0.022
0.24	0.025	0.24	0.018
0.2433	0.022	0.2433	0.018
0.2466	0.022	0.2466	0.018
0.25	0.022	0.25	0.018
0.2533	0.022	0.2533	0.018
0.2566	0.022	0.2566	0.018
0.26	0.018	0.26	0.015
0.2633	0.018	0.2633	0.015
0.2666	0.018	0.2666	0.015
0.27	0.018	0.27	0.015
0.2733	0.018	0.2733	0.012
0.2766	0.018	0.2766	0.009
0.28	0.015	0.28	0.012
0.2833	0.012	0.2833	0.012
0.2866	0.015	0.2866	0.012
0.29	0.015	0.29	0.012
0.2933	0.015	0.2933	0.009
0.2966	0.012	0.2966	0.009
0.3	0.012	0.3	0.012
0.3033	0.012	0.3033	0.009
0.3066	0.012	0.3066	0.009
0.31	0.012	0.31	0.009
0.3133	0.012	0.3133	0.009
0.3166	0.009	0.3166	0.009
0.32	0.009	0.32	0.009
0.3233	0.012	0.3233	0.009
0.3266	0.012	0.3266	0.006
0.33	0.012	0.33	0.006
0.3333	0.009	0.3333	0.006
0.35	0.009	0.35	0.006
0.3666	0.009	0.3666	0.006
0.3833	0.009	0.3833	0.003
0.4	0.009	0.4	0.006
0.4166	0.009	0.4166	0.003
0.4333	0.009	0.4333	0.003
0.45	0.006	0.45	0.003
0.4666	0.009	0.4666	0.003
0.4833	0.006	0.4833	0.003
0.5	0.006	0.5	0
0.5166	0.003	0.5166	0.003
0.5333	0.006	0.5333	0
0.55	0.006	0.55	0.003

0.5666	0.006
0.5833	0.006
0.6	0.003
0.6166	0.006
0.6333	0.003
0.65	0.006
0.6666	0
0.6833	0.006
0.7	0.003
0.7166	0.003
0.7333	0.003
0.75	0.003
0.7666	0.003
0.7833	0.003
0.8	0.003
0.8166	0.003
0.8333	0.006
0.85	0.003
0.8666	0.006
0.8833	0.003
0.9	0.003
0.9166	0.003
0.9333	0.003
0.95	0.003
0.9666	0.003
0.9833	0.003
1	0.003
1.2	0.003
1.4	0.006
1.6	0.006
1.8	0.003
2	0.006
2.2	0.006
2.4	0.003
2.6	0.003
2.8	0.006
3	0.006
3.2	0.006
3.4	0.009
3.6	0.009
3.8	0.006
4	0.006
4.2	0.006

PERMEABILITY TEST RESULTS FOR G6M-92-06X
HVORSLEV:
K= 0.012 CM/SEC
BOUWER & RICE:
K= 0.036 CM/SEC

0.5666	0
0.5833	0.003
0.6	0
0.6166	0
0.6333	0.003
0.65	0
0.6666	0.003
0.6833	0
0.7	0.003
0.7166	0
0.7333	0.003
0.75	0
0.7666	0
0.7833	0.003
0.8	0
0.8166	0.003
0.8333	0
0.85	0.003
0.8666	0
0.8833	0.003
0.9	0
0.9166	0
0.9333	0.003
0.95	0
0.9666	0.003
0.9833	0
1	0.003
1.2	0
1.4	0
1.6	0
1.8	0
2	0
2.2	0
2.4	-0.003
2.6	-0.003

HVORSLEV:
K= 0.012 CM/SEC
BOUWER & RICE:
K= 0.036 CM/SEC



G6M-92-06X PERMEABILITY TESTS
2.00
1.50
1.00
0.50
0.00
HEAD STRESS (FEET)
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2


G6M-92-06X PERMEABILITY TEST #1
K = 0.03588 cm/sec
y0 = 76.41 cm
100.
10.
1.
0.
2.4
4.8
7.2
9.6
12.
Displacement (cm)
Time (sec)

G6M-92-06X PERMEABILITY TEST #2



✓ WRI
-GRAPH

AQUIFER TESTING

SETUP	
WELL ID	GGM-92-06X / 4"
DATE OF TEST	10-06-92
TYPE OF TEST	SLUG OUT / RISING HEAD
HERMIT TYPE / SERIAL #	SE 1000C / 1KC-01732
TEST #	SEL 10
DATA COLLECTION RATE	LOG 1
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	58.66' (PVC)
WELL DEPTH (FT/TOC)	65.36' (PVC)
XD DEPTH (FT/TOC)	64.36 (PVC)
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	61.00' (PVC)
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST 1 OF 2

R. Rusmo
D. Pierce

SLUG: 3' x 3" SOLID CORE PVC ROD

✓ WQ!
✓ GRAPH

AQUIFER TESTING

SETUP	
WELL ID	GGM-92-06X / 4"
DATE OF TEST	10-06-92
TYPE OF TEST	Rising Head / Slug out
HERMIT TYPE / SERIAL #	SE1000C / 1KC01332
TEST #	SEL 11
DATA COLLECTION RATE	Log 1
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	58.66 (PVC)
WELL DEPTH (FT/TOC)	65.36 (PVC)
XD DEPTH (FT/TOC)	64.36 (PVC)
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	61.00 (PVC)
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST 2 OF 2

R. Rustad
D. Pierce

SLUG: 3' x 3" Solid Core PVC Rod

WELL G6M–92–07X
WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 7.4 FT, BORING DIAMETER = 0.833 FT

TEST 1

MINUTES	FEET
0	-0.009
0.0033	0.493
0.0066	1.461
0.01	0.743
0.0133	1.179
0.0166	0.831
0.02	0.183
0.0233	0.752
0.0266	1.151
0.03	1.445
0.0333	1.334
0.0366	1.227
0.04	1.141
0.0433	1.069
0.0466	0.986
0.05	0.914
0.0533	0.853
0.0566	0.79
0.06	0.736
0.0633	0.686
0.0666	0.638
0.07	0.585
0.0733	0.556
0.0766	0.515
0.08	0.48
0.0833	0.439
0.0866	0.414
0.09	0.385
0.0933	0.36
0.0966	0.335
0.1	0.313
0.1033	0.29
0.1066	0.275
0.11	0.256
0.1133	0.237
0.1166	0.221
0.12	0.208
0.1233	0.196
0.1266	0.18
0.13	0.17
0.1333	0.161
0.1366	0.151
0.14	0.142
0.1433	0.132
0.1466	0.126
0.15	0.12
0.1533	0.11
0.1566	0.104
0.16	0.098
0.1633	0.094
0.1666	0.088
0.17	0.082
0.1733	0.079
0.1766	0.075
0.18	0.069
0.1833	0.066
0.1866	0.063
0.19	0.06
0.1933	0.056
0.1966	0.053
0.2	0.05
0.2033	0.05
0.2066	0.047
0.21	0.044
0.2133	0.041
0.2166	0.041
0.22	0.037
0.2233	0.034
0.2266	0.034
0.23	0.034
0.2333	0.031
0.2366	0.028
0.24	0.028
0.2433	0.028
0.2466	0.028
0.25	0.025
0.2533	0.025
0.2566	0.025
0.26	0.022
0.2633	0.018
0.2666	0.018
0.27	0.022
0.2733	0.018
0.2766	0.018
0.28	0.018
0.2833	0.018
0.2866	0.015
0.29	0.012
0.2933	0.015
0.2966	0.015
0.3	0.015
0.3033	0.012
0.3066	0.012
0.31	0.012
0.3133	0.012
0.3166	0.009
0.32	0.009
0.3233	0.012
0.3266	0.009
0.33	0.009
0.3333	0.009
0.35	0.006
0.3666	0.006
0.3833	0.006
0.4	0.003
0.4166	0.006
0.4333	0.003
0.45	0.003
0.4666	0.003
0.4833	0
0.5	0.003
0.5166	0
0.5333	0
0.55	0

TEST 2

MINUTES	FEET
0	-0.009
0.0033	0.05
0.0066	0.92
0.01	1.078
0.0133	0.917
0.0166	1.385
0.02	0.679
0.0233	0.983
0.0266	0.354
0.03	1.344
0.0333	1.42
0.0366	1.28
0.04	1.195
0.0433	1.103
0.0466	1.027
0.05	0.958
0.0533	0.891
0.0566	0.825
0.06	0.765
0.0633	0.714
0.0666	0.664
0.07	0.61
0.0733	0.578
0.0766	0.534
0.08	0.496
0.0833	0.464
0.0866	0.433
0.09	0.404
0.0933	0.37
0.0966	0.351
0.1	0.322
0.1033	0.306
0.1066	0.284
0.11	0.259
0.1133	0.246
0.1166	0.234
0.12	0.218
0.1233	0.205
0.1266	0.192
0.13	0.18
0.1333	0.167
0.1366	0.158
0.14	0.145
0.1433	0.139
0.1466	0.129
0.15	0.126
0.1533	0.117
0.1566	0.113
0.16	0.107
0.1633	0.098
0.1666	0.091
0.17	0.088
0.1733	0.085
0.1766	0.082
0.18	0.072
0.1833	0.072
0.1866	0.069
0.19	0.063
0.1933	0.06
0.1966	0.06
0.2	0.056
0.2033	0.05
0.2066	0.05
0.21	0.05
0.2133	0.047
0.2166	0.041
0.22	0.037
0.2233	0.037
0.2266	0.037
0.23	0.034
0.2333	0.034
0.2366	0.034
0.24	0.031
0.2433	0.028
0.2466	0.028
0.25	0.028
0.2533	0.025
0.2566	0.025
0.26	0.025
0.2633	0.025
0.2666	0.025
0.27	0.022
0.2733	0.022
0.2766	0.018
0.28	0.018
0.2833	0.018
0.2866	0.018
0.29	0.018
0.2933	0.018
0.2966	0.015
0.3	0.015
0.3033	0.015
0.3066	0.015
0.31	0.012
0.3133	0.015
0.3166	0.015
0.32	0.012
0.3233	0.012
0.3266	0.012
0.33	0.012
0.3333	0.012
0.35	0.009
0.3666	0.006
0.3833	0.006
0.4	0.006
0.4166	0.003
0.4333	0.006
0.45	0.003
0.4666	0.003
0.4833	0.003
0.5	0.003
0.5166	0.003
0.5333	0
0.55	0

0.5666	0
0.5833	0
0.6	0
0.6166	0
0.6333	0
0.65	-0.003
0.6666	0
0.6833	-0.003
0.7	-0.003
0.7166	0
0.7333	-0.003
0.75	-0.003
0.7666	0
0.7833	-0.003
0.8	0
0.8166	-0.003
0.8333	-0.003
0.85	0
0.8666	-0.003
0.8833	-0.003
0.9	-0.003
0.9166	-0.003
0.9333	-0.003
0.95	-0.003
0.9666	-0.003
0.9833	-0.003
1	-0.003
1.2	-0.003
1.4	-0.003
1.6	-0.003
1.8	-0.006
2	-0.003

PERMEABILITY TEST RESULTS FOR G6M-92-07X
HVORSLEV:
K=0.012 CM/SEC
BOUWER & RICE:
K= 0.035 CM/SEC

0.5666	0.003
0.5833	0
0.6	0
0.6166	0
0.6333	-0.003
0.65	0
0.6666	0
0.6833	0
0.7	0
0.7166	-0.003
0.7333	-0.003
0.75	-0.003
0.7666	-0.003
0.7833	0
0.8	-0.003
0.8166	-0.003
0.8333	-0.003
0.85	-0.003
0.8666	-0.003
0.8833	-0.003
0.9	0
0.9166	0
0.9333	-0.003
0.95	-0.003
0.9666	-0.003
0.9833	-0.003
1	-0.003
1.2	-0.003
1.4	-0.003
1.6	-0.003

HVORSLEV:
K= 0.011 CM/SEC
BOUWER & RICE:
K= 0.035 CM/SEC



G6M-92-07X PERMEABILITY TESTS
1.60
1.20
0.80
0.40
0.00
HEAD STRESS (FEET)
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2

G6M-92-07X PERMEABILITY TEST #1



G6M-92-07X PERMEABILITY TEST #2



✓ NKI
✓ GRAPH

AQUIFER TESTING

SETUP	
WELL ID	GGM · 92 · 07X / 4"
DATE OF TEST	10 · 6 · 92
TYPE OF TEST	Rising Head
HERMIT TYPE / SERIAL #	SE 1000C / 1KC01732
TEST #	SEL 16 / 1 of 2
DATA COLLECTION RATE	Log 1
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	# 1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	60.23 (PVC)
WELL DEPTH (FT/TOC)	67.65 (PVC)
XD DEPTH (FT/TOC)	66.65' (PVC)
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	65.00 (PVC)
TIME OF SLUG PLACEMENT	—
TIME OF WL EQUILIBRATION	—
NEW XD REFERENCE	—
START TIME OF TEST	—
END TIME OF TEST	—

NOTES: TEST 1 of 2
SLUG: 3' x 3" SOLID CORE PVC

R. RUSTAD
D. PIERCE

✓ WKI
✓GRAPH

AQUIFER TESTING	
SETUP	
WELL ID	GLM. 92. 07X / 4"
DATE OF TEST	10. 06. 92
TYPE OF TEST	RISING HEAD
HERMIT TYPE / SERIAL #	SE 1000C / 1KC01732
TEST #	SEL 17 / 20F2
DATA COLLECTION RATE	LOG
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	# 1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	60.23 (PVC)
WELL DEPTH (FT/TOC)	67.65 (PVC)
XD DEPTH (FT/TOC)	66.65 (PVC)
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	65.00 (PVC)
TIME OF SLUG PLACEMENT	—
TIME OF WL EQUILIBRATION	—
NEW XD REFERENCE	—
START TIME OF TEST	—
END TIME OF TEST	—

NOTES: TEST 2 OF 2

SLUG: 3'x3" SOLID CORE PVC

D. PIERCE
R. RUSTAD

WELL G6M-92-06X
WELL DIAMETER = 0.333 FT. SATURATED SCREEN LENGTH = 8.0 FT. BORING DIAMETER = 0.833 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET
0	0.373	0	0.136
0.0033	0.562	0.0033	0.711
0.0066	0.499	0.0066	2.017
0.01	0.857	0.01	0.784
0.0133	0.553	0.0133	0.879
0.0166	-0.088	0.0166	1.135
0.02	0.692	0.02	1.755
0.0233	1.015	0.0233	1.97
0.0266	0.996	0.0266	1.998
0.03	1.363	0.03	1.957
0.0333	1.616	0.0333	1.938
0.0366	1.647	0.0366	1.919
0.04	1.945	0.04	1.897
0.0433	1.856	0.0433	1.869
0.0466	1.774	0.0466	1.862
0.05	1.828	0.05	1.843
0.0533	1.549	0.0533	1.828
0.0566	1.793	0.0566	1.805
0.06	1.888	0.06	1.78
0.0633	1.802	0.0633	1.764
0.0666	1.799	0.0666	1.749
0.07	1.771	0.07	1.73
0.0733	1.764	0.0733	1.707
0.0766	1.745	0.0766	1.698
0.08	1.73	0.08	1.676
0.0833	1.717	0.0833	1.66
0.0866	1.704	0.0866	1.644
0.09	1.685	0.09	1.625
0.0933	1.669	0.0933	1.609
0.0966	1.651	0.0966	1.597
0.1	1.632	0.1	1.578
0.1033	1.616	0.1033	1.565
0.1066	1.597	0.1066	1.549
0.11	1.581	0.11	1.533
0.1133	1.559	0.1133	1.518
0.1166	1.543	0.1166	1.502
0.12	1.53	0.12	1.489
0.1233	1.518	0.1233	1.473
0.1266	1.505	0.1266	1.458
0.13	1.489	0.13	1.445
0.1333	1.477	0.1333	1.432
0.1366	1.461	0.1366	1.416
0.14	1.448	0.14	1.404
0.1433	1.432	0.1433	1.388
0.1466	1.416	0.1466	1.375
0.15	1.404	0.15	1.363
0.1533	1.388	0.1533	1.35
0.1566	1.375	0.1566	1.337
0.16	1.36	0.16	1.322
0.1633	1.347	0.1633	1.309
0.1666	1.334	0.1666	1.296
0.17	1.322	0.17	1.287
0.1733	1.309	0.1733	1.271
0.1766	1.296	0.1766	1.258
0.18	1.284	0.18	1.249
0.1833	1.271	0.1833	1.236
0.1866	1.258	0.1866	1.224
0.19	1.246	0.19	1.211
0.1933	1.233	0.1933	1.201
0.1966	1.22	0.1966	1.189
0.2	1.211	0.2	1.176
0.2033	1.198	0.2033	1.167
0.2066	1.186	0.2066	1.154
0.21	1.176	0.21	1.144
0.2133	1.163	0.2133	1.132
0.2166	1.154	0.2166	1.122
0.22	1.141	0.22	1.11
0.2233	1.132	0.2233	1.1
0.2266	1.119	0.2266	1.091
0.23	1.11	0.23	1.078
0.2333	1.1	0.2333	1.069
0.2366	1.088	0.2366	1.059
0.24	1.078	0.24	1.05
0.2433	1.069	0.2433	1.04
0.2466	1.056	0.2466	1.027
0.25	1.046	0.25	1.021
0.2533	1.037	0.2533	1.008
0.2566	1.027	0.2566	0.999
0.26	1.018	0.26	0.989
0.2633	1.008	0.2633	0.98
0.2666	0.999	0.2666	0.974
0.27	0.989	0.27	0.964
0.2733	0.98	0.2733	0.955
0.2766	0.97	0.2766	0.945
0.28	0.961	0.28	0.936
0.2833	0.952	0.2833	0.926
0.2866	0.945	0.2866	0.92
0.29	0.936	0.29	0.91
0.2933	0.926	0.2933	0.904
0.2966	0.917	0.2966	0.895
0.3	0.91	0.3	0.885
0.3033	0.901	0.3033	0.879
0.3066	0.891	0.3066	0.869
0.31	0.885	0.31	0.863
0.3133	0.876	0.3133	0.853
0.3166	0.866	0.3166	0.844
0.32	0.86	0.32	0.838
0.3233	0.85	0.3233	0.831
0.3266	0.844	0.3266	0.822
0.33	0.838	0.33	0.816
0.3333	0.828	0.3333	0.809
0.35	0.79	0.35	0.768
0.3666	0.749	0.3666	0.733
0.3833	0.714	0.3833	0.698
0.4	0.683	0.4	0.667
0.4166	0.651	0.4166	0.635
0.4333	0.619	0.4333	0.607
0.45	0.591	0.45	0.578
0.4666	0.566	0.4666	0.556
0.4833	0.544	0.4833	0.531
0.5	0.521	0.5	0.512
0.5166	0.499	0.5166	0.493
0.5333	0.48	0.5333	0.474
0.55	0.464	0.55	0.458

0.5666	0.449
0.5833	0.433
0.6	0.417
0.6166	0.404
0.6333	0.395
0.65	0.382
0.6666	0.373
0.6833	0.363
0.7	0.354
0.7166	0.344
0.7333	0.338
0.75	0.328
0.7666	0.322
0.7833	0.316
0.8	0.309
0.8166	0.303
0.8333	0.3
0.85	0.294
0.8666	0.29
0.8833	0.284
0.9	0.281
0.9166	0.278
0.9333	0.272
0.95	0.268
0.9666	0.265
0.9833	0.262
1	0.259
1.2	0.224
1.4	0.205
1.6	0.192
1.8	0.183
2	0.177
2.2	0.17
2.4	0.167
2.6	0.164
2.8	0.161
3	0.161
3.2	0.158
3.4	0.154
3.6	0.154
3.8	0.154
4	0.151
4.2	0.151
4.4	0.151
4.6	0.151
4.8	0.148
5	0.148
5.2	0.145
5.4	0.145
5.6	0.145

PERMEABILITY TEST RESULTS FOR G6M-92-06X
HVORSLEV:
K= 0.0014 CM/SEC
BOUWER & RICE:
K= 0.0043 CM/SEC

0.5666	0.439
0.5833	0.426
0.6	0.414
0.6166	0.398
0.6333	0.389
0.65	0.376
0.6666	0.366
0.6833	0.357
0.7	0.347
0.7166	0.341
0.7333	0.332
0.75	0.325
0.7666	0.319
0.7833	0.313
0.8	0.306
0.8166	0.3
0.8333	0.297
0.85	0.29
0.8666	0.284
0.8833	0.281
0.9	0.278
0.9166	0.275
0.9333	0.268
0.95	0.265
0.9666	0.262
0.9833	0.259
1	0.256
1.2	0.221
1.4	0.202
1.6	0.189
1.8	0.18
2	0.173
2.2	0.167
2.4	0.164
2.6	0.161
2.8	0.158
3	0.154
3.2	0.151
3.4	0.151
3.6	0.148
3.8	0.148
4	0.145
4.2	0.145
4.4	0.142
4.6	0.142
4.8	0.142
5	0.142

HVORSLEV:
K= 0.0014 CM/SEC
BOUWER & RICE:
K= 0.0043 CM/SEC



G6M-92-08X PERMEABILITY TESTS
2.00
1.50
1.00
0.50
0.00
HEAD STRESS (FEET)
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2

G6M-92-08X PERMEABILITY TEST #1




G6M-92-08X PERMEABILITY TEST #2
K = 0.004281 cm/sec
H0 = 62.98 cm
100.
10.
1.
0.
12.
24.
36.
48.
60.
Time (sec)
Displacement (cm)

✓ WK1
✓ GRAPH

AQUIFER TESTING	
SETUP	
WELL ID	GGM-92-08X / 4"
DATE OF TEST	10-06-92
TYPE OF TEST	Rising Head / Slug out
HERMIT TYPE / SERIAL #	SE1000C / 1KC0232
TEST #	SEL 12
DATA COLLECTION RATE	Log 1
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	# 1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	54.41 (pvc)
WELL DEPTH (FT/TOC)	62.43 (pvc)
XD DEPTH (FT/TOC)	61.00 (pvc)
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	57.00
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: Test 1 of 2

R. Rustad
D. Pierce

Slug: 3' x 3" Solid Core PVC Rod

✓ WK1
✓GRAPH

AQUIFER TESTING

SETUP	
WELL ID	GGM-92-08X / 4"
DATE OF TEST	10.06.92
TYPE OF TEST	Rising Head
HERMIT TYPE / SERIAL #	SE 1000 C / 1660173.2
TEST #	SEL 13
DATA COLLECTION RATE	Log 1
DUCER	
SERIAL #	2046DL
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	#1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	54.39
WELL DEPTH (FT/TOC)	62.43
XD DEPTH (FT/TOC)	61.00
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	59.00
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST #2 OF 2

R. RUSTAD
D. PIERCE

SLUG: 3' x ~~3~~ 3" SOLID CORE PVC ROD

WELL G6M-92-09X
WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 8.4 FT, BORING DIAMETER = 0.833 FT

TEST 1

MINUTES	FEET
0	0.05
0.0033	0.05
0.0066	0.619
0.01	1.565
0.0133	1.315
0.0166	1.138
0.02	1.299
0.0233	1.072
0.0266	1.862
0.03	0.55
0.0333	1.831
0.0366	1.859
0.04	1.856
0.0433	1.853
0.0466	1.828
0.05	1.799
0.0533	1.793
0.0566	1.761
0.06	1.742
0.0633	1.72
0.0666	1.704
0.07	1.688
0.0733	1.673
0.0766	1.669
0.08	1.628
0.0833	1.641
0.0866	1.606
0.09	1.6
0.0933	1.581
0.0966	1.565
0.1	1.556
0.1033	1.524
0.1066	1.527
0.11	1.502
0.1133	1.486
0.1166	1.486
0.12	1.473
0.1233	1.464
0.1266	1.451
0.13	1.423
0.1333	1.42
0.1366	1.416
0.14	1.394
0.1433	1.372
0.1466	1.363
0.15	1.356
0.1533	1.331
0.1566	1.331
0.16	1.315
0.1633	1.303
0.1666	1.296
0.17	1.28
0.1733	1.271
0.1766	1.258
0.18	1.246
0.1833	1.233
0.1866	1.224
0.19	1.211
0.1933	1.201
0.1966	1.189
0.2	1.179
0.2033	1.17
0.2066	1.151
0.21	1.148
0.2133	1.138
0.2166	1.119
0.22	1.113
0.2233	1.106
0.2266	1.097
0.23	1.084
0.2333	1.075
0.2366	1.065
0.24	1.056
0.2433	1.046
0.2466	1.037
0.25	1.027
0.2533	1.018
0.2566	1.008
0.26	0.999
0.2633	0.993
0.2666	0.983
0.27	0.974
0.2733	0.964
0.2766	0.955
0.28	0.945
0.2833	0.939
0.2866	0.929
0.29	0.92
0.2933	0.914
0.2966	0.904
0.3	0.896
0.3033	0.888
0.3066	0.879
0.31	0.872
0.3133	0.866
0.3166	0.857
0.32	0.85
0.3233	0.838
0.3266	0.834
0.33	0.825
0.3333	0.819
0.35	0.784
0.3666	0.743
0.3833	0.705
0.4	0.67
0.4166	0.638
0.4333	0.607
0.45	0.581
0.4666	0.553
0.4833	0.531
0.5	0.506
0.5166	0.483
0.5333	0.461
0.55	0.442

TEST 2

MINUTES	FEET
0	0.05
0.0033	0.18
0.0066	0.762
0.01	2.141
0.0133	0.907
0.0166	0.68
0.02	1.056
0.0233	0.439
0.0266	1.106
0.03	1.47
0.0333	2.109
0.0366	1.802
0.04	1.84
0.0433	1.843
0.0466	1.821
0.05	1.805
0.0533	1.79
0.0566	1.768
0.06	1.749
0.0633	1.733
0.0666	1.714
0.07	1.695
0.0733	1.685
0.0766	1.663
0.08	1.644
0.0833	1.632
0.0866	1.622
0.09	1.6
0.0933	1.59
0.0966	1.575
0.1	1.559
0.1033	1.546
0.1066	1.533
0.11	1.518
0.1133	1.505
0.1166	1.486
0.12	1.477
0.1233	1.461
0.1266	1.448
0.13	1.442
0.1333	1.423
0.1366	1.404
0.14	1.397
0.1433	1.382
0.1466	1.369
0.15	1.363
0.1533	1.347
0.1566	1.334
0.16	1.322
0.1633	1.312
0.1666	1.293
0.17	1.287
0.1733	1.277
0.1766	1.265
0.18	1.255
0.1833	1.243
0.1866	1.23
0.19	1.217
0.1933	1.205
0.1966	1.195
0.2	1.186
0.2033	1.173
0.2066	1.163
0.21	1.154
0.2133	1.141
0.2166	1.132
0.22	1.122
0.2233	1.116
0.2266	1.103
0.23	1.091
0.2333	1.081
0.2366	1.069
0.24	1.062
0.2433	1.053
0.2466	1.043
0.25	1.034
0.2533	1.024
0.2566	1.015
0.26	1.005
0.2633	0.999
0.2666	0.986
0.27	0.983
0.2733	0.971
0.2766	0.961
0.28	0.952
0.2833	0.945
0.2866	0.936
0.29	0.926
0.2933	0.92
0.2966	0.91
0.3	0.904
0.3033	0.895
0.3066	0.888
0.31	0.879
0.3133	0.872
0.3166	0.86
0.32	0.853
0.3233	0.847
0.3266	0.838
0.33	0.828
0.3333	0.822
0.35	0.784
0.3666	0.746
0.3833	0.711
0.4	0.676
0.4166	0.642
0.4333	0.613
0.45	0.585
0.4666	0.556
0.4833	0.534
0.5	0.512
0.5166	0.487
0.5333	0.464
0.55	0.449

0.5666	0.426
0.5833	0.408
0.6	0.392
0.6166	0.379
0.6333	0.366
0.65	0.351
0.6666	0.338
0.6833	0.328
0.7	0.316
0.7166	0.306
0.7333	0.297
0.75	0.287
0.7666	0.278
0.7833	0.268
0.8	0.262
0.8166	0.256
0.8333	0.249
0.85	0.243
0.8666	0.237
0.8833	0.23
0.9	0.224
0.9166	0.221
0.9333	0.215
0.95	0.211
0.9666	0.205
0.9833	0.202
1	0.199
1.2	0.154
1.4	0.129
1.6	0.11
1.8	0.101
2	0.088
2.2	0.082
2.4	0.075
2.6	0.069
2.8	0.066
3	0.063
3.2	0.063
3.4	0.06
3.6	0.056
3.8	0.056
4	0.056
4.2	0.056
4.4	0.053
4.6	0.053
4.8	0.053
5	0.053
5.2	0.053
5.4	0.053
5.6	0.053
5.8	0.053
6	0.053
6.2	0.053
6.4	0.053
6.6	0.053
6.8	0.053
7	0.053
7.2	0.053
7.4	0.053
7.6	0.053
7.8	0.053
8	0.053
8.2	0.053
8.4	0.053
8.6	0.053
8.8	0.053
9	0.053
9.2	0.053
9.4	0.053
9.6	0.053
9.8	0.053
10	0.053

PERMEABILITY TEST RESULTS FOR G6M-92-09X
HVORSLEV:
K=0.0013 CM/SEC
BOUWER & RICE:
K= 0.0042 CM/SEC

0.5666	0.43
0.5833	0.414
0.6	0.398
0.6166	0.382
0.6333	0.366
0.65	0.357
0.6666	0.341
0.6833	0.332
0.7	0.319
0.7166	0.309
0.7333	0.3
0.75	0.29
0.7666	0.284
0.7833	0.275
0.8	0.268
0.8166	0.262
0.8333	0.253
0.85	0.249
0.8666	0.243
0.8833	0.237
0.9	0.23
0.9166	0.224
0.9333	0.221
0.95	0.218
0.9666	0.211
0.9833	0.208
1	0.205
1.2	0.158
1.4	0.132
1.6	0.113
1.8	0.101
2	0.088
2.2	0.082
2.4	0.075
2.6	0.069
2.8	0.066
3	0.063
3.2	0.06
3.4	0.06
3.6	0.056
3.8	0.056
4	0.056
4.2	0.053
4.4	0.053
4.6	0.053
4.8	0.053
5	0.053
5.2	0.053
5.4	0.053
5.6	0.053
5.8	0.053
6	0.053
6.2	0.053
6.4	0.053

HVORSLEV:
K=0.0013 CM/SEC
BOUWER & RICE:
K= 0.0042 CM/SEC


G6M-92-09X PERMEABILITY TESTS
2.00
1.50
1.00
0.50
0.00
HEAD STRESS (FEET)
0.01
0.1
1
10
TIME (MINUTES)
TEST #1
TEST #2

G6M-92-09X PERMEABILITY TEST #1




G6M-92-09X PERMEABILITY TEST #2
K = 0.004173 cm/sec
x0 = 63.95 cm
100.
10.
1.
0.
12.
24.
36.
48.
60.
Time (sec)
Displacement (cm)

✓ WKI
✓ GRAPH

AQUIFER TESTING

SETUP	
WELL ID	GGM-92-09X / 4"
DATE OF TEST	10-06-92
TYPE OF TEST	Rising Head
HERMIT TYPE / SERIAL #	SE 1000C / 1KC01732
TEST #	Sec 14
DATA COLLECTION RATE	Log 1
DUCER	
SERIAL #	2046DE
PSIG	10
SCALE FACTOR	10.000
OFFSET	-0.034
INPUT CHANNEL	# 1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	51.70 (PVC)
WELL DEPTH (FT/TOC)	60.10 (PVC)
XD DEPTH (FT/TOC)	59.00 (PVC)
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	57.00 (PVC)
TIME OF SLUG PLACEMENT	
TIME OF WL EQUILIBRATION	
NEW XD REFERENCE	
START TIME OF TEST	
END TIME OF TEST	

NOTES: TEST 1 of 2

R. RUSTAD
D. PIERCE

SLUG: 3' x 3" SOLID CORE PVC ROD

✓ WRI
GRAPH

AQUIFER TESTING

SETUP	
WELL ID	GGM.92.09X / 4"
DATE OF TEST	10.06.92.
TYPE OF TEST	Rising Head
HERMIT TYPE / SERIAL #	SE 1000C / 1KC01732
TEST #	SEL 15
DATA COLLECTION RATE	Log 1
DUCER	
SERIAL #	2046 DE
PSIG	10
SCALE FACTOR	10.001
OFFSET	-0.034
INPUT CHANNEL	# 1
TEST DATA	
INPUT MODE (TOC/SUR)	TOC
STATIC WATER LEVEL (FT/TOC)	51.68 (PVC)
WELL DEPTH (FT/TOC)	60.10 (PVC)
XD DEPTH (FT/TOC)	59.00' (PVC)
INITIAL XD REFERENCE	0.00
SLUG DEPTH (FT/TOC)	57.00 (PVC)
TIME OF SLUG PLACEMENT	—
TIME OF WL EQUILIBRATION	—
NEW XD REFERENCE	—
START TIME OF TEST	—
END TIME OF TEST	—

NOTES: TEST 2 OF 2

SLUG: 3' x 3" SOLID CORE PVC

R. RUSTAD
D. PIERCE

* DURING THIS TEST A HELICOPTER FLEW CLOSE BY THE WELL: ≈ 2.5 MIN INTO THE TEST. HEAVY NOISE VIBRATIONS

WELL G6M-92-10X
WELL DIAMETER = 0.333 FT. SATURATED SCREEN LENGTH = 6.5 FT. BORING DIAMETER = 0.833 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET
0	0.164	0	0.126
0.0033	0.29	0.0033	0.136
0.0066	1.341	0.0066	1.647
0.01	1.385	0.01	3.121
0.0133	1.397	0.0133	1.59
0.0166	0.936	0.0166	1.04
0.02	0.385	0.02	1.992
0.0233	1.546	0.0233	2.065
0.0266	2.096	0.0266	2.062
0.03	2.115	0.03	2.071
0.0333	2.093	0.0333	2.03
0.0366	2.071	0.0366	2.049
0.04	2.062	0.04	2.036
0.0433	2.052	0.0433	2.036
0.0466	2.046	0.0466	2.03
0.05	2.036	0.05	2.021
0.0533	2.027	0.0533	2.008
0.0566	2.024	0.0566	2.002
0.06	2.008	0.06	1.989
0.0633	2.002	0.0633	1.979
0.0666	1.995	0.0666	1.973
0.07	1.983	0.07	1.96
0.0733	1.973	0.0733	1.954
0.0766	1.964	0.0766	1.976
0.08	1.954	0.08	1.973
0.0833	1.945	0.0833	1.935
0.0866	1.938	0.0866	1.926
0.09	1.941	0.09	1.913
0.0933	1.922	0.0933	1.881
0.0966	1.913	0.0966	1.91
0.1	1.926	0.1	1.954
0.1033	1.891	0.1033	1.856
0.1066	1.881	0.1066	1.881
0.11	1.856	0.11	1.885
0.1133	1.869	0.1133	1.859
0.1166	1.862	0.1166	1.853
0.12	1.85	0.12	1.85
0.1233	1.859	0.1233	1.843
0.1266	1.812	0.1266	1.837
0.13	1.837	0.13	1.831
0.1333	1.847	0.1333	1.821
0.1366	1.821	0.1366	1.815
0.14	1.805	0.14	1.805
0.1433	1.802	0.1433	1.799
0.1466	1.805	0.1466	1.793
0.15	1.786	0.15	1.783
0.1533	1.777	0.1533	1.78
0.1566	1.774	0.1566	1.771
0.16	1.749	0.16	1.767
0.1633	1.758	0.1633	1.758
0.1666	1.774	0.1666	1.752
0.17	1.73	0.17	1.742
0.1733	1.733	0.1733	1.736
0.1766	1.736	0.1766	1.73
0.18	1.723	0.18	1.723
0.1833	1.711	0.1833	1.72
0.1866	1.714	0.1866	1.711
0.19	1.698	0.19	1.707
0.1933	1.688	0.1933	1.701
0.1966	1.679	0.1966	1.692
0.2	1.676	0.2	1.685
0.2033	1.682	0.2033	1.679
0.2066	1.657	0.2066	1.673
0.21	1.66	0.21	1.669
0.2133	1.654	0.2133	1.66
0.2166	1.647	0.2166	1.654
0.22	1.619	0.22	1.647
0.2233	1.626	0.2233	1.641
0.2266	1.622	0.2266	1.635
0.23	1.597	0.23	1.628
0.2333	1.597	0.2333	1.619
0.2366	1.6	0.2366	1.613
0.24	1.581	0.24	1.606
0.2433	1.581	0.2433	1.606
0.2466	1.584	0.2466	1.6
0.25	1.584	0.25	1.597
0.2533	1.571	0.2533	1.594
0.2566	1.571	0.2566	1.584
0.26	1.559	0.26	1.578
0.2633	1.552	0.2633	1.578
0.2666	1.552	0.2666	1.568
0.27	1.537	0.27	1.562
0.2733	1.533	0.2733	1.552
0.2766	1.521	0.2766	1.549
0.28	1.511	0.28	1.537
0.2833	1.514	0.2833	1.543
0.2866	1.511	0.2866	1.533
0.29	1.505	0.29	1.527
0.2933	1.499	0.2933	1.524
0.2966	1.489	0.2966	1.537
0.3	1.492	0.3	1.514
0.3033	1.48	0.3033	1.505
0.3066	1.477	0.3066	1.502
0.31	1.473	0.31	1.505
0.3133	1.467	0.3133	1.489
0.3166	1.461	0.3166	1.486
0.32	1.461	0.32	1.495
0.3233	1.451	0.3233	1.48
0.3266	1.442	0.3266	1.47
0.33	1.439	0.33	1.467
0.3333	1.432	0.3333	1.445
0.35	1.404	0.35	1.432
0.3666	1.375	0.3666	1.404
0.3833	1.359	0.3833	1.388
0.4	1.325	0.4	1.356
0.4166	1.303	0.4166	1.337
0.4333	1.277	0.4333	1.315
0.45	1.255	0.45	1.296
0.4666	1.236	0.4666	1.277
0.4833	1.217	0.4833	1.258
0.5	1.195	0.5	1.239
0.5166	1.182	0.5166	1.227
0.5333	1.167	0.5333	1.211
0.55	1.151	0.55	1.195

0.5666	1.138
0.5833	1.122
0.6	1.11
0.6166	1.1
0.6333	1.087
0.65	1.078
0.6666	1.069
0.6833	1.059
0.7	1.05
0.7166	1.043
0.7333	1.037
0.75	1.027
0.7666	1.021
0.7833	1.012
0.8	1.005
0.8166	0.999
0.8333	0.993
0.85	0.989
0.8666	0.983
0.8833	0.977
0.9	0.974
0.9166	0.967
0.9333	0.961
0.95	0.958
0.9666	0.951
0.9833	0.948
1	0.945
1.2	0.891
1.4	0.857
1.6	0.826
1.8	0.803
2	0.784
2.2	0.768
2.4	0.752
2.6	0.74
2.8	0.724
3	0.711
3.2	0.698
3.4	0.686
3.6	0.676
3.8	0.667
4	0.654
4.2	0.648
4.4	0.635
4.6	0.629
4.8	0.619
5	0.61
5.2	0.6
5.4	0.594
5.6	0.585
5.8	0.578
6	0.572
6.2	0.562
6.4	0.556
6.6	0.55
6.8	0.544
7	0.537
7.2	0.531
7.4	0.525
7.6	0.518
7.8	0.515
8	0.509
8.2	0.502
8.4	0.496
8.6	0.493
8.8	0.487
9	0.48
9.2	0.477
9.4	0.474
9.6	0.468
9.8	0.461
10	0.458
11	0.439
12	0.42
13	0.407
14	0.392
15	0.379
16	0.366

PERMEABILITY TEST RESULTS FOR G6M-92-10X
HVORSLEV:
K= 0.000045 CM/SEC
BOUWER & RICE:
K= 0.00013 CM/SEC

0.5666	1.182
0.5833	1.17
0.6	1.157
0.6166	1.148
0.6333	1.138
0.65	1.125
0.6666	1.116
0.6833	1.106
0.7	1.097
0.7166	1.091
0.7333	1.081
0.75	1.075
0.7666	1.065
0.7833	1.059
0.8	1.053
0.8166	1.046
0.8333	1.04
0.85	1.034
0.8666	1.027
0.8833	1.021
0.9	1.015
0.9166	1.012
0.9333	1.005
0.95	0.999
0.9666	0.996
0.9833	0.989
1	0.986
1.2	0.926
1.4	0.891
1.6	0.86
1.8	0.831
2	0.809
2.2	0.79
2.4	0.774
2.6	0.759
2.8	0.743
3	0.73
3.2	0.717
3.4	0.702
3.6	0.692
3.8	0.683
4	0.67
4.2	0.657
4.4	0.651
4.6	0.642
4.8	0.632
5	0.623
5.2	0.613
5.4	0.607
5.6	0.597
5.8	0.586
6	0.578
6.2	0.572
6.4	0.566
6.6	0.559
6.8	0.553
7	0.544
7.2	0.54
7.4	0.531
7.6	0.525
7.8	0.521
8	0.515
8.2	0.509
8.4	0.502
8.6	0.496
8.8	0.49
9	0.487
9.2	0.48
9.4	0.474
9.6	0.471
9.8	0.468
10	0.461
11	0.439
12	0.423
13	0.404
14	0.392
15	0.376

HVORSLEV:
K= 0.000048 CM/SEC
BOUWER & RICE:
K= 0.00014 CM/SEC



G6M-92-10X PERMEABILITY TESTS
2.50
2.00
1.50
1.00
0.50
0.00
HEAD STRESS (FEET)
0.01
0.1
1
10
TIME (MINUTES)
TEST #1
TEST #2



G6M-92-10X PERMEABILITY TEST #1
K = 0.0001303 cm/sec
y0 = 27.56 cm
100.
10.
Displacement (cm)
0.
120.
240.
360.
480.
600.
Time (sec)

G6M-92-10X PERMEABILITY TEST #2



✓ WRI
✓ GRAPH

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. G6M-92-10X

SETUP	DATE	BY WHOM
MONITORING WELL ID	G6M.92.10X 4"	R. RUSTAD
DATE OF TEST	10.07.92	
TYPE OF TEST	RISING HEAD	
HERMIT TYPE/SERIAL#	SE 1000 C / 1KC01732	
TEST #	SEL 0 / TEST 1 OF 2	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	2046 DE	
PSIG	10	
SCALE FACTOR	10.001	
OFFSET	-0.034	
INPUT CHANNEL	#1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	14.46 (PVC)	
WELL DEPTH (FT./TOC)	20.92 (PVC)	
XD DEPTH (FT.TOC)	20.00 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	18.00 (PVC)	
TIME OF SLUG PLACEMENT	–	
TIME OF WL EQUILIBRATION	–	
NEW XD REFERENCE	–	
START TIME OF TEST	0.00	
END TIME OF TEST	15.00	
NOTES: SLUG 3' x 3" SOLID PVC		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

✓ WKI
✓ GRAPH

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. GGM-92-10X

SETUP	DATE	BY WHOM
MONITORING WELL ID	4" GGM-92-10X	R. RUSTAD
DATE OF TEST	10.07.92	
TYPE OF TEST	Rising Head	
HERMIT TYPE/SERIAL#	SE 1000C / 1401732	
TEST #	SEL 1 / 2 OF 2	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	2046 DL	
PSIG	10	
SCALE FACTOR	10.001	
OFFSET	-0.034	
INPUT CHANNEL	# 1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	14.36' (PVC)	
WELL DEPTH (FT./TOC)	20.92' (PVC)	
XD DEPTH (FT.TOC)	20.00 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	18.00	
TIME OF SLUG PLACEMENT		
TIME OF WL EQUILIBRATION		
NEW XD REFERENCE		
START TIME OF TEST		
END TIME OF TEST		
NOTES: SLUG: 3' x 3" Solid PVC		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

WELL G6M-92-11X
WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 7.0 FT, BORING DIAMETER = 0.8333 FT

TEST 1 MINUTES	FEET	TEST 2 MINUTES	FEET
0	0	0	0
0.0033	0.088	0.0033	0.006
0.0066	1.258	0.0066	0.259
0.01	1.382	0.01	1.059
0.0133	1.293	0.0133	1.511
0.0166	0.752	0.0166	0.689
0.02	1.41	0.02	1.821
0.0233	1.777	0.0233	1.85
0.0266	1.837	0.0266	1.868
0.03	1.861	0.03	1.891
0.0333	1.885	0.0333	1.9
0.0366	1.894	0.0366	1.869
0.04	1.872	0.04	1.875
0.0433	1.866	0.0433	1.869
0.0466	1.853	0.0466	1.834
0.05	1.84	0.05	1.847
0.0533	1.828	0.0533	1.84
0.0566	1.815	0.0566	1.856
0.06	1.815	0.06	1.783
0.0633	1.793	0.0633	1.764
0.0666	1.793	0.0666	1.793
0.07	1.78	0.07	1.777
0.0733	1.774	0.0733	1.764
0.0766	1.78	0.0766	1.777
0.08	1.755	0.08	1.758
0.0833	1.745	0.0833	1.761
0.0866	1.736	0.0866	1.73
0.09	1.736	0.09	1.739
0.0933	1.73	0.0933	1.707
0.0966	1.717	0.0966	1.717
0.1	1.704	0.1	1.698
0.1033	1.698	0.1033	1.701
0.1066	1.698	0.1066	1.685
0.11	1.679	0.11	1.682
0.1133	1.669	0.1133	1.698
0.1166	1.666	0.1166	1.676
0.12	1.638	0.12	1.66
0.1233	1.647	0.1233	1.669
0.1266	1.641	0.1266	1.635
0.13	1.628	0.13	1.625
0.1333	1.622	0.1333	1.638
0.1366	1.613	0.1366	1.616
0.14	1.603	0.14	1.603
0.1433	1.6	0.1433	1.609
0.1466	1.587	0.1466	1.594
0.15	1.581	0.15	1.609
0.1533	1.571	0.1533	1.581
0.1566	1.568	0.1566	1.571
0.16	1.549	0.16	1.565
0.1633	1.552	0.1633	1.603
0.1666	1.54	0.1666	1.571
0.17	1.524	0.17	1.552
0.1733	1.524	0.1733	1.537
0.1766	1.527	0.1766	1.533
0.18	1.537	0.18	1.54
0.1833	1.505	0.1833	1.546
0.1866	1.495	0.1866	1.518
0.19	1.492	0.19	1.53
0.1933	1.486	0.1933	1.505
0.1966	1.47	0.1966	1.499
0.2	1.467	0.2	1.499
0.2033	1.467	0.2033	1.495
0.2066	1.454	0.2066	1.54
0.21	1.451	0.21	1.483
0.2133	1.442	0.2133	1.47
0.2166	1.432	0.2166	1.464
0.22	1.426	0.22	1.473
0.2233	1.429	0.2233	1.451
0.2266	1.42	0.2266	1.445
0.23	1.404	0.23	1.439
0.2333	1.397	0.2333	1.423
0.2366	1.397	0.2366	1.423
0.24	1.391	0.24	1.435
0.2433	1.382	0.2433	1.416
0.2466	1.366	0.2466	1.404
0.25	1.366	0.25	1.397
0.2533	1.359	0.2533	1.394
0.2566	1.353	0.2566	1.375
0.26	1.347	0.26	1.378
0.2633	1.341	0.2633	1.369
0.2666	1.334	0.2666	1.375
0.27	1.331	0.27	1.347
0.2733	1.318	0.2733	1.356
0.2766	1.315	0.2766	1.35
0.28	1.309	0.28	1.35
0.2833	1.312	0.2833	1.353
0.2866	1.293	0.2866	1.347
0.29	1.277	0.29	1.334
0.2933	1.277	0.2933	1.315
0.2966	1.274	0.2966	1.312
0.3	1.258	0.3	1.315
0.3033	1.261	0.3033	1.309
0.3066	1.258	0.3066	1.315
0.31	1.255	0.31	1.293
0.3133	1.246	0.3133	1.29
0.3166	1.236	0.3166	1.284
0.32	1.23	0.32	1.293
0.3233	1.223	0.3233	1.271
0.3266	1.22	0.3266	1.268
0.33	1.214	0.33	1.265
0.3333	1.208	0.3333	1.261
0.35	1.173	0.35	1.227
0.3666	1.135	0.3666	1.201
0.3833	1.116	0.3833	1.173
0.4	1.087	0.4	1.148
0.4166	1.059	0.4166	1.116
0.4333	1.034	0.4333	1.097
0.45	1.008	0.45	1.075
0.4666	0.986	0.4666	1.053
0.4833	0.955	0.4833	1.031
0.5	0.942	0.5	1.008
0.5166	0.92	0.5166	0.989
0.5333	0.901	0.5333	0.97
0.55	0.885	0.55	0.955

0.5666	0.866
0.5833	0.85
0.6	0.834
0.6166	0.822
0.6333	0.809
0.65	0.797
0.6666	0.787
0.6833	0.774
0.7	0.765
0.7166	0.755
0.7333	0.749
0.75	0.74
0.7666	0.73
0.7833	0.724
0.8	0.714
0.8166	0.708
0.8333	0.702
0.85	0.695
0.8666	0.686
0.8833	0.679
0.9	0.673
0.9166	0.667
0.9333	0.661
0.95	0.657
0.9666	0.648
0.9833	0.645
1	0.638
1.2	0.575
1.4	0.534
1.6	0.502
1.8	0.474
2	0.445
2.2	0.423
2.4	0.401
2.6	0.382
2.8	0.363
3	0.344
3.2	0.328
3.4	0.313
3.6	0.297
3.8	0.284
4	0.272
4.2	0.259
4.4	0.246
4.6	0.234
4.8	0.224
5	0.215
5.2	0.205
5.4	0.196
5.6	0.183
5.8	0.177
6	0.17
6.2	0.161
6.4	0.154
6.6	0.148
6.8	0.142
7	0.135
7.2	0.129
7.4	0.126
7.6	0.12
7.8	0.117
8	0.11
8.2	0.107
8.4	0.101
8.6	0.096
8.8	0.094
9	0.091
9.2	0.088
9.4	0.085
9.6	0.082
9.8	0.079
10	0.075

PERMEABILITY TEST RESULTS FOR G6M-92-11X
HVORSLEV:
K= 0.00014 CM/SEC
BOUWER & RICE:
K= 0.0004 CM/SEC

0.5666	0.939
0.5833	0.923
0.6	0.907
0.6166	0.895
0.6333	0.882
0.65	0.869
0.6666	0.857
0.6833	0.847
0.7	0.834
0.7166	0.825
0.7333	0.815
0.75	0.806
0.7666	0.797
0.7833	0.787
0.8	0.781
0.8166	0.771
0.8333	0.765
0.85	0.755
0.8666	0.749
0.8833	0.743
0.9	0.736
0.9166	0.727
0.9333	0.721
0.95	0.714
0.9666	0.711
0.9833	0.705
1	0.695
1.2	0.629
1.4	0.581
1.6	0.547
1.8	0.512
2	0.483
2.2	0.458
2.4	0.433
2.6	0.411
2.8	0.392
3	0.373
3.2	0.354
3.4	0.335
3.6	0.322
3.8	0.306
4	0.294
4.2	0.278
4.4	0.265
4.6	0.252
4.8	0.24
5	0.23
5.2	0.221
5.4	0.208
5.6	0.199
5.8	0.189
6	0.18
6.2	0.173
6.4	0.164
6.6	0.158
6.8	0.151
7	0.145
7.2	0.139
7.4	0.132
7.6	0.126
7.8	0.123
8	0.117
8.2	0.11
8.4	0.107
8.6	0.104
8.8	0.098
9	0.094
9.2	0.091
9.4	0.088
9.6	0.085
9.8	0.082
10	0.079

HVORSLEV:
K= 0.00014 CM/SEC
BOUWER & RICE:
K= 0.0004 CM/SEC


G6M-92-11X PERMEABILITY TESTS
HEAD STRESS (FEET)
2.00
1.50
1.00
0.50
0.00
0.01
0.1
1
10
TIME (MINUTES)
TEST #1
TEST #2


G6M-92-11X PERMEABILITY TEST #1
K = 0.0004038 cm/sec
y0 = 22.49 cm
100.
10.
1.
Displacement (cm)
0.
120.
240.
360.
480.
600.
Time (sec)

G6M-92-11X PERMEABILITY TEST #2



- WRI
- GRAPH

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. G6M-92-11X

SETUP	DATE	BY WHOM
MONITORING WELL ID	G6M-92-11X 4"	R. RUSTAD / D. PIERCE
DATE OF TEST	10-06-92	
TYPE OF TEST	RISING HEAD	
HERMIT TYPE/SERIAL#	SE 1000C / 1KC01732	
TEST #	SEL 18 / 1 OF 2	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	2046DE	
PSIG	10	
SCALE FACTOR	10.001	
OFFSET	-0.034	
INPUT CHANNEL	#1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	14.02 (PVC)	
WELL DEPTH (FT./TOC)	21.01 (PVC)	
XD DEPTH (FT.TOC)	20.00 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	17.00 (PVC)	
TIME OF SLUG PLACEMENT	1634	
TIME OF WL EQUILIBRATION	—	
NEW XD REFERENCE	—	
START TIME OF TEST	1634	
END TIME OF TEST	—	
NOTES: SLUG: 3'x3" SOLID CORE PVC ROD		

10' SCREEN

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

✓ WK1
– GRAPH

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. G6M-92-11X

SETUP	DATE	BY WHOM
MONITORING WELL ID	4" / G6M-92-11X	R. RUSTAD D. PIERCE
DATE OF TEST	10-06-92	
TYPE OF TEST	RISING HEAD	
HERMIT TYPE/SERIAL#	SE 1000C / 1KC01732	
TEST #	SEL 19 / 2 OF 2	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	2046DE	
PSIG	10	
SCALE FACTOR	10.001	
OFFSET	-0.034	
INPUT CHANNEL	# 1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	14.00 (PVC)	
WELL DEPTH (FT./TOC)	21.01 (PVC)	
XD DEPTH (FT.TOC)	20.00 (PVC)	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	17.00 (PVC	
TIME OF SLUG PLACEMENT	17.02	
TIME OF WL EQUILIBRATION	—	
NEW XD REFERENCE	—	
START TIME OF TEST	1702	
END TIME OF TEST	—	
NOTES: SLUG: 3' x 3" SOLIDCORE PVC ROD		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

PROJECT	COMP BY	JOB NO
	CHK BY	DATE

$$-K = \left[\frac{\log H(t_1) - H(t_2)}{t_1 - t_2}\right] \frac{r^2 \log (L/R)}{2L}$$

GGM-92-01X TEST #1

$H(t_1) = 1.021$ Ft $t_1 = 0.1866$ min $r = 0.167$ Ft
$H(t_2) = 0.512$ Ft $t_2 = 0.3666$ min $R = 0.417$ Ft
$L = 6.5$ Ft

$$-K = \left[\frac{\log(1.021) - \log(0.512)}{0.1866 - 0.3666}\right] \frac{(0.167)^2 \log(6.5/0.417)}{2(6.5)}$$

$$-K = [1.671](0.00256) = -4.28 \times 10^{-3} \text{ Ft/min}$$

$$K = 2.2 \times 10^{-3} \text{ cm/sec}$$

TEST #2

$H(t_1) = 1.002$ Ft $t_1 = 0.15$ min $r = 0.167$ Ft
$H(t_2) = 0.502$ Ft $t_2 = 0.3666$ min $R = 0.417$ Ft
$L = 6.5$ Ft

$$-K = \left[\frac{\log(1.002) - \log(0.502)}{0.1866 - 0.3666}\right] \frac{(0.167)^2 \log(6.5/0.417)}{2(6.5)}$$

$$-K = [1.668](0.00256) = -0.00427 \text{ FT/min}$$

$$K = 2.2 \times 10^{-3} \text{ cm/sec}$$

GGM-92-02X TEST #1

$H(t_1) = 1.211$ Ft $(t_1) = 0.15$ min $r = 0.167$ Ft
$H(t_2) = 0.736$ Ft $(t_2) = 0.3$ min $R = 0.417$ Ft
$L = 7.4$ Ft

$$-K = \left[\frac{\log(1.211) - \log(0.736)}{0.15 - \cancel{0.736}\ 0.3}\right] \frac{(0.167)^2 \log(7.4/0.417)}{2(7.4)}$$

(2D)

$$-K = [-1.442][0.00235] = -3.39 \text{ Ft/min}$$

$$K = 1.7 \times 10^{-3} \text{ cm/sec}$$

FORM 00.01 REV. 4/81

ABB Environmental Services, Inc.

PROJECT	COMP BY	JOB NO
	CHK BY	DATE

GGM · 92 · 02X TEST 2

$H(t_1) = 1.008$ Ft $(t_1) = 0.14$ min $r = 0.167$ Ft

$H(t_2) = 0.389$ Ft $(t_2) = 0.35$ min $R = 0.417$ Ft

$L = 7.4$ Ft

$$-K = \left[\frac{\log(1.008) - \log(0.389)}{0.14 - 0.35}\right] \frac{(0.167)^2 \log(7.4/0.417)}{2(7.4)}$$

$$-K = (-0.197)(0.00235) = -4.93 \times 10^{-3} \text{ Ft/min}$$

$$K = 2.5 \times 10^{-3} \cancel{\text{Ft/min}} \text{ cm/sec}$$

GGM · 92 · 03X TEST # 1

$H(t_1) = 1.005$ Ft $(t_1) = 0.19$ min $r = 0.167$ Ft

$H(t_2) = 0.474$ Ft $(t_2) = 0.4666$ min $R = 0.417$ Ft

$L = 8.7$ Ft

$$-K = \left[\frac{\log(1.005) - \log(0.474)}{0.19 - 0.4666}\right] \frac{(0.167)^2 \log(8.7/0.417)}{2(8.7)}$$

$$-K = [-1.180][0.00211] = -2.50 \times 10^{-3} \text{ Ft/min}$$

$$K = 1.3 \times 10^{-3} \text{ cm/sec}$$

TEST # 2

$H(t_1) = 0.904$ Ft $t_1 = 0.1833$

$H(t_2) = 0.363$ Ft $t_2 = 0.45$

$$-K = \left[\frac{\log(0.904) - \log(0.363)}{0.1833 - 0.45}\right] \frac{(0.167)^2 \log(8.7/0.417)}{2(8.7)}$$

$$-K = [-1.486][0.00211] = -3.14 \times 10^{-3} \text{ Ft/min}$$

$$K = 1.6 \times 10^{-3} \text{ cm/sec}$$

GGM · 92 · 04X TEST # 1

$H(t_1) = 1.116$ Ft $t_1 = 0.0433$ min $r = 0.167$ Ft

$H(t_2) = 0.449$ Ft $t_2 = 0.0866$ min $R = 0.417$ Ft

$L = 5.9$ Ft

$$-K = \left[\frac{\log(1.116) - \log(0.449)}{0.0433 - 0.0866}\right] \frac{(0.167)^2 \log(5.9/0.417)}{2(5.9)}$$

$$-K = [-9.132][0.00272] = -2.48 \times 10^{-2} \text{ Ft/min}$$

$$= 1.3 \times 10^{-2} \text{ cm/sec}$$

PROJECT	COMP. BY	JOB NO.
	CHK BY	DATE

GGM·92·04X TEST#2

$H(t_1)$: 0.907 Ft t_1 : 0.05 min r: 0.167 Ft
$H(t_2)$: 0.537 Ft t_2 : 0.0733 min R: 0.417 Ft
L: 5.9 Ft

$$-k = \left[\frac{\log(0.907) - \log(0.537)}{0.05 - 0.0733}\right]\frac{(0.167)^2 \log(5.9/0.417)}{2(5.9)}$$

$$-K = [-9.77][0.00272] = -2.66 \times 10^{-2} \text{ Ft/min}$$

$$K = 1.3 \times 10^{-2} \text{ cm/sec}$$

GGM·92·05X TEST #1

$H(t_1)$ = 1.233 Ft t_1 : 0.0366 min r: 0.167 Ft
$H(t_2)$: 0.439 Ft t_2 = 0.0933 min R: 0.417 Ft
L: 6.2 Ft

$$-K = \left[\frac{\log(1.233) - \log(0.439)}{0.0366 - 0.0933}\right]\frac{(0.167)^2 \log(6.2/0.417)}{2(6.2)}$$

$$-K: [-7.91][0.00264] = -2.09 \times 10^{-2} \text{ Ft/min}$$

$$K = 1.1 \times 10^{-2} \text{ cm/sec}$$

TEST # 2

$H(t_1)$: 1.227 Ft (t_1) = 0.0366 min
$H(t_2)$ = 0.442 Ft (t_2) = 0.0933 min

$$-K \left[\frac{\log(1.227) - \log(0.442)}{0.0366 - 0.0933}\right]\frac{(0.167)^2 \log(6.2/0.417)}{2(6.2)}$$

$$-K: [-7.82][0.00264] = -2.06 \times 10^{-2} \text{ Ft/min}$$

$$K = 1.0 \times 10^{-2} \text{ cm/sec}$$

GGM·92·06X TEST #1

$H(t_1)$ = 1.214 Ft (t_1) = 0.0333 min r: 0.167 Ft
$H(t_2)$ = 0.477 Ft (t_2) = 0.0766 min R: 0.417 Ft
L: 6.7 Ft

$$-k = \left[\frac{\log(1.214) - \log(0.477)}{0.0333 - 0.0766}\right]\frac{(0.167)^2 \log(6.7/0.417)}{2(6.7)}$$

$$-K = [-9.37][0.00251] = -2.35 \times 10^{-2} \text{ Ft/min}$$

$$K = 1.2 \times 10^{-2} \text{ cm/sec}$$

TEST #2

$H(t_1)$ = 1.163 Ft (t_1) = 0.0333 ~~(t_1)~~ (Ra)
$H(t_2)$ = 0.426 Ft (t_2) = 0.08

$$-k = \left[\frac{\log(1.163) - \log(0.426)}{0.0333 - 0.08}\right]\frac{(0.167)^2 \log(6.7/0.417)}{2(6.7)}$$

$$-K = [-9.34][0.00251] = -2.34 \times 10^{-2} \text{ FT/min}$$

$$K = 1.2 \times 10^{-2} \text{ cm/sec}$$

PROJECT	COMP. BY	JOB NO.
	CHK BY	DATE

GGM·92·07X TEST # 1

$r = 0.167$ Ft
$R = 0.417$ Ft
$L = 7.4$ Ft

$H(t_1) = 1.227$ Ft $(t_1) = 0.0366$ min
$H(t_2) = 0.585$ Ft $(t_2) = 0.07$ min

$$-K = \left[\frac{\text{Log}(1.227) - \text{Log}(0.585)}{0.0366 - 0.07}\right] \frac{(0.167)^2 \text{Log}\left(\frac{7.4}{0.417}\right)}{2(7.4)}$$

$$-K = [-9.63][0.00235] = -2.27 \times 10^{-2} \text{ Ft/min}$$

$$\underline{K = 1.2 \times 10^{-2} \text{ cm/sec}}$$

TEST # 2

$H(t_1) = 1.103$ Ft $(t_1) = 0.0433$ min
$H(t_2) = 0.496$ Ft $(t_2) = 0.08$ min

$$-K = \left[\frac{\text{Log}(1.103) - \text{Log}(0.496)}{0.0433 - 0.08}\right] \frac{(0.167)^2 \text{Log}(7.4/0.417)}{2(7.4)}$$

$$-K = [-9.46][0.00235] = -2.22 \times 10^{-2} \text{ Ft/min}$$

$$\underline{K = 1.1 \times 10^{-2} \text{ cm/sec}}$$

GGM·92·08X TEST # 1

$r = 0.167$ Ft
$R = 0.417$ Ft
$L = 8.0$ Ft

$H(t_1) = 1.211$ Ft $(t_1) = 0.2$ min
$H(t_2) = 0.79$ Ft $(t_2) = 0.35$ min

$$-K = \left[\frac{\text{Log}(1.211) - \text{Log}(0.79)}{0.2 - 0.35}\right] \frac{(0.167)^2 \text{Log}(8.0/0.417)}{2(8.0)}$$

$$-K = [-1.24][0.00224] = -2.77 \times 10^{-3} \text{ FT/min}$$

$$K = \cancel{2.0}\ \text{RR}\ \underline{1.4 \times 10^{-3} \text{ cm/sec}}$$

TEST # 2

$H(t_1) = 1.176$ Ft $(t_1) = 0.2$ min
$H(t_2) = 0.733$ Ft $(t_2) = 0.3666$ min

$$-K = \left[\frac{\text{Log}(1.176) - \text{Log}(0.733)}{0.2 - 0.3666}\right] \frac{(0.167)^2 \text{Log}(8.0/0.417)}{2(8.0)}$$

$$-K = [-1.23][0.00224] = -2.76 \times 10^{-3} \text{ Ft/min}$$

$$\underline{K = 1.4 \times 10^{-3} \text{ cm/sec}}$$

PROJECT	COMP. BY	JOB NO.
	CHK BY	DATE

GGM·92·09X TEST # 1

$H(t_1) = 1.151$ Ft $(t_1) = 0.2066$ min $r = 0.167$ Ft

$H(t_2) = 0.461$ Ft $(t_2) = 0.5333$ min $R = 0.417$ Ft

$L = 8.4$ Ft

$$-K = \left[\frac{\text{Log}(1.151) - \text{Log}(0.461)}{0.2066 - 0.5333}\right] \frac{(0.167)^2 \text{ Log}(8.4/0.417)}{2(8.4)}$$

$$-K = [-1.22][0.00216] = -2.64 \times 10^{-3} \text{ Ft/min}$$

$$K = 1.3 \times 10^{-3} \text{ cm/sec}$$

TEST # 2

$H(t_1) = 1.163$ Ft $(t_1) = 0.2066$ min

$H(t_2) = 0.449$ Ft $(t_2) = 0.55$ min

$$-K = \left[\frac{\text{Log}(1.163 \text{ Ft}) - \text{Log}(0.449)}{0.2066 - 0.55}\right] \frac{(0.167)^2 \text{ Log}(8.4/0.417)}{2(8.4)}$$

$$-K = [-1.204][0.00216] = -2.6 \times 10^{-3} \text{ Ft/min}$$

$$K = 1.3 \times 10^{-3} \text{ cm/sec}$$

GGM·92·10X TEST # 1

$H(t_1) = 0.828$ $(t_1) = 1.6$ min $r = 0.167$ Ft

$H(t_2) = 0.537$ $(t_2) = 7$ min $R = 0.417$ Ft

$L = 6.5$ Ft

$$-K = \left[\frac{\text{Log}(0.828) - \text{Log}(0.537)}{1.6 - 7}\right] \frac{(0.167)^2 \text{ Log}(6.5/0.417)}{2(6.5)}$$

$$-K = [-0.0348][0.00256] = -8.9 \times 10^{-5} \text{ Ft/min}$$

$$K = 4.5 \times 10^{-5} \text{ cm/sec}$$

TEST # 2

$H(t_1) = 0.86$ Ft $(t_1) = 1.6$ min

$H(t_2) = 0.544$ Ft $(t_2) = 7$ min

$$-K = \left[\frac{\text{Log}(0.86) - \text{Log}(0.544)}{1.6 - 7}\right] \frac{(0.167)^2 \text{ Log}(6.5/0.417)}{2(6.5)}$$

$$-K = [-0.0368][0.00256] = -9.4 \times 10^{-5} \text{ } \cancel{\text{cm}} \text{ Ft/min}$$

$$K = 4.8 \times 10^{-5} \text{ cm/sec}$$

PROJECT	COMP. BY	JOB NO.
	CHK BY	DATE

GGM·92·11X TEST # 1

$H(t_1) = 0.575$ Ft $(t_1) = 1.2$ min

$H(t_2) = 0.17$ Ft $(t_2) = 6$ min

r = 0.167 Ft

R = 0.417 Ft

L = 7.0 Ft

$$-K = \left[\frac{\text{Log}(0.575) - \text{Log}(0.17)}{1.2 - 6}\right] \frac{(0.167)^2 \text{Log}\left(\frac{7.0}{0.417}\right)}{2(7.0)}$$

$$-K = [-0.110][0.00244] = -2.68 \times 10^{-4} \text{ Ft/min}$$

$K = \cancel{0}\ 1.4 \times 10^{-4}$ ~~Ft/min~~ cm/SEC

RK RK

TEST #2

$H(t_1) = 0.581$ Ft $(t_1) = 1.4$ min

$H(t_2) = 0.18$ Ft $(t_2) = 6$ min

$$-K = \left[\frac{\text{Log}(0.581) - \text{Log}(0.18)}{1.4 - 6}\right] \frac{(0.167)^2 \text{Log}(7.0/0.417)}{2(7.0)}$$

$$-K = [-0.111][0.00244] = -2.7 \times 10^{-4} \text{ Ft/min}$$

$K = 1.4 \times 10^{-4}$ ~~Ft/min.~~ cm/SEC

RK

rising head tests at G3M-93-08X



rising head tests at G3M-93-09X



rising head tests at G3M-93-10X



rising head tests at G3M-93-11X



RISING HEAD TESTS AT G6M-93-12X



RISING HEAD TESTS AT G6M-93-13X



RISING HEAD TESTS AT G6M-93-14X



RISING HEAD TESTS AT G6M-93-14X



WELL	TEST NO.	HYDRAULIC CONDUCTIVITY (FT/DAY)	
		HVORSLEV	BOUWER & RICE
G3M-93-08X	1	$3.43*10^{1}$	$2.57*10^{1}$
	2	$3.42*10^{1}$	$2.52*10^{1}$
G3M-93-09X	1	$9.01*10^{0}$	$6.51*10^{0}$
	2	$7.17*10^{0}$	$5.18*10^{0}$
G3M-93-10X	1	$1.58*10^{2}$	$1.19*10^{2}$
	2	2.08 $\cancel{8.34}*10^{2}$	1.58 $\cancel{6.31}*10^{2}$
G3M-93-11X	1	$2.43*10^{2}$	$1.84*10^{2}$
	2	$3.11*10^{2}$	$2.36*10^{2}$
G~~3~~6M-93-12X	1	$2.84*10^{0}$	$1.98*10^{0}$
	2	$2.69*10^{0}$	$1.81*10^{0}$
G~~3~~6M-93-13X	1	$2.64*10^{0}$	$1.92*10^{0}$
	2	$1.55*10^{0}$	$1.09*10^{0}$
G~~3~~6M-93-14X	1	$2.82*10^{0}$	$2.04*10^{0}$
	3	$3.20*10^{0}$	$2.24*10^{0}$

G3M-93-08X PERMEABILITY TESTS



Fort Devens - Groups 3&6
G3M-93-08X TEST 1
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 3.32E+01 ft/day
1.17E-02 cm/sec
Basic Time Lag: 0.22 m
2.3 Times Basic Time Lag: 0.51 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 3.48E+01 ft/day
1.23E-02 cm/sec
Time Coordinate T1: 0.2 m
Time Coordinate T2: 1.3 m
Head Ratio Coordinate H1: 50.12E-02
Head Ratio Coordinate H2: 19.95E-04

Well/Aquifer Parameters

Length of well screen: 8.47 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0000	1.000	2	0.0033	0.981	3	0.0066	0.968
4	0.0100	0.946	5	0.0133	0.934	6	0.0166	0.920
7	0.0200	0.907	8	0.0233	0.894	9	0.0266	0.881
10	0.0300	0.869	11	0.0333	0.856	12	0.0366	0.843
13	0.0400	0.832	14	0.0433	0.821	15	0.0466	0.808

16	0.0500	0.797	17	0.0533	0.786	18	0.0566	0.774
19	0.0600	0.761	20	0.0633	0.752	21	0.0666	0.741
22	0.0700	0.731	23	0.0733	0.720	24	0.0766	0.711
25	0.0800	0.699	26	0.0833	0.690	27	0.0866	0.681
28	0.0900	0.670	29	0.0933	0.660	30	0.0966	0.651
31	0.1000	0.641	32	0.1033	0.633	33	0.1066	0.623
34	0.1100	0.615	35	0.1133	0.606	36	0.1166	0.599
37	0.1200	0.589	38	0.1233	0.582	39	0.1266	0.573
40	0.1300	0.565	41	0.1333	0.558	42	0.1366	0.548
43	0.1400	0.541	44	0.1433	0.533	45	0.1466	0.526
46	0.1500	0.519	47	0.1533	0.511	48	0.1566	0.504
49	0.1600	0.496	50	0.1633	0.488	51	0.1666	0.483
52	0.1700	0.475	53	0.1733	0.468	54	0.1766	0.461
55	0.1800	0.455	56	0.1833	0.449	57	0.1866	0.442
58	0.1900	0.435	59	0.1933	0.429	60	0.1966	0.424
61	0.2000	0.418	62	0.2033	0.411	63	0.2066	0.405
64	0.2100	0.399	65	0.2133	0.393	66	0.2166	0.388
67	0.2200	0.382	68	0.2233	0.377	69	0.2266	0.371
70	0.2300	0.366	71	0.2333	0.361	72	0.2366	0.356
73	0.2400	0.351	74	0.2433	0.345	75	0.2466	0.340
76	0.2500	0.335	77	0.2533	0.330	78	0.2566	0.326
79	0.2600	0.321	80	0.2633	0.317	81	0.2666	0.311
82	0.2700	0.308	83	0.2733	0.302	84	0.2766	0.298
85	0.2800	0.295	86	0.2833	0.291	87	0.2866	0.285
88	0.2900	0.282	89	0.2933	0.278	90	0.2966	0.274
91	0.3000	0.271	92	0.3033	0.266	93	0.3066	0.263
94	0.3100	0.258	95	0.3133	0.255	96	0.3166	0.252
97	0.3200	0.248	98	0.3233	0.244	99	0.3266	0.240
100	0.3300	0.237	101	0.3333	0.233	102	0.3500	0.216
103	0.3666	0.200	104	0.3833	0.184	105	0.4000	0.170
106	0.4166	0.157	107	0.4333	0.145	108	0.4500	0.134
109	0.4666	0.123	110	0.4833	0.113	111	0.5000	0.106
112	0.5166	0.097	113	0.5333	0.091	114	0.5500	0.084
115	0.5666	0.076	116	0.5833	0.071	117	0.6000	0.065
118	0.6166	0.061	119	0.6333	0.056	120	0.6500	0.052
121	0.6666	0.048	122	0.6833	0.044	123	0.7000	0.041
124	0.7166	0.037	125	0.7333	0.035	126	0.7500	0.031
127	0.7666	0.030	128	0.7833	0.028	129	0.8000	0.026
130	0.8166	0.024	131	0.8333	0.022	132	0.8500	0.020
133	0.8666	0.018	134	0.8833	0.017	135	0.9000	0.015
136	0.9166	0.015	137	0.9333	0.013	138	0.9500	0.013
139	0.9666	0.011	140	0.9833	0.011	141	1.0000	0.009
142	1.2000	0.002						


HVORSLEV SLUG TEST ANALYSIS
Fort Devens - Groups 3&6
G3M-93-08X TEST 1
Basic Time Lag Method
K = 3.32E+01 ft/day
1.17E-02 cm/sec
Variable Head Method
K = 3.48E+01 ft/day
1.23E-02 cm/sec
1E+00
1E-01
1E-02
1E-03
Log Ratio (H/Ho)
0
1
2
Time (m)

HVORSLEV INTERACTIVE SLUG TEST ANALYSIS 11-09-1993

Fort Devens - Groups 3&6
G3M-93-08X TEST 2
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 3.32E+01 ft/day
1.17E-02 cm/sec
Basic Time Lag: 0.22 m
2.3 Times Basic Time Lag: 0.51 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 3.42E+01 ft/day
1.21E-02 cm/sec
Time Coordinate T1: 0.2 m
Time Coordinate T2: 1.4 m
Head Ratio Coordinate H1: 50.12E-02
Head Ratio Coordinate H2: 19.95E-04

Well/Aquifer Parameters

Length of well screen: 8.47 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0000	1.000	2	0.0033	0.980	3	0.0066	0.959
4	0.0100	0.951	5	0.0133	0.943	6	0.0166	0.923
7	0.0200	0.906	8	0.0233	0.896	9	0.0266	0.876
10	0.0300	0.870	11	0.0333	0.860	12	0.0366	0.846
13	0.0400	0.832	14	0.0433	0.821	15	0.0466	0.808

16	0.0500	0.797	17	0.0533	0.785	18	0.0566	0.774
19	0.0600	0.763	20	0.0633	0.751	21	0.0666	0.740
22	0.0700	0.730	23	0.0733	0.719	24	0.0766	0.710
25	0.0800	0.699	26	0.0833	0.689	27	0.0866	0.680
28	0.0900	0.670	29	0.0933	0.659	30	0.0966	0.650
31	0.1000	0.642	32	0.1033	0.633	33	0.1066	0.623
34	0.1100	0.614	35	0.1133	0.606	36	0.1166	0.597
37	0.1200	0.589	38	0.1233	0.580	39	0.1266	0.572
40	0.1300	0.565	41	0.1333	0.556	42	0.1366	0.548
43	0.1400	0.540	44	0.1433	0.533	45	0.1466	0.525
46	0.1500	0.518	47	0.1533	0.510	48	0.1566	0.503
49	0.1600	0.495	50	0.1633	0.490	51	0.1666	0.482
52	0.1700	0.475	53	0.1733	0.469	54	0.1766	0.462
55	0.1800	0.454	56	0.1833	0.448	57	0.1866	0.442
58	0.1900	0.435	59	0.1933	0.429	60	0.1966	0.423
61	0.2000	0.416	62	0.2033	0.410	63	0.2066	0.405
64	0.2100	0.399	65	0.2133	0.394	66	0.2166	0.388
67	0.2200	0.382	68	0.2233	0.376	69	0.2266	0.371
70	0.2300	0.365	71	0.2333	0.360	72	0.2366	0.356
73	0.2400	0.350	74	0.2433	0.345	75	0.2466	0.340
76	0.2500	0.335	77	0.2533	0.329	78	0.2566	0.326
79	0.2600	0.320	80	0.2633	0.316	81	0.2666	0.312
82	0.2700	0.307	83	0.2733	0.303	84	0.2766	0.298
85	0.2800	0.293	86	0.2833	0.290	87	0.2866	0.286
88	0.2900	0.280	89	0.2933	0.277	90	0.2966	0.273
91	0.3000	0.269	92	0.3033	0.265	93	0.3066	0.262
94	0.3100	0.258	95	0.3133	0.254	96	0.3166	0.250
97	0.3200	0.246	98	0.3233	0.243	99	0.3266	0.239
100	0.3300	0.237	101	0.3333	0.233	102	0.3500	0.216
103	0.3666	0.199	104	0.3833	0.184	105	0.4000	0.169
106	0.4166	0.156	107	0.4333	0.145	108	0.4500	0.134
109	0.4666	0.124	110	0.4833	0.114	111	0.5000	0.105
112	0.5166	0.098	113	0.5333	0.090	114	0.5500	0.083
115	0.5666	0.077	116	0.5833	0.072	117	0.6000	0.066
118	0.6166	0.060	119	0.6333	0.056	120	0.6500	0.052
121	0.6666	0.049	122	0.6833	0.045	123	0.7000	0.041
124	0.7166	0.038	125	0.7333	0.036	126	0.7500	0.032
127	0.7666	0.030	128	0.7833	0.028	129	0.8000	0.026
130	0.8166	0.024	131	0.8333	0.022	132	0.8500	0.020
133	0.8666	0.018	134	0.8833	0.017	135	0.9000	0.017
136	0.9166	0.015	137	0.9333	0.013	138	0.9500	0.013
139	0.9666	0.011	140	0.9833	0.011	141	1.0000	0.009
142	1.2000	0.004						

Fort Devens - Groups 3&6
G3M-93-08X TEST 1
Russell Johnson

Results

Hydraulic Conductivity: 2.57E+01 ft/day
9.05E-03 cm/sec
Y-Intercept (Yo): 1.79E+00 ft
Well Screen Ratio (Le/rw): 20.4
Dimensionless Parameter A: 2.22
Dimensionless Parameter B: 0.33
Slope of Line [ln(Yo/Yt)/t]: 4.695E+00 1/min
Well Parameters (Rc^2 / 2*Le): 1.706E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 2.224

Well/Aquifer Parameters

Depth of well: 30.15 ft
Length of well screen: 8.47 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0000	1.693	2	0.0033	1.661	3	0.0066	1.639
4	0.0100	1.601	5	0.0133	1.582	6	0.0166	1.557
7	0.0200	1.535	8	0.0233	1.513	9	0.0266	1.491
10	0.0300	1.472	11	0.0333	1.450	12	0.0366	1.428
13	0.0400	1.409	14	0.0433	1.390	15	0.0466	1.368
16	0.0500	1.349	17	0.0533	1.330	18	0.0566	1.311
19	0.0600	1.289	20	0.0633	1.273	21	0.0666	1.254
22	0.0700	1.238	23	0.0733	1.219	24	0.0766	1.203

25	0.0800	1.184	26	0.0833	1.169	27	0.0866	1.153
28	0.0900	1.134	29	0.0933	1.118	30	0.0966	1.102
31	0.1000	1.086	32	0.1033	1.071	33	0.1066	1.055
34	0.1100	1.042	35	0.1133	1.026	36	0.1166	1.014
37	0.1200	0.998	38	0.1233	0.985	39	0.1266	0.970
40	0.1300	0.957	41	0.1333	0.944	42	0.1366	0.928
43	0.1400	0.916	44	0.1433	0.903	45	0.1466	0.891
46	0.1500	0.878	47	0.1533	0.865	48	0.1566	0.853
49	0.1600	0.840	50	0.1633	0.827	51	0.1666	0.818
52	0.1700	0.805	53	0.1733	0.793	54	0.1766	0.780
55	0.1800	0.770	56	0.1833	0.761	57	0.1866	0.748
58	0.1900	0.736	59	0.1933	0.726	60	0.1966	0.717
61	0.2000	0.707	62	0.2033	0.695	63	0.2066	0.685
64	0.2100	0.676	65	0.2133	0.666	66	0.2166	0.657
67	0.2200	0.647	68	0.2233	0.638	69	0.2266	0.628
70	0.2300	0.619	71	0.2333	0.612	72	0.2366	0.603
73	0.2400	0.594	74	0.2433	0.584	75	0.2466	0.575
76	0.2500	0.568	77	0.2533	0.559	78	0.2566	0.552
79	0.2600	0.543	80	0.2633	0.537	81	0.2666	0.527
82	0.2700	0.521	83	0.2733	0.511	84	0.2766	0.505
85	0.2800	0.499	86	0.2833	0.492	87	0.2866	0.483
88	0.2900	0.477	89	0.2933	0.470	90	0.2966	0.464
91	0.3000	0.458	92	0.3033	0.451	93	0.3066	0.445
94	0.3100	0.436	95	0.3133	0.432	96	0.3166	0.426
97	0.3200	0.420	98	0.3233	0.413	99	0.3266	0.407
100	0.3300	0.401	101	0.3333	0.394	102	0.3500	0.366
103	0.3666	0.338	104	0.3833	0.312	105	0.4000	0.287
106	0.4166	0.265	107	0.4333	0.246	108	0.4500	0.227
109	0.4666	0.208	110	0.4833	0.192	111	0.5000	0.180
112	0.5166	0.164	113	0.5333	0.154	114	0.5500	0.142
115	0.5666	0.129	116	0.5833	0.120	117	0.6000	0.110
118	0.6166	0.104	119	0.6333	0.094	120	0.6500	0.088
121	0.6666	0.082	122	0.6833	0.075	123	0.7000	0.069
124	0.7166	0.063	125	0.7333	0.060	126	0.7500	0.053
127	0.7666	0.050	128	0.7833	0.047	129	0.8000	0.044
130	0.8166	0.041	131	0.8333	0.037	132	0.8500	0.034
133	0.8666	0.031	134	0.8833	0.028	135	0.9000	0.025
136	0.9166	0.025	137	0.9333	0.022	138	0.9500	0.022
139	0.9666	0.018	140	0.9833	0.018	141	1.0000	0.015
142	1.2000	0.003						

Fort Devens - Groups 3&6
G3M-93-08X TEST 2
Russell Johnson

Results

Hydraulic Conductivity: 2.52E+01 ft/day
8.90E-03 cm/sec
Y-Intercept (Yo): 1.74E+00 ft
Well Screen Ratio (Le/rw): 20.4
Dimensionless Parameter A: 2.22
Dimensionless Parameter B: 0.33
Slope of Line [ln(Yo/Yt)/t]: 4.620E+00 1/min
Well Parameters (Rc^2 / 2*Le): 1.706E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 2.224

Well/Aquifer Parameters

Depth of well: 30.15 ft
Length of well screen: 8.47 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0000	1.677	2	0.0033	1.643	3	0.0066	1.608
4	0.0100	1.595	5	0.0133	1.582	6	0.0166	1.548
7	0.0200	1.519	8	0.0233	1.503	9	0.0266	1.469
10	0.0300	1.459	11	0.0333	1.443	12	0.0366	1.418
13	0.0400	1.396	14	0.0433	1.377	15	0.0466	1.355
16	0.0500	1.336	17	0.0533	1.317	18	0.0566	1.298
19	0.0600	1.279	20	0.0633	1.260	21	0.0666	1.241
22	0.0700	1.225	23	0.0733	1.206	24	0.0766	1.191

25	0.0800	1.172	26	0.0833	1.156	27	0.0866	1.140
28	0.0900	1.124	29	0.0933	1.105	30	0.0966	1.090
31	0.1000	1.077	32	0.1033	1.061	33	0.1066	1.045
34	0.1100	1.030	35	0.1133	1.017	36	0.1166	1.001
37	0.1200	0.988	38	0.1233	0.973	39	0.1266	0.960
40	0.1300	0.947	41	0.1333	0.932	42	0.1366	0.919
43	0.1400	0.906	44	0.1433	0.894	45	0.1466	0.881
46	0.1500	0.868	47	0.1533	0.856	48	0.1566	0.843
49	0.1600	0.830	50	0.1633	0.821	51	0.1666	0.808
52	0.1700	0.796	53	0.1733	0.786	54	0.1766	0.774
55	0.1800	0.761	56	0.1833	0.752	57	0.1866	0.742
58	0.1900	0.729	59	0.1933	0.720	60	0.1966	0.710
61	0.2000	0.698	62	0.2033	0.688	63	0.2066	0.679
64	0.2100	0.669	65	0.2133	0.660	66	0.2166	0.650
67	0.2200	0.641	68	0.2233	0.631	69	0.2266	0.622
70	0.2300	0.612	71	0.2333	0.603	72	0.2366	0.597
73	0.2400	0.587	74	0.2433	0.578	75	0.2466	0.571
76	0.2500	0.562	77	0.2533	0.552	78	0.2566	0.546
79	0.2600	0.537	80	0.2633	0.530	81	0.2666	0.524
82	0.2700	0.515	83	0.2733	0.508	84	0.2766	0.499
85	0.2800	0.492	86	0.2833	0.486	87	0.2866	0.480
88	0.2900	0.470	89	0.2933	0.464	90	0.2966	0.458
91	0.3000	0.451	92	0.3033	0.445	93	0.3066	0.439
94	0.3100	0.432	95	0.3133	0.426	96	0.3166	0.420
97	0.3200	0.413	98	0.3233	0.407	99	0.3266	0.401
100	0.3300	0.398	101	0.3333	0.391	102	0.3500	0.363
103	0.3666	0.334	104	0.3833	0.309	105	0.4000	0.284
106	0.4166	0.262	107	0.4333	0.243	108	0.4500	0.224
109	0.4666	0.208	110	0.4833	0.192	111	0.5000	0.176
112	0.5166	0.164	113	0.5333	0.151	114	0.5500	0.139
115	0.5666	0.129	116	0.5833	0.120	117	0.6000	0.110
118	0.6166	0.101	119	0.6333	0.094	120	0.6500	0.088
121	0.6666	0.082	122	0.6833	0.075	123	0.7000	0.069
124	0.7166	0.063	125	0.7333	0.060	126	0.7500	0.053
127	0.7666	0.050	128	0.7833	0.047	129	0.8000	0.044
130	0.8166	0.041	131	0.8333	0.037	132	0.8500	0.034
133	0.8666	0.031	134	0.8833	0.028	135	0.9000	0.028
136	0.9166	0.025	137	0.9333	0.022	138	0.9500	0.022
139	0.9666	0.018	140	0.9833	0.018	141	1.0000	0.015
142	1.2000	0.006						

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEL Ø

SETUP TEST I.D. ØØ8Ø1	DATE 6/30/93	BY WHOM R. JOHNSON + D. PIERCE
MONITORING WELL ID	G3M-93-08X	
DATE OF TEST	6/30/93	
TYPE OF TEST	RISING HEAD #1	
HERMIT TYPE/SERIAL#	SE1000C/1KC01732	
TEST #	SEL Ø / 1 OF 2	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	PTX-161/2045DE	
PSIG	10	
SCALE FACTOR	9.987	
OFFSET	-0.036	
INPUT CHANNEL	# 1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	21.69 (PVC)	
WELL DEPTH (FT./TOC)	30.15 "	
XD DEPTH (FT. ~~TOC~~) BELOW ∇	17.98 ~~psi~~ FT	
INITIAL XD REFERENCE	0.00 FT	
SLUG DEPTH (FT./TOC)	21.90	
TIME OF SLUG PLACEMENT	939	
TIME OF WL EQUILIBRATION	942	
NEW XD REFERENCE	0.02 FT	8.00 - 7.98
START TIME OF TEST	944	
END TIME OF TEST	956	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEC 1

SETUP TEST ID ϕϕ8ϕ1	DATE	BY WHOM
MONITORING WELL ID	G3M-93-08X	R. JOHNSON + D. PIERCE
DATE OF TEST	6/30/93	
TYPE OF TEST	Rising head #2	
HERMIT TYPE/SERIAL#	SE1000C/1KC01732	
TEST #	SEL 1 / 2 OF 2	
DATA COLLECTION RATE	Log 1	
TRANSDUCER		
SERIAL #	PTX-161/2045DE	
PSIG	10	
SCALE FACTOR	9.987	
OFFSET	-0.036	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	21.68 (PVC)	
WELL DEPTH (FT./TOC)	30.15 "	
XD DEPTH (FT. ~~TOC~~) BELOW ▽	7.98	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	21.90 (PVC)	
TIME OF SLUG PLACEMENT	10 00	
TIME OF WL EQUILIBRATION	10 02	
NEW XD REFERENCE	~~8.00~~ RCP 0.02	8.00 - 7.98
START TIME OF TEST	10 02	
END TIME OF TEST	10 12	

NOTES: NOTE TEST ID SHOULD HAVE BEEN ϕϕ8ϕ2

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

G3M-93-09X PERMEABILITY TESTS



HVORSLEV INTERACTIVE SLUG TEST ANALYSIS 07-08-1993

Fort Devens - Groups 3&6
G3M-93-09X Test 1
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 9.97E+00 ft/day
3.52E-03 cm/sec
Basic Time Lag: 0.98 m
2.3 Times Basic Time Lag: 2.25 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 9.01E+00 ft/day
3.18E-03 cm/sec
Time Coordinate T1: 0.7 m
Time Coordinate T2: 6.6 m
Head Ratio Coordinate H1: 46.21E-02
Head Ratio Coordinate H2: 19.77E-04

Well/Aquifer Parameters

Length of well screen: 5.51 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	1.000	2	0.0066	0.991	3	0.0100	0.981
4	0.0133	0.970	5	0.0166	0.960	6	0.0200	0.950
7	0.0233	0.941	8	0.0266	0.929	9	0.0300	0.922
10	0.0333	0.915	11	0.0366	0.898	12	0.0400	0.901
13	0.0433	0.891	14	0.0466	0.886	15	0.0500	0.881

16	0.0533	0.873	17	0.0566	0.869	18	0.0600	0.861
19	0.0633	0.857	20	0.0666	0.851	21	0.0700	0.846
22	0.0733	0.842	23	0.0766	0.837	24	0.0800	0.832
25	0.0833	0.829	26	0.0866	0.825	27	0.0900	0.821
28	0.0933	0.817	29	0.0966	0.815	30	0.1000	0.809
31	0.1033	0.808	32	0.1066	0.804	33	0.1100	0.801
34	0.1133	0.797	35	0.1166	0.794	36	0.1200	0.792
37	0.1233	0.789	38	0.1266	0.787	39	0.1300	0.784
40	0.1333	0.782	41	0.1366	0.778	42	0.1400	0.777
43	0.1433	0.773	44	0.1466	0.772	45	0.1500	0.770
46	0.1533	0.766	47	0.1566	0.765	48	0.1600	0.763
49	0.1633	0.761	50	0.1666	0.760	51	0.1700	0.756
52	0.1733	0.754	53	0.1766	0.752	54	0.1800	0.751
55	0.1833	0.749	56	0.1866	0.747	57	0.1900	0.745
58	0.1933	0.742	59	0.1966	0.740	60	0.2000	0.739
61	0.2033	0.737	62	0.2066	0.737	63	0.2100	0.733
64	0.2133	0.732	65	0.2166	0.730	66	0.2200	0.728
67	0.2233	0.727	68	0.2266	0.725	69	0.2300	0.723
70	0.2333	0.721	71	0.2366	0.720	72	0.2400	0.718
73	0.2433	0.716	74	0.2466	0.714	75	0.2500	0.712
76	0.2533	0.711	77	0.2566	0.709	78	0.2600	0.708
79	0.2633	0.706	80	0.2666	0.704	81	0.2700	0.702
82	0.2733	0.700	83	0.2766	0.699	84	0.2800	0.697
85	0.2833	0.696	86	0.2866	0.694	87	0.2900	0.692
88	0.2933	0.690	89	0.2966	0.688	90	0.3000	0.687
91	0.3033	0.685	92	0.3066	0.683	93	0.3100	0.680
94	0.3133	0.680	95	0.3166	0.676	96	0.3200	0.676
97	0.3233	0.673	98	0.3266	0.673	99	0.3300	0.671
100	0.3333	0.669	101	0.3500	0.659	102	0.3666	0.651
103	0.3833	0.642	104	0.4000	0.633	105	0.4166	0.626
106	0.4333	0.617	107	0.4500	0.609	108	0.4666	0.602
109	0.4833	0.595	110	0.5000	0.587	111	0.5166	0.579
112	0.5333	0.572	113	0.5500	0.566	114	0.5666	0.557
115	0.5833	0.550	116	0.6000	0.543	117	0.6166	0.536
118	0.6333	0.529	119	0.6500	0.521	120	0.6666	0.514
121	0.6833	0.507	122	0.7000	0.500	123	0.7166	0.493
124	0.7333	0.486	125	0.7500	0.479	126	0.7666	0.472
127	0.7833	0.465	128	0.8000	0.458	129	0.8166	0.451
130	0.8333	0.445	131	0.8500	0.439	132	0.8666	0.434
133	0.8833	0.427	134	0.9000	0.422	135	0.9166	0.415
136	0.9333	0.410	137	0.9500	0.405	138	0.9666	0.399
139	0.9833	0.393	140	1.0000	0.387	141	1.2000	0.309
142	1.4000	0.252	143	1.6000	0.205	144	1.8000	0.168
145	2.0000	0.138	146	2.2000	0.112	147	2.4000	0.095
148	2.6000	0.079	149	2.8000	0.066	150	3.0000	0.055
151	3.2000	0.047	152	3.4000	0.038	153	3.6000	0.033

154	3.8000	0.027	155	4.0000	0.024	156	4.2000	0.020
157	4.4000	0.019	158	4.6000	0.017	159	4.8000	0.014
160	5.0000	0.014	161	5.2000	0.010	162	5.4000	0.010
163	5.6000	0.008	164	5.8000	0.008	165	6.0000	0.007
166	6.2000	0.008	167	6.4000	0.005	168	6.6000	0.005
169	6.8000	0.005	170	7.0000	0.007	171	7.2000	0.005
172	7.4000	0.005	173	7.6000	0.005	174	7.8000	0.005
175	8.0000	0.005	176	8.2000	0.003	177	8.4000	0.005
178	8.6000	0.003	179	8.8000	0.003	180	9.0000	0.003
181	9.2000	0.003	182	9.4000	0.003	183	9.6000	0.003
184	9.8000	0.005	185	10.0000	0.005	186	0.0000	1.000



154	3.8000	0.027	155	4.0000	0.024	156	4.2000	0.020
157	4.4000	0.019	158	4.6000	0.017	159	4.8000	0.014
160	5.0000	0.014	161	5.2000	0.010	162	5.4000	0.010
163	5.6000	0.008	164	5.8000	0.008	165	6.0000	0.007
166	6.2000	0.008	167	6.4000	0.005	168	6.6000	0.005
169	6.8000	0.005	170	7.0000	0.007	171	7.2000	0.005
172	7.4000	0.005	173	7.6000	0.005	174	7.8000	0.005
175	8.0000	0.005	176	8.2000	0.003	177	8.4000	0.005
178	8.6000	0.003	179	8.8000	0.003	180	9.0000	0.003
181	9.2000	0.003	182	9.4000	0.003	183	9.6000	0.003
184	9.8000	0.005	185	10.0000	0.005	186	0.0000	1.000

HVORSLEV INTERACTIVE SLUG TEST ANALYSIS 07-08-1993

Fort Devens - Groups 3&6
G3M-93-09X Test 2
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 8.35E+00 ft/day
2.95E-03 cm/sec
Basic Time Lag: 1.17 m
2.3 Times Basic Time Lag: 2.69 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 7.17E+00 ft/day
2.53E-03 cm/sec
Time Coordinate T1: 0.6 m
Time Coordinate T2: 5.5 m
Head Ratio Coordinate H1: 55.83E-02
Head Ratio Coordinate H2: 15.63E-03

Well/Aquifer Parameters

Length of well screen: 5.51 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	1.000	2	0.0066	0.949	3	0.0100	0.949
4	0.0133	0.937	5	0.0166	0.926	6	0.0200	0.923
7	0.0233	0.914	8	0.0266	0.910	9	0.0300	0.901
10	0.0333	0.893	11	0.0366	0.885	12	0.0400	0.881
13	0.0433	0.873	14	0.0466	0.866	15	0.0500	0.862

16	0.0533	0.857	17	0.0566	0.849	18	0.0600	0.846
19	0.0633	0.840	20	0.0666	0.836	21	0.0700	0.831
22	0.0733	0.827	23	0.0766	0.824	24	0.0800	0.819
25	0.0833	0.815	26	0.0866	0.811	27	0.0900	0.809
28	0.0933	0.806	29	0.0966	0.802	30	0.1000	0.799
31	0.1033	0.797	32	0.1066	0.793	33	0.1100	0.792
34	0.1133	0.789	35	0.1166	0.786	36	0.1200	0.785
37	0.1233	0.781	38	0.1266	0.778	39	0.1300	0.777
40	0.1333	0.774	41	0.1366	0.772	42	0.1400	0.769
43	0.1433	0.768	44	0.1466	0.766	45	0.1500	0.763
46	0.1533	0.762	47	0.1566	0.760	48	0.1600	0.757
49	0.1633	0.755	50	0.1666	0.754	51	0.1700	0.753
52	0.1733	0.751	53	0.1766	0.750	54	0.1800	0.748
55	0.1833	0.745	56	0.1866	0.744	57	0.1900	0.742
58	0.1933	0.741	59	0.1966	0.739	60	0.2000	0.738
61	0.2033	0.736	62	0.2066	0.734	63	0.2100	0.733
64	0.2133	0.732	65	0.2166	0.730	66	0.2200	0.729
67	0.2233	0.727	68	0.2266	0.725	69	0.2300	0.724
70	0.2333	0.723	71	0.2366	0.721	72	0.2400	0.720
73	0.2433	0.718	74	0.2466	0.716	75	0.2500	0.715
76	0.2533	0.713	77	0.2566	0.712	78	0.2600	0.711
79	0.2633	0.709	80	0.2666	0.707	81	0.2700	0.707
82	0.2733	0.704	83	0.2766	0.703	84	0.2800	0.703
85	0.2833	0.702	86	0.2866	0.700	87	0.2900	0.698
88	0.2933	0.697	89	0.2966	0.695	90	0.3000	0.694
91	0.3033	0.692	92	0.3066	0.689	93	0.3100	0.689
94	0.3133	0.688	95	0.3166	0.686	96	0.3200	0.685
97	0.3233	0.683	98	0.3266	0.682	99	0.3300	0.680
100	0.3333	0.679	101	0.3500	0.671	102	0.3666	0.662
103	0.3833	0.655	104	0.4000	0.647	105	0.4166	0.639
106	0.4333	0.634	107	0.4500	0.626	108	0.4666	0.618
109	0.4833	0.612	110	0.5000	0.605	111	0.5166	0.599
112	0.5333	0.593	113	0.5500	0.585	114	0.5666	0.579
115	0.5833	0.573	116	0.6000	0.567	117	0.6166	0.560
118	0.6333	0.553	119	0.6500	0.547	120	0.6666	0.542
121	0.6833	0.535	122	0.7000	0.528	123	0.7166	0.522
124	0.7333	0.516	125	0.7500	0.510	126	0.7666	0.504
127	0.7833	0.498	128	0.8000	0.492	129	0.8166	0.486
130	0.8333	0.479	131	0.8500	0.474	132	0.8666	0.469
133	0.8833	0.463	134	0.9000	0.457	135	0.9166	0.452
136	0.9333	0.448	137	0.9500	0.442	138	0.9666	0.437
139	0.9833	0.433	140	1.0000	0.428	141	1.2000	0.356
142	1.4000	0.306	143	1.6000	0.266	144	1.8000	0.231
145	2.0000	0.205	146	2.2000	0.184	147	2.4000	0.166
148	2.6000	0.152	149	2.8000	0.142	150	3.0000	0.131
151	3.2000	0.122	152	3.4000	0.116	153	3.6000	0.111

154	3.8000	0.107	155	4.0000	0.102	156	4.2000	0.099
157	4.4000	0.096	158	4.6000	0.095	159	4.8000	0.093
160	5.0000	0.092	161	5.2000	0.090	162	5.4000	0.090
163	5.6000	0.089	164	5.8000	0.089	165	6.0000	0.089
166	6.2000	0.087	167	6.4000	0.086	168	6.6000	0.086
169	6.8000	0.086	170	7.0000	0.086	171	7.2000	0.086
172	7.4000	0.086	173	7.6000	0.084	174	7.8000	0.084
175	8.0000	0.083	176	8.2000	0.084	177	8.4000	0.084
178	8.6000	0.084	179	8.8000	0.083	180	9.0000	0.083
181	9.2000	0.083	182	9.4000	0.083	183	9.6000	0.083
184	9.8000	0.084	185	10.0000	0.083	186	0.0000	1.000

Fort Devens - Groups 3&6
G3M-93-09X TEST 1
Russell Johnson

Results

Hydraulic Conductivity: 6.51E+00 ft/day
2.30E-03 cm/sec
Y-Intercept (Yo): 1.67E+00 ft
Well Screen Ratio (Le/rw): 13.3
Dimensionless Parameter A: 1.97
Dimensionless Parameter B: 0.30
Slope of Line [ln(Yo/Yt)/t]: 9.227E-01 1/min
Well Parameters (Rc^2 / 2*Le): 2.623E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 1.869

Well/Aquifer Parameters

Depth of well: 24.18 ft
Length of well screen: 5.51 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0033	1.826	2	0.0066	1.810	3	0.0100	1.791
4	0.0133	1.772	5	0.0166	1.753	6	0.0200	1.734
7	0.0233	1.718	8	0.0266	1.696	9	0.0300	1.684
10	0.0333	1.671	11	0.0366	1.639	12	0.0400	1.646
13	0.0433	1.627	14	0.0466	1.617	15	0.0500	1.608
16	0.0533	1.595	17	0.0566	1.586	18	0.0600	1.573
19	0.0633	1.564	20	0.0666	1.554	21	0.0700	1.545
22	0.0733	1.538	23	0.0766	1.529	24	0.0800	1.519

25	0.0833	1.513	26	0.0866	1.507	27	0.0900	1.500
28	0.0933	1.491	29	0.0966	1.488	30	0.1000	1.478
31	0.1033	1.475	32	0.1066	1.469	33	0.1100	1.462
34	0.1133	1.456	35	0.1166	1.450	36	0.1200	1.447
37	0.1233	1.440	38	0.1266	1.437	39	0.1300	1.431
40	0.1333	1.428	41	0.1366	1.421	42	0.1400	1.418
43	0.1433	1.412	44	0.1466	1.409	45	0.1500	1.406
46	0.1533	1.399	47	0.1566	1.396	48	0.1600	1.393
49	0.1633	1.390	50	0.1666	1.387	51	0.1700	1.380
52	0.1733	1.377	53	0.1766	1.374	54	0.1800	1.371
55	0.1833	1.368	56	0.1866	1.364	57	0.1900	1.361
58	0.1933	1.355	59	0.1966	1.352	60	0.2000	1.349
61	0.2033	1.345	62	0.2066	1.345	63	0.2100	1.339
64	0.2133	1.336	65	0.2166	1.333	66	0.2200	1.330
67	0.2233	1.327	68	0.2266	1.323	69	0.2300	1.320
70	0.2333	1.317	71	0.2366	1.314	72	0.2400	1.311
73	0.2433	1.308	74	0.2466	1.304	75	0.2500	1.301
76	0.2533	1.298	77	0.2566	1.295	78	0.2600	1.292
79	0.2633	1.289	80	0.2666	1.285	81	0.2700	1.282
82	0.2733	1.279	83	0.2766	1.276	84	0.2800	1.273
85	0.2833	1.270	86	0.2866	1.267	87	0.2900	1.263
88	0.2933	1.260	89	0.2966	1.257	90	0.3000	1.254
91	0.3033	1.251	92	0.3066	1.248	93	0.3100	1.241
94	0.3133	1.241	95	0.3166	1.235	96	0.3200	1.235
97	0.3233	1.229	98	0.3266	1.229	99	0.3300	1.225
100	0.3333	1.222	101	0.3500	1.203	102	0.3666	1.188
103	0.3833	1.172	104	0.4000	1.156	105	0.4166	1.143
106	0.4333	1.127	107	0.4500	1.112	108	0.4666	1.099
109	0.4833	1.086	110	0.5000	1.071	111	0.5166	1.058
112	0.5333	1.045	113	0.5500	1.033	114	0.5666	1.017
115	0.5833	1.004	116	0.6000	0.992	117	0.6166	0.979
118	0.6333	0.966	119	0.6500	0.951	120	0.6666	0.938
121	0.6833	0.925	122	0.7000	0.913	123	0.7166	0.900
124	0.7333	0.887	125	0.7500	0.875	126	0.7666	0.862
127	0.7833	0.849	128	0.8000	0.837	129	0.8166	0.824
130	0.8333	0.812	131	0.8500	0.802	132	0.8666	0.793
133	0.8833	0.780	134	0.9000	0.770	135	0.9166	0.758
136	0.9333	0.748	137	0.9500	0.739	138	0.9666	0.729
139	0.9833	0.717	140	1.0000	0.707	141	1.2000	0.565
142	1.4000	0.461	143	1.6000	0.375	144	1.8000	0.306
145	2.0000	0.252	146	2.2000	0.205	147	2.4000	0.173
148	2.6000	0.145	149	2.8000	0.120	150	3.0000	0.101
151	3.2000	0.085	152	3.4000	0.069	153	3.6000	0.060
154	3.8000	0.050	155	4.0000	0.044	156	4.2000	0.037
157	4.4000	0.034	158	4.6000	0.031	159	4.8000	0.025
160	5.0000	0.025	161	5.2000	0.018	162	5.4000	0.018

163	5.6000	0.015	164	5.8000	0.015	165	6.0000	0.012
166	6.2000	0.015	167	6.4000	0.009	168	6.6000	0.009
169	6.8000	0.009	170	7.0000	0.012	171	7.2000	0.009
172	7.4000	0.009	173	7.6000	0.009	174	7.8000	0.009
175	8.0000	0.009	176	8.2000	0.006	177	8.4000	0.009
178	8.6000	0.006	179	8.8000	0.006	180	9.0000	0.006
181	9.2000	0.006	182	9.4000	0.006	183	9.6000	0.006
184	9.8000	0.009	185	10.0000	0.009	186	0.0000	1.000

BOUWER AND RICE INTERACTIVE SLUG TEST ANALYSIS 11-09-1993

Fort Devens - Groups 3&6
G3M-93-09X TEST 2
Russell Johnson

Results

Hydraulic Conductivity: 5.18E+00 ft/day
1.83E-03 cm/sec
Y-Intercept (Yo): 1.83E+00 ft
Well Screen Ratio (Le/rw): 13.3
Dimensionless Parameter A: 1.97
Dimensionless Parameter B: 0.30
Slope of Line [ln(Yo/Yt)/t]: 7.339E-01 1/min
Well Parameters (Rc^2 / 2*Le): 2.623E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 1.869

Well/Aquifer Parameters

Depth of well: 24.18 ft
Length of well screen: 5.51 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0033	2.094	2	0.0066	1.987	3	0.0100	1.987
4	0.0133	1.962	5	0.0166	1.940	6	0.0200	1.933
7	0.0233	1.914	8	0.0266	1.905	9	0.0300	1.886
10	0.0333	1.870	11	0.0366	1.854	12	0.0400	1.845
13	0.0433	1.829	14	0.0466	1.813	15	0.0500	1.804
16	0.0533	1.794	17	0.0566	1.778	18	0.0600	1.772
19	0.0633	1.759	20	0.0666	1.750	21	0.0700	1.740
22	0.0733	1.731	23	0.0766	1.725	24	0.0800	1.715

25	0.0833	1.706	26	0.0866	1.699	27	0.0900	1.693
28	0.0933	1.687	29	0.0966	1.680	30	0.1000	1.674
31	0.1033	1.668	32	0.1066	1.661	33	0.1100	1.658
34	0.1133	1.652	35	0.1166	1.646	36	0.1200	1.643
37	0.1233	1.636	38	0.1266	1.630	39	0.1300	1.627
40	0.1333	1.620	41	0.1366	1.617	42	0.1400	1.611
43	0.1433	1.608	44	0.1466	1.605	45	0.1500	1.598
46	0.1533	1.595	47	0.1566	1.592	48	0.1600	1.586
49	0.1633	1.582	50	0.1666	1.579	51	0.1700	1.576
52	0.1733	1.573	53	0.1766	1.570	54	0.1800	1.567
55	0.1833	1.560	56	0.1866	1.557	57	0.1900	1.554
58	0.1933	1.551	59	0.1966	1.548	60	0.2000	1.545
61	0.2033	1.541	62	0.2066	1.538	63	0.2100	1.535
64	0.2133	1.532	65	0.2166	1.529	66	0.2200	1.526
67	0.2233	1.522	68	0.2266	1.519	69	0.2300	1.516
70	0.2333	1.513	71	0.2366	1.510	72	0.2400	1.507
73	0.2433	1.503	74	0.2466	1.500	75	0.2500	1.497
76	0.2533	1.494	77	0.2566	1.491	78	0.2600	1.488
79	0.2633	1.485	80	0.2666	1.481	81	0.2700	1.481
82	0.2733	1.475	83	0.2766	1.472	84	0.2800	1.472
85	0.2833	1.469	86	0.2866	1.466	87	0.2900	1.462
88	0.2933	1.459	89	0.2966	1.456	90	0.3000	1.453
91	0.3033	1.450	92	0.3066	1.443	93	0.3100	1.443
94	0.3133	1.440	95	0.3166	1.437	96	0.3200	1.434
97	0.3233	1.431	98	0.3266	1.428	99	0.3300	1.424
100	0.3333	1.421	101	0.3500	1.406	102	0.3666	1.387
103	0.3833	1.371	104	0.4000	1.355	105	0.4166	1.339
106	0.4333	1.327	107	0.4500	1.311	108	0.4666	1.295
109	0.4833	1.282	110	0.5000	1.267	111	0.5166	1.254
112	0.5333	1.241	113	0.5500	1.225	114	0.5666	1.213
115	0.5833	1.200	116	0.6000	1.188	117	0.6166	1.172
118	0.6333	1.159	119	0.6500	1.146	120	0.6666	1.134
121	0.6833	1.121	122	0.7000	1.105	123	0.7166	1.093
124	0.7333	1.080	125	0.7500	1.067	126	0.7666	1.055
127	0.7833	1.042	128	0.8000	1.030	129	0.8166	1.017
130	0.8333	1.004	131	0.8500	0.992	132	0.8666	0.982
133	0.8833	0.970	134	0.9000	0.957	135	0.9166	0.947
136	0.9333	0.938	137	0.9500	0.925	138	0.9666	0.916
139	0.9833	0.906	140	1.0000	0.897	141	1.2000	0.745
142	1.4000	0.641	143	1.6000	0.556	144	1.8000	0.483
145	2.0000	0.429	146	2.2000	0.385	147	2.4000	0.347
148	2.6000	0.319	149	2.8000	0.297	150	3.0000	0.274
151	3.2000	0.255	152	3.4000	0.243	153	3.6000	0.233
154	3.8000	0.224	155	4.0000	0.214	156	4.2000	0.208
157	4.4000	0.202	158	4.6000	0.199	159	4.8000	0.195
160	5.0000	0.192	161	5.2000	0.189	162	5.4000	0.189

163	5.6000	0.186	164	5.8000	0.186	165	6.0000	0.186
166	6.2000	0.183	167	6.4000	0.180	168	6.6000	0.180
169	6.8000	0.180	170	7.0000	0.180	171	7.2000	0.180
172	7.4000	0.180	173	7.6000	0.176	174	7.8000	0.176
175	8.0000	0.173	176	8.2000	0.176	177	8.4000	0.176
178	8.6000	0.176	179	8.8000	0.173	180	9.0000	0.173
181	9.2000	0.173	182	9.4000	0.173	183	9.6000	0.173
184	9.8000	0.176	185	10.0000	0.173	186	0.0000	1.000

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEL 6

SETUP TEST ID ΦΦ9Φ1	DATE	BY WHOM
MONITORING WELL ID	G3M-93-09X	R. JOHNSON D. PIERCE
DATE OF TEST	6/30/93	
TYPE OF TEST	RISING HEAD #1	
HERMIT TYPE/SERIAL#	SE 1000 C / 1KC01732	
TEST #	SEL6 / 1 OF 2	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	PTX-161 / 2045 DE	
PSIG	10	
SCALE FACTOR	9.987	
OFFSET	- 0.036	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	~~24.18'~~ RAJ	18.67 (PVC)
WELL DEPTH (FT./TOC)	24.18' (PVC)	
XD DEPTH (FT. ~~TOC~~) below ∇	5.43	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	18.90 (PVC)	
TIME OF SLUG PLACEMENT	1320	
TIME OF WL EQUILIBRATION	1325	
NEW XD REFERENCE	0.02	(5.45 - 5.43)
START TIME OF TEST	1326	
END TIME OF TEST	1337	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEL 7

SETUP TEST ID ØØ9Ø2	DATE	BY WHOM
MONITORING WELL ID	G3M-93-09X	R. JOHNSON D. PIERCE
DATE OF TEST	6-30-93	
TYPE OF TEST	RISING HEAD #2	
HERMIT TYPE/SERIAL#	SE1000C/1KC01732	
TEST #	SEL 7 (2 OF 2)	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	PTX-161/20450E	
PSIG	10	
SCALE FACTOR	9.987	
OFFSET	-0.036	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	18.67 (PVC)	
WELL DEPTH (FT./TOC)	24.18 "	
XD DEPTH (FT. ~~TOC~~) BELOW ▽	5.43	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	18.85	
TIME OF SLUG PLACEMENT	1339	
TIME OF WL EQUILIBRATION	1345	
NEW XD REFERENCE	0.02	(5.45 - 5.43)
START TIME OF TEST	1346	
END TIME OF TEST	1403	
NOTES: stabilized at	0.17	

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

G3M-93-10X PERMEABILITY TESTS



Fort Devens - Groups 3&6
G3M-93-10X Test 1
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 1.90E+02 ft/day
6.70E-02 cm/sec
Basic Time Lag: 0.04 m
2.3 Times Basic Time Lag: 0.10 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 1.58E+02 ft/day
5.57E-02 cm/sec
Time Coordinate T1: 0.0 m
Time Coordinate T2: 0.3 m
Head Ratio Coordinate H1: 43.27E-02
Head Ratio Coordinate H2: 19.63E-04

Well/Aquifer Parameters

Length of well screen: 7.53 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	1.000	2	0.0066	0.915	3	0.0100	0.835
4	0.0133	0.765	5	0.0166	0.702	6	0.0200	0.641
7	0.0233	0.590	8	0.0266	0.529	9	0.0300	0.497
10	0.0333	0.459	11	0.0366	0.422	12	0.0400	0.393
13	0.0433	0.359	14	0.0466	0.340	15	0.0500	0.315

16	0.0533	0.294	17	0.0566	0.274	18	0.0600	0.254
19	0.0633	0.235	20	0.0666	0.221	21	0.0700	0.211
22	0.0733	0.194	23	0.0766	0.181	24	0.0800	0.170
25	0.0833	0.158	26	0.0866	0.150	27	0.0900	0.135
28	0.0933	0.124	29	0.0966	0.118	30	0.1000	0.109
31	0.1033	0.109	32	0.1066	0.095	33	0.1100	0.089
34	0.1133	0.085	35	0.1166	0.078	36	0.1200	0.072
37	0.1233	0.070	38	0.1266	0.065	39	0.1300	0.060
40	0.1333	0.055	41	0.1366	0.053	42	0.1400	0.051
43	0.1433	0.046	44	0.1466	0.043	45	0.1500	0.041
46	0.1533	0.038	47	0.1566	0.036	48	0.1600	0.034
49	0.1633	0.032	50	0.1666	0.028	51	0.1700	0.026
52	0.1733	0.026	53	0.1766	0.024	54	0.1800	0.024
55	0.1833	0.022	56	0.1866	0.019	57	0.1900	0.019
58	0.1933	0.019	59	0.1966	0.017	60	0.2000	0.017
61	0.2033	0.014	62	0.2066	0.014	63	0.2100	0.014
64	0.2133	0.014	65	0.2166	0.012	66	0.2200	0.012
67	0.2233	0.012	68	0.2266	0.012	69	0.2300	0.009
70	0.2333	0.009	71	0.2366	0.009	72	0.2400	0.009
73	0.2433	0.009	74	0.2466	0.009	75	0.2500	0.007



16	0.0533	0.294	17	0.0566	0.274	18	0.0600	0.254
19	0.0633	0.235	20	0.0666	0.221	21	0.0700	0.211
22	0.0733	0.194	23	0.0766	0.181	24	0.0800	0.170
25	0.0833	0.158	26	0.0866	0.150	27	0.0900	0.135
28	0.0933	0.124	29	0.0966	0.118	30	0.1000	0.109
31	0.1033	0.109	32	0.1066	0.095	33	0.1100	0.089
34	0.1133	0.085	35	0.1166	0.078	36	0.1200	0.072
37	0.1233	0.070	38	0.1266	0.065	39	0.1300	0.060
40	0.1333	0.055	41	0.1366	0.053	42	0.1400	0.051
43	0.1433	0.046	44	0.1466	0.043	45	0.1500	0.041
46	0.1533	0.038	47	0.1566	0.036	48	0.1600	0.034
49	0.1633	0.032	50	0.1666	0.028	51	0.1700	0.026
52	0.1733	0.026	53	0.1766	0.024	54	0.1800	0.024
55	0.1833	0.022	56	0.1866	0.019	57	0.1900	0.019
58	0.1933	0.019	59	0.1966	0.017	60	0.2000	0.017
61	0.2033	0.014	62	0.2066	0.014	63	0.2100	0.014
64	0.2133	0.014	65	0.2166	0.012	66	0.2200	0.012
67	0.2233	0.012	68	0.2266	0.012	69	0.2300	0.009
70	0.2333	0.009	71	0.2366	0.009	72	0.2400	0.009
73	0.2433	0.009	74	0.2466	0.009	75	0.2500	0.007

Fort Devens - Groups 3&6
G3M-93-10X TEST 2 (ADJUSTED)
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 1.30E+02 ft/day
4.57E-02 cm/sec
Basic Time Lag: 0.06 m
2.3 Times Basic Time Lag: 0.14 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 2.08E+02 ft/day
7.35E-02 cm/sec
Time Coordinate T1: 0.1 m
Time Coordinate T2: 0.3 m
Head Ratio Coordinate H1: 50.12E-02
Head Ratio Coordinate H2: 19.95E-04

Well/Aquifer Parameters

Length of well screen: 7.53 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	0.687	2	0.0066	0.315	3	0.0100	0.780
4	0.0133	0.135	5	0.0166	0.812	6	0.0200	1.000
7	0.0233	0.914	8	0.0266	0.842	9	0.0300	0.767
10	0.0333	0.702	11	0.0366	0.640	12	0.0400	0.584
13	0.0433	0.537	14	0.0466	0.495	15	0.0500	0.452

16	0.0533	0.415	17	0.0566	0.382	18	0.0600	0.355
19	0.0633	0.328	20	0.0666	0.302	21	0.0700	0.283
22	0.0733	0.260	23	0.0766	0.240	24	0.0800	0.220
25	0.0833	0.205	26	0.0866	0.190	27	0.0900	0.175
28	0.0933	0.160	29	0.0966	0.153	30	0.1000	0.138
31	0.1033	0.127	32	0.1066	0.120	33	0.1100	0.110
34	0.1133	0.103	35	0.1166	0.097	36	0.1200	0.090
37	0.1233	0.085	38	0.1266	0.078	39	0.1300	0.070
40	0.1333	0.070	41	0.1366	0.063	42	0.1400	0.058
43	0.1433	0.052	44	0.1466	0.048	45	0.1500	0.045
46	0.1533	0.040	47	0.1566	0.037	48	0.1600	0.035
49	0.1633	0.032	50	0.1666	0.028	51	0.1700	0.028
52	0.1733	0.025	53	0.1766	0.022	54	0.1800	0.020
55	0.1833	0.020	56	0.1866	0.017	57	0.1900	0.015
58	0.1933	0.013	59	0.1966	0.013	60	0.2000	0.010
61	0.2033	0.010	62	0.2066	0.010	63	0.2100	0.007
64	0.2133	0.007	65	0.2166	0.007	66	0.2200	0.005
67	0.2233	0.005	68	0.2266	0.002	69	0.2300	0.005
70	0.2333	0.002	71	0.2366	0.002	72	0.2400	0.002

HVORSLEV INTERACTIVE SLUG TEST ANALYSIS 11-09-1993

Fort Devens - Groups 3&6
G3M-93-10X TEST 2
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 2.26E+02 ft/day
7.96E-02 cm/sec
Basic Time Lag: 0.04 m
2.3 Times Basic Time Lag: 0.08 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 8.34E+02 ft/day
2.94E-01 cm/sec
Time Coordinate T1: 0.0 m
Time Coordinate T2: 0.1 m
Head Ratio Coordinate H1: 50.12E-02
Head Ratio Coordinate H2: 19.95E-04

Well/Aquifer Parameters

Length of well screen: 7.53 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	0.517	2	0.0100	0.660	3	0.0166	0.710
4	0.0200	1.000	5	0.0233	0.868	6	0.0266	0.757
7	0.0300	0.641	8	0.0333	0.540	9	0.0366	0.444
10	0.0400	0.358	11	0.0433	0.285	12	0.0466	0.220
13	0.0500	0.154	14	0.0533	0.097	15	0.0566	0.045

16	0.0600	0.004

Fort Devens - Groups 3&6
G3M-93-10X TEST 1
Russell Johnson

Results

Hydraulic Conductivity: 1.19E+02 ft/day
4.21E-02 cm/sec
Y-Intercept (Yo): 1.10E+00 ft
Well Screen Ratio (Le/rw): 18.1
Dimensionless Parameter A: 2.14
Dimensionless Parameter B: 0.32
Slope of Line [ln(Yo/Yt)/t]: 1.972E+01 1/min
Well Parameters (Rc^2 / 2*Le): 1.919E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 2.193

Well/Aquifer Parameters

Depth of well: 35.00 ft
Length of well screen: 7.53 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0033	1.301	2	0.0066	1.191	3	0.0100	1.086
4	0.0133	0.995	5	0.0166	0.913	6	0.0200	0.834
7	0.0233	0.767	8	0.0266	0.688	9	0.0300	0.647
10	0.0333	0.597	11	0.0366	0.549	12	0.0400	0.511
13	0.0433	0.467	14	0.0466	0.442	15	0.0500	0.410
16	0.0533	0.382	17	0.0566	0.357	18	0.0600	0.331
19	0.0633	0.306	20	0.0666	0.287	21	0.0700	0.274
22	0.0733	0.252	23	0.0766	0.236	24	0.0800	0.221

25	0.0833	0.205	26	0.0866	0.195	27	0.0900	0.176
28	0.0933	0.161	29	0.0966	0.154	30	0.1000	0.142
31	0.1033	0.142	32	0.1066	0.123	33	0.1100	0.116
34	0.1133	0.110	35	0.1166	0.101	36	0.1200	0.094
37	0.1233	0.091	38	0.1266	0.085	39	0.1300	0.078
40	0.1333	0.072	41	0.1366	0.069	42	0.1400	0.066
43	0.1433	0.060	44	0.1466	0.056	45	0.1500	0.053
46	0.1533	0.050	47	0.1566	0.047	48	0.1600	0.044
49	0.1633	0.041	50	0.1666	0.037	51	0.1700	0.034
52	0.1733	0.034	53	0.1766	0.031	54	0.1800	0.031
55	0.1833	0.028	56	0.1866	0.025	57	0.1900	0.025
58	0.1933	0.025	59	0.1966	0.022	60	0.2000	0.022
61	0.2033	0.018	62	0.2066	0.018	63	0.2100	0.018
64	0.2133	0.018	65	0.2166	0.015	66	0.2200	0.015
67	0.2233	0.015	68	0.2266	0.015	69	0.2300	0.012
70	0.2333	0.012	71	0.2366	0.012	72	0.2400	0.012
73	0.2433	0.012	74	0.2466	0.012	75	0.2500	0.009

BOUWER AND RICE INTERACTIVE SLUG TEST ANALYSIS 11-10-1993

Fort Devens - Groups 3&6
G3M-93-10X TEST 2
Russell Johnson

Results

Hydraulic Conductivity: 1.58E+02 ft/day
5.56E-02 cm/sec
Y-Intercept (Yo): 2.33E+00 ft
Well Screen Ratio (Le/rw): 18.1
Dimensionless Parameter A: 2.14
Dimensionless Parameter B: 0.32
Slope of Line [ln(Yo/Yt)/t]: 2.600E+01 1/min
Well Parameters (Rc^2 / 2*Le): 1.919E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 2.193

Well/Aquifer Parameters

Depth of well: 35.00 ft
Length of well screen: 7.53 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0033	0.868	2	0.0066	0.398	3	0.0100	0.985
4	0.0133	0.171	5	0.0166	1.026	6	0.0200	1.263
7	0.0233	1.155	8	0.0266	1.064	9	0.0300	0.969
10	0.0333	0.887	11	0.0366	0.808	12	0.0400	0.738
13	0.0433	0.678	14	0.0466	0.625	15	0.0500	0.571
16	0.0533	0.524	17	0.0566	0.482	18	0.0600	0.448
19	0.0633	0.414	20	0.0666	0.382	21	0.0700	0.357
22	0.0733	0.329	23	0.0766	0.303	24	0.0800	0.278

25	0.0833	0.259	26	0.0866	0.240	27	0.0900	0.221
28	0.0933	0.202	29	0.0966	0.193	30	0.1000	0.174
31	0.1033	0.161	32	0.1066	0.152	33	0.1100	0.139
34	0.1133	0.130	35	0.1166	0.123	36	0.1200	0.114
37	0.1233	0.107	38	0.1266	0.098	39	0.1300	0.088
40	0.1333	0.088	41	0.1366	0.079	42	0.1400	0.073
43	0.1433	0.066	44	0.1466	0.060	45	0.1500	0.057
46	0.1533	0.051	47	0.1566	0.047	48	0.1600	0.044
49	0.1633	0.041	50	0.1666	0.035	51	0.1700	0.035
52	0.1733	0.032	53	0.1766	0.028	54	0.1800	0.025
55	0.1833	0.025	56	0.1866	0.022	57	0.1900	0.019
58	0.1933	0.016	59	0.1966	0.016	60	0.2000	0.013
61	0.2033	0.013	62	0.2066	0.013	63	0.2100	0.009
64	0.2133	0.009	65	0.2166	0.009	66	0.2200	0.006
67	0.2233	0.006	68	0.2266	0.003	69	0.2300	0.006
70	0.2333	0.003	71	0.2366	0.003	72	0.2400	0.003

Fort Devens - Groups 3&6
G3M-93-10X TEST 2
Russell Johnson

Results

Hydraulic Conductivity: 6.31E+02 ft/day
2.23E-01 cm/sec
Y-Intercept (Yo): 1.22E+01 ft
Well Screen Ratio (Le/rw): 18.1
Dimensionless Parameter A: 2.14
Dimensionless Parameter B: 0.32
Slope of Line [ln(Yo/Yt)/t]: 1.042E+02 1/min
Well Parameters (Rc^2 / 2*Le): 1.919E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 2.193

Well/Aquifer Parameters

Depth of well: 35.00 ft
Length of well screen: 7.53 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0033	0.423	2	0.0100	0.540	3	0.0166	0.581
4	0.0200	0.818	5	0.0233	0.710	6	0.0266	0.619
7	0.0300	0.524	8	0.0333	0.442	9	0.0366	0.363
10	0.0400	0.293	11	0.0433	0.233	12	0.0466	0.180
13	0.0500	0.126	14	0.0533	0.079	15	0.0566	0.037
16	0.0600	0.003						

9221 S90 (a)

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEL 2

SETUP TEST ID ϕ1ϕϕ1	DATE	BY WHOM
MONITORING WELL ID	G3M - 93 - 10X	R. JOHNSON + D. PIERCE
DATE OF TEST	6-30-93	
TYPE OF TEST	RISING HEAD #1	
HERMIT TYPE/SERIAL#	SE1000C / 1K001732	
TEST #	SEL 2 / 1 of 2	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	PTX - 161 / 2045 DE	
PSIG	10	
SCALE FACTOR	9.987	
OFFSET	-0.036	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	27.47 (PVC)	
WELL DEPTH (FT./TOC)	35.00 "	
XD DEPTH (FT. ~~TOC~~) BELOW ∇	6.92	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	27.75 (PVC)	
TIME OF SLUG PLACEMENT	10 37	
TIME OF WL EQUILIBRATION	10 40	
NEW XD REFERENCE	ASSUMED ~~6.98~~ ROP 0.00	(6.92 - ?)
START TIME OF TEST	10 43	
END TIME OF TEST	10 56	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

(R) 0051202

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEL 3

SETUP TEST ID φ1φφ2	DATE	BY WHOM
MONITORING WELL ID	G3M-93-10X	R. JOHNSON & D. PIERCE
DATE OF TEST	6-30-93	
TYPE OF TEST	RISING HEAD #2	
HERMIT TYPE/SERIAL#	SE 1000C / 1KC01732	
TEST #	SEL3 / 2 OF 2	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	PTX-161 / 2045 DE	
PSIG	10	
SCALE FACTOR	9.987	
OFFSET	-0.036	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	27.47 (PVC)	
WELL DEPTH (FT./TOC)	35.00 "	
XD DEPTH ~~(FT./TOC)~~ FT below ∇	6.92	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	27.75 (PVC)	
TIME OF SLUG PLACEMENT	1057	
TIME OF WL EQUILIBRATION	1100	
NEW XD REFERENCE	0.06	6.98 - 6.92
START TIME OF TEST	1101	
END TIME OF TEST	1114	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS

ABB Environmental Services, Inc.


G3M-93-11X PERMEABILITY TESTS
1.50
1.00
0.50
0.00
-0.50
HEAD STRESS (FEET)
0.01
0.1
1
TIME (MINUTES)
TEST #1
TEST #2

Fort Devens - Groups 3&6
G3M-93-11X Test 1
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 2.80E+02 ft/day
9.86E-02 cm/sec
Basic Time Lag: 0.03 m
2.3 Times Basic Time Lag: 0.07 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 2.43E+02 ft/day
8.57E-02 cm/sec
Time Coordinate T1: 0.0 m
Time Coordinate T2: 0.2 m
Head Ratio Coordinate H1: 44.79E-02
Head Ratio Coordinate H2: 19.70E-04

Well/Aquifer Parameters

Length of well screen: 7.55 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	1.000	2	0.0066	0.893	3	0.0100	0.799
4	0.0133	0.711	5	0.0166	0.634	6	0.0200	0.567
7	0.0233	0.504	8	0.0266	0.446	9	0.0300	0.400
10	0.0333	0.355	11	0.0366	0.317	12	0.0400	0.278
13	0.0433	0.248	14	0.0466	0.220	15	0.0500	0.193

16	0.0533	0.170	17	0.0566	0.154	18	0.0600	0.137
19	0.0633	0.121	20	0.0666	0.107	21	0.0700	0.096
22	0.0733	0.085	23	0.0766	0.077	24	0.0800	0.069
25	0.0833	0.060	26	0.0866	0.055	27	0.0900	0.049
28	0.0933	0.044	29	0.0966	0.038	30	0.1000	0.036
31	0.1033	0.032	32	0.1066	0.030	33	0.1100	0.027
34	0.1133	0.024	35	0.1166	0.022	36	0.1200	0.019
37	0.1233	0.016	38	0.1266	0.016	39	0.1300	0.013
40	0.1333	0.013	41	0.1366	0.010	42	0.1400	0.013
43	0.1433	0.010	44	0.1466	0.010	45	0.1500	0.008
46	0.1533	0.008	47	0.1566	0.008	48	0.1600	0.008
49	0.1633	0.005	50	0.1666	0.005	51	0.1700	0.005
52	0.1733	0.005	53	0.1766	0.005	54	0.1800	0.005
55	0.1833	0.005	56	0.1866	0.003	57	0.1900	0.005
58	0.1933	0.003	59	0.1966	0.003	60	0.2000	0.003
61	0.2033	0.003	62	0.2066	0.003	63	0.2100	0.003
64	0.2133	0.003	65	0.2166	0.003	66	0.2200	0.003
67	0.2233	0.003	68	0.2266	0.003	69	0.2300	0.003
70	0.2333	0.003	71	0.2366	0.003	72	0.2400	0.003
73	0.2433	0.003	74	0.2466	0.003	75	0.2500	0.003
76	0.2533	0.003	77	0.2566	0.003	78	0.2600	0.003
79	0.2633	0.003	80	0.2666	0.003	81	0.2700	0.003
82	0.2733	0.003	83	0.2766	0.003	84	0.2800	0.003
85	0.2833	0.003	86	0.2866	0.003	87	0.2900	0.003
88	0.2966	0.003	89	0.3066	0.003	90	0.3133	0.003
91	0.3333	0.003	92	0.5666	0.003	93	0.6666	0.003
94	0.6833	0.003	95	0.7000	0.003	96	0.7166	0.003
97	0.7333	0.003	98	0.7500	0.003	99	0.7666	0.003
100	0.7833	0.003	101	0.8000	0.003	102	0.8166	0.003
103	0.8333	0.003	104	0.8500	0.003	105	0.8833	0.003
106	0.9000	0.003	107	0.9166	0.003	108	0.9333	0.003
109	0.9500	0.003	110	0.9666	0.003	111	0.9833	0.003
112	1.0000	0.003						



HVORSLEV SLUG TEST ANALYSIS
Fort Devens - Groups 3&6
G3M-93-11X TEST 1
Basic Time Lag Method
K = 2.80E+02 ft/day
9.86E-02 cm/sec
Variable Head Method
K = 2.43E+02 ft/day
8.57E-02 cm/sec
Log Ratio (H/Ho)
1E+00
1E-01
1E-02
1E-03
0
0.2
0.4
0.6
0.8
1
Time (m)

Fort Devens - Groups 3&6
G3M-93-11X Test 2
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 2.53E+02 ft/day
8.93E-02 cm/sec
Basic Time Lag: 0.03 m
2.3 Times Basic Time Lag: 0.07 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 3.11E+02 ft/day
1.10E-01 cm/sec
Time Coordinate T1: 0.0 m
Time Coordinate T2: 0.2 m
Head Ratio Coordinate H1: 50.12E-02
Head Ratio Coordinate H2: 19.95E-04

Well/Aquifer Parameters

Length of well screen: 7.55 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	1.000	2	0.0066	0.858	3	0.0100	0.766
4	0.0133	0.685	5	0.0166	0.610	6	0.0200	0.543
7	0.0233	0.486	8	0.0266	0.428	9	0.0300	0.384
10	0.0333	0.341	11	0.0366	0.298	12	0.0400	0.266
13	0.0433	0.233	14	0.0466	0.206	15	0.0500	0.183

16	0.0533	0.163	17	0.0566	0.142	18	0.0600	0.125
19	0.0633	0.113	20	0.0666	0.098	21	0.0700	0.086
22	0.0733	0.077	23	0.0766	0.069	24	0.0800	0.062
25	0.0833	0.055	26	0.0866	0.048	27	0.0900	0.043
28	0.0933	0.038	29	0.0966	0.033	30	0.1000	0.028
31	0.1033	0.026	32	0.1066	0.021	33	0.1100	0.019
34	0.1133	0.017	35	0.1166	0.017	36	0.1200	0.014
37	0.1233	0.011	38	0.1266	0.009	39	0.1300	0.009
40	0.1333	0.007	41	0.1366	0.007	42	0.1400	0.005
43	0.1433	0.005	44	0.1466	0.005	45	0.1500	0.002
46	0.1533	0.002	47	0.1566	0.002	48	0.1600	0.002

Fort Devens - Groups 3&6
G3M-93-11X TEST 1
Russell Johnson

Results

Hydraulic Conductivity: 1.84E+02 ft/day
6.49E-02 cm/sec
Y-Intercept (Yo): 1.01E+00 ft
Well Screen Ratio (Le/rw): 18.2
Dimensionless Parameter A: 2.14
Dimensionless Parameter B: 0.32
Slope of Line [ln(Yo/Yt)/t]: 3.039E+01 1/min
Well Parameters (Rc^2 / 2*Le): 1.914E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 2.196

Well/Aquifer Parameters

Depth of well: 35.15 ft
Length of well screen: 7.55 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0033	1.146	2	0.0066	1.023	3	0.0100	0.916
4	0.0133	0.815	5	0.0166	0.726	6	0.0200	0.650
7	0.0233	0.578	8	0.0266	0.511	9	0.0300	0.458
10	0.0333	0.407	11	0.0366	0.363	12	0.0400	0.319
13	0.0433	0.284	14	0.0466	0.252	15	0.0500	0.221
16	0.0533	0.195	17	0.0566	0.176	18	0.0600	0.157
19	0.0633	0.139	20	0.0666	0.123	21	0.0700	0.110
22	0.0733	0.097	23	0.0766	0.088	24	0.0800	0.079

25	0.0833	0.069	26	0.0866	0.063	27	0.0900	0.056
28	0.0933	0.050	29	0.0966	0.044	30	0.1000	0.041
31	0.1033	0.037	32	0.1066	0.034	33	0.1100	0.031
34	0.1133	0.028	35	0.1166	0.025	36	0.1200	0.022
37	0.1233	0.018	38	0.1266	0.018	39	0.1300	0.015
40	0.1333	0.015	41	0.1366	0.012	42	0.1400	0.015
43	0.1433	0.012	44	0.1466	0.012	45	0.1500	0.009
46	0.1533	0.009	47	0.1566	0.009	48	0.1600	0.009
49	0.1633	0.006	50	0.1666	0.006	51	0.1700	0.006
52	0.1733	0.006	53	0.1766	0.006	54	0.1800	0.006
55	0.1833	0.006	56	0.1866	0.003	57	0.1900	0.006
58	0.1933	0.003	59	0.1966	0.003	60	0.2000	0.003
61	0.2033	0.003	62	0.2066	0.003	63	0.2100	0.003
64	0.2133	0.003	65	0.2166	0.003	66	0.2200	0.003
67	0.2233	0.003	68	0.2266	0.003	69	0.2300	0.003
70	0.2333	0.003	71	0.2366	0.003	72	0.2400	0.003
73	0.2433	0.003	74	0.2466	0.003	75	0.2500	0.003
76	0.2533	0.003	77	0.2566	0.003	78	0.2600	0.003
79	0.2633	0.003	80	0.2666	0.003	81	0.2700	0.003
82	0.2733	0.003	83	0.2766	0.003	84	0.2800	0.003
85	0.2833	0.003	86	0.2866	0.003	87	0.2900	0.003
88	0.2966	0.003	89	0.3066	0.003	90	0.3133	0.003
91	0.3333	0.003	92	0.5666	0.003	93	0.6666	0.003
94	0.6833	0.003	95	0.7000	0.003	96	0.7166	0.003
97	0.7333	0.003	98	0.7500	0.003	99	0.7666	0.003
100	0.7833	0.003	101	0.8000	0.003	102	0.8166	0.003
103	0.8333	0.003	104	0.8500	0.003	105	0.8833	0.003
106	0.9000	0.003	107	0.9166	0.003	108	0.9333	0.003
109	0.9500	0.003	110	0.9666	0.003	111	0.9833	0.003
112	1.0000	0.003						

Fort Devens - Groups 3&6
G3M-93-11X TEST 2
Russell Johnson

Results

Hydraulic Conductivity: 2.36E+02 ft/day
8.31E-02 cm/sec
Y-Intercept (Yo): 1.66E+00 ft
Well Screen Ratio (Le/rw): 18.2
Dimensionless Parameter A: 2.14
Dimensionless Parameter B: 0.32
Slope of Line [ln(Yo/Yt)/t]: 3.892E+01 1/min
Well Parameters (Rc^2 / 2*Le): 1.914E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 2.196

Well/Aquifer Parameters

Depth of well: 35.15 ft
Length of well screen: 7.55 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0033	1.314	2	0.0066	1.128	3	0.0100	1.007
4	0.0133	0.900	5	0.0166	0.802	6	0.0200	0.714
7	0.0233	0.638	8	0.0266	0.562	9	0.0300	0.505
10	0.0333	0.448	11	0.0366	0.391	12	0.0400	0.350
13	0.0433	0.306	14	0.0466	0.271	15	0.0500	0.240
16	0.0533	0.214	17	0.0566	0.186	18	0.0600	0.164
19	0.0633	0.148	20	0.0666	0.129	21	0.0700	0.113
22	0.0733	0.101	23	0.0766	0.091	24	0.0800	0.082

25	0.0833	0.072	26	0.0866	0.063	27	0.0900	0.056
28	0.0933	0.050	29	0.0966	0.044	30	0.1000	0.037
31	0.1033	0.034	32	0.1066	0.028	33	0.1100	0.025
34	0.1133	0.022	35	0.1166	0.022	36	0.1200	0.018
37	0.1233	0.015	38	0.1266	0.012	39	0.1300	0.012
40	0.1333	0.009	41	0.1366	0.009	42	0.1400	0.006
43	0.1433	0.006	44	0.1466	0.006	45	0.1500	0.003
46	0.1533	0.003	47	0.1566	0.003	48	0.1600	0.003

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEL 4

SETUP TEST ID ϕ11ϕ1	DATE	BY WHOM
MONITORING WELL ID	G3M-93-11X	R. JOHNSON + D. PIERCE
DATE OF TEST	6-30-93	
TYPE OF TEST	RISING HEAD #1	
HERMIT TYPE/SERIAL#	SE1000C/1KC01732	
TEST #	SEL 4 (1 OF 2)	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	PTX-161/2045 DE	
PSIG	10	
SCALE FACTOR	9.987	
OFFSET	-0.036	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	27.60 (PVC)	
WELL DEPTH (FT./TOC)	35.15 "	
XD DEPTH (FT. ~~TOC~~) BELOW ∇	6.49	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./ ~~TOC) Below ∇~~) SEE P. 09	~~6.49~~ 28.12	
TIME OF SLUG PLACEMENT	1130	
TIME OF WL EQUILIBRATION	1134	
NEW XD REFERENCE	-0.02	(6.47 - 6.49)
START TIME OF TEST	1135	
END TIME OF TEST	1147	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEL 5

SETUP TEST ID Ø11Ø2	DATE	BY WHOM
MONITORING WELL ID	G3M-93-11X	R. JOHNSON + D. PIERCE
DATE OF TEST	6-30-93	
TYPE OF TEST	RISING HEAD #2	
HERMIT TYPE/SERIAL#	SE1000C/1KC01732	
TEST #	SEL 5 (2 OF 2)	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	PTX-161/2045DE	
PSIG	10	
SCALE FACTOR	9.987	
OFFSET	-0.036	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	27.60 (PVC)	
WELL DEPTH (FT./TOC)	35.15 "	
XD DEPTH (FT. ~~TOC~~) BELOW ▽	6.49	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	28.05	
TIME OF SLUG PLACEMENT	1145	
TIME OF WL EQUILIBRATION	1153	
NEW XD REFERENCE	-0.02	6.47 - 6.49
START TIME OF TEST	1154	
END TIME OF TEST	1206	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

G~~3~~6M-93-12X PERMEABILITY TESTS



HVORSLEV INTERACTIVE SLUG TEST ANALYSIS 07-08-1993

Fort Devens - Groups 3&6
G6M-93-12X Test 1
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 2.87E+00 ft/day
1.01E-03 cm/sec
Basic Time Lag: 2.72 m
2.3 Times Basic Time Lag: 6.26 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 2.84E+00 ft/day
1.00E-03 cm/sec
Time Coordinate T1: 1.2 m
Time Coordinate T2: 10.8 m
Head Ratio Coordinate H1: 64.28E-02
Head Ratio Coordinate H2: 19.75E-03

Well/Aquifer Parameters

Length of well screen: 7.80 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	1.000	2	0.0066	0.998	3	0.0100	0.997
4	0.0133	0.997	5	0.0166	0.988	6	0.0200	0.992
7	0.0233	0.992	8	0.0266	0.985	9	0.0300	0.985
10	0.0333	0.982	11	0.0366	0.983	12	0.0400	0.979
13	0.0433	0.978	14	0.0466	0.978	15	0.0500	0.974

16	0.0533	0.973	17	0.0566	0.971	18	0.0600	0.971
19	0.0633	0.969	20	0.0666	0.967	21	0.0700	0.967
22	0.0733	0.966	23	0.0766	0.966	24	0.0800	0.964
25	0.0833	0.963	26	0.0866	0.961	27	0.0900	0.959
28	0.0933	0.957	29	0.0966	0.956	30	0.1000	0.956
31	0.1033	0.954	32	0.1066	0.952	33	0.1100	0.952
34	0.1133	0.951	35	0.1166	0.949	36	0.1200	0.947
37	0.1233	0.945	38	0.1266	0.945	39	0.1300	0.944
40	0.1333	0.942	41	0.1366	0.942	42	0.1400	0.940
43	0.1433	0.939	44	0.1466	0.939	45	0.1500	0.937
46	0.1533	0.935	47	0.1566	0.933	48	0.1600	0.933
49	0.1633	0.932	50	0.1666	0.930	51	0.1700	0.930
52	0.1733	0.928	53	0.1766	0.926	54	0.1800	0.926
55	0.1833	0.925	56	0.1866	0.923	57	0.1900	0.923
58	0.1933	0.921	59	0.1966	0.920	60	0.2000	0.920
61	0.2033	0.918	62	0.2066	0.916	63	0.2100	0.916
64	0.2133	0.914	65	0.2166	0.914	66	0.2200	0.913
67	0.2233	0.911	68	0.2266	0.911	69	0.2300	0.909
70	0.2333	0.908	71	0.2366	0.908	72	0.2400	0.906
73	0.2433	0.904	74	0.2466	0.904	75	0.2500	0.902
76	0.2533	0.902	77	0.2566	0.901	78	0.2600	0.899
79	0.2633	0.899	80	0.2666	0.897	81	0.2700	0.897
82	0.2733	0.896	83	0.2766	0.894	84	0.2800	0.894
85	0.2833	0.892	86	0.2866	0.892	87	0.2900	0.890
88	0.2933	0.890	89	0.2966	0.889	90	0.3000	0.887
91	0.3033	0.887	92	0.3066	0.885	93	0.3100	0.885
94	0.3133	0.883	95	0.3166	0.883	96	0.3200	0.882
97	0.3233	0.882	98	0.3266	0.880	99	0.3300	0.880
100	0.3333	0.878	101	0.3500	0.873	102	0.3666	0.868
103	0.3833	0.865	104	0.4000	0.859	105	0.4166	0.855
106	0.4333	0.849	107	0.4500	0.844	108	0.4666	0.839
109	0.4833	0.836	110	0.5000	0.830	111	0.5166	0.825
112	0.5333	0.820	113	0.5500	0.815	114	0.5666	0.810
115	0.5833	0.805	116	0.6000	0.799	117	0.6166	0.796
118	0.6333	0.791	119	0.6500	0.786	120	0.6666	0.781
121	0.6833	0.775	122	0.7000	0.772	123	0.7166	0.767
124	0.7333	0.762	125	0.7500	0.758	126	0.7666	0.753
127	0.7833	0.748	128	0.8000	0.744	129	0.8166	0.740
130	0.8333	0.734	131	0.8500	0.731	132	0.8666	0.725
133	0.8833	0.722	134	0.9000	0.717	135	0.9166	0.714
136	0.9333	0.710	137	0.9500	0.705	138	0.9666	0.702
139	0.9833	0.697	140	1.0000	0.695	141	1.2000	0.641
142	1.4000	0.597	143	1.6000	0.556	144	1.8000	0.518
145	2.0000	0.480	146	2.2000	0.448	147	2.4000	0.417
148	2.6000	0.387	149	2.8000	0.360	150	3.0000	0.336
151	3.2000	0.312	152	3.4000	0.291	153	3.6000	0.271

154	3.8000	0.252	155	4.0000	0.235	156	4.2000	0.218
157	4.4000	0.204	158	4.6000	0.190	159	4.8000	0.176
160	5.0000	0.163	161	5.2000	0.152	162	5.4000	0.142
163	5.6000	0.133	164	5.8000	0.122	165	6.0000	0.114
166	6.2000	0.106	167	6.4000	0.099	168	6.6000	0.094
169	6.8000	0.087	170	7.0000	0.080	171	7.2000	0.075
172	7.4000	0.070	173	7.6000	0.065	174	7.8000	0.060
175	8.0000	0.056	176	8.2000	0.053	177	8.4000	0.048
178	8.6000	0.044	179	8.8000	0.041	180	9.0000	0.039
181	9.2000	0.036	182	9.4000	0.034	183	9.6000	0.030
184	9.8000	0.027	185	10.0000	0.026	186	12.0000	0.010



154	3.8000	0.252	155	4.0000	0.235	156	4.2000	0.218
157	4.4000	0.204	158	4.6000	0.190	159	4.8000	0.176
160	5.0000	0.163	161	5.2000	0.152	162	5.4000	0.142
163	5.6000	0.133	164	5.8000	0.122	165	6.0000	0.114
166	6.2000	0.106	167	6.4000	0.099	168	6.6000	0.094
169	6.8000	0.087	170	7.0000	0.080	171	7.2000	0.075
172	7.4000	0.070	173	7.6000	0.065	174	7.8000	0.060
175	8.0000	0.056	176	8.2000	0.053	177	8.4000	0.048
178	8.6000	0.044	179	8.8000	0.041	180	9.0000	0.039
181	9.2000	0.036	182	9.4000	0.034	183	9.6000	0.030
184	9.8000	0.027	185	10.0000	0.026	186	12.0000	0.010

Fort Devens - Groups 3&6
G6M-93-12X TEST 2
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 2.77E+00 ft/day
9.75E-04 cm/sec
Basic Time Lag: 2.83 m
2.3 Times Basic Time Lag: 6.51 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 2.69E+00 ft/day
9.49E-04 cm/sec
Time Coordinate T1: 1.3 m
Time Coordinate T2: 12.0 m
Head Ratio Coordinate H1: 61.88E-02
Head Ratio Coordinate H2: 15.81E-03

Well/Aquifer Parameters

Length of well screen: 7.80 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	1.000	2	0.0066	0.993	3	0.0100	0.995
4	0.0133	0.988	5	0.0166	0.987	6	0.0200	0.985
7	0.0233	0.983	8	0.0266	0.983	9	0.0300	0.980
10	0.0333	0.980	11	0.0366	0.978	12	0.0400	0.975
13	0.0433	0.973	14	0.0466	0.971	15	0.0500	0.970

16	0.0533	0.968	17	0.0566	0.967	18	0.0600	0.977
19	0.0633	0.963	20	0.0666	0.963	21	0.0700	0.961
22	0.0733	0.960	23	0.0766	0.958	24	0.0800	0.958
25	0.0833	0.957	26	0.0866	0.955	27	0.0900	0.953
28	0.0933	0.951	29	0.0966	0.950	30	0.1000	0.948
31	0.1033	0.948	32	0.1066	0.947	33	0.1100	0.945
34	0.1133	0.945	35	0.1166	0.943	36	0.1200	0.941
37	0.1233	0.940	38	0.1266	0.940	39	0.1300	0.938
40	0.1333	0.937	41	0.1366	0.937	42	0.1400	0.935
43	0.1433	0.933	44	0.1466	0.931	45	0.1500	0.931
46	0.1533	0.930	47	0.1566	0.928	48	0.1600	0.927
49	0.1633	0.925	50	0.1666	0.925	51	0.1700	0.923
52	0.1733	0.923	53	0.1766	0.921	54	0.1800	0.920
55	0.1833	0.918	56	0.1866	0.917	57	0.1900	0.917
58	0.1933	0.915	59	0.1966	0.915	60	0.2000	0.913
61	0.2033	0.911	62	0.2066	0.911	63	0.2100	0.910
64	0.2133	0.908	65	0.2166	0.908	66	0.2200	0.907
67	0.2233	0.907	68	0.2266	0.905	69	0.2300	0.903
70	0.2333	0.903	71	0.2366	0.905	72	0.2400	0.900
73	0.2433	0.900	74	0.2466	0.898	75	0.2500	0.897
76	0.2533	0.897	77	0.2566	0.895	78	0.2600	0.895
79	0.2633	0.893	80	0.2666	0.891	81	0.2700	0.891
82	0.2733	0.890	83	0.2766	0.890	84	0.2800	0.888
85	0.2833	0.886	86	0.2866	0.886	87	0.2900	0.885
88	0.2933	0.885	89	0.2966	0.883	90	0.3000	0.881
91	0.3033	0.881	92	0.3066	0.876	93	0.3100	0.878
94	0.3133	0.878	95	0.3166	0.878	96	0.3200	0.876
97	0.3233	0.875	98	0.3266	0.875	99	0.3300	0.873
100	0.3333	0.873	101	0.3500	0.866	102	0.3666	0.862
103	0.3833	0.855	104	0.4000	0.852	105	0.4166	0.846
106	0.4333	0.842	107	0.4500	0.836	108	0.4666	0.829
109	0.4833	0.825	110	0.5000	0.822	111	0.5166	0.815
112	0.5333	0.809	113	0.5500	0.806	114	0.5666	0.801
115	0.5833	0.796	116	0.6000	0.791	117	0.6166	0.788
118	0.6333	0.783	119	0.6500	0.778	120	0.6666	0.773
121	0.6833	0.770	122	0.7000	0.765	123	0.7166	0.760
124	0.7333	0.756	125	0.7500	0.751	126	0.7666	0.746
127	0.7833	0.743	128	0.8000	0.738	129	0.8166	0.734
130	0.8333	0.731	131	0.8500	0.726	132	0.8666	0.723
133	0.8833	0.718	134	0.9000	0.713	135	0.9166	0.710
136	0.9333	0.706	137	0.9500	0.703	138	0.9666	0.696
139	0.9833	0.693	140	1.0000	0.690	141	1.2000	0.631
142	1.4000	0.592	143	1.6000	0.554	144	1.8000	0.516
145	2.0000	0.483	146	2.2000	0.450	147	2.4000	0.421
148	2.6000	0.394	149	2.8000	0.367	150	3.0000	0.344
151	3.2000	0.322	152	3.4000	0.302	153	3.6000	0.284

154	3.8000	0.265	155	4.0000	0.249	156	4.2000	0.233
157	4.4000	0.220	158	4.6000	0.207	159	4.8000	0.193
160	5.0000	0.183	161	5.2000	0.173	162	5.4000	0.162
163	5.6000	0.152	164	5.8000	0.145	165	6.0000	0.137
166	6.2000	0.128	167	6.4000	0.121	168	6.6000	0.115
169	6.8000	0.108	170	7.0000	0.103	171	7.2000	0.098
172	7.4000	0.093	173	7.6000	0.088	174	7.8000	0.083
175	8.0000	0.080	176	8.2000	0.077	177	8.4000	0.072
178	8.6000	0.070	179	8.8000	0.067	180	9.0000	0.063
181	9.2000	0.060	182	9.4000	0.058	183	9.6000	0.056
184	9.8000	0.053	185	10.0000	0.052	186	12.0000	0.038
187	14.0000	0.030						

Fort Devens - Groups 3&6
G6M-93-12X TEST 1
Russell Johnson

Results

Hydraulic Conductivity: 1.98E+00 ft/day
6.97E-04 cm/sec
Y-Intercept (Yo): 1.83E+00 ft
Well Screen Ratio (Le/rw): 18.8
Dimensionless Parameter A: 2.16
Dimensionless Parameter B: 0.33
Slope of Line [ln(Yo/Yt)/t]: 3.628E-01 1/min
Well Parameters (Rc^2 / 2*Le): 1.853E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 2.042

Well/Aquifer Parameters

Depth of well: 20.20 ft
Length of well screen: 7.80 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0033	1.843	2	0.0066	1.840	3	0.0100	1.837
4	0.0133	1.837	5	0.0166	1.821	6	0.0200	1.828
7	0.0233	1.828	8	0.0266	1.815	9	0.0300	1.815
10	0.0333	1.809	11	0.0366	1.812	12	0.0400	1.805
13	0.0433	1.802	14	0.0466	1.802	15	0.0500	1.796
16	0.0533	1.793	17	0.0566	1.790	18	0.0600	1.790
19	0.0633	1.786	20	0.0666	1.783	21	0.0700	1.783
22	0.0733	1.780	23	0.0766	1.780	24	0.0800	1.777

25	0.0833	1.774	26	0.0866	1.771	27	0.0900	1.768
28	0.0933	1.764	29	0.0966	1.761	30	0.1000	1.761
31	0.1033	1.758	32	0.1066	1.755	33	0.1100	1.755
34	0.1133	1.752	35	0.1166	1.749	36	0.1200	1.745
37	0.1233	1.742	38	0.1266	1.742	39	0.1300	1.739
40	0.1333	1.736	41	0.1366	1.736	42	0.1400	1.733
43	0.1433	1.730	44	0.1466	1.730	45	0.1500	1.726
46	0.1533	1.723	47	0.1566	1.720	48	0.1600	1.720
49	0.1633	1.717	50	0.1666	1.714	51	0.1700	1.714
52	0.1733	1.711	53	0.1766	1.707	54	0.1800	1.707
55	0.1833	1.704	56	0.1866	1.701	57	0.1900	1.701
58	0.1933	1.698	59	0.1966	1.695	60	0.2000	1.695
61	0.2033	1.692	62	0.2066	1.688	63	0.2100	1.688
64	0.2133	1.685	65	0.2166	1.685	66	0.2200	1.682
67	0.2233	1.679	68	0.2266	1.679	69	0.2300	1.676
70	0.2333	1.673	71	0.2366	1.673	72	0.2400	1.669
73	0.2433	1.666	74	0.2466	1.666	75	0.2500	1.663
76	0.2533	1.663	77	0.2566	1.660	78	0.2600	1.657
79	0.2633	1.657	80	0.2666	1.654	81	0.2700	1.654
82	0.2733	1.651	83	0.2766	1.647	84	0.2800	1.647
85	0.2833	1.644	86	0.2866	1.644	87	0.2900	1.641
88	0.2933	1.641	89	0.2966	1.638	90	0.3000	1.635
91	0.3033	1.635	92	0.3066	1.631	93	0.3100	1.631
94	0.3133	1.628	95	0.3166	1.628	96	0.3200	1.625
97	0.3233	1.625	98	0.3266	1.622	99	0.3300	1.622
100	0.3333	1.619	101	0.3500	1.609	102	0.3666	1.600
103	0.3833	1.594	104	0.4000	1.584	105	0.4166	1.575
106	0.4333	1.565	107	0.4500	1.556	108	0.4666	1.546
109	0.4833	1.540	110	0.5000	1.530	111	0.5166	1.521
112	0.5333	1.511	113	0.5500	1.502	114	0.5666	1.492
115	0.5833	1.483	116	0.6000	1.473	117	0.6166	1.467
118	0.6333	1.458	119	0.6500	1.448	120	0.6666	1.439
121	0.6833	1.429	122	0.7000	1.423	123	0.7166	1.413
124	0.7333	1.404	125	0.7500	1.397	126	0.7666	1.388
127	0.7833	1.379	128	0.8000	1.372	129	0.8166	1.363
130	0.8333	1.353	131	0.8500	1.347	132	0.8666	1.337
133	0.8833	1.331	134	0.9000	1.322	135	0.9166	1.315
136	0.9333	1.309	137	0.9500	1.299	138	0.9666	1.293
139	0.9833	1.284	140	1.0000	1.280	141	1.2000	1.182
142	1.4000	1.100	143	1.6000	1.024	144	1.8000	0.955
145	2.0000	0.885	146	2.2000	0.825	147	2.4000	0.768
148	2.6000	0.714	149	2.8000	0.664	150	3.0000	0.619
151	3.2000	0.575	152	3.4000	0.537	153	3.6000	0.499
154	3.8000	0.464	155	4.0000	0.433	156	4.2000	0.401
157	4.4000	0.376	158	4.6000	0.351	159	4.8000	0.325
160	5.0000	0.300	161	5.2000	0.281	162	5.4000	0.262

163	5.6000	0.246	164	5.8000	0.224	165	6.0000	0.211
166	6.2000	0.196	167	6.4000	0.183	168	6.6000	0.173
169	6.8000	0.161	170	7.0000	0.148	171	7.2000	0.139
172	7.4000	0.129	173	7.6000	0.120	174	7.8000	0.110
175	8.0000	0.104	176	8.2000	0.098	177	8.4000	0.088
178	8.6000	0.082	179	8.8000	0.075	180	9.0000	0.072
181	9.2000	0.066	182	9.4000	0.063	183	9.6000	0.056
184	9.8000	0.050	185	10.0000	0.047	186	12.0000	0.018

Fort Devens - Groups 3&6
G6M-93-12X TEST 2
Russell Johnson

Results

Hydraulic Conductivity: 1.81E+00 ft/day
6.38E-04 cm/sec
Y-Intercept (Yo): 1.84E+00 ft
Well Screen Ratio (Le/rw): 18.8
Dimensionless Parameter A: 2.16
Dimensionless Parameter B: 0.33
Slope of Line [ln(Yo/Yt)/t]: 3.322E-01 1/min
Well Parameters (Rc^2 / 2*Le): 1.853E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 2.042

Well/Aquifer Parameters

Depth of well: 20.20 ft
Length of well screen: 7.80 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0033	1.894	2	0.0066	1.881	3	0.0100	1.885
4	0.0133	1.872	5	0.0166	1.869	6	0.0200	1.866
7	0.0233	1.862	8	0.0266	1.862	9	0.0300	1.856
10	0.0333	1.856	11	0.0366	1.853	12	0.0400	1.847
13	0.0433	1.843	14	0.0466	1.840	15	0.0500	1.837
16	0.0533	1.834	17	0.0566	1.831	18	0.0600	1.850
19	0.0633	1.824	20	0.0666	1.824	21	0.0700	1.821
22	0.0733	1.818	23	0.0766	1.815	24	0.0800	1.815

25	0.0833	1.812	26	0.0866	1.809	27	0.0900	1.805
28	0.0933	1.802	29	0.0966	1.799	30	0.1000	1.796
31	0.1033	1.796	32	0.1066	1.793	33	0.1100	1.790
34	0.1133	1.790	35	0.1166	1.786	36	0.1200	1.783
37	0.1233	1.780	38	0.1266	1.780	39	0.1300	1.777
40	0.1333	1.774	41	0.1366	1.774	42	0.1400	1.771
43	0.1433	1.767	44	0.1466	1.764	45	0.1500	1.764
46	0.1533	1.761	47	0.1566	1.758	48	0.1600	1.755
49	0.1633	1.752	50	0.1666	1.752	51	0.1700	1.749
52	0.1733	1.749	53	0.1766	1.745	54	0.1800	1.742
55	0.1833	1.739	56	0.1866	1.736	57	0.1900	1.736
58	0.1933	1.733	59	0.1966	1.733	60	0.2000	1.730
61	0.2033	1.726	62	0.2066	1.726	63	0.2100	1.723
64	0.2133	1.720	65	0.2166	1.720	66	0.2200	1.717
67	0.2233	1.717	68	0.2266	1.714	69	0.2300	1.711
70	0.2333	1.711	71	0.2366	1.714	72	0.2400	1.704
73	0.2433	1.704	74	0.2466	1.701	75	0.2500	1.698
76	0.2533	1.698	77	0.2566	1.695	78	0.2600	1.695
79	0.2633	1.692	80	0.2666	1.688	81	0.2700	1.688
82	0.2733	1.685	83	0.2766	1.685	84	0.2800	1.682
85	0.2833	1.679	86	0.2866	1.679	87	0.2900	1.676
88	0.2933	1.676	89	0.2966	1.673	90	0.3000	1.669
91	0.3033	1.669	92	0.3066	1.660	93	0.3100	1.663
94	0.3133	1.663	95	0.3166	1.663	96	0.3200	1.660
97	0.3233	1.657	98	0.3266	1.657	99	0.3300	1.654
100	0.3333	1.654	101	0.3500	1.641	102	0.3666	1.632
103	0.3833	1.619	104	0.4000	1.613	105	0.4166	1.603
106	0.4333	1.594	107	0.4500	1.584	108	0.4666	1.571
109	0.4833	1.562	110	0.5000	1.556	111	0.5166	1.543
112	0.5333	1.533	113	0.5500	1.527	114	0.5666	1.518
115	0.5833	1.508	116	0.6000	1.499	117	0.6166	1.492
118	0.6333	1.483	119	0.6500	1.473	120	0.6666	1.464
121	0.6833	1.458	122	0.7000	1.448	123	0.7166	1.439
124	0.7333	1.432	125	0.7500	1.423	126	0.7666	1.413
127	0.7833	1.407	128	0.8000	1.397	129	0.8166	1.391
130	0.8333	1.385	131	0.8500	1.375	132	0.8666	1.369
133	0.8833	1.360	134	0.9000	1.350	135	0.9166	1.344
136	0.9333	1.337	137	0.9500	1.331	138	0.9666	1.318
139	0.9833	1.312	140	1.0000	1.306	141	1.2000	1.195
142	1.4000	1.122	143	1.6000	1.050	144	1.8000	0.977
145	2.0000	0.914	146	2.2000	0.853	147	2.4000	0.797
148	2.6000	0.746	149	2.8000	0.695	150	3.0000	0.651
151	3.2000	0.610	152	3.4000	0.572	153	3.6000	0.537
154	3.8000	0.502	155	4.0000	0.471	156	4.2000	0.442
157	4.4000	0.417	158	4.6000	0.392	159	4.8000	0.366
160	5.0000	0.347	161	5.2000	0.328	162	5.4000	0.306

163	5.6000	0.287	164	5.8000	0.275	165	6.0000	0.259
166	6.2000	0.243	167	6.4000	0.230	168	6.6000	0.218
169	6.8000	0.205	170	7.0000	0.196	171	7.2000	0.186
172	7.4000	0.177	173	7.6000	0.167	174	7.8000	0.158
175	8.0000	0.151	176	8.2000	0.145	177	8.4000	0.136
178	8.6000	0.132	179	8.8000	0.126	180	9.0000	0.120
181	9.2000	0.113	182	9.4000	0.110	183	9.6000	0.107
184	9.8000	0.101	185	10.0000	0.098	186	12.0000	0.072
187	14.0000	0.056						

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEL 12

SETUP TEST ID Ø12Ø1	DATE	BY WHOM
MONITORING WELL ID	G6M-93-12X	R. JOHNSON D. PIERCE
DATE OF TEST	7-1-93	
TYPE OF TEST	RISING HEAD #1	
HERMIT TYPE/SERIAL#	SE1000C/1KC01732	
TEST #	SEL 12 (1 OF 2)	
DATA COLLECTION RATE	LOG #1	
TRANSDUCER		
SERIAL #	PTX-161/20460E	
PSIG	10	
SCALE FACTOR	10.003	
OFFSET	-0.034	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	12.38	
WELL DEPTH (FT./TOC)	20.2	
XD DEPTH (FT. ~~TOC~~) BELOW ∇	6.87	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	12.32	
TIME OF SLUG PLACEMENT	11:35	
TIME OF WL EQUILIBRATION	1152	
NEW XD REFERENCE	0.03	(6.90 - 6.87)
START TIME OF TEST	1153	
END TIME OF TEST	1207	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEC 13

SETUP TEST ID Φ12Φ2	DATE	BY WHOM
MONITORING WELL ID	G6M-93-12X	R. JOHNSON + D. PIERCE
DATE OF TEST	7-1-93	
TYPE OF TEST	RISING HEAD #2	
HERMIT TYPE/SERIAL#	SE1000C/1KC01732	
TEST #	SEC 13 (2 OF 2)	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	PTX-161/2045DE	
PSIG	10	
SCALE FACTOR	10.003	
OFFSET	-0.034	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	12.39	
WELL DEPTH (FT./TOC)	20.2	
XD DEPTH (FT. ~~TOC~~) BELOW ∇	6.87	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	12.45	
TIME OF SLUG PLACEMENT	1208	
TIME OF WL EQUILIBRATION	1221	
NEW XD REFERENCE	0.06	6.93 - 6.87
START TIME OF TEST	1222	
END TIME OF TEST	1237	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

G~~3~~6M-93-13X PERMEABILITY TESTS



Fort Devens - Groups 3&6
G6M-93-13X Test 1
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 3.19E+00 ft/day
1.13E-03 cm/sec
Basic Time Lag: 2.61 m
2.3 Times Basic Time Lag: 5.99 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 2.64E+00 ft/day
9.30E-04 cm/sec
Time Coordinate T1: 1.4 m
Time Coordinate T2: 12.6 m
Head Ratio Coordinate H1: 54.21E-02
Head Ratio Coordinate H2: 15.58E-03

Well/Aquifer Parameters

Length of well screen: 7.10 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	1.000	2	0.0066	1.000	3	0.0100	0.995
4	0.0133	0.987	5	0.0166	0.978	6	0.0200	0.973
7	0.0233	0.968	8	0.0266	0.961	9	0.0300	0.951
10	0.0333	0.951	11	0.0366	0.948	12	0.0400	0.941
13	0.0433	0.941	14	0.0466	0.926	15	0.0500	0.930

16	0.0533	0.929	17	0.0566	0.924	18	0.0600	0.922
19	0.0633	0.912	20	0.0666	0.914	21	0.0700	0.909
22	0.0733	0.907	23	0.0766	0.902	24	0.0800	0.898
25	0.0833	0.898	26	0.0866	0.892	27	0.0900	0.892
28	0.0933	0.892	29	0.0966	0.887	30	0.1000	0.882
31	0.1033	0.880	32	0.1066	0.868	33	0.1100	0.872
34	0.1133	0.878	35	0.1166	0.866	36	0.1200	0.865
37	0.1233	0.861	38	0.1266	0.858	39	0.1300	0.861
40	0.1333	0.856	41	0.1366	0.851	42	0.1400	0.851
43	0.1433	0.844	44	0.1466	0.844	45	0.1500	0.844
46	0.1533	0.843	47	0.1566	0.840	48	0.1600	0.831
49	0.1633	0.833	50	0.1666	0.833	51	0.1700	0.838
52	0.1733	0.829	53	0.1766	0.824	54	0.1800	0.821
55	0.1833	0.821	56	0.1866	0.821	57	0.1900	0.819
58	0.1933	0.818	59	0.1966	0.812	60	0.2000	0.812
61	0.2033	0.809	62	0.2066	0.814	63	0.2100	0.806
64	0.2133	0.806	65	0.2166	0.801	66	0.2200	0.801
67	0.2233	0.799	68	0.2266	0.799	69	0.2300	0.797
70	0.2333	0.792	71	0.2366	0.792	72	0.2400	0.789
73	0.2433	0.794	74	0.2466	0.786	75	0.2500	0.784
76	0.2533	0.786	77	0.2566	0.780	78	0.2600	0.780
79	0.2633	0.775	80	0.2666	0.777	81	0.2700	0.777
82	0.2733	0.775	83	0.2766	0.775	84	0.2800	0.770
85	0.2833	0.770	86	0.2866	0.770	87	0.2900	0.765
88	0.2933	0.765	89	0.2966	0.767	90	0.3000	0.761
91	0.3033	0.761	92	0.3066	0.761	93	0.3100	0.758
94	0.3133	0.757	95	0.3166	0.755	96	0.3200	0.755
97	0.3233	0.753	98	0.3266	0.750	99	0.3300	0.748
100	0.3333	0.748	101	0.3500	0.743	102	0.3666	0.735
103	0.3833	0.729	104	0.4000	0.719	105	0.4166	0.719
106	0.4333	0.714	107	0.4500	0.710	108	0.4666	0.704
109	0.4833	0.699	110	0.5000	0.696	111	0.5166	0.691
112	0.5333	0.687	113	0.5500	0.682	114	0.5666	0.675
115	0.5833	0.675	116	0.6000	0.672	117	0.6166	0.669
118	0.6333	0.665	119	0.6500	0.662	120	0.6666	0.660
121	0.6833	0.655	122	0.7000	0.653	123	0.7166	0.650
124	0.7333	0.647	125	0.7500	0.645	126	0.7666	0.642
127	0.7833	0.640	128	0.8000	0.637	129	0.8166	0.635
130	0.8333	0.632	131	0.8500	0.630	132	0.8666	0.627
133	0.8833	0.625	134	0.9000	0.623	135	0.9166	0.620
136	0.9333	0.618	137	0.9500	0.615	138	0.9666	0.613
139	0.9833	0.610	140	1.0000	0.608	141	1.2000	0.576
142	1.4000	0.552	143	1.6000	0.528	144	1.8000	0.500
145	2.0000	0.464	146	2.2000	0.432	147	2.4000	0.402
148	2.6000	0.373	149	2.8000	0.348	150	3.0000	0.324
151	3.2000	0.304	152	3.4000	0.283	153	3.6000	0.265

154	3.8000	0.248	155	4.0000	0.233	156	4.2000	0.218
157	4.4000	0.206	158	4.6000	0.194	159	4.8000	0.182
160	5.0000	0.172	161	5.2000	0.162	162	5.4000	0.153
163	5.6000	0.145	164	5.8000	0.139	165	6.0000	0.132
166	6.2000	0.126	167	6.4000	0.121	168	6.6000	0.117
169	6.8000	0.111	170	7.0000	0.108	171	7.2000	0.104
172	7.4000	0.099	173	7.6000	0.096	174	7.8000	0.091
175	8.0000	0.089	176	8.2000	0.086	177	8.4000	0.082
178	8.6000	0.079	179	8.8000	0.078	180	9.0000	0.076
181	9.2000	0.074	182	9.4000	0.071	183	9.6000	0.069
184	9.8000	0.067	185	10.0000	0.066	186	12.0000	0.057
187	14.0000	0.052	188	16.0000	0.049	189	0.0000	1.000



154	3.8000	0.248	155	4.0000	0.233	156	4.2000	0.218
157	4.4000	0.206	158	4.6000	0.194	159	4.8000	0.182
160	5.0000	0.172	161	5.2000	0.162	162	5.4000	0.153
163	5.6000	0.145	164	5.8000	0.139	165	6.0000	0.132
166	6.2000	0.126	167	6.4000	0.121	168	6.6000	0.117
169	6.8000	0.111	170	7.0000	0.108	171	7.2000	0.104
172	7.4000	0.099	173	7.6000	0.096	174	7.8000	0.091
175	8.0000	0.089	176	8.2000	0.086	177	8.4000	0.082
178	8.6000	0.079	179	8.8000	0.078	180	9.0000	0.076
181	9.2000	0.074	182	9.4000	0.071	183	9.6000	0.069
184	9.8000	0.067	185	10.0000	0.066	186	12.0000	0.057
187	14.0000	0.052	188	16.0000	0.049	189	0.0000	1.000

HVORSLEV INTERACTIVE SLUG TEST ANALYSIS 11-09-1993

Fort Devens - Groups 3&6
G6M-93-13X TEST 2
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 1.88E+00 ft/day
6.63E-04 cm/sec
Basic Time Lag: 4.43 m
2.3 Times Basic Time Lag: 10.19 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 1.55E+00 ft/day
5.46E-04 cm/sec
Time Coordinate T1: 1.1 m
Time Coordinate T2: 10.3 m
Head Ratio Coordinate H1: 68.10E-02
Head Ratio Coordinate H2: 12.38E-02

Well/Aquifer Parameters

Length of well screen: 7.10 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	0.996	2	0.0066	1.000	3	0.0100	0.985
4	0.0133	0.987	5	0.0166	0.987	6	0.0200	0.977
7	0.0233	0.975	8	0.0266	0.973	9	0.0300	0.967
10	0.0333	0.963	11	0.0366	0.970	12	0.0400	0.956
13	0.0433	0.956	14	0.0466	0.952	15	0.0500	0.949

16	0.0533	0.948	17	0.0566	0.944	18	0.0600	0.943
19	0.0633	0.939	20	0.0666	0.937	21	0.0700	0.935
22	0.0733	0.932	23	0.0766	0.930	24	0.0800	0.927
25	0.0833	0.924	26	0.0866	0.922	27	0.0900	0.919
28	0.0933	0.918	29	0.0966	0.915	30	0.1000	0.913
31	0.1033	0.910	32	0.1066	0.909	33	0.1100	0.906
34	0.1133	0.905	35	0.1166	0.902	36	0.1200	0.899
37	0.1233	0.898	38	0.1266	0.896	39	0.1300	0.894
40	0.1333	0.891	41	0.1366	0.890	42	0.1400	0.888
43	0.1433	0.886	44	0.1466	0.884	45	0.1500	0.882
46	0.1533	0.881	47	0.1566	0.878	48	0.1600	0.877
49	0.1633	0.876	50	0.1666	0.873	51	0.1700	0.872
52	0.1733	0.871	53	0.1766	0.869	54	0.1800	0.866
55	0.1833	0.865	56	0.1866	0.864	57	0.1900	0.861
58	0.1933	0.861	59	0.1966	0.858	60	0.2000	0.857
61	0.2033	0.856	62	0.2066	0.855	63	0.2100	0.852
64	0.2133	0.852	65	0.2166	0.851	66	0.2200	0.848
67	0.2233	0.847	68	0.2266	0.846	69	0.2300	0.844
70	0.2333	0.843	71	0.2366	0.841	72	0.2400	0.840
73	0.2433	0.839	74	0.2466	0.838	75	0.2500	0.836
76	0.2533	0.835	77	0.2566	0.833	78	0.2600	0.832
79	0.2633	0.831	80	0.2666	0.830	81	0.2700	0.830
82	0.2733	0.827	83	0.2766	0.827	84	0.2800	0.824
85	0.2833	0.824	86	0.2866	0.823	87	0.2900	0.822
88	0.2933	0.820	89	0.2966	0.819	90	0.3000	0.818
91	0.3033	0.816	92	0.3066	0.816	93	0.3100	0.815
94	0.3133	0.814	95	0.3166	0.813	96	0.3200	0.811
97	0.3233	0.811	98	0.3266	0.810	99	0.3300	0.808
100	0.3333	0.807	101	0.3500	0.802	102	0.3666	0.798
103	0.3833	0.792	104	0.4000	0.789	105	0.4166	0.783
106	0.4333	0.781	107	0.4500	0.777	108	0.4666	0.773
109	0.4833	0.770	110	0.5000	0.766	111	0.5166	0.762
112	0.5333	0.759	113	0.5500	0.757	114	0.5666	0.754
115	0.5833	0.750	116	0.6000	0.748	117	0.6166	0.745
118	0.6333	0.742	119	0.6500	0.740	120	0.6666	0.739
121	0.6833	0.736	122	0.7000	0.733	123	0.7166	0.732
124	0.7333	0.729	125	0.7500	0.728	126	0.7666	0.725
127	0.7833	0.723	128	0.8000	0.722	129	0.8166	0.719
130	0.8333	0.717	131	0.8500	0.716	132	0.8666	0.714
133	0.8833	0.712	134	0.9000	0.709	135	0.9166	0.708
136	0.9333	0.707	137	0.9500	0.706	138	0.9666	0.703
139	0.9833	0.701	140	1.0000	0.699	141	1.2000	0.675
142	1.4000	0.657	143	1.6000	0.640	144	1.8000	0.616
145	2.0000	0.588	146	2.2000	0.563	147	2.4000	0.539
148	2.6000	0.517	149	2.8000	0.497	150	3.0000	0.478
151	3.2000	0.461	152	3.4000	0.446	153	3.6000	0.431

154	3.8000	0.418	155	4.0000	0.406	156	4.2000	0.394
157	4.4000	0.384	158	4.6000	0.375	159	4.8000	0.365
160	5.0000	0.357	161	5.2000	0.349	162	5.4000	0.343
163	5.6000	0.336	164	5.8000	0.329	165	6.0000	0.326
166	6.2000	0.320	167	6.4000	0.316	168	6.6000	0.312
169	6.8000	0.309	170	7.0000	0.306	171	7.2000	0.303
172	7.4000	0.299	173	7.6000	0.295	174	7.8000	0.293
175	8.0000	0.290	176	8.2000	0.287	177	8.4000	0.285
178	8.6000	0.284	179	8.8000	0.281	180	9.0000	0.279
181	9.2000	0.278	182	9.4000	0.277	183	9.6000	0.276
184	9.8000	0.274	185	10.0000	0.273	186	12.0000	0.263
187	14.0000	0.260	188	16.0000	0.257	189	18.0000	0.257
190	20.0000	0.256						

Fort Devens - Groups 3&6
G6M-93-13X TEST 1
Russell Johnson

Results

Hydraulic Conductivity: 1.92E+00 ft/day
6.76E-04 cm/sec
Y-Intercept (Yo): 1.63E+00 ft
Well Screen Ratio (Le/rw): 17.1
Dimensionless Parameter A: 2.09
Dimensionless Parameter B: 0.32
Slope of Line [ln(Yo/Yt)/t]: 3.280E-01 1/min
Well Parameters (Rc^2 / 2*Le): 2.035E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 1.994

Well/Aquifer Parameters

Depth of well: 20.70 ft
Length of well screen: 7.10 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0033	1.870	2	0.0066	1.870	3	0.0100	1.861
4	0.0133	1.845	5	0.0166	1.829	6	0.0200	1.819
7	0.0233	1.810	8	0.0266	1.797	9	0.0300	1.778
10	0.0333	1.778	11	0.0366	1.772	12	0.0400	1.759
13	0.0433	1.759	14	0.0466	1.731	15	0.0500	1.740
16	0.0533	1.737	17	0.0566	1.728	18	0.0600	1.725
19	0.0633	1.706	20	0.0666	1.709	21	0.0700	1.699
22	0.0733	1.696	23	0.0766	1.687	24	0.0800	1.680

25	0.0833	1.680	26	0.0866	1.668	27	0.0900	1.668
28	0.0933	1.668	29	0.0966	1.658	30	0.1000	1.649
31	0.1033	1.646	32	0.1066	1.624	33	0.1100	1.630
34	0.1133	1.642	35	0.1166	1.620	36	0.1200	1.617
37	0.1233	1.611	38	0.1266	1.605	39	0.1300	1.611
40	0.1333	1.601	41	0.1366	1.592	42	0.1400	1.592
43	0.1433	1.579	44	0.1466	1.579	45	0.1500	1.579
46	0.1533	1.576	47	0.1566	1.570	48	0.1600	1.554
49	0.1633	1.557	50	0.1666	1.557	51	0.1700	1.567
52	0.1733	1.551	53	0.1766	1.541	54	0.1800	1.535
55	0.1833	1.535	56	0.1866	1.535	57	0.1900	1.532
58	0.1933	1.529	59	0.1966	1.519	60	0.2000	1.519
61	0.2033	1.513	62	0.2066	1.522	63	0.2100	1.507
64	0.2133	1.507	65	0.2166	1.497	66	0.2200	1.497
67	0.2233	1.494	68	0.2266	1.494	69	0.2300	1.491
70	0.2333	1.481	71	0.2366	1.481	72	0.2400	1.475
73	0.2433	1.485	74	0.2466	1.469	75	0.2500	1.466
76	0.2533	1.469	77	0.2566	1.459	78	0.2600	1.459
79	0.2633	1.450	80	0.2666	1.453	81	0.2700	1.453
82	0.2733	1.450	83	0.2766	1.450	84	0.2800	1.440
85	0.2833	1.440	86	0.2866	1.440	87	0.2900	1.431
88	0.2933	1.431	89	0.2966	1.434	90	0.3000	1.424
91	0.3033	1.424	92	0.3066	1.424	93	0.3100	1.418
94	0.3133	1.415	95	0.3166	1.412	96	0.3200	1.412
97	0.3233	1.409	98	0.3266	1.402	99	0.3300	1.399
100	0.3333	1.399	101	0.3500	1.390	102	0.3666	1.374
103	0.3833	1.364	104	0.4000	1.345	105	0.4166	1.345
106	0.4333	1.336	107	0.4500	1.327	108	0.4666	1.317
109	0.4833	1.308	110	0.5000	1.301	111	0.5166	1.292
112	0.5333	1.285	113	0.5500	1.276	114	0.5666	1.263
115	0.5833	1.263	116	0.6000	1.257	117	0.6166	1.251
118	0.6333	1.244	119	0.6500	1.238	120	0.6666	1.235
121	0.6833	1.225	122	0.7000	1.222	123	0.7166	1.216
124	0.7333	1.210	125	0.7500	1.206	126	0.7666	1.200
127	0.7833	1.197	128	0.8000	1.191	129	0.8166	1.188
130	0.8333	1.181	131	0.8500	1.178	132	0.8666	1.172
133	0.8833	1.169	134	0.9000	1.165	135	0.9166	1.159
136	0.9333	1.156	137	0.9500	1.150	138	0.9666	1.146
139	0.9833	1.140	140	1.0000	1.137	141	1.2000	1.077
142	1.4000	1.033	143	1.6000	0.988	144	1.8000	0.935
145	2.0000	0.868	146	2.2000	0.808	147	2.4000	0.752
148	2.6000	0.698	149	2.8000	0.650	150	3.0000	0.606
151	3.2000	0.568	152	3.4000	0.530	153	3.6000	0.496
154	3.8000	0.464	155	4.0000	0.436	156	4.2000	0.407
157	4.4000	0.385	158	4.6000	0.363	159	4.8000	0.341
160	5.0000	0.322	161	5.2000	0.303	162	5.4000	0.287

163	5.6000	0.271	164	5.8000	0.259	165	6.0000	0.246
166	6.2000	0.236	167	6.4000	0.227	168	6.6000	0.218
169	6.8000	0.208	170	7.0000	0.202	171	7.2000	0.195
172	7.4000	0.186	173	7.6000	0.180	174	7.8000	0.170
175	8.0000	0.167	176	8.2000	0.161	177	8.4000	0.154
178	8.6000	0.148	179	8.8000	0.145	180	9.0000	0.142
181	9.2000	0.139	182	9.4000	0.132	183	9.6000	0.129
184	9.8000	0.126	185	10.0000	0.123	186	12.0000	0.107
187	14.0000	0.097	188	16.0000	0.091	189	0.0000	1.000

Fort Devens - Groups 3&6
G6M-93-13X TEST 2
Russell Johnson

Results

Hydraulic Conductivity: 1.09E+00 ft/day
3.83E-04 cm/sec
Y-Intercept (Yo): 2.02E+00 ft
Well Screen Ratio (Le/rw): 17.1
Dimensionless Parameter A: 2.09
Dimensionless Parameter B: 0.32
Slope of Line [ln(Yo/Yt)/t]: 1.858E-01 1/min
Well Parameters (Rc^2 / 2*Le): 2.035E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 1.994

Well/Aquifer Parameters

Depth of well: 20.70 ft
Length of well screen: 7.10 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0033	2.385	2	0.0066	2.395	3	0.0100	2.360
4	0.0133	2.363	5	0.0166	2.363	6	0.0200	2.341
7	0.0233	2.334	8	0.0266	2.331	9	0.0300	2.316
10	0.0333	2.306	11	0.0366	2.322	12	0.0400	2.290
13	0.0433	2.290	14	0.0466	2.281	15	0.0500	2.274
16	0.0533	2.271	17	0.0566	2.262	18	0.0600	2.259
19	0.0633	2.249	20	0.0666	2.243	21	0.0700	2.240
22	0.0733	2.233	23	0.0766	2.227	24	0.0800	2.221

25	0.0833	2.214	26	0.0866	2.208	27	0.0900	2.202
28	0.0933	2.199	29	0.0966	2.192	30	0.1000	2.186
31	0.1033	2.180	32	0.1066	2.176	33	0.1100	2.170
34	0.1133	2.167	35	0.1166	2.161	36	0.1200	2.154
37	0.1233	2.151	38	0.1266	2.145	39	0.1300	2.142
40	0.1333	2.135	41	0.1366	2.132	42	0.1400	2.126
43	0.1433	2.123	44	0.1466	2.116	45	0.1500	2.113
46	0.1533	2.110	47	0.1566	2.104	48	0.1600	2.101
49	0.1633	2.097	50	0.1666	2.091	51	0.1700	2.088
52	0.1733	2.085	53	0.1766	2.082	54	0.1800	2.075
55	0.1833	2.072	56	0.1866	2.069	57	0.1900	2.063
58	0.1933	2.063	59	0.1966	2.056	60	0.2000	2.053
61	0.2033	2.050	62	0.2066	2.047	63	0.2100	2.041
64	0.2133	2.041	65	0.2166	2.037	66	0.2200	2.031
67	0.2233	2.028	68	0.2266	2.025	69	0.2300	2.022
70	0.2333	2.019	71	0.2366	2.015	72	0.2400	2.012
73	0.2433	2.009	74	0.2466	2.006	75	0.2500	2.003
76	0.2533	2.000	77	0.2566	1.996	78	0.2600	1.993
79	0.2633	1.990	80	0.2666	1.987	81	0.2700	1.987
82	0.2733	1.981	83	0.2766	1.981	84	0.2800	1.974
85	0.2833	1.974	86	0.2866	1.971	87	0.2900	1.968
88	0.2933	1.965	89	0.2966	1.962	90	0.3000	1.958
91	0.3033	1.955	92	0.3066	1.955	93	0.3100	1.952
94	0.3133	1.949	95	0.3166	1.946	96	0.3200	1.943
97	0.3233	1.943	98	0.3266	1.940	99	0.3300	1.936
100	0.3333	1.933	101	0.3500	1.921	102	0.3666	1.911
103	0.3833	1.898	104	0.4000	1.889	105	0.4166	1.876
106	0.4333	1.870	107	0.4500	1.861	108	0.4666	1.851
109	0.4833	1.845	110	0.5000	1.835	111	0.5166	1.826
112	0.5333	1.819	113	0.5500	1.813	114	0.5666	1.807
115	0.5833	1.797	116	0.6000	1.791	117	0.6166	1.785
118	0.6333	1.778	119	0.6500	1.772	120	0.6666	1.769
121	0.6833	1.763	122	0.7000	1.756	123	0.7166	1.753
124	0.7333	1.747	125	0.7500	1.744	126	0.7666	1.737
127	0.7833	1.731	128	0.8000	1.728	129	0.8166	1.722
130	0.8333	1.718	131	0.8500	1.715	132	0.8666	1.709
133	0.8833	1.706	134	0.9000	1.699	135	0.9166	1.696
136	0.9333	1.693	137	0.9500	1.690	138	0.9666	1.684
139	0.9833	1.680	140	1.0000	1.674	141	1.2000	1.617
142	1.4000	1.573	143	1.6000	1.532	144	1.8000	1.475
145	2.0000	1.409	146	2.2000	1.349	147	2.4000	1.292
148	2.6000	1.238	149	2.8000	1.191	150	3.0000	1.146
151	3.2000	1.105	152	3.4000	1.067	153	3.6000	1.033
154	3.8000	1.001	155	4.0000	0.973	156	4.2000	0.944
157	4.4000	0.919	158	4.6000	0.897	159	4.8000	0.875
160	5.0000	0.856	161	5.2000	0.837	162	5.4000	0.821

163	5.6000	0.805	164	5.8000	0.789	165	6.0000	0.780
166	6.2000	0.767	167	6.4000	0.758	168	6.6000	0.748
169	6.8000	0.739	170	7.0000	0.733	171	7.2000	0.726
172	7.4000	0.717	173	7.6000	0.707	174	7.8000	0.701
175	8.0000	0.695	176	8.2000	0.688	177	8.4000	0.682
178	8.6000	0.679	179	8.8000	0.672	180	9.0000	0.669
181	9.2000	0.666	182	9.4000	0.663	183	9.6000	0.660
184	9.8000	0.657	185	10.0000	0.654	186	12.0000	0.631
187	14.0000	0.622	188	16.0000	0.616	189	18.0000	0.616
190	20.0000	0.612						

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEL 8

SETUP TEST ID ϕ13ϕ1	DATE	BY WHOM
MONITORING WELL ID	~~6~~ G~~8~~M-93-13X	R. JOHNSON + D. PIERCE
DATE OF TEST	7-1-93	
TYPE OF TEST	RISING HEAD #1	
HERMIT TYPE/SERIAL#	SE1000C/~~ϕ~~1KC01732	
TEST #	SEL 8 / (1 OF 2)	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	PTX-161/2045DE	
PSIG	10	
SCALE FACTOR	9.987	
OFFSET	-0.036	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	13.56	
WELL DEPTH (FT./TOC)	20.7	
XD DEPTH (FT. ~~TOC~~) BELOW ∇	6.82	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	13.45	
TIME OF SLUG PLACEMENT	849	
TIME OF WL EQUILIBRATION	901	
NEW XD REFERENCE	0.04	6.86 - 6.82
START TIME OF TEST	902	
END TIME OF TEST	919	
NOTES: RESIDUAL HEAD		

0.09

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEL 9

SETUP TEST ID φ13φZ	DATE	BY WHOM
MONITORING WELL ID	6 ~~8~~ RAL 6~~8~~M-93-13X	R. JOHNSON + D. PIERCE
DATE OF TEST	7-1-93	
TYPE OF TEST	RISING HEAD #2	
HERMIT TYPE/SERIAL#	SE1000C/1KC01732	
TEST #	SEL 9 (2 OF 2)	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	PTX-161/2045DE	
PSIG	10	
SCALE FACTOR	9.987	
OFFSET	-0.036	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	13.56	
WELL DEPTH (FT./TOC)	20.7	
XD DEPTH (FT. ~~TOC~~) BELOW ▽	6.82	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	13.49	
TIME OF SLUG PLACEMENT	9:20	
TIME OF WL EQUILIBRATION	9:34	
NEW XD REFERENCE	0.01	6.83-6.82
START TIME OF TEST	~~9:56~~ RAL 9:35	
END TIME OF TEST	9:56	
NOTES: 0.61 residual		

head for 10 mins.
will check transducer
and maybe try second
one at next well.

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

G~~3~~6M-93-14X PERMEABILITY TESTS



HVORSLEV INTERACTIVE SLUG TEST ANALYSIS 07-08-1993

Fort Devens - Groups 3&6
G6M-93-14X Test 1
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 3.07E+00 ft/day
1.08E-03 cm/sec
Basic Time Lag: 2.41 m
2.3 Times Basic Time Lag: 5.54 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 2.82E+00 ft/day
9.94E-04 cm/sec
Time Coordinate T1: 1.2 m
Time Coordinate T2: 10.7 m
Head Ratio Coordinate H1: 58.92E-02
Head Ratio Coordinate H2: 15.73E-03

Well/Aquifer Parameters

Length of well screen: 8.50 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	1.000	2	0.0066	0.996	3	0.0100	0.996
4	0.0133	0.990	5	0.0166	0.988	6	0.0200	0.984
7	0.0233	0.981	8	0.0266	0.977	9	0.0300	0.981
10	0.0333	0.976	11	0.0366	0.972	12	0.0400	0.969
13	0.0433	0.969	14	0.0466	0.965	15	0.0500	0.960

16	0.0533	0.959	17	0.0566	0.959	18	0.0600	0.953
19	0.0633	0.957	20	0.0666	0.953	21	0.0700	0.949
22	0.0733	0.950	23	0.0766	0.945	24	0.0800	0.945
25	0.0833	0.942	26	0.0866	0.940	27	0.0900	0.938
28	0.0933	0.937	29	0.0966	0.937	30	0.1000	0.933
31	0.1033	0.931	32	0.1066	0.930	33	0.1100	0.928
34	0.1133	0.928	35	0.1166	0.926	36	0.1200	0.921
37	0.1233	0.923	38	0.1266	0.919	39	0.1300	0.916
40	0.1333	0.916	41	0.1366	0.911	42	0.1400	0.912
43	0.1433	0.912	44	0.1466	0.907	45	0.1500	0.900
46	0.1533	0.904	47	0.1566	0.904	48	0.1600	0.902
49	0.1633	0.900	50	0.1666	0.893	51	0.1700	0.897
52	0.1733	0.897	53	0.1766	0.896	54	0.1800	0.893
55	0.1833	0.892	56	0.1866	0.890	57	0.1900	0.890
58	0.1933	0.888	59	0.1966	0.880	60	0.2000	0.883
61	0.2033	0.883	62	0.2066	0.881	63	0.2100	0.880
64	0.2133	0.880	65	0.2166	0.885	66	0.2200	0.877
67	0.2233	0.875	68	0.2266	0.873	69	0.2300	0.871
70	0.2333	0.873	71	0.2366	0.871	72	0.2400	0.870
73	0.2433	0.868	74	0.2466	0.866	75	0.2500	0.868
76	0.2533	0.863	77	0.2566	0.859	78	0.2600	0.861
79	0.2633	0.856	80	0.2666	0.859	81	0.2700	0.858
82	0.2733	0.858	83	0.2766	0.854	84	0.2800	0.853
85	0.2833	0.851	86	0.2866	0.849	87	0.2900	0.849
88	0.2933	0.847	89	0.2966	0.846	90	0.3000	0.846
91	0.3033	0.844	92	0.3066	0.844	93	0.3100	0.846
94	0.3133	0.840	95	0.3166	0.840	96	0.3200	0.837
97	0.3233	0.837	98	0.3266	0.835	99	0.3300	0.834
100	0.3333	0.832	101	0.3500	0.825	102	0.3666	0.820
103	0.3833	0.815	104	0.4000	0.808	105	0.4166	0.803
106	0.4333	0.800	107	0.4500	0.789	108	0.4666	0.784
109	0.4833	0.779	110	0.5000	0.772	111	0.5166	0.769
112	0.5333	0.763	113	0.5500	0.759	114	0.5666	0.753
115	0.5833	0.748	116	0.6000	0.743	117	0.6166	0.740
118	0.6333	0.733	119	0.6500	0.729	120	0.6666	0.724
121	0.6833	0.721	122	0.7000	0.716	123	0.7166	0.712
124	0.7333	0.707	125	0.7500	0.703	126	0.7666	0.698
127	0.7833	0.693	128	0.8000	0.688	129	0.8166	0.685
130	0.8333	0.679	131	0.8500	0.676	132	0.8666	0.671
133	0.8833	0.666	134	0.9000	0.662	135	0.9166	0.657
136	0.9333	0.654	137	0.9500	0.649	138	0.9666	0.645
139	0.9833	0.640	140	1.0000	0.637	141	1.2000	0.584
142	1.4000	0.543	143	1.6000	0.500	144	1.8000	0.460
145	2.0000	0.426	146	2.2000	0.394	147	2.4000	0.364
148	2.6000	0.335	149	2.8000	0.310	150	3.0000	0.287
151	3.2000	0.265	152	3.4000	0.246	153	3.6000	0.229

154	3.8000	0.211	155	4.0000	0.195	156	4.2000	0.181
157	4.4000	0.167	158	4.6000	0.157	159	4.8000	0.145
160	5.0000	0.135	161	5.2000	0.125	162	5.4000	0.116
163	5.6000	0.109	164	5.8000	0.102	165	6.0000	0.096
166	6.2000	0.089	167	6.4000	0.083	168	6.6000	0.079
169	6.8000	0.073	170	7.0000	0.068	171	7.2000	0.065
172	7.4000	0.061	173	7.6000	0.058	174	7.8000	0.055
175	8.0000	0.051	176	8.2000	0.048	177	8.4000	0.046
178	8.6000	0.041	179	8.8000	0.041	180	9.0000	0.039
181	9.2000	0.036	182	9.4000	0.036	183	9.6000	0.034
184	9.8000	0.032	185	10.0000	0.030	186	12.0000	0.020
187	14.0000	0.014	188	16.0000	0.014	189	0.0000	1.000



154	3.8000	0.211	155	4.0000	0.195	156	4.2000	0.181
157	4.4000	0.167	158	4.6000	0.157	159	4.8000	0.145
160	5.0000	0.135	161	5.2000	0.125	162	5.4000	0.116
163	5.6000	0.109	164	5.8000	0.102	165	6.0000	0.096
166	6.2000	0.089	167	6.4000	0.083	168	6.6000	0.079
169	6.8000	0.073	170	7.0000	0.068	171	7.2000	0.065
172	7.4000	0.061	173	7.6000	0.058	174	7.8000	0.055
175	8.0000	0.051	176	8.2000	0.048	177	8.4000	0.046
178	8.6000	0.041	179	8.8000	0.041	180	9.0000	0.039
181	9.2000	0.036	182	9.4000	0.036	183	9.6000	0.034
184	9.8000	0.032	185	10.0000	0.030	186	12.0000	0.020
187	14.0000	0.014	188	16.0000	0.014	189	0.0000	1.000

Fort Devens - Groups 3&6
G6M-93-14X TEST 3
Russell Johnson

Results

Basic Time Lag-
Hydraulic Conductivity (Kh): 3.35E+00 ft/day
1.18E-03 cm/sec
Basic Time Lag: 2.21 m
2.3 Times Basic Time Lag: 5.08 m
(Equalization Ratio ≈ 0.90)

Variable Head-
Hydraulic Conductivity (Kh): 3.20E+00 ft/day
1.13E-03 cm/sec
Time Coordinate T1: 1.0 m
Time Coordinate T2: 9.0 m
Head Ratio Coordinate H1: 62.44E-02
Head Ratio Coordinate H2: 19.50E-03

Well/Aquifer Parameters

Length of well screen: 8.50 ft
Diameter of the well casing: 0.340 ft
Diameter of the well bore: 0.830 ft
Kh/Kv ratio: 1.0

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	1.000	2	0.0066	0.995	3	0.0100	0.993
4	0.0133	0.988	5	0.0166	0.986	6	0.0200	0.982
7	0.0233	0.986	8	0.0266	0.981	9	0.0300	0.978
10	0.0333	0.970	11	0.0366	0.972	12	0.0400	0.972
13	0.0433	0.972	14	0.0466	0.962	15	0.0500	0.969

16	0.0533	0.960	17	0.0566	0.960	18	0.0600	0.963
19	0.0633	0.957	20	0.0666	0.962	21	0.0700	0.960
22	0.0733	0.953	23	0.0766	0.950	24	0.0800	0.942
25	0.0833	0.950	26	0.0866	0.946	27	0.0900	0.942
28	0.0933	0.953	29	0.0966	0.948	30	0.1000	0.939
31	0.1033	0.927	32	0.1066	0.909	33	0.1100	0.918
34	0.1133	0.920	35	0.1166	0.917	36	0.1200	0.915
37	0.1233	0.911	38	0.1266	0.909	39	0.1300	0.911
40	0.1333	0.899	41	0.1366	0.908	42	0.1400	0.882
43	0.1433	0.906	44	0.1466	0.887	45	0.1500	0.899
46	0.1533	0.896	47	0.1566	0.894	48	0.1600	0.885
49	0.1633	0.894	50	0.1666	0.891	51	0.1700	0.873
52	0.1733	0.891	53	0.1766	0.885	54	0.1800	0.885
55	0.1833	0.884	56	0.1866	0.889	57	0.1900	0.878
58	0.1933	0.875	59	0.1966	0.873	60	0.2000	0.873
61	0.2033	0.875	62	0.2066	0.866	63	0.2100	0.872
64	0.2133	0.870	65	0.2166	0.865	66	0.2200	0.868
67	0.2233	0.861	68	0.2266	0.865	69	0.2300	0.863
70	0.2333	0.861	71	0.2366	0.860	72	0.2400	0.858
73	0.2433	0.849	74	0.2466	0.856	75	0.2500	0.854
76	0.2533	0.854	77	0.2566	0.851	78	0.2600	0.845
79	0.2633	0.845	80	0.2666	0.844	81	0.2700	0.842
82	0.2733	0.842	83	0.2766	0.840	84	0.2800	0.845
85	0.2833	0.839	86	0.2866	0.837	87	0.2900	0.835
88	0.2933	0.839	89	0.2966	0.835	90	0.3000	0.832
91	0.3033	0.832	92	0.3066	0.830	93	0.3100	0.830
94	0.3133	0.821	95	0.3166	0.825	96	0.3200	0.827
97	0.3233	0.823	98	0.3266	0.823	99	0.3300	0.821
100	0.3333	0.821	101	0.3500	0.812	102	0.3666	0.807
103	0.3833	0.800	104	0.4000	0.795	105	0.4166	0.790
106	0.4333	0.783	107	0.4500	0.778	108	0.4666	0.771
109	0.4833	0.766	110	0.5000	0.761	111	0.5166	0.757
112	0.5333	0.750	113	0.5500	0.745	114	0.5666	0.742
115	0.5833	0.736	116	0.6000	0.731	117	0.6166	0.726
118	0.6333	0.726	119	0.6500	0.715	120	0.6666	0.710
121	0.6833	0.705	122	0.7000	0.700	123	0.7166	0.697
124	0.7333	0.691	125	0.7500	0.686	126	0.7666	0.681
127	0.7833	0.676	128	0.8000	0.672	129	0.8166	0.667
130	0.8333	0.662	131	0.8500	0.657	132	0.8666	0.653
133	0.8833	0.648	134	0.9000	0.643	135	0.9166	0.639
136	0.9333	0.634	137	0.9500	0.632	138	0.9666	0.627
139	0.9833	0.624	140	1.0000	0.618	141	1.2000	0.570
142	1.4000	0.525	143	1.6000	0.483	144	1.8000	0.442
145	2.0000	0.407	146	2.2000	0.374	147	2.4000	0.344
148	2.6000	0.317	149	2.8000	0.291	150	3.0000	0.268
151	3.2000	0.246	152	3.4000	0.227	153	3.6000	0.210

154	3.8000	0.192	155	4.0000	0.177	156	4.2000	0.163
157	4.4000	0.149	158	4.6000	0.137	159	4.8000	0.126
160	5.0000	0.117	161	5.2000	0.107	162	5.4000	0.099
163	5.6000	0.090	164	5.8000	0.084	165	6.0000	0.076
166	6.2000	0.071	167	6.4000	0.064	168	6.6000	0.057
169	6.8000	0.053	170	7.0000	0.050	171	7.2000	0.045
172	7.4000	0.041	173	7.6000	0.036	174	7.8000	0.033
175	8.0000	0.031	176	8.2000	0.027	177	8.4000	0.026
178	8.6000	0.024	179	8.8000	0.020	180	9.0000	0.019
181	9.2000	0.017	182	9.4000	0.015	183	9.6000	0.014
184	9.8000	0.012	185	10.0000	0.010	186	12.0000	0.263

Fort Devens - Groups 3&6
G6M-93-14X TEST 1
Russell Johnson

Results

Hydraulic Conductivity: 2.04E+00 ft/day
7.19E-04 cm/sec
Y-Intercept (Yo): 1.77E+00 ft
Well Screen Ratio (Le/rw): 20.5
Dimensionless Parameter A: 2.22
Dimensionless Parameter B: 0.34
Slope of Line [ln(Yo/Yt)/t]: 3.946E-01 1/min
Well Parameters (Rc^2 / 2*Le): 1.700E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 2.109

Well/Aquifer Parameters

Depth of well: 21.20 ft
Length of well screen: 8.50 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0033	1.847	2	0.0066	1.840	3	0.0100	1.840
4	0.0133	1.828	5	0.0166	1.824	6	0.0200	1.818
7	0.0233	1.812	8	0.0266	1.805	9	0.0300	1.812
10	0.0333	1.802	11	0.0366	1.796	12	0.0400	1.790
13	0.0433	1.790	14	0.0466	1.783	15	0.0500	1.774
16	0.0533	1.771	17	0.0566	1.771	18	0.0600	1.761
19	0.0633	1.768	20	0.0666	1.761	21	0.0700	1.752
22	0.0733	1.755	23	0.0766	1.745	24	0.0800	1.745

25	0.0833	1.739	26	0.0866	1.736	27	0.0900	1.733
28	0.0933	1.730	29	0.0966	1.730	30	0.1000	1.723
31	0.1033	1.720	32	0.1066	1.717	33	0.1100	1.714
34	0.1133	1.714	35	0.1166	1.711	36	0.1200	1.701
37	0.1233	1.704	38	0.1266	1.698	39	0.1300	1.692
40	0.1333	1.692	41	0.1366	1.682	42	0.1400	1.685
43	0.1433	1.685	44	0.1466	1.676	45	0.1500	1.663
46	0.1533	1.669	47	0.1566	1.669	48	0.1600	1.666
49	0.1633	1.663	50	0.1666	1.650	51	0.1700	1.657
52	0.1733	1.657	53	0.1766	1.654	54	0.1800	1.650
55	0.1833	1.647	56	0.1866	1.644	57	0.1900	1.644
58	0.1933	1.641	59	0.1966	1.625	60	0.2000	1.631
61	0.2033	1.631	62	0.2066	1.628	63	0.2100	1.625
64	0.2133	1.625	65	0.2166	1.635	66	0.2200	1.619
67	0.2233	1.616	68	0.2266	1.613	69	0.2300	1.609
70	0.2333	1.613	71	0.2366	1.609	72	0.2400	1.606
73	0.2433	1.603	74	0.2466	1.600	75	0.2500	1.603
76	0.2533	1.594	77	0.2566	1.587	78	0.2600	1.590
79	0.2633	1.581	80	0.2666	1.587	81	0.2700	1.584
82	0.2733	1.584	83	0.2766	1.578	84	0.2800	1.575
85	0.2833	1.571	86	0.2866	1.568	87	0.2900	1.568
88	0.2933	1.565	89	0.2966	1.562	90	0.3000	1.562
91	0.3033	1.559	92	0.3066	1.559	93	0.3100	1.562
94	0.3133	1.552	95	0.3166	1.552	96	0.3200	1.546
97	0.3233	1.546	98	0.3266	1.543	99	0.3300	1.540
100	0.3333	1.537	101	0.3500	1.524	102	0.3666	1.514
103	0.3833	1.505	104	0.4000	1.492	105	0.4166	1.483
106	0.4333	1.477	107	0.4500	1.458	108	0.4666	1.448
109	0.4833	1.439	110	0.5000	1.426	111	0.5166	1.420
112	0.5333	1.410	113	0.5500	1.401	114	0.5666	1.391
115	0.5833	1.382	116	0.6000	1.372	117	0.6166	1.366
118	0.6333	1.353	119	0.6500	1.347	120	0.6666	1.337
121	0.6833	1.331	122	0.7000	1.322	123	0.7166	1.315
124	0.7333	1.306	125	0.7500	1.299	126	0.7666	1.290
127	0.7833	1.280	128	0.8000	1.271	129	0.8166	1.265
130	0.8333	1.255	131	0.8500	1.249	132	0.8666	1.239
133	0.8833	1.230	134	0.9000	1.223	135	0.9166	1.214
136	0.9333	1.208	137	0.9500	1.198	138	0.9666	1.192
139	0.9833	1.182	140	1.0000	1.176	141	1.2000	1.078
142	1.4000	1.002	143	1.6000	0.923	144	1.8000	0.850
145	2.0000	0.787	146	2.2000	0.727	147	2.4000	0.673
148	2.6000	0.619	149	2.8000	0.572	150	3.0000	0.531
151	3.2000	0.490	152	3.4000	0.455	153	3.6000	0.423
154	3.8000	0.389	155	4.0000	0.360	156	4.2000	0.335
157	4.4000	0.309	158	4.6000	0.290	159	4.8000	0.268
160	5.0000	0.249	161	5.2000	0.230	162	5.4000	0.215

163	5.6000	0.202	164	5.8000	0.189	165	6.0000	0.177
166	6.2000	0.164	167	6.4000	0.154	168	6.6000	0.145
169	6.8000	0.135	170	7.0000	0.126	171	7.2000	0.120
172	7.4000	0.113	173	7.6000	0.107	174	7.8000	0.101
175	8.0000	0.094	176	8.2000	0.088	177	8.4000	0.085
178	8.6000	0.075	179	8.8000	0.075	180	9.0000	0.072
181	9.2000	0.066	182	9.4000	0.066	183	9.6000	0.063
184	9.8000	0.060	185	10.0000	0.056	186	12.0000	0.037
187	14.0000	0.025	188	16.0000	0.025	189	18.0000	0.616

Fort Devens - Groups 3&6
G6M-93-14X TEST 3
Russell Johnson

Results

Hydraulic Conductivity: 2.24E+00 ft/day
7.89E-04 cm/sec
Y-Intercept (Yo): 1.76E+00 ft
Well Screen Ratio (Le/rw): 20.5
Dimensionless Parameter A: 2.22
Dimensionless Parameter B: 0.34
Slope of Line [ln(Yo/Yt)/t]: 4.333E-01 1/min
Well Parameters (Rc^2 / 2*Le): 1.700E-03 ft
Dimensionless Ratio [ln(Re/rw)]: 2.109

Well/Aquifer Parameters

Depth of well: 21.20 ft
Length of well screen: 8.50 ft
Saturated thickness: 100.00 ft
Diameter of the well casing: 0.340 ft
Diameter of the well filter: 0.830 ft

Time vs Drawdown Data

No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)	No.	Time (min)	Drawdown (ft)
1	0.0033	1.823	2	0.0066	1.813	3	0.0100	1.810
4	0.0133	1.801	5	0.0166	1.797	6	0.0200	1.791
7	0.0233	1.797	8	0.0266	1.788	9	0.0300	1.782
10	0.0333	1.769	11	0.0366	1.772	12	0.0400	1.772
13	0.0433	1.772	14	0.0466	1.753	15	0.0500	1.766
16	0.0533	1.750	17	0.0566	1.750	18	0.0600	1.756
19	0.0633	1.744	20	0.0666	1.753	21	0.0700	1.750
22	0.0733	1.737	23	0.0766	1.731	24	0.0800	1.718

25	0.0833	1.731	26	0.0866	1.725	27	0.0900	1.718
28	0.0933	1.737	29	0.0966	1.728	30	0.1000	1.712
31	0.1033	1.690	32	0.1066	1.658	33	0.1100	1.674
34	0.1133	1.677	35	0.1166	1.671	36	0.1200	1.668
37	0.1233	1.661	38	0.1266	1.658	39	0.1300	1.661
40	0.1333	1.639	41	0.1366	1.655	42	0.1400	1.608
43	0.1433	1.652	44	0.1466	1.617	45	0.1500	1.639
46	0.1533	1.633	47	0.1566	1.630	48	0.1600	1.614
49	0.1633	1.630	50	0.1666	1.624	51	0.1700	1.592
52	0.1733	1.624	53	0.1766	1.614	54	0.1800	1.614
55	0.1833	1.611	56	0.1866	1.620	57	0.1900	1.601
58	0.1933	1.595	59	0.1966	1.592	60	0.2000	1.592
61	0.2033	1.595	62	0.2066	1.579	63	0.2100	1.589
64	0.2133	1.586	65	0.2166	1.576	66	0.2200	1.583
67	0.2233	1.570	68	0.2266	1.576	69	0.2300	1.573
70	0.2333	1.570	71	0.2366	1.567	72	0.2400	1.564
73	0.2433	1.548	74	0.2466	1.560	75	0.2500	1.557
76	0.2533	1.557	77	0.2566	1.551	78	0.2600	1.541
79	0.2633	1.541	80	0.2666	1.538	81	0.2700	1.535
82	0.2733	1.535	83	0.2766	1.532	84	0.2800	1.541
85	0.2833	1.529	86	0.2866	1.526	87	0.2900	1.522
88	0.2933	1.529	89	0.2966	1.522	90	0.3000	1.516
91	0.3033	1.516	92	0.3066	1.513	93	0.3100	1.513
94	0.3133	1.497	95	0.3166	1.504	96	0.3200	1.507
97	0.3233	1.500	98	0.3266	1.500	99	0.3300	1.497
100	0.3333	1.497	101	0.3500	1.481	102	0.3666	1.472
103	0.3833	1.459	104	0.4000	1.450	105	0.4166	1.440
106	0.4333	1.428	107	0.4500	1.418	108	0.4666	1.406
109	0.4833	1.396	110	0.5000	1.387	111	0.5166	1.380
112	0.5333	1.368	113	0.5500	1.358	114	0.5666	1.352
115	0.5833	1.342	116	0.6000	1.333	117	0.6166	1.323
118	0.6333	1.323	119	0.6500	1.304	120	0.6666	1.295
121	0.6833	1.286	122	0.7000	1.276	123	0.7166	1.270
124	0.7333	1.260	125	0.7500	1.251	126	0.7666	1.241
127	0.7833	1.232	128	0.8000	1.225	129	0.8166	1.216
130	0.8333	1.206	131	0.8500	1.197	132	0.8666	1.191
133	0.8833	1.181	134	0.9000	1.172	135	0.9166	1.165
136	0.9333	1.156	137	0.9500	1.153	138	0.9666	1.143
139	0.9833	1.137	140	1.0000	1.127	141	1.2000	1.039
142	1.4000	0.957	143	1.6000	0.881	144	1.8000	0.805
145	2.0000	0.742	146	2.2000	0.682	147	2.4000	0.628
148	2.6000	0.578	149	2.8000	0.530	150	3.0000	0.489
151	3.2000	0.448	152	3.4000	0.413	153	3.6000	0.382
154	3.8000	0.350	155	4.0000	0.322	156	4.2000	0.297
157	4.4000	0.271	158	4.6000	0.249	159	4.8000	0.230
160	5.0000	0.214	161	5.2000	0.195	162	5.4000	0.180

163	5.6000	0.164	164	5.8000	0.154	165	6.0000	0.139
166	6.2000	0.129	167	6.4000	0.116	168	6.6000	0.104
169	6.8000	0.097	170	7.0000	0.091	171	7.2000	0.082
172	7.4000	0.075	173	7.6000	0.066	174	7.8000	0.060
175	8.0000	0.056	176	8.2000	0.050	177	8.4000	0.047
178	8.6000	0.044	179	8.8000	0.037	180	9.0000	0.034
181	9.2000	0.031	182	9.4000	0.028	183	9.6000	0.025
184	9.8000	0.022	185	10.0000	0.018	186	12.0000	0.037

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEL 10

SETUP TEST ID Φ14Φ1	DATE	BY WHOM
MONITORING WELL ID	66M-93-14X	R. JOHNSON + D. PIERCE
DATE OF TEST	7-1-93	
TYPE OF TEST	RISING HEAD #1	
HERMIT TYPE/SERIAL#	SE1000C/1KC01732	
TEST #	SEL 10 (1 OF 2)	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	PTX-161/20460E	
PSIG	10	
SCALE FACTOR	10.063	
OFFSET	-0.034	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	12.68	
WELL DEPTH (FT./TOC)	21.2	
XD DEPTH (FT. ~~TOC~~) BELOW ∇	8.33	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	12.7	
TIME OF SLUG PLACEMENT	10 15	
TIME OF WL EQUILIBRATION	10 31	
NEW XD REFERENCE	-0.05	8.28 - 8.33
START TIME OF TEST	10 32	
END TIME OF TEST	10 48	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEL 11

SETUP TEST ID Ø1492	DATE	BY WHOM
MONITORING WELL ID	G6M-93-14X	R. JOHNSON + D. PIERCE
DATE OF TEST	7-1-93	
TYPE OF TEST	RISING HEAD #2	
HERMIT TYPE/SERIAL#	SE1000C/1KCØ1232	
TEST #	SEL 11 (2OF2)	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	PTX-161/20456 DE	
PSIG	10	
SCALE FACTOR	10.003	
OFFSET	-0.034	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	12.68	
WELL DEPTH (FT./TOC)	21.2	
XD DEPTH (FT. ~~TOC~~) BELOW ∇	8.26	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	12.56	
TIME OF SLUG PLACEMENT	10 50	
TIME OF WL EQUILIBRATION	11 06	
NEW XD REFERENCE	0.00	8.26 - 8.26
START TIME OF TEST	11 07	
END TIME OF TEST	11 28	
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. SEL 14

SETUP TEST ID ϕ14ϕ3	DATE	BY WHOM
MONITORING WELL ID	GGM-93-14X	
DATE OF TEST	7-1-93	
TYPE OF TEST	RISING HEAD #3	
HERMIT TYPE/SERIAL#	SE-1000C/1KC01732	
TEST #	SEL 14 (3rd)	
DATA COLLECTION RATE	LOG 1	
TRANSDUCER		
SERIAL #	PTX-161/20450E	
PSIG	10	
SCALE FACTOR	9.987	
OFFSET	-0.036	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	12.65	
WELL DEPTH (FT./TOC)	21.2	
XD DEPTH (FT.~~TOC~~) BELOW ∇	7.38	
INITIAL XD REFERENCE	0.00	
SLUG DEPTH (FT./TOC)	12.85	
TIME OF SLUG PLACEMENT	15 38	
TIME OF WL EQUILIBRATION	15 51	
NEW XD REFERENCE	0.06	(7.44-7.38)
START TIME OF TEST	1551	
END TIME OF TEST	16 04	

NOTES: REPEAT TEST FOR COMPARISON W/ PREVIOUS TWO TESTS

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

G6M-94-15A PERMEABILITY TESTS




G6M-94-15A PERMEABILITY TEST #1
K = 0.0001325 cm/sec
y0 = 22.02 cm
Displacement (cm)
100.
10.
1.
0.1
0.
264.
528.
792.
1056.
1320.
Time (sec)

G6M-94-15A PERMEABILITY TEST #2



G6M–94–15A PERMEABILITY TESTING

WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 4.8 FT, BORING DIAMETER = 0.833

TEST #1 FALLING HEAD MINUTES	FEET	TEST #2 RISING HEAD MINUTES	FEET
0	0.006	0	1.121
0.0083	0.006	0.0083	1.544
0.0166	0.006	0.0166	0.06
0.025	0	0.025	1.696
0.0333	0	0.0333	1.665
0.0416	0.006	0.0416	1.589
0.05	0.006	0.05	1.563
0.0583	0.012	0.0583	1.513
0.0666	0	0.0666	1.5
0.075	0	0.075	1.431
0.0833	0	0.0833	1.399
0.0916	0.006	0.0916	1.368
0.1	0.006	0.1	1.349
0.1083	0	0.1083	1.304
0.1166	0	0.1166	1.273
0.125	0.006	0.125	1.247
0.1333	0.006	0.1333	1.222
0.1416	0.006	0.1416	1.197
0.15	0.012	0.15	1.172
0.1583	0.638	0.1583	1.159
0.1666	0.315	0.1666	1.134
0.175	1.099	0.175	1.121
0.1833	0.903	0.1833	1.102
0.1916	1.187	0.1916	1.083
0.2	1.162	0.2	1.071
0.2083	1.124	0.2083	1.058
0.2166	1.251	0.2166	1.045
0.225	0.897	0.225	1.033
0.2333	0.979	0.2333	1.02
0.2416	1.08	0.2416	1.007
0.25	0.638	0.25	0.995
0.2583	0.808	0.2583	0.988
0.2666	0.802	0.2666	0.982
0.275	0.802	0.275	0.969
0.2833	0.802	0.2833	0.944
0.2916	0.802	0.2916	0.951
0.3	0.802	0.3	0.944
0.3083	0.802	0.3083	0.944
0.3166	0.802	0.3166	0.932
0.325	0.802	0.325	0.925
0.3333	0.777	0.3333	0.913
0.35	0.777	0.35	0.894
0.3666	0.796	0.3666	0.9
0.3833	0.796	0.3833	0.887
0.4	0.789	0.4	0.856
0.4166	0.789	0.4166	0.856
0.4333	0.789	0.4333	0.837
0.45	0.783	0.45	0.824
0.4666	0.789	0.4666	0.824
0.4833	0.783	0.4833	0.849
0.5	0.777	0.5	0.849
0.5166	0.783	0.5166	0.843
0.5333	0.77	0.5333	0.837
0.55	0.77	0.55	0.83
0.5666	0.77	0.5666	0.824
0.5833	0.77	0.5833	0.818
0.6	0.764	0.6	0.818
0.6166	0.764	0.6166	0.805
0.6333	0.764	0.6333	0.799
0.65	0.758	0.65	0.799
0.6666	0.764	0.6666	0.793
0.6833	0.764	0.6833	0.786
0.7	0.751	0.7	0.793
0.7166	0.751	0.7166	0.786
0.7333	0.745	0.7333	0.786
0.75	0.745	0.75	0.767
0.7666	0.745	0.7666	0.774
0.7833	0.739	0.7833	0.767

G6M-94-15A PERMEABILITY TESTING

WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 4.8 FT, BORING DIAMETER = 0.833

TEST #1
FALLING HEAD

MINUTES	FEET
0.8	0.739
0.8166	0.739
0.8333	0.733
0.85	0.726
0.8666	0.733
0.8833	0.733
0.9	0.726
0.9166	0.72
0.9333	0.714
0.95	0.72
0.9666	0.714
0.9833	0.714
1	0.707
1.2	0.688
1.4	0.663
1.6	0.644
1.8	0.625
2	0.606
2.2	0.587
2.4	0.575
2.6	0.556
2.8	0.543
3	0.543
3.2	0.518
3.4	0.499
3.6	0.486
3.8	0.48
4	0.48
4.2	0.461
4.4	0.454
4.6	0.442
4.8	0.423
5	0.417
5.2	0.41
5.4	0.404
5.6	0.391
5.8	0.385
6	0.372
6.2	0.366
6.4	0.36
6.6	0.353
6.8	0.341
7	0.341
7.2	0.328
7.4	0.322
7.6	0.328
7.8	0.315
8	0.303
8.2	0.303
8.4	0.303
8.6	0.296
8.8	0.284
9	0.278
9.2	0.278
9.4	0.271
9.6	0.259
9.8	0.265
10	0.265
12	0.208
14	0.189
16	0.139
18	0.126
20	0.107
22	0.088

TEST #2
RISING HEAD

MINUTES	FEET
0.8	0.748
0.8166	0.761
0.8333	0.755
0.85	0.748
0.8666	0.723
0.8833	0.748
0.9	0.742
0.9166	0.736
0.9333	0.736
0.95	0.736
0.9666	0.729
0.9833	0.723
1	0.723
1.2	0.685
1.4	0.647
1.6	0.616
1.8	0.584
2	0.552
2.2	0.527
2.4	0.496
2.6	0.47
2.8	0.445
3	0.42
3.2	0.394
3.4	0.375
3.6	0.357
3.8	0.338
4	0.325
4.2	0.3
4.4	0.281
4.6	0.274
4.8	0.262
5	0.23
5.2	0.224
5.4	0.205
5.6	0.199
5.8	0.173
6	0.173
6.2	0.161
6.4	0.154
6.6	0.129
6.8	0.142
7	0.129
7.2	0.123
7.4	0.11
7.6	0.097
7.8	0.104
8	0.091
8.2	0.091
8.4	0.072
8.6	0.072
8.8	0.066
9	0.034
9.2	0.047
9.4	0.041
9.6	0.047
9.8	0.041
10	0.034
12	0.009

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. 4

SETUP	DATE	BY WHOM
MONITORING WELL ID	G6M-94-15A	B. Schoonard M. Lounsbury
DATE OF TEST	3/22/95	
TYPE OF TEST	Falling Head	
HERMIT TYPE/SERIAL#	SE 2000/2K-131	
TEST #	4	
DATA COLLECTION RATE	Log 2	
TRANSDUCER		
SERIAL #	5454	
PSIG	20	
SCALE FACTOR	19.993	
OFFSET	0.088	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	SUR	
STATIC WATER LEVEL (FT./TOC)	39.2	
WELL DEPTH (FT./TOC)	44' +/-	
XD DEPTH (FT.TOC)	44'	
INITIAL XD REFERENCE	Set at 0	
SLUG DEPTH (FT./TOC)	44	
TIME OF SLUG PLACEMENT	10:52	
TIME OF WL EQUILIBRATION	11:14	≤ 0.088 SUR XD
NEW XD REFERENCE	NA	
START TIME OF TEST	10:52	
END TIME OF TEST	11:14	≤ 0.088 SUR XD
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. 5

SETUP	DATE	BY WHOM
MONITORING WELL ID	G6M-94-15A	B. Schoonard
DATE OF TEST	3/22/95	
TYPE OF TEST	Rising Head	
HERMIT TYPE/SERIAL#	SE 2000 / 2K-121	
TEST #	5	
DATA COLLECTION RATE	Log 2	
TRANSDUCER		
SERIAL #	5454	
PSIG	20	
SCALE FACTOR	19.993	
OFFSET	0.088	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	39.2	
WELL DEPTH (FT./TOC)	44' +/-	
XD DEPTH (FT.TOC)	44	
INITIAL XD REFERENCE	Set at 0	
SLUG DEPTH (FT./TOC)	44	
TIME OF SLUG PLACEMENT	10:52	
TIME OF WL EQUILIBRATION	11:14	
NEW XD REFERENCE	NA	
START TIME OF TEST	11:16	
END TIME OF TEST	11:28	⊻ 0.126 TOC
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

G6M-94-16X PERMEABILITY TESTS



G6M-94-16X PERMEABILITY TEST #1




G6M-94-16X PERMEABLITY TEST #2
K = 0.0001471 cm/sec
y0 = 9.205 cm
100.
10.
1.
Displacement (cm)
0.
200.
400.
600.
800.
1000.
Time (sec)

G6M–94–16X PERMEABILITY TESTING

WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 6 FT, BORING DIAMETER = 0.833 FT

TEST #1 FALLING HEAD MINUTES	FEET	TEST #2 RISING HEAD MINUTES	FEET
0	0	0	−0.025
0.0083	0	0.0083	0.916
0.0166	0	0.0166	0.821
0.025	0	0.025	0.808
0.0333	0	0.0333	0.764
0.0416	0	0.0416	0.714
0.05	0	0.05	0.669
0.0583	0	0.0583	0.631
0.0666	0	0.0666	0.593
0.075	0	0.075	0.562
0.0833	0.006	0.0833	0.537
0.0916	−0.006	0.0916	0.511
0.1	0	0.1	0.492
0.1083	0	0.1083	0.473
0.1166	0	0.1166	0.467
0.125	0	0.125	0.454
0.1333	0	0.1333	0.442
0.1416	0	0.1416	0.436
0.15	0	0.15	0.429
0.1583	0	0.1583	0.429
0.1666	0	0.1666	0.417
0.175	0	0.175	0.417
0.1833	0	0.1833	0.41
0.1916	−0.006	0.1916	0.41
0.2	0	0.2	0.404
0.2083	0	0.2083	0.398
0.2166	0	0.2166	0.398
0.225	0	0.225	0.391
0.2333	−0.006	0.2333	0.391
0.2416	0	0.2416	0.391
0.25	0	0.25	0.391
0.2583	0.6	0.2583	0.385
0.2666	0.322	0.2666	0.385
0.275	1.105	0.275	0.385
0.2833	0.467	0.2833	0.379
0.2916	1.093	0.2916	0.379
0.3	0.789	0.3	0.372
0.3083	0.379	0.3083	0.379
0.3166	0.018	0.3166	0.372
0.325	0.101	0.325	0.372
0.3333	−0.056	0.3333	0.372
0.35	0.385	0.35	0.372
0.3666	−0.436	0.3666	0.366
0.3833	−0.657	0.3833	0.366
0.4	0.296	0.4	0.36
0.4166	0.208	0.4166	0.36
0.4333	0.252	0.4333	0.36
0.45	0.259	0.45	0.353
0.4666	0.265	0.4666	0.353
0.4833	0.271	0.4833	0.353
0.5	0.271	0.5	0.353
0.5166	0.278	0.5166	0.347
0.5333	0.271	0.5333	0.347
0.55	0.278	0.55	0.347
0.5666	0.278	0.5666	0.341
0.5833	0.278	0.5833	0.341
0.6	0.278	0.6	0.341
0.6166	0.278	0.6166	0.341
0.6333	0.278	0.6333	0.334
0.65	0.278	0.65	0.334
0.6666	0.278	0.6666	0.334
0.6833	0.278	0.6833	0.334
0.7	0.271	0.7	0.328
0.7166	0.271	0.7166	0.328
0.7333	0.284	0.7333	0.328
0.75	0.271	0.75	0.328
0.7666	0.271	0.7666	0.328
0.7833	0.271	0.7833	0.322

G6M−94−16X PERMEABILITY TESTING

WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 6 FT, BORING DIAMETER = 0.833 FT

TEST #1 FALLING HEAD MINUTES	FEET	TEST #2 RISING HEAD MINUTES	FEET
0.8	0.271	0.8	0.322
0.8166	0.271	0.8166	0.322
0.8333	0.271	0.8333	0.322
0.85	0.271	0.85	0.315
0.8666	0.271	0.8666	0.322
0.8833	0.271	0.8833	0.315
0.9	0.265	0.9	0.315
0.9166	0.271	0.9166	0.315
0.9333	0.265	0.9333	0.315
0.95	0.265	0.95	0.309
0.9666	0.265	0.9666	0.309
0.9833	0.265	0.9833	0.309
1	0.265	1	0.309
1.2	0.259	1.2	0.296
1.4	0.252	1.4	0.284
1.6	0.246	1.6	0.271
1.8	0.24	1.8	0.265
2	0.233	2	0.252
2.2	0.227	2.2	0.246
2.4	0.227	2.4	0.233
2.6	0.221	2.6	0.227
2.8	0.214	2.8	0.221
3	0.208	3	0.214
3.2	0.208	3.2	0.208
3.4	0.202	3.4	0.202
3.6	0.195	3.6	0.195
3.8	0.189	3.8	0.189
4	0.183	4	0.189
4.2	0.183	4.2	0.183
4.4	0.176	4.4	0.176
4.6	0.17	4.6	0.17
4.8	0.17	4.8	0.17
5	0.164	5	0.164
5.2	0.157	5.2	0.164
5.4	0.157	5.4	0.157
5.6	0.151	5.6	0.151
5.8	0.151	5.8	0.151
6	0.145	6	0.145
6.2	0.145	6.2	0.139
6.4	0.139	6.4	0.139
6.6	0.139	6.6	0.132
6.8	0.132	6.8	0.132
7	0.132	7	0.126
7.2	0.126	7.2	0.126
7.4	0.126	7.4	0.12
7.6	0.12	7.6	0.12
7.8	0.12	7.8	0.113
8	0.113	8	0.113
8.2	0.113	8.2	0.113
8.4	0.107	8.4	0.107
8.6	0.107	8.6	0.107
8.8	0.107	8.8	0.107
9	0.101	9	0.101
9.2	0.101	9.2	0.101
9.4	0.101	9.4	0.094
9.6	0.094	9.6	0.094
9.8	0.094	9.8	0.094
10	0.094	10	0.094
12	0.063	12	0.088
14	0.05	14	0.082
16	0.05	16	0.069
		18	0.069

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. 6

SETUP	DATE	BY WHOM
MONITORING WELL ID	G6M-94-16X	B. Schoonard M. Lounsbury
DATE OF TEST	3/22/95	
TYPE OF TEST	Falling Head	
HERMIT TYPE/SERIAL#	SE 2000/2K-121	
TEST #	0	
DATA COLLECTION RATE	Log 2	
TRANSDUCER		
SERIAL #	5454	
PSIG	20	
SCALE FACTOR	19.993	
OFFSET	0.088	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	SUR	
STATIC WATER LEVEL (FT./TOC)	38'	
WELL DEPTH (FT./TOC)	44' +/-	
XD DEPTH (FT.TOC)	44'	
INITIAL XD REFERENCE	0.0	
SLUG DEPTH (FT./TOC)	44	
TIME OF SLUG PLACEMENT	0900	
TIME OF WL EQUILIBRATION	1918	⊻ 0.05 SUR XD
NEW XD REFERENCE	NA	
START TIME OF TEST	0900	
END TIME OF TEST	0918	⊻ 0.05 SUR XD
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. 1

SETUP	DATE	BY WHOM
MONITORING WELL ID	G6M-94-16X	B. Schoonard M. Lounsbury
DATE OF TEST	3/22/95	
TYPE OF TEST	Rising Head	
HERMIT TYPE/SERIAL#	SE 2000/2K-121	
TEST #	1	
DATA COLLECTION RATE	Log 2	
TRANSDUCER		
SERIAL #	5454	
PSIG	20	
SCALE FACTOR	19.993	
OFFSET	0.088	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	38'	
WELL DEPTH (FT./TOC)	44' +/-	
XD DEPTH (FT.TOC)	44'	
INITIAL XD REFERENCE	0.0	
SLUG DEPTH (FT./TOC)	44'	
TIME OF SLUG PLACEMENT	0900	
TIME OF WL EQUILIBRATION	1918	
NEW XD REFERENCE	NA	
START TIME OF TEST	0920	St Ref 0
END TIME OF TEST	0938	∇ 0.069 TOC XD
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

G6M-94-17A PERMEABILITY TESTS




G6M-94-17A PERMEABILITY TEST #1
K = 0.0001487 cm/sec
y0 = 16.86 cm
100.
10.
1.
Displacement (cm)
0.
200.
400.
600.
800.
1000.
Time (sec)

G6M-94-17A PERMEABILITY TEST #2



G6M-94-17A PERMEABILITY TESTING

WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 4 FT, BORING DIAMETER = 0.833 FT

TEST #1 FALLING HEAD MINUTES	FEET	TEST #2 RISING HEAD MINUTES	FEET
0	0	0	0.145
0.0083	0	0.0083	1.567
0.0166	-0.006	0.0166	1.731
0.025	-0.006	0.025	1.402
0.0333	-0.006	0.0333	1.573
0.0416	0	0.0416	1.586
0.05	-0.006	0.05	1.478
0.0583	0	0.0583	1.377
0.0666	-0.006	0.0666	1.282
0.075	-0.006	0.075	1.213
0.0833	0	0.0833	1.15
0.0916	0	0.0916	1.093
0.1	0	0.1	1.048
0.1083	0	0.1083	1.004
0.1166	0	0.1166	0.973
0.125	0	0.125	0.935
0.1333	0	0.1333	0.909
0.1416	0	0.1416	0.89
0.15	0	0.15	0.872
0.1583	0	0.1583	0.853
0.1666	-0.006	0.1666	0.834
0.175	-0.006	0.175	0.815
0.1833	0	0.1833	0.796
0.1916	0	0.1916	0.777
0.2	0.587	0.2	0.758
0.2083	0.556	0.2083	0.745
0.2166	0.992	0.2166	0.733
0.225	1.295	0.225	0.72
0.2333	0.783	0.2333	0.707
0.2416	1.187	0.2416	0.701
0.25	0.947	0.25	0.688
0.2583	0.802	0.2583	0.682
0.2666	0.537	0.2666	0.676
0.275	1.131	0.275	0.669
0.2833	1.086	0.2833	0.663
0.2916	1.061	0.2916	0.657
0.3	0.65	0.3	0.65
0.3083	0.612	0.3083	0.644
0.3166	0.606	0.3166	0.644
0.325	0.6	0.325	0.638
0.3333	0.6	0.3333	0.638
0.35	0.593	0.35	0.631
0.3666	0.587	0.3666	0.625
0.3833	0.581	0.3833	0.619
0.4	0.581	0.4	0.612
0.4166	0.575	0.4166	0.606
0.4333	0.568	0.4333	0.606
0.45	0.568	0.45	0.6
0.4666	0.562	0.4666	0.593
0.4833	0.562	0.4833	0.593
0.5	0.556	0.5	0.587
0.5166	0.511	0.5166	0.587
0.5333	0.751	0.5333	0.587
0.55	0.549	0.55	0.581
0.5666	0.543	0.5666	0.581
0.5833	0.543	0.5833	0.581
0.6	0.537	0.6	0.581
0.6166	0.537	0.6166	0.575
0.6333	0.53	0.6333	0.575
0.65	0.53	0.65	0.575
0.6666	0.53	0.6666	0.568
0.6833	0.524	0.6833	0.568
0.7	0.524	0.7	0.562
0.7166	0.518	0.7166	0.562
0.7333	0.518	0.7333	0.562
0.75	0.511	0.75	0.562
0.7666	0.511	0.7666	0.556
0.7833	0.511	0.7833	0.556

G6M−94−17A PERMEABILITY TESTING

WELL DIAMETER = 0.333 FT, SATURATED SCREEN LENGTH = 4 FT, BORING DIAMETER = 0.833 FT

TEST #1 FALLING HEAD		TEST #2 RISING HEAD	
MINUTES	FEET	MINUTES	FEET
0.8	0.511	0.8	0.556
0.8166	0.505	0.8166	0.556
0.8333	0.505	0.8333	0.549
0.85	0.499	0.85	0.549
0.8666	0.499	0.8666	0.549
0.8833	0.499	0.8833	0.549
0.9	0.499	0.9	0.543
0.9166	0.492	0.9166	0.543
0.9333	0.492	0.9333	0.543
0.95	0.492	0.95	0.543
0.9666	0.486	0.9666	0.543
0.9833	0.486	0.9833	0.537
1	0.486	1	0.537
1.2	0.467	1.2	0.518
1.4	0.448	1.4	0.505
1.6	0.436	1.6	0.486
1.8	0.423	1.8	0.473
2	0.41	2	0.461
2.2	0.391	2.2	0.448
2.4	0.385	2.4	0.442
2.6	0.372	2.6	0.429
2.8	0.36	2.8	0.417
3	0.353	3	0.404
3.2	0.341	3.2	0.391
3.4	0.334	3.4	0.379
3.6	0.322	3.6	0.372
3.8	0.315	3.8	0.366
4	0.309	4	0.353
4.2	0.296	4.2	0.341
4.4	0.29	4.4	0.334
4.6	0.284	4.6	0.315
4.8	0.271	4.8	0.309
5	0.265	5	0.309
5.2	0.259	5.2	0.296
5.4	0.252	5.4	0.29
5.6	0.246	5.6	0.278
5.8	0.24	5.8	0.271
6	0.233	6	0.265
6.2	0.227	6.2	0.259
6.4	0.221	6.4	0.24
6.6	0.214	6.6	0.246
6.8	0.208	6.8	0.24
7	0.208	7	0.227
7.2	0.202	7.2	0.227
7.4	0.195	7.4	0.221
7.6	0.195	7.6	0.208
7.8	0.183	7.8	0.208
8	0.183	8	0.208
8.2	0.176	8.2	0.202
8.4	0.176	8.4	0.195
8.6	0.17	8.6	0.189
8.8	0.17	8.8	0.189
9	0.164	9	0.183
9.2	0.157	9.2	0.176
9.4	0.157	9.4	0.17
9.6	0.151	9.6	0.164
9.8	0.145	9.8	0.17
10	0.145	10	0.157
12	0.107	12	0.132
14	0.088	14	0.107
16	0.063	16	0.101

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. 2

SETUP	DATE	BY WHOM
MONITORING WELL ID	G6M-94-17A	B. Schoonard M. Lounsbury
DATE OF TEST	3/22/95	
TYPE OF TEST	Falling Head	
HERMIT TYPE/SERIAL#	SE 2000/2K-121	
TEST #	2	
DATA COLLECTION RATE	Log 2	
TRANSDUCER		
SERIAL #	5454	
PSIG	20	
SCALE FACTOR	19.993	
OFFSET	0.088	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	SUR	
STATIC WATER LEVEL (FT./TOC)	40.2	
WELL DEPTH (FT./TOC)	44' +/-	
XD DEPTH (FT.TOC)	44	
INITIAL XD REFERENCE	Set at 0	
SLUG DEPTH (FT./TOC)	44	
TIME OF SLUG PLACEMENT	0951	
TIME OF WL EQUILIBRATION	1008	▽ 0.063 SUR XD
NEW XD REFERENCE	NA	
START TIME OF TEST	0951	
END TIME OF TEST	1008	▽ 0.063 SUR XD
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. 3

SETUP	DATE	BY WHOM
MONITORING WELL ID	G6M-94-17A	B. Schoonard M. Lounsbury
DATE OF TEST	3/22/95	
TYPE OF TEST	Rising Head	
HERMIT TYPE/SERIAL#	SE 2000/2K-121	
TEST #	3	
DATA COLLECTION RATE	Log 2	
TRANSDUCER		
SERIAL #	5454	
PSIG	20	
SCALE FACTOR	19.993	
OFFSET	0.088	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	40.2	
WELL DEPTH (FT./TOC)	44' +/-	
XD DEPTH (FT.TOC)	44'	
INITIAL XD REFERENCE	Set at 0	
SLUG DEPTH (FT./TOC)	~~0951~~ 44	
TIME OF SLUG PLACEMENT	0951	
TIME OF WL EQUILIBRATION	1008	∇ 0.063 SOR XD
NEW XD REFERENCE	NA	
START TIME OF TEST	1010	
END TIME OF TEST	1028	∇ 0.101 TOC XD
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.


G6M-94-19X PERMEABILITY TESTS
HEAD STRESS (FT)
3.0
2.5
2.0
1.5
1.0
0.5
0.0
-0.5
10^{-3}
10^{-2}
10^{-1}
10^{0}
10^{1}
TIME (MIN)
Legend
FALLING HEAD TEST
RISING HEAD TEST



G6M-95-19X PERMEABILITY TEST #1
K = 0.0008294 cm/sec
y0 = 68.56 cm
100.
10.
1.
0.1
Displacement (cm)
0.
100.
200.
300.
400.
500.
600.
Time (sec)


G6M-95-10X PERMEABILITY TEST #2
K = 0.001137 cm/sec
y0 = 79.19 cm
100.
10.
1.
0.1
0.
100.
200.
300.
400.
500.
Time (sec)
Displacement (cm)

G6M−95−19X PERMEABILITY TESTING

WELL DIAMETER = 0.166 FT, SATURATED SCREEN LENGTH = 16 FT (INCL. SANDPACK), BORING DIAMETER = 0.25 FT,
HIEGHT OF WATER IN WELL = 46 FT

TEST #1 FALLING HEAD MINUTES	FEET	TEST #2 RISING HEAD MINUTES	FEET
0	0	0	−0.006
0.0083	0	0.0083	0.745
0.0166	0.006	0.0166	2.641
0.025	0.006	0.025	2.363
0.0333	−0.006	0.0333	1.857
0.0416	0	0.0416	1.276
0.05	0	0.05	1.225
0.0583	−0.018	0.0583	1.175
0.0666	−0.006	0.0666	1.004
0.075	−0.006	0.075	2.192
0.0833	−0.031	0.0833	2.508
0.0916	−0.031	0.0916	2.306
0.1	0.037	0.1	2.167
0.1083	−0.025	0.1083	2.11
0.1166	0	0.1166	2.06
0.125	0	0.125	2.009
0.1333	−0.006	0.1333	1.92
0.1416	0	0.1416	1.864
0.15	−0.031	0.15	1.838
0.1583	0.006	0.1583	1.8
0.1666	0.233	0.1666	1.718
0.175	0.834	0.175	1.706
0.1833	0.973	0.1833	1.592
0.1916	0.935	0.1916	1.623
0.2	0.385	0.2	1.598
0.2083	0.492	0.2083	1.51
0.2166	0.657	0.2166	1.491
0.225	0.581	0.225	1.453
0.2333	0.676	0.2333	1.27
0.2416	1.131	0.2416	1.415
0.25	1.39	0.25	1.314
0.2583	1.39	0.2583	1.352
0.2666	1.377	0.2666	1.276
0.275	1.39	0.275	1.27
0.2833	1.39	0.2833	1.251
0.2916	1.39	0.2916	1.175
0.3	1.39	0.3	1.187
0.3083	1.39	0.3083	1.124
0.3166	1.39	0.3166	1.074
0.325	1.39	0.325	1.112
0.3333	1.39	0.3333	1.067
0.35	1.39	0.35	1.048
0.3666	1.289	0.3666	0.884
0.3833	1.39	0.3833	0.947
0.4	0.789	0.4	0.935
0.4166	1.371	0.4166	0.878
0.4333	1.124	0.4333	0.834
0.45	1.39	0.45	0.764
0.4666	0.619	0.4666	0.733
0.4833	1.03	0.4833	0.612
0.5	0.941	0.5	0.612
0.5166	0.884	0.5166	0.461
0.5333	0.903	0.5333	0.429
0.55	0.726	0.55	0.549
0.5666	0.789	0.5666	0.36
0.5833	0.745	0.5833	0.461
0.6	0.707	0.6	0.518
0.6166	0.682	0.6166	0.322
0.6333	0.65	0.6333	0.518
0.65	0.631	0.65	0.385
0.6666	0.6	0.6666	0.473
0.6833	0.581	0.6833	0.398
0.7	0.562	0.7	0.448
0.7166	0.537	0.7166	0.41
0.7333	0.505	0.7333	0.385
0.75	0.505	0.75	0.379
0.7666	0.48	0.7666	0.347
0.7833	0.467	0.7833	0.36

G6M−95−19X PERMEABILITY TESTING

WELL DIAMETER = 0.166 FT, SATURATED SCREEN LENGTH = 16 FT (INCL. SANDPACK), BORING DIAMETER = 0.25 FT,
HIEGHT OF WATER IN WELL = 46 FT

TEST #1 FALLING HEAD		TEST #2 RISING HEAD	
MINUTES	FEET	MINUTES	FEET
0.8	0.473	0.8	0.303
0.8166	0.436	0.8166	0.278
0.8333	0.429	0.8333	0.278
0.85	0.41	0.85	0.29
0.8666	0.467	0.8666	0.278
0.8833	0.385	0.8833	0.271
0.9	0.379	0.9	0.259
0.9166	0.36	0.9166	0.233
0.9333	0.353	0.9333	−0.031
0.95	0.341	0.95	0.195
0.9666	0.328	0.9666	0.183
0.9833	0.309	0.9833	0.157
1	0.309	1	0.214
1.2	0.214	1.2	0.12
1.4	0.126	1.4	−0.006
1.6	0.088	1.6	−0.031
1.8	0.056	1.8	0
2	0.037	2	0.031
2.2	0.031	2.2	0.025
2.4	0.025	2.4	0.012
2.6	0.012	2.6	−0.031
2.8	0	2.8	−0.012
3	0.006	3	0
3.2	0.006	3.2	0.037
3.4	0.012	3.4	0.025
3.6	−0.012	3.6	0.006
3.8	0.006	3.8	0.037
4	−0.006	4	0.012
4.2	0.006	4.2	−0.075
4.4	0.018	4.4	−0.056
4.6	−0.006	4.6	−0.101
4.8	0	4.8	0.031
5	−0.006	5	0.031
5.2	0	5.2	0.031
5.4	0.006	5.4	0.006
5.6	−0.012	5.6	0.037
5.8	−0.006	5.8	0.025
6	−0.006	6	0.025
6.2	0	6.2	−0.012
6.4	−0.012	6.4	−0.006
6.6	0.006	6.6	0.031
6.8	0.037	6.8	0.044
7	−0.018	7	0.025
7.2	−0.025	7.2	−0.018
7.4	−0.025	7.4	0.044
7.6	−0.012	7.6	0.018
7.8	−0.012		
8	0.012		
8.2	0.018		
8.4	0		
8.6	−0.006		
8.8	−0.018		
9	−0.031		
9.2	−0.018		
9.4	0.018		
9.6	0.006		

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. 6

SETUP	DATE	BY WHOM
MONITORING WELL ID	G6M-95-19X	B. Schoonard M. Lonsbury
DATE OF TEST	~~11~~ 3/21/95	
TYPE OF TEST	Falling Head	
HERMIT TYPE/SERIAL#	SE 2000/2K-121	
TEST #	6	
DATA COLLECTION RATE	Log 2	
TRANSDUCER		
SERIAL #	5454	
PSIG	20	
SCALE FACTOR	19.993	
OFFSET	0.088	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	SUR	
STATIC WATER LEVEL (FT./TOC)	13'	
WELL DEPTH (FT./TOC)	58' +/-	
XD DEPTH (FT.TOC)	58	
INITIAL XD REFERENCE	Set at 0	
SLUG DEPTH (FT./TOC)	~ 16'	
TIME OF SLUG PLACEMENT	11:46	
TIME OF WL EQUILIBRATION	11:54	✓ - 0.012? XD SUR
NEW XD REFERENCE	NA	
START TIME OF TEST	11:46	
END TIME OF TEST	1154	✓ - 0.012? XD SUR
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. 7

SETUP	DATE	BY WHOM
MONITORING WELL ID	G6M-95-19X	B. Schoonard M. Lounsbury
DATE OF TEST	3/21/95	
TYPE OF TEST	Rising Head	
HERMIT TYPE/SERIAL#	SE 2000/2K-121	
TEST #	7	
DATA COLLECTION RATE	Log 2	
TRANSDUCER		
SERIAL #	5454	
PSIG	20	
SCALE FACTOR	19.993	
OFFSET	0.088	
INPUT CHANNEL	1	
TEST DATA		
INPUT MODE (TOC/SUR)	TOC	
STATIC WATER LEVEL (FT./TOC)	12'	
WELL DEPTH (FT./TOC)	58' +/-	
XD DEPTH (FT.TOC)	58'	
INITIAL XD REFERENCE	Set at 0	
SLUG DEPTH (FT./TOC)	~16'	
TIME OF SLUG PLACEMENT	11:46	
TIME OF WL EQUILIBRATION	11:54	▽ -0.012? XD SUR
NEW XD REFERENCE	NA	
START TIME OF TEST	1157	
END TIME OF TEST	1204	▽ 0.025 XD TOC
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

CALCULATION OF HYDRAULIC CONDUCTIVITIES USING THE HVORSLEV EQUATION
GROUP 3 WELLS

K = −[(LOG Ht1 − LOG Ht2)/(t1 − t2)]{[(r) ^ 2 LOG (L/R)]/2L}

WHERE:

t1 =	TIME 1 (MINUTES)
t2 =	TIME 2 (MINUTES)
Ht1 =	HEAD STRESS AT TIME 1 (FEET)
Ht2 =	HEAD STRESS AT TIME 2 (FEET)
r =	RADIUS OF WELL CASING (FEET)
R =	RADUS OF BOREHOLE (FEET)
L =	EFFECTIVE SATURATED LENGTH OF SCREEN (FEET)

WELL	t1	t2	Ht1	Ht2	r	R	L	TEST #	K (FT/MIN)	K (CM/SEC)
G6M−94−15A	3	10	0.543	0.35	0.167	0.417	4.8	1	8.4E−05	4.3E−05
G6M−94−15A	2	8	0.552	0.091	0.167	0.417	4.8	2	4.0E−04	2.0E−04
G6M−94−16X	3	10	0.208	0.094	0.167	0.417	6	1	1.3E−04	6.7E−05
G6M−94−16X	3	10	0.214	0.094	0.167	0.417	6	2	1.4E−04	7.0E−05
G6M−94−17A	3.6	10	0.322	0.145	0.167	0.417	4	1	1.9E−04	9.4E−05
G6M−94−17A	3	10	0.404	0.157	0.167	0.417	4	2	2.0E−04	1.0E−04
G6M−95−19X	0.6	0.9	0.707	0.379	0.083	0.125	16	1	4.1E−04	2.1E−04
G6M−95−19X	0.125	0.82	2.009	0.278	0.083	0.125	16	2	5.6E−04	2.8E−04


HVORSLEV SLUG TEST ANALYSIS
Fort Devens
G6M-94-18X Rising Head
Basic Time Lag Method
K = 1.61E+00 ft/day
5.68E-04 cm/sec
Variable Head Method
K = 1.57E+00 ft/day
5.52E-04 cm/sec
PLOT MENU
F1 - MOVE LINE
F2 - MAIN MENU
Log Ratio (H/Ho)
1E+00
1E-01
1E-02
0
7
14
Time (m)

Figure 1


HVORSLEV SLUG TEST ANALYSIS
Fort Devens
G6M-95-20X Rising Head
Basic Time Lag Method
K = 4.34E-01 ft/day
1.53E-04 cm/sec
Variable Head Method
K = 4.17E-01 ft/day
1.47E-04 cm/sec
PLOT MENU
F1 - MOVE LINE
F2 - MAIN MENU
Log Ratio (H/Ho)
1E+00
1E-01
1E-02
0
11
22
Time (m)

Fort Devens
G6M-94-18X Rising Head
R. Johnson

Results

Basic Time Lag-

Hydraulic Conductivity (Kh):	1.61E+00 ft/day
	5.68E-04 cm/sec
Basic Time Lag:	1.06 m
2.3 Times Basic Time Lag:	2.44 m
(Equalization Ratio ≈ 0.90)	

Variable Head-

Hydraulic Conductivity (Kh):	1.57E+00 ft/day
	5.52E-04 cm/sec
Time Coordinate T1:	0.5 m
Time Coordinate T2:	4.5 m
Head Ratio Coordinate H1:	61.87E-02
Head Ratio Coordinate H2:	15.81E-03

Well/Aquifer Parameters

Length of well screen:	10.00	ft
Diameter of the well casing:	0.167	ft
Diameter of the well bore:	0.670	ft
Kh/Kv ratio:	1.0	

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	1.000	2	0.0066	0.997	3	0.0100	0.993
4	0.0133	0.990	5	0.0166	0.986	6	0.0200	0.983
7	0.0233	0.979	8	0.0266	0.976	9	0.0300	0.972
10	0.0333	0.969	11	0.0366	0.966	12	0.0400	0.962
13	0.0433	0.959	14	0.0466	0.956	15	0.0500	0.952
16	0.0533	0.949	17	0.0566	0.946	18	0.0600	0.944
19	0.0633	0.939	20	0.0666	0.936	21	0.0700	0.934
22	0.0733	0.931	23	0.0766	0.927	24	0.0800	0.924
25	0.0833	0.921	26	0.0866	0.918	27	0.0900	0.914
28	0.0933	0.911	29	0.0966	0.908	30	0.1000	0.905
31	0.1033	0.902	32	0.1066	0.898	33	0.1100	0.895
34	0.1133	0.892	35	0.1166	0.890	36	0.1200	0.887
37	0.1233	0.883	38	0.1266	0.881	39	0.1300	0.877
40	0.1333	0.875	41	0.1366	0.871	42	0.1400	0.868
43	0.1433	0.866	44	0.1466	0.863	45	0.1500	0.860
46	0.1533	0.857	47	0.1566	0.854	48	0.1600	0.851
49	0.1633	0.849	50	0.1666	0.846	51	0.1700	0.843
52	0.1733	0.840	53	0.1766	0.837	54	0.1800	0.834
55	0.1833	0.832	56	0.1866	0.829	57	0.1900	0.826
58	0.1933	0.823	59	0.1966	0.822	60	0.2000	0.819
61	0.2033	0.816	62	0.2066	0.813	63	0.2100	0.810

64	0.2133	0.807	65	0.2166	0.805	66	0.2200	0.802
67	0.2233	0.800	68	0.2266	0.797	69	0.2300	0.795
70	0.2333	0.792	71	0.2366	0.789	72	0.2400	0.786
73	0.2433	0.785	74	0.2466	0.782	75	0.2500	0.779
76	0.2533	0.776	77	0.2566	0.775	78	0.2600	0.772
79	0.2633	0.769	80	0.2666	0.767	81	0.2700	0.765
82	0.2733	0.762	83	0.2766	0.759	84	0.2800	0.758
85	0.2833	0.755	86	0.2866	0.754	87	0.2900	0.750
88	0.2933	0.748	89	0.2966	0.745	90	0.3000	0.744
91	0.3033	0.741	92	0.3066	0.739	93	0.3100	0.737
94	0.3133	0.734	95	0.3166	0.731	96	0.3200	0.729
97	0.3233	0.727	98	0.3266	0.725	99	0.3300	0.723
100	0.3333	0.720	101	0.3500	0.708	102	0.3666	0.695
103	0.3833	0.684	104	0.4000	0.673	105	0.4166	0.660
106	0.4333	0.650	107	0.4500	0.639	108	0.4666	0.629
109	0.4833	0.617	110	0.5000	0.608	111	0.5166	0.598
112	0.5333	0.586	113	0.5500	0.578	114	0.5666	0.568
115	0.5833	0.560	116	0.6000	0.551	117	0.6166	0.541
118	0.6333	0.534	119	0.6500	0.524	120	0.6666	0.517
121	0.6833	0.507	122	0.7000	0.500	123	0.7166	0.491
124	0.7333	0.484	125	0.7500	0.476	126	0.7666	0.469
127	0.7833	0.462	128	0.8000	0.453	129	0.8166	0.448
130	0.8333	0.440	131	0.8500	0.433	132	0.8666	0.426
133	0.8833	0.419	134	0.9000	0.414	135	0.9166	0.406
136	0.9333	0.401	137	0.9500	0.395	138	0.9666	0.389
139	0.9833	0.382	140	1.0000	0.378	141	1.2000	0.300
142	1.4000	0.252	143	1.6000	0.211	144	1.8000	0.178
145	2.0000	0.151	146	2.2000	0.129	147	2.4000	0.112
148	2.6000	0.098	149	2.8000	0.085	150	3.0000	0.073
151	3.2000	0.065	152	3.4000	0.059	153	3.6000	0.052
154	3.8000	0.048	155	4.0000	0.044	156	4.2000	0.041
157	4.4000	0.037	158	4.6000	0.034	159	4.8000	0.032
160	5.0000	0.031	161	5.2000	0.030	162	5.4000	0.027
163	5.6000	0.027	164	5.8000	0.025	165	6.0000	0.024
166	6.2000	0.022	167	6.4000	0.022	168	6.6000	0.022
169	6.8000	0.021	170	7.0000	0.021	171	7.2000	0.020
172	7.4000	0.020	173	7.6000	0.020	174	7.8000	0.018
175	8.0000	0.018	176	8.2000	0.018	177	8.4000	0.017
178	8.6000	0.017	179	8.8000	0.017	180	9.0000	0.017
181	9.2000	0.017	182	9.4000	0.017	183	9.6000	0.017
184	9.8000	0.015	185	10.0000	0.015	186	12.0000	0.013
187	14.0000	0.011						

Fort Devens
G6M-95-20X Rising Head
R. Johnson

Results

Basic Time Lag-

Hydraulic Conductivity (Kh):	4.34E-01 ft/day
	1.53E-04 cm/sec
Basic Time Lag:	3.93 m
2.3 Times Basic Time Lag:	9.04 m
(Equalization Ratio ≈ 0.90)	

Variable Head-

Hydraulic Conductivity (Kh):	4.17E-01 ft/day
	1.47E-04 cm/sec
Time Coordinate T1:	1.9 m
Time Coordinate T2:	16.8 m
Head Ratio Coordinate H1:	61.32E-02
Head Ratio Coordinate H2:	15.80E-03

Well/Aquifer Parameters

Length of well screen:	10.00	ft
Diameter of the well casing:	0.167	ft
Diameter of the well bore:	0.670	ft
Kh/Kv ratio:	1.0	

Time vs Drawdown Ratio Data

No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)	No.	Time (m)	H/Hmax (ft)
1	0.0033	1.000	2	0.0066	0.999	3	0.0100	0.996
4	0.0133	0.995	5	0.0166	0.994	6	0.0200	0.993
7	0.0233	0.992	8	0.0266	0.991	9	0.0300	0.988
10	0.0333	0.987	11	0.0366	0.986	12	0.0400	0.985
13	0.0433	0.984	14	0.0466	0.982	15	0.0500	0.981
16	0.0533	0.980	17	0.0566	0.978	18	0.0600	0.978
19	0.0633	0.975	20	0.0666	0.975	21	0.0700	0.973
22	0.0733	0.972	23	0.0766	0.972	24	0.0800	0.969
25	0.0833	0.968	26	0.0866	0.968	27	0.0900	0.966
28	0.0933	0.965	29	0.0966	0.963	30	0.1000	0.962
31	0.1033	0.962	32	0.1066	0.960	33	0.1100	0.959
34	0.1133	0.959	35	0.1166	0.956	36	0.1200	0.956
37	0.1233	0.954	38	0.1266	0.954	39	0.1300	0.953
40	0.1333	0.952	41	0.1366	0.950	42	0.1400	0.949
43	0.1433	0.948	44	0.1466	0.947	45	0.1500	0.946
46	0.1533	0.944	47	0.1566	0.944	48	0.1600	0.943
49	0.1633	0.942	50	0.1666	0.941	51	0.1700	0.940
52	0.1733	0.938	53	0.1766	0.937	54	0.1800	0.936
55	0.1833	0.935	56	0.1866	0.934	57	0.1900	0.934
58	0.1933	0.933	59	0.1966	0.931	60	0.2000	0.930
61	0.2033	0.929	62	0.2066	0.928	63	0.2100	0.927

64	0.2133	0.927	65	0.2166	0.924	66	0.2200	0.924
67	0.2233	0.923	68	0.2266	0.922	69	0.2300	0.921
70	0.2333	0.921	71	0.2366	0.920	72	0.2400	0.919
73	0.2433	0.918	74	0.2466	0.916	75	0.2500	0.916
76	0.2533	0.914	77	0.2566	0.914	78	0.2600	0.913
79	0.2633	0.912	80	0.2666	0.910	81	0.2700	0.910
82	0.2733	0.909	83	0.2766	0.908	84	0.2800	0.907
85	0.2833	0.907	86	0.2866	0.906	87	0.2900	0.903
88	0.2933	0.903	89	0.2966	0.902	90	0.3000	0.901
91	0.3033	0.901	92	0.3066	0.900	93	0.3100	0.899
94	0.3133	0.897	95	0.3166	0.896	96	0.3200	0.896
97	0.3233	0.895	98	0.3266	0.895	99	0.3300	0.894
100	0.3333	0.891	101	0.3500	0.888	102	0.3666	0.883
103	0.3833	0.878	104	0.4000	0.874	105	0.4166	0.869
106	0.4333	0.865	107	0.4500	0.860	108	0.4666	0.857
109	0.4833	0.851	110	0.5000	0.848	111	0.5166	0.843
112	0.5333	0.840	113	0.5500	0.836	114	0.5666	0.831
115	0.5833	0.828	116	0.6000	0.824	117	0.6166	0.819
118	0.6333	0.816	119	0.6500	0.812	120	0.6666	0.808
121	0.6833	0.804	122	0.7000	0.802	123	0.7166	0.797
124	0.7333	0.793	125	0.7500	0.790	126	0.7666	0.786
127	0.7833	0.783	128	0.8000	0.779	129	0.8166	0.776
130	0.8333	0.772	131	0.8500	0.770	132	0.8666	0.767
133	0.8833	0.763	134	0.9000	0.759	135	0.9166	0.756
136	0.9333	0.752	137	0.9500	0.750	138	0.9666	0.746
139	0.9833	0.743	140	1.0000	0.739	141	1.2000	0.695
142	1.4000	0.659	143	1.6000	0.627	144	1.8000	0.595
145	2.0000	0.567	146	2.2000	0.540	147	2.4000	0.514
148	2.6000	0.489	149	2.8000	0.465	150	3.0000	0.443
151	3.2000	0.422	152	3.4000	0.403	153	3.6000	0.384
154	3.8000	0.367	155	4.0000	0.349	156	4.2000	0.332
157	4.4000	0.317	158	4.6000	0.303	159	4.8000	0.289
160	5.0000	0.276	161	5.2000	0.263	162	5.4000	0.251
163	5.6000	0.240	164	5.8000	0.228	165	6.0000	0.218
166	6.2000	0.209	167	6.4000	0.199	168	6.6000	0.189
169	6.8000	0.181	170	7.0000	0.174	171	7.2000	0.166
172	7.4000	0.159	173	7.6000	0.152	174	7.8000	0.145
175	8.0000	0.139	176	8.2000	0.133	177	8.4000	0.127
178	8.6000	0.121	179	8.8000	0.116	180	9.0000	0.112
181	9.2000	0.106	182	9.4000	0.102	183	9.6000	0.097
184	9.8000	0.094	185	10.0000	0.089	186	12.0000	0.060
187	14.0000	0.040	188	16.0000	0.029	189	18.0000	0.021
190	20.0000	0.016	191	22.0000	0.014	192	0.0000	1.000

MONITORING WELL G6M-94-18X




MONITORING WELL G6M-95-20X
HEAD STRESS (FEET)
3.0
2.0
1.0
0.0
-1.0
-2.0
-3.0
-4.0
TIME (MINUTES)
0.01
0.1
1
10
FALLING HEAD TEST
RISING HEAD TEST

(R) 0951282

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. 2/3

SETUP	DATE	BY WHOM
MONITORING WELL ID	G6M-94-18X	R. JOHNSON
DATE OF TEST	3-31-95	3-31-95
TYPE OF TEST	FALLING HEAD	RISING HEAD
HERMIT TYPE/SERIAL#	SE1000C/1KC01732	
TEST #	SEL #2	SEL #3
DATA COLLECTION RATE	LOG	"
TRANSDUCER		
SERIAL #	2046 DE	"
PSIG	20	"
SCALE FACTOR	10.003	"
OFFSET	-0.034	"
INPUT CHANNEL	1	"
TEST DATA	ID 01801	01802
INPUT MODE (TOC/SUR)	EN: SUR	"
STATIC WATER LEVEL (FT./TOC)	14.40 (from steel)	14.40 (from steel)
WELL DEPTH (FT./TOC)		
XD DEPTH (FT.TOC)	ref ~~0.00~~ 10.22' head	ref ~~0.00~~ /
INITIAL XD REFERENCE	0.00	0.00
SLUG DEPTH (FT./TOC)	5.00' below ▽	OUT
TIME OF SLUG PLACEMENT	0938 (1.04' head)	0954 (-2.24' head)
TIME OF WL EQUILIBRATION	0944	
NEW XD REFERENCE	---	---
START TIME OF TEST	0938	954
END TIME OF TEST	0950 (0.00)	1009 (-0.02)
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

AQUIFER TESTING COMPLETION CHECKLIST

AQUIFER TEST NO. 9/1

SETUP	DATE	BY WHOM
MONITORING WELL ID	~~G6P~~ M-95-~~02X~~ 20	R. JOHNSON
DATE OF TEST	3-31-95	3-31-95
TYPE OF TEST	FALLING HEAD	RISING HEAD
HERMIT TYPE/SERIAL#	SE 1000C/1KC01732	"
TEST #	SEL Ø	SEL 1
DATA COLLECTION RATE	LOG	LOG
TRANSDUCER		
SERIAL #	2046 DE	"
PSIG	20	"
SCALE FACTOR	10.003	"
OFFSET	-0.034	"
INPUT CHANNEL	1	"
TEST DATA	ID 02001	02002
INPUT MODE (TOC/SUR)	EN: SUR	"
STATIC WATER LEVEL (FT./TOC)	12.49 (from PVC)	12.49 (PVC)
WELL DEPTH (FT./TOC)		
XD DEPTH (FT.TOC)	7.92' head	7.93' head
INITIAL XD REFERENCE	0.00	0.00
SLUG DEPTH (FT./TOC)	5.00' below ∇	OUT
TIME OF SLUG PLACEMENT	08:30 (2.08' head)	8:52 (-2.68')
TIME OF WL EQUILIBRATION	08:48	9:15 (-0.04)
NEW XD REFERENCE	---	---
START TIME OF TEST	08:30	8:52
END TIME OF TEST	08:48	9:15
NOTES:		

FIGURE 4-14
AQUIFER TEST COMPLETION CHECKLIST
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, Inc.

APPENDIX B

BORING LOGS AND TEST PIT LOGS

GROUP 3 BORING LOGS

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G3M-92-01X
CLIENT: AEC	DATE STARTED: 6/29/92	GROUP: 3
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/29/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: 10.6 eV PM-100
GROUND ELEV.: 250.7'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 35'
LOGGED BY: CPL	CHECKED BY: DSP	WATER TABLE BGS: 27.3' (6/29/92)

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.6	0	(0-1.0') **SAND**, poorly graded, medium to fine with little (5-10%) gravel (up to 1" max), subrounded, medium dense, dry, 10YR4/3 Munsell dark [gray] brown, fill. **SP** (1.0-1.6') **SAND**, moderately graded, medium to fine with trace (<5%) gravel, subrounded, medium dense, dry, 10YR3/2 Munsell very dark grayish brown, fill. **SP**	12/11/15/11	Head space = 0 ppm. Breathing zone LEL=BKG.
S-2	5-7	2.0/1.1	0	(5.0-5.8') **SAND**, well graded, medium to fine with little (10-15%) coarse sand and gravel, loose, dry to moist, 7.5YR4/2 Munsell dark brown, fill. **SW** (5.8-6.1') Silty **SAND**, poorly graded, trace (<5%) coarse sand and gravel, subrounded, loose, dry to moist, 2.5Y8/3 Munsell white to pale yellow, natural soil outwash or kame terrace. **SM**	8/5/3/4	Head space PID=0 ppm. Breathing zone LEL=BKG.
S-3	10-12	2.0/1.1	0	**SAND**, moderately graded, medium to fine with trace (<5%) coarse sand, silt, and fine gravel, medium dense, dry to moist, 2.5Y7/2 Munsell light gray [brown], kame terrace or outwash. **SP**	1/4/7/8	Same as above.
S-4	15-17	2.0/1.2	0	Similar to above. **SP**	5/8/7/8	Same as above.
S-5	20-22	2.0/1.3	0	Similar to above. **SP**	5/7/5/8	Same as above.
S-6	25-27	2.0/2.0	0	(25.0-25.6') Similar to above. **SP** (25.6-25.8') Sandy **SILT**, poorly graded, trace (<5%) medium sand, medium dense, moist to WET, 5YR4/2 Munsell dark reddish gray. **ML** (25.8-27.0') **SAND**, moderately to poorly graded, fine with trace (<5%) coarse sand and gravel, subrounded, medium dense, **Saturated**, 10YR6/2 Munsell light brownish gray, some crude to defined stratification, outwash to kame terrace. **SP**	5/5/6/7	Analytical sample collected. Grain size analysis performed-->SM. Head space PID=0 ppm. Breathing zone LEL=BKG.
S-7	30-32	2.0/2.0	0	Similar to above except loose. **SP**	3/4/4/4	Head space PID=0 ppm. Breathing zone LEL=BKG.
				BOE at 35'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G3M-92-02X
CLIENT: AEC	DATE STARTED: 6/30/92	GROUP: 3
CONTRACTOR: D. L. Maher	DATE COMPLETED: 7/1/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: 10.6 eV HL-200
GROUND ELEV.: 249.1'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 31'
LOGGED BY: CPL	CHECKED BY: DSP	WATER TABLE BGS: 25'

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.5	0	(0-1.5') **SAND**, poorly graded, medium to fine with trace (<10%) silt and trace to little (5-15%) coarse sand and fine gravel (up to 1.5" max), subrounded, loose, dry, 10YR3/2 Munsell very dark grayish brown. **SP**	4/4/4/4	Head space PID=>10 ppm, but suspect high ambient humidity resulting in higher than actual VOC readings. Breathing zone LEL=BKG.
S-2	5-7	2.0/1.6	0	(5.0-5.2') Similar to above. **SP** (5.2-6.6') **SAND**, poorly graded, medium to fine with trace (<5%) silt and little (15-20%) coarse sand and fine gravel (up to 1" max), subrounded to subangular, medium dense, dry to slightly moist, 2.5Y7/2 Munsell light gray [brown], crude stratification with some fine sandy layers. **SP**	6/9/10/10	Head space PID=>15 ppm, but suspect high ambient humidity. Breathing zone LEL=BKG.
S-3	10-12	2.0/2.0	0	Similar to bottom of S-2 above except loose. **SP**	3/4/5/7	Same as above except PID=>25 ppm.
S-4	15-17	2.0/2.0	0	Similar to above except medium dense. **SP**	4/5/7/10	Same as above except PID=>10 ppm.
S-5	20-22	2.0/2.0	0	Similar to above except loose and moist. **SP**	3/4/6/6	Same as above except PID=>8 ppm.
S-6	25-27	2.0/1.4	0	**SAND**, poorly graded, medium to fine with trace (<5%) silt and little (10-20%) coarse sand and fine gravel (up to 1" max), subrounded to subangular, **Saturated** , 2.5Y4/3 Munsell dk grayish brown, crude stratification to moderately defined stratification with mostly fine sandy layers up to .5" thick. **SP**	-	Analytical sample collected. Grain size analysis performed-->SP . Head space PID=0 ppm. Breathing zone LEL=BKG.
				BOE at 31'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G3M-92-03X
CLIENT: AEC	DATE STARTED: 7/1/92	GROUP: 3
CONTRACTOR: D. L. Maher	DATE COMPLETED: 7/1/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: 10.6 eV HL-200
GROUND ELEV.: 249'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 31'
LOGGED BY: CPL	CHECKED BY: DSP	WATER TABLE BGS: 22.5' (7/1/92)

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.4	0	**SAND**, poorly graded, medium to fine with trace (<10%) silt and coarse sand or fine gravel (up to 1.5" max), subrounded, loose, dry, 7.5YR4/3 Munsell dark brown, fill. **SP**	3/4/3/5	Head space PID=0 ppm. Breathing zone LEL=BKG.
S-2	5-7	2.0/1.6	0	**SAND**, moderately graded, medium to fine with trace (<5%) silt and little (15-20%) coarse sand and fine gravel (up to 1" max), subrounded to subangular, loose, dry to slightly moist, 2.5Y7/2 Munsell light gray [brown], crude to moderately defined fine sandy layers and zones up to 2" thick. **SP**	3/4/5/5	Head space PID=0 ppm. Breathing zone LEL=BKG.
S-3	10-12	2.0/1.7	0	Similar to above. **SP**	5/3/3/4	Same as above.
S-4	15-17	2.0/2.0	0	Similar to above with increasing moisture content. **SP**	2/3/3/2	Same as above.
S-5	20-22	2.0/2.0	0	Similar to above with several mottles. **SP**	3/4/5/5	Same as above.
S-6	25-27	2.0/2.0	0	**SAND**, poorly graded, medium to fine with trace (<5%) silt and little (10-20%) coarse sand and gravel (up to 1" max), subrounded to subangular, **medium dense**, **Saturated** , 2.5Y4/3 Munsell dk grayish brown, crude to moderately defined stratification with fine sandy layers and zones up to 1" thick. **SP**	3/3/9/12	Analytical sample collected. Grain size analysis performed-->SP . Head space PID=0 ppm. Breathing zone LEL=BKG.
				BOE at 31'		

ABB ENVIRONMENTAL SERVICES, INC.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G3M-92-04X
CLIENT: AEC	DATE STARTED: 6/29/92	GROUP: 3 (TDA-Maintenance)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/30/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: Photovac Microtip
GROUND ELEV.: 251'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 33'
LOGGED BY: JKR/JC	CHECKED BY: DSP	WATER TABLE BGS: 25.3'

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/0.4 2.0/2.0	6.5	Little recovery. Redrove spoon for a surface sample **SAND**, fine to coarse sand and gravel with trace cobble, well graded, very dense, dry, brown to dark brown. **SW**	12/33/25/29	Analytical sample collected. 3" spoon. PID=6.5 ppm.
S-2	2-4	2.0/1.2	0	**SAND**, medium with little fine to coarse, moderately poorly graded, medium dense, damp, light brown. **SW/SP**	7/6/6/8	2" spoon.
S-3	4-6	2.0/1.0	0	**SAND**, medium with some coarse and little fine, little gravel, moderately poorly graded, medium dense, damp, light brown. **SW/SP**	6/6/8/14	2" spoon.
S-4	6-8	2.0/1.1	0	**SAND**, medium with some coarse and little fine, little gravel, moderately well graded, medium dense, damp, light brown, some stratification with coarser grained layers. **SW**	4/6/6/8	2" spoon.
S-5	8-10	2.0/1.4	0	**SAND**, fine to coarse with trace gravel, moderately well graded, medium dense, damp, light brown, stratified layers 2-10cm thick. **SW**	6/7/8/8	2" spoon.
S-6	10-12	2.0/1.5	0	**SAND**, fine to coarse with little gravel, moderately well graded, medium dense, damp, brown to light brown, similar to S-5. **SW**	4/9/8/9	2" spoon. PID=0 ppm.
S-7	12-14	2.0/2.0	0	Similar to S-6. **SW**	5/6/9/10	Analytical sample collected. 3" spoon.
S-8	14-16	2.0/1.8	0	**SAND**, fine to medium with little coarse, moderately poorly graded, medium dense, damp, light brown. **SP/SW**	4/7/7/8	2" spoon.
S-9	16-18	2.0/1.4	0	**SAND**, fine to coarse, moderately poorly graded, medium dense, damp, light brown, stratified with layers 10-20cm. **SP**	5/10/11/12	2" spoon.

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: G3M-92-04X

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-10	18-20	2.0/1.5	0	Similar to S-9 with trace gravel. SP	4/5/15/13	2" spoon.
S-11	20-22	2.0/1.7	0	SAND, medium to coarse with little fine and trace gravel, moderately well graded, medium dense, damp, light brown, light iron stained appearance. SW	4/6/6/7	2" spoon.
S-12	22-24	2.0/1.5	0	Similar to S-11, slightly coarser grained with a little more gravel. SW	4/6/10/7	2" spoon.
S-13	24-26	2.0/1.1	0	SAND, medium to coarse with trace fine and trace gravel, moderately poorly graded, medium dense, very moist to Saturated , light brown. SW/SP	6/8/6/8	Groundwater at ~25'. Grain size analysis performed-->SP . 2" spoon.
S-14	26-28	2.0/2.0	0	SAND, medium to coarse with little gravel and trace fine, moderately poorly graded, loose, wet, brown. SW/SP	1/3/4/9	Analytical sample collected. 3" spoon. Groundwater measured at 25.3' BGS.
S-15	28-30	2.0/-	-	SAND, fine to coarse with little gravel, moderately well graded, loose, wet, brown. SW	1/3/4/4	2" spoon.
S-16	30-32	2.0/1.1	0	SAND, fine to coarse with little gravel, moderately well graded, loose, wet, brown. SW/SP	2/4/5/6	2" spoon.
				BOE at 33'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G3M-92-05X
CLIENT: AEC	DATE STARTED: 7/01/92	GROUP: 3 (Moore Airfield-DSA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 7/02/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: Microtip
GROUND ELEV.: 252.2'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 35'
LOGGED BY: JKR/JC	CHECKED BY: DSP	WATER TABLE BGS: 26.8'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.6	BKG	**SAND**, well graded, fine to coarse, 10-20% gravel, <10% cobbles, medium dense, dry to damp, 2.5YR3/4 Munsell dark reddish brown **SW**	18/12/9/9	2" spoon
S-2	5-7	2.0/1.6	BKG	**SAND**, moderate to poorly graded, medium to coarse, 10-20% gravel, medium dense, damp, 7.5YR5/4 Munsell brown to light brown **SP/SW**	8/8/10/10	2" spoon
S-3	10-12	2.0/1.1	BKG	**SAND**, moderate to poorly graded, medium to coarse, 10-20% gravel, medium dense, damp, 7.5YR5/2 Munsell brown **SP/SW**	4/6/10/12	2" spoon
S-4	15-17	2.0/1.0	BKG	**SAND**, moderate to poorly graded, medium to coarse, 20-35% gravel, medium dense, damp, 7.5YR5/2 Munsell brown **SP/SW**	10/10/4/8	2" spoon
S-5	20-22	2.0/0.8		**SAND**, same as S-4	5/12/14/15	2" spoon
S-6	25-27	2.0/1.0	BKG	**SAND**, same as S-4, **saturated** at 26.8 feet. **SP/SW**	4/5/5/7	2" spoon, started adding water to boring. TOC sample collected.
S-7	30-32	2.0/1.3	4.2	**SAND**, poorly graded, medium to coarse <10% gravel, loose, saturated, **SP** 7.5YR5/2 Munsell brown, some stratification with layers 5-20cm thick	2/3/7/8	2" spoon Grain size sample collected --► SP
-	32-35	-	-	**SAND**, same as S-7		
				BOE at 35'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G3M-92-06X
CLIENT: AEC	DATE STARTED: 7/6/92	GROUP: 3 (Moore Airfield-DSA)
CONTRACTOR: D.L. Maher	DATE COMPLETED:	PROTECTION: Modified D
METHOD: 6.25" HSA	BORING DIAMETER: 10"	PID METER: Microtip
GROUND ELEV.: 251.7'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 32'
LOGGED BY: BJS	CHECKED BY: RRR	WATER TABLE BGS: 24'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.7	130	**SAND**, moderate to poorly graded, 20-30% fines, 5-10% gravel, loose, moist (0.2" silty black layer) 2.5Y3/2 over 2.5Y6/2 Munsell dark brown over light brown. Glacial Outwash **SM**	4/3/4/3	2" spoon Analytical sample collected.
S-2	2-4	2.0/1.5	104	**SAND**, similar to S-1, 5% fines. 2.5Y6/2 Munsell light brown **SP**	4/3/4/3	2" spoon
S-3	4-6	2.0/1.4	12	**SAND**, well graded, medium to coarse, 5% gravel, loose, moist. 10YR6/2 Munsell Brown-gray, Glacial Outwash **SW**	2/3/3/6	2" spoon
S-4	6-8	2.0/1.5	10	**SAND**, top 1-foot - same as above; bottom 0.5-foot - poorly graded, coarse, loose, moist; 10YR5/3 Munsell Brown. Glacial Outwash **SW/SP**	3/5/5/10	2" spoon
S-5	8-10	2.0/1.6	BKG	**SAND**, well graded, fine to carse, loose, moist, 10yr5/3 Munsell Brown. Glacial Outwash **SW**	4/5/8/10	2" spoon
S-6	10-12	2.0/2.0	BKG	**SAND**, moderately graded, coarse, 20-35% gravel, overlain by medium to fine, medium dense, 10YR6/2-3/2 Munsell Light brownish gray to very dark grayish brown **SW/SP**	8/10/14/10	3" spoon Analytical sample collected.
S-7	12-14	2.0/1.6	BKG	**SAND**, well graded, medium to coarse, loose, moist, 10Yr3/2 Dark grayish brown. Glacial Outwash **SW/SP**	4/4/4/6	2" spoon
S-8	14-16	2.0/1.6	BKG	**SAND**, same as S-7, 1.0-foot lense medium to fine, 10YR6/2 Munsell Light brownish gray. **SW/SP**	3/3/6/11	2" spoon
S-9	16-18	2.0/1.5	BKG	**SAND**, same as S-7 **SW/SP**	4/7/7/8	2" spoon
S-10	18-20	2.0/1.4	BKG	**SAND**, same as S-7 **SW/SP**	3/4/4/5	2" spoon
S-11	20-22	2.0/1.7	1.0	**SAND**, well graded medium to fine, loose, moist, 10YR6/2 Munsell Light brownish gray. Glacial Outwash **SW/SP**	2/3/3/10	2" spoon

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: G3M-92-06X

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-12	22-24	2.0/1.4	BKGD	**SAND**, well graded, coarse to fine, 10% gravel, loose, moist, 10YR3/2 Munsell Dark grayish brown, Glacial Outwash **SW/SP**		2" spoon
S-13	24-26	2.0/1.7	BKGD	**SAND**, similar to S-12, except gradation downward to medium to fine sand, medium dense, **saturated**, 7.5TR3/3 Munsell dark brown **SW/SP**	5/8/6/7	3" spoon Analytical sample collected.
S-14	26-28	2.0/1.7	BKGD	**SAND**, moderately graded, medium to fine, medium dense, saturated, 7.5YR3/3 Munsell dark brown, Glacial Outwash **SP**	4/8/4/5	2" spoon Grain size analysis performed.
S-15	28-30	2.0/1.8	BKGD	**SAND**, similar to S-14, grading downward to fine sand and 20-35% silt, 7.5Y3/3 Munsell dark brown **SP**	5/9/12/15	2" spoon
S-16	30-32	2.0/1.8	BKGD	**SAND**, poorly graded, fine, medium dense, saturated **SP**	4/9/9/12	2" spoon
				BOE at 32'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G3M-92-07X
CLIENT: AEC	DATE STARTED: 7/02/92	GROUP: 3 (Moore Airfield-DSA)
CONTRACTOR: D.L. Maher	DATE COMPLETED: 7/02/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: 10.6 eV HL-200
GROUND ELEV.: 249.8'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 32.0'
LOGGED BY: CPL	CHECKED BY: DSP	WATER TABLE BGS: 24.5'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.8	BKG	0.0-0.6' **SAND**, well graded, medium to fine, 0-15% silt, 0-15% subrounded gravel, medium dense, 10YR3/2 Munsell Dark brown. Topsoil **SW** 0.6-1.8' **SAND**, moderately graded, medium to fine, 0-10% silt, 10-20% subrounded to subangular, medium dense, moist, 2.5Y7/2 Light gray-brown **SP**	4/6/6/4	Headspace PID=<5, LEL=BKGD Readings of spoon and in headspace were occassionally taken in area downwind of drilling rig.
S-2	5-7	2.0/1.9	BKG	**SAND**, moderately graded, medium to fine, 0-10% silt, 10-20% subrounded to subangular, loose, moist, 2.5R7/2 Light gray-brown **SP**	2/3/3/4	Headspace PID=0.3 LEL=BKGD
S-3	10-12	2.0/1.7	0.5	**SAND**, moderately graded, coarse to medium, loose, slightly moist, 2.5Y7/2 Light grayish browm, stratification with fine sandy layers up to 1/4" **SP**	2/2/4/6	Headspace PID=0.2 LEL=BKGD
S-4	15-17	2.0/2.0	<0.7	**SAND**, same as S-3 **SP**	5/4/6/8	Headspace PID=0.7, LEL=BKGD
S-5	20-22	2.0/1.8	BKG	**SAND**, same as S-3 **SP**	2/4/6/10	Headspace PID=0.4, LEL=BKGD
S-6	25-27	2.0/2.0	BKG	**SAND**, poorly graded, coarse to medium, 0-10% silt, medium dense, **saturated**, 2.5Y6/2 Munsell Light brownish gray **SP** some stratification with fine sandy layers		TOC sample taken. Grain size analysis performed. Headspace PID=0.3, LEL=BKGD
				BOE at 32'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.04	BORING NO.: G3M-93-08X
CLIENT: AEC	DATE STARTED: 5/26/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 5/27/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 28'
LOGGED BY: S. Murray	CHECKED BY:	WATER TABLE BGS: 18'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.6	2.0	Fine to medium SAND: 0 - 5% gravel, 0 - 5% fines. Poorly graded. Medium dense, dry. Brown.	4/7/8/8	SP	
S-2	2-4	2.0/1.3	BG	Fine SAND: 0 - 3% gravel, 0 - 5% fines. Poorly graded. Medium dense to loose.	8/7/9/10	SP	
S-3	4-6	2.0/1.7	2.0	Fine SAND,as in S-2.	5/4/7/8	SP	
S-4	6-8	2.0/1.7	4.0	SAND: well graded.	12/14/13/12	SW	
S-5	8-10	2.0/1.6	3.0	Fine to medium SAND: 0 - 3% gravel, 0 - 5% fines. Poorly graded. Medium dense to loose, dry. Yellowish brown.	7/15/5/7	SP	
S-6	10-12	2.0/1.0	4.0	Fine to medium SAND,as in S-5.	4/4/5/5	SP	
S-7	12-14	2.0/1.2	3.0	SAND: 0 - 5% gravel, 0 - 3% fines. Well graded. Medium dense, damp. Yellowish brown.	6/8/7/8	SW	
S-8	14-16	2.0/1.2	2.0	Medium to fine SAND: 0 - 5% fines. Poorly graded. Loose to medium dense, damp. Pale brown.	7/4/4/5	SP	
S-9	16-18	2.0/1.6	3.0	Medium to fine SAND,as in S-8.	5/8/7/8	SP	
S-10	18-20	2.0/1.4	2.0	Fine to medium SAND: 5 - 12% fines. Poorly graded. Medium dense to loose, saturated. Grayish brown.	7/6/5/8	SP-SM	
S-11	20-22	2.0/1.6	BG	Fine to medium SAND,as in S-10.	3/2/4/5	SP-SM	
S-12	22-24	2.0/2.0	2.0	Fine to medium SAND,as in S-10.	1/2/4/5	SP-SM	
S-13	24-26	2.0/1.8	2.0	Fine to medium SAND,as in S-10.	8/11/12/15	SP-SM	
S-14	26-28	2.0/1.2	2.0	Fine to medium SAND: 0 - 5% fines. Poorly graded. Medium dense, saturated. Grayish brown.	11/12/13/15	SP	

BOE at 28'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.04	BORING NO.: G3M-93-09X
CLIENT: AEC	DATE STARTED: 5/25/93	STUDY AREA: 3
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 5/26/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 27'
LOGGED BY: S. Murray	CHECKED BY:	WATER TABLE BGS: 16'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.4	BG	Medium to fine SAND: 5 - 12% fines. Poorly graded. Medium dense, dry. Yellowish brown.	5/8/7/8	SP-SM	Color: 10YR5/6
S-2	5-7	2.0/1.3	BG	Medium SAND: 0 - 5% fines. Poorly graded. Medium dense, damp. Dark yellowish brown.	7/7/7/9	SP	Color: 10YR3/4
S-3	10-12	2.0/1.4	BG	Fine SAND: 5 - 12% fines. Poorly graded. Loose, damp. Yellowish brown.	5/4/4/6	SP-SM	Color: 10YR4/2
S-4	15-17	2.0/0.8	BG	Fine SAND,as in S-3. Moist to wet.	9/10/13/11	SP-SM	Color: 10YR4/2 Drillers report change.
S-5	20-22	2.0/1.8	BG	Fine SAND: 10 - 20% fines. Poorly graded. Medium dense, saturated. Dark gray.	5/5/7/8	SM	Color: 10YR4/1
S-6	25-27	2.0/2.0	BG	Fine SAND: 10 - 20% fines. Poorly graded. Medium dense, saturated. Light olive brown.	4/7/6/6	SM	Color: 2.5Y5/4

BOE at 27'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.04	BORING NO.: G3M-93-10X
CLIENT: AEC	DATE STARTED: 5/27/93	STUDY AREA: 44 - 52
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 34'
LOGGED BY: S. Murray	CHECKED BY:	WATER TABLE BGS:24'

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-5			Fine to medium SAND:0 - 5% gravel, 0 - 5% fines. Poorly graded. Dry, dark yellowish brown.		SP	
S-2	5-20			SAND: 3 - 5% gravel, 0 - 5% fines. Damp, dark brown.		SW	(0 - 20'): logged from auger cuttings Cobbles/gravel seam at 17'
S-3	20-22	2.0/1.3	BG	SAND: 5% gravel, 0 - 5% fines. Well graded. Medium dense, damp. Brown.	9/5/9/13	SW	
S-4	22-24	2.0/1.2	BG	SAND,as in above interval.	10/13/15/13	SW	
S-5	24-26	2.0/1.3	BG	SAND,as in above interval (saturated)	3/6/11/16	SW	

6 1/4" augers advanced to 34', to facilitate well installation.

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: **6917.04**	BORING NO.: **G3M-93-11X**
CLIENT: **AEC**	DATE STARTED: 5/27/93	STUDY AREA: 44/52
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 27'
LOGGED BY: S. Murray	CHECKED BY:	WATER TABLE BGS: < 24'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-1			SAND to GRAVEL		SW/GW	
S-2	1-12			Fine to medium SAND: 0 - 5% gravel, 5 - 12% fines. Poorly graded. Dry, olive brown (2.5Y3/3).		SP-SM	
S-3	12-24			Fine to medium SAND: 0 - 5% gravel, 0 - 5% fines. Poorly graded. Dry, dark grayish brown (2.5Y4/2).		SP	(0 - 24'): logged from auger cuttings
S-4	24-26	2.0/1.4	BG	SAND: 0 - 5% fines. Well graded. Medium dense to dense, saturated. Olive brown (2.5YR4/3).	7/10/14/8	SW	
S-5	26-28	2.0/1.4	BG	SAND,as in S-4.	17/16/17/12	SW	

6 1/4' augers advanced to 34', to facilitate well installation.

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: 38B-93-01X
CLIENT: AEC	DATE STARTED: 6/4/93		STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/4/93		PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:		PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 5'
LOGGED BY: S. Murray	CHECKED BY:		WATER TABLE BGS: > 5'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	2 - 5	2.0/1.7	BKG	SAND, poorly graded, fine to medium, 3% gravel, 3 - 5% fines, medium dense, dry, yellowish brown	4-4-6-8	SP	

BOE at 5'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 38B-93-02X
CLIENT: **AEC**	DATE STARTED: 5/26/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 5/26/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: 101287
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 5'
LOGGED BY: S. Murray	CHECKED BY:	WATER TABLE BGS: > 5'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0 - 3			SAND, poorly graded, medium to fine, 3 - 5% gravel, 0 - 5% fines, dry, yellowish brown		SP	logged from auger cuttings
S-1	3 - 5	2.0/1.1	2	SAND, poorly graded, fine to medium, 0 - 5% fines, medium dense, damp, grayish brown (2.5Y5/2)	6-6-6-6	SP	

BOE at 5'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 38B-93-03X
CLIENT: AEC	DATE STARTED: 5/26/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 5/26/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: 101287
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 5'
LOGGED BY: S. Murray	CHECKED BY:	WATER TABLE BGS: > 5'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-3			SAND, poorly graded, medium to fine, 1 - 3% gravel, 0 - 5% fines, dry, yellowish brown		SP	logged from auger cuttings
S-1	3-5	2.0/0.8	BKG	SAND, poorly graded, medium to fine, 1 - 3% gravel, 0 - 5% fines, medium dense, damp, dk grayish brn (2.5Y4/2)	5-5-6-7	SP	

BOE at 5'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 38B-93-04X
CLIENT: AEC	DATE STARTED: 5/26/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 5/26/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: 101287
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 5'
LOGGED BY: S. Murray	CHECKED BY:	WATER TABLE BGS: > 5'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-3			SAND, poorly graded, medium to fine, 0 - 5% gravel, 0 - 5% fines, dry, yellowish brown		SP	logged from auger cuttings
S-1	3-5	2.0/1.0	2	SAND, poorly graded, medium to fine, 0 - 5% fines, loose, dry, yellowish brown (10YR5/4)	4-4-6-7	SP	

BOE at 5'

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: 38B-93-05X
CLIENT: AEC		DATE STARTED: 6/4/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring		DATE COMPLETED: 6/4/93	PROTECTION: Modified D
METHOD: HSA		BORING DIAMETER:	PID METER: TE 580B OVM
GROUND ELEV:		REFERENCE PT. ELEV.:	TOTAL DEPTH: 5'
LOGGED BY: S. Murray		CHECKED BY:	WATER TABLE BGS: > 5'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-3			SAND, poorly graded, fine to medium, 3% gravel, 0 - 5% fines, dry, dark yellowish brown		SP	logged from auger cuttings
S-1	3-5	2.0/1.4	BKG	SAND, poorly graded, fine to medium, 3% gravel, 0 - 5% fines, medium dense, dry, dark yellowish brown	4-5-6-6	SP	

BOE at 5'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 38B-93-06X
CLIENT: AEC	DATE STARTED: 6/4/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/4/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: TE 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 5'
LOGGED BY: S. Murray	CHECKED BY:	WATER TABLE BGS: > 5'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-3			SAND, poorly graded, fine to medium, 3% gravel, 3 - 7% fines, dry		SP	logged from auger cuttings
S-1	3-5	2.0/1.4	BKG	SAND, poorly graded, fine, 3 - 7% fines, medium dense, dry, yellowish brown	6-6-6-8	SP	

BOE at 5'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 38B-93-07X
CLIENT: AEC	DATE STARTED: 6/4/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/4/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: TE 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 5'
LOGGED BY: S. Murray	CHECKED BY:	WATER TABLE BGS: > 5'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-3			SAND, poorly graded, fine to medium, 5% gravel, 3 - 7% fines, dry, yellowish brown		SP	logged from auger cuttings
S-1	3-5	2.0/1.7	BKG	SAND, poorly graded, fine to medium, 5% gravel, 3 - 7% fines, medium dense, dry, yellowish brown	5-6-7-11	SP	

BOE at 5'

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: 38B-93-08X
CLIENT: AEC	DATE STARTED: 6/4/93		STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/4/93		PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:		PID METER: TE 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 5'
LOGGED BY: S. Murray	CHECKED BY:		WATER TABLE BGS: > 5'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-3			SAND, poorly graded, fine to medium, 3% gravel, 0 - 5% fines, dry, yellowish brown		SP	logged from auger cuttings
S-1	3-5	2.0/1.8	BKG	SAND, poorly graded, fine to medium, 3% gravel, 0 - 5% fines, loose, dry, yellowish brown	3-4-4-6	SP	

BOE at 5'

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: 38B-93-09X
CLIENT: AEC	DATE STARTED: 6/4/93		STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/4/93		PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:		PID METER: TE 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 5'
LOGGED BY: S. Murray	CHECKED BY:		WATER TABLE BGS: > 5'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-3			SAND, poorly graded, fine to medium, 3 - 7% fines, dry, yellowish brown		SP	logged from auger cuttings
S-1	3-5	2.0/1.6	BKG	SAND, poorly graded, fine to medium, 3 - 7% fines, medium dense, dry, yellowish brown	8-9-9-12	SP	

BOE at 5'

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: 38B-93-10X
CLIENT: AEC		DATE STARTED: 6/4/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring		DATE COMPLETED: 6/4/93	PROTECTION: Modified D
METHOD: HSA		BORING DIAMETER:	PID METER: TE 580B OVM
GROUND ELEV:		REFERENCE PT. ELEV.:	TOTAL DEPTH: 5'
LOGGED BY: S. Murray		CHECKED BY:	WATER TABLE BGS: > 5'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-3			SAND, poorly graded, fine to medium, 3% gravel, 5 - 12% fines, dry, yellowish brown		SP	logged from auger cuttings
S-1	3-5	2.0/1.4	BKG	SAND, poorly graded, fine to medium, 3% gravel, 5 - 12% fines, medium dense, dry, yellowish brown	7-8-8-9	SP	

BOE at 5'

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: 38B-93-11X
CLIENT: AEC	DATE STARTED: 6/4/93		STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/4/93		PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:		PID METER: TE 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 5'
LOGGED BY: S. Murray	CHECKED BY:		WATER TABLE BGS: > 5'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-3			SAND, poorly graded, fine to medium, 3 - 4% gravel, 3 - 7% fines, dry, yellowish brown		SP	logged from auger cuttings
S-1	3-5	2.0/1.8	BKG	SAND, poorly graded, fine to medium, 3 - 4% gravel, 3 - 7% fines, medium dense, dry, yellowish brown	5-6-6-9	SP	

BOE at 5'

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: 38B-93-12X
CLIENT: AEC	DATE STARTED: 5/26/93		STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 5/26/93		PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:		PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 12'
LOGGED BY: S. Murray	CHECKED BY:		WATER TABLE BGS: > 12'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.3	BKG	SAND, poorly graded, medium, 5 - 15% fines, medium dense, dry, very dark brown	16-8-8-7	SP-SM	
S-2	5-7	2.0/1.2	BKG	SAND, well graded, 0 - 5% gravel, 0 - 5% fines, medium dense, dry, yellowish brown	5-7-9-12	SW	
S-3	10-12	2.0/1.3	BKG	SAND, well graded, 0 - 5% gravel, 0 - 5% fines, dense, damp, very dark grayish brown	11-14-24-25	SW	

BOE at 12'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 38B-93-13X
CLIENT: AEC	DATE STARTED: 6/3/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/3/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 12'
LOGGED BY: J. Bell	CHECKED BY:	WATER TABLE BGS: > 12'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.1	BKG	SAND, poorly graded, fine to medium, 0 - 5% gravel, 0 - 5% fines, very dense, moist, dark brown (10YR5/3)	25-27-7-8	SP	
S-2	5-7	2.0/1.3	BKG	SAND, as in S-1, but with a seam of coarse sand at 6.0' - 6.2'	23-13-18-17	SP	
S-3	10-12	2.0/1.8	BKG	SAND, well graded, 5 - 12% gravel, 0 - 5% fines, medium dense, moist, dark grayish brown (10YR4/2)	8-12-15-21	SW	

BOE at 12'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 38B-93-14X
CLIENT: AEC	DATE STARTED: 6/4/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/4/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 12'
LOGGED BY: S. Murray	CHECKED BY:	WATER TABLE BGS: > 12'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.4	BKG	Top 0.7': SAND, poorly graded, fine to medium, 4% gravel, 3 - 5% fines, medium dense, dry, black	5-5-7-8	SP	
				Bottom 0.7': SAND, well graded, 3% gravel, 0 - 5% fines, medium dense, dry, dark yellowish brown		SW	
S-2	5-7	2.0/1.6	BKG	SAND, poorly graded, fine, 0 - 5% fines, medium dense, dark yellowish brown	9-6-10-11	SP	
S-3	10-12	2.0/1.8	BKG	SAND, well graded, 3% gravel, 0 - 5% fines, medium dense, damp, dark brown	7-18-17-13	SW	

BOE at 12'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 38B-93-15X
CLIENT: AEC	DATE STARTED: 6/4/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/4/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 12'
LOGGED BY: S. Murray	CHECKED BY:	WATER TABLE BGS: > 12'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/2.0	BKG	Top 1.0': SAND and GRAVEL Bottom 1.0': SAND, poorly graded, fine to medium, 3 - 5% gravel, 0 - 5% fines, medium dense, dry, dark yellowish brown	6-6-5-7	SP	
S-2	5-7	2.0/1.4	BKG	Top 0.5': SAND, well graded, 0 - 5% fines, medium dense, dry, dark yellowish brown Bottom 0.9': SAND, poorly graded, fine to medium, 0 - 5% fines, medium dense, damp, dark yellowish brown	6-8-5-6	SW SP	
S-3	10-12	2.0/1.8	BKG	SAND, well graded, 5% gravel, 0 - 5% fines, medium dense, dry, dark yellowish brown	7-11-10-12	SW	

BOE at 12'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 38B-93-16X
CLIENT: AEC	DATE STARTED: 6/3/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/3/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 12'
LOGGED BY: J. Bell	CHECKED BY:	WATER TABLE BGS: > 12'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-1			CONCRETE			
S-1	1-3	2.0/1.1	BKG	SAND, poorly graded, fine to medium, 0 - 5% gravel, 0 - 5% fines, medium dense, dry, pale brown (10YR6/3)	5-5-6-10	SP	
S-2	5-7	2.0/1.2	BKG	SAND, as in S-1	10-11-14-14	SP	
S-3	10-12	2.0/1.3	BKG	Top 0.6': SAND, poorly graded, fine to medium, 0 - 5% gravel, 5 - 12% fines, very dense, brown (10YR5/3) Bottom 0.7': SAND, as in S-1	10-25-24-23	SP-SM SP	roots

BOE at 12'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 38B-93-17X
CLIENT: AEC	DATE STARTED: 6/3/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/3/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 12'
LOGGED BY: J. Bell	CHECKED BY:	WATER TABLE BGS: > 12'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-1			CONCRETE			
S-1	1-3	2.0/1.3	BKG	SAND, poorly graded, fine, 0 - 5% gravel, 0 - 5% fines, dense, dry, pale brown (10YR6/3)	10-25-24-23	SP	
S-2	5-7	2.0/1.2	BKG	SAND, as in S-1	5-9-9-15	SP	
S-3	10-12	2.0/1.1	BKG	SAND, well graded, 0 - 5% gravel, 0 - 5% fines, medium dense, dry, brown (10YR5/3)	not recorded	SW	

BOE at 12'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 38B-93-18X
CLIENT: AEC	DATE STARTED: 6/3/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/3/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 12'
LOGGED BY: J. Bell	CHECKED BY:	WATER TABLE BGS: > 12'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-1			CONCRETE			
S-1	1-3	2.0/0.9	BKG	SAND, poorly graded, fine to medium, 0 - 5% gravel, 0 - 5% fines, very loose, dry, dk yellowish brn (10YR4/4)	1-2-1-1	SP	
S-2	5-7	2.0/1.8	BKG	Top 1.5': SAND, poorly graded, 5 - 12% gravel, 0 - 5% fines, dense, dry, brownish yellow (10YR4/6)	12-14-16-30	SP	
				Bottom 0.3': SAND, poorly graded, 0 - 5% gravel, 0 - 5% fine, dense, dry		SP	
S-3	10-12	2.0/1.0	BKG	SAND, poorly graded, fine to medium, 0 - 5% gravel, 0 - 5% fines, very dense, dry, yellowish brown (10YR5/6)	42-24-20-22	SP	

BOE at 12'

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: 38B-93-19X
CLIENT: AEC	DATE STARTED: 6/3/93		STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/3/93		PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:		PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 3'
LOGGED BY: J. Bell	CHECKED BY:		WATER TABLE BGS: > 3'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-1			CONCRETE			
S-1	1-3	2.0/1.0	BKG	SAND, well graded, 0 - 5% gravel, 0 - 5% fines, medium dense, dry, dark grayish brown (10YR4/2)	5-8-6-5	SW	

BOE at 3' (concrete obstruction)

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: 38B-93-20X
CLIENT: AEC	DATE STARTED: 6/2/93		STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/2/93		PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:		PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 12'
LOGGED BY: J. Bell	CHECKED BY:		WATER TABLE BGS: > 12'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-1			CONCRETE			
S-1	1-3	2.0/0.6	BKG	SAND, well graded, 0 - 5% gravel, 0 - 5% fines, loose, damp, dark brown (10YR3/3)	2-3-2-2	SW	
S-2	5-7	2.0/1.8	BKG	SAND, well graded, 0 - 5% gravel, 0 - 5% fines, loose, dry, dark brown (10YR3/3)	7-12-18-13	SW	
S-3	10-12	2.0/1.5	BKG	SAND, as in S-2	11-15-15-6	SW	

BOE at 12'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 38B-93-21X
CLIENT: AEC	DATE STARTED: 6/2/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/2/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 6'
LOGGED BY: J. Bell	CHECKED BY:	WATER TABLE BGS: > 6'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-1			CONCRETE			
S-1	1-3	2.0/1.1	BKG	SAND, well graded, 0 - 5% gravel, 0 - 5% fines, medium dense, dry, light yellowish brown (10YR6/4)	14-15-14-13	SW	
S-2	4-6	2.0/1.2	BKG	Top 0.9': SAND, as in S-1 Bottom 0.3': SAND, poorly graded, fine, 0 - 5% gravel, 0 - 5% fines, medium dense, dry	16-12-10-11	SW SP	

BOE at 6'

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: 38B-93-22X
CLIENT: AEC	DATE STARTED: 6/2/93		STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/2/93		PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:		PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 6'
LOGGED BY: J. Bell	CHECKED BY:		WATER TABLE BGS: > 6'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-1			CONCRETE			
S-1	1-3	2.0/1.2	BKG	SAND, poorly graded, fine to medium, 0 - 5% gravel, 0 - 5% fines, medium dense, dry, brown (10YR4/3)	13-13-12-9	SP	
S-2	4-6	2.0/1.6	BKG	Top 0.8': SAND, well graded, 5 - 12% gravel, 0 - 5% fines, medium dense, dry Bottom 0.8': SAND, as in S-1	10-12-12-13	SW SP	

BOE at 6'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 38B-93-23X
CLIENT: AEC	DATE STARTED: 6/2/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/2/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 4'
LOGGED BY: J. Bell	CHECKED BY:	WATER TABLE BGS: > 4'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-1			CONCRETE			
S-1	1-3	2.0/0.4	BKG	Top 1.5': possible VOID Bottom 0.5': SAND, well graded, 0 - 5% fines, loose, moist, very dark brown (10YR2/2)	0/18"-2	SW	wood pieces

BOE at 4' (concrete obstruction)

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: 38B-93-24X
CLIENT: AEC	DATE STARTED: 6/1/93		STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/1/93		PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:		PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 6'
LOGGED BY: J. Bell	CHECKED BY:		WATER TABLE BGS: > 6'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-0.7			CONCRETE			
S-1	0.7-2.7	2.0/1.0	BKG	SAND, poorly graded, fine to medium, 0 - 5% gravel, 0 - 5% fines, medium dense, dry	12-11-10-10	SP	
S-2	4-6	2.0/0.8	BKG	SAND, as in S-1	13-15-15-11	SP	

BOE at 6'

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: 38B-93-25X
CLIENT: AEC		DATE STARTED: 6/2/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring		DATE COMPLETED: 6/2/93	PROTECTION: Modified D
METHOD: HSA		BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:		REFERENCE PT. ELEV.:	TOTAL DEPTH: 10'
LOGGED BY: J. Bell		CHECKED BY:	WATER TABLE BGS: > 10'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-1			CONCRETE			
S-1	1-3	2.0/0.7	BKG	SAND, well graded, 0 - 5% gravel, 0 - 5% fines, loose, damp, dark grayish brown (10YR4/2)	2-3-3-3	SW	
S-2	4-6	2.0/1.4	BKG	SAND, poorly graded, fine to medium, 0 - 5% gravel, 0 - 5% fines, medium dense, damp, brown (10YR4/3)	5-6-8-9	SP	
S-3	8-10	2.0/1.5	BKG	SAND, well graded, 0 - 5% gravel, 0 - 5% fines, medium dense, damp, dark yellowish brown (10YR4/4)	4-8-9-8	SW	

BOE at 10'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 38B-93-26X
CLIENT: AEC	DATE STARTED: 6/2/93	STUDY AREA: 38
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/2/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 6'
LOGGED BY: J. Bell	CHECKED BY:	WATER TABLE BGS: > 6'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
	0-1			CONCRETE			
	1-4			VOID			
S-1	4-6	2.0/1.0	BKG	SAND, poorly graded, fine to medium, 0 - 5% gravel, 0 - 5% fines, loose, damp, brown (10YR4/3)	3-4-5-5	SP	

BOE at 6'

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 44B-92-01X
CLIENT: AEC	DATE STARTED: 7/8/92	GROUP: 3 (Cannib. Yard "B")
CONTRACTOR: D. L. Maher	DATE COMPLETED: 7/8/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Photovac Microtip
GROUND ELEV.: 251.2'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: JMC/RRR	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.6	3.8	(0-0.6) Silty **SAND**, little (~10-15%) fine gravel, poorly graded, loose, dry, no visible structure, 10YR4/1 Munsell dark gray, roots, topsoil. **SM** (0.6-1.6) **SAND**, mostly fine with little (~10%) medium and trace (~5-10%) silt, poorly graded, rounded, medium dense, dry, 10YR6/8 Munsell brownish yellow, no visible structure, fill. **SP**	8/12/12/15	Breathing zone PID=0 ppm and LEL=BKG.
S-2	5-7	2.0/2.0	0	(5.0-5.5) **SAND**, Same as above (0.6-1.6) **SP** (5.5-7.0) **SAND**, medium to coarse with little fine gravel concentrated between 6.5-7.0', poorly graded, rounded, medium dense, slightly damp, 10YR7/6 Munsell yellow, no visible structure, outwash. **SP**	7/6/5/8	Breathing zone PID=0 ppm and LEL=BKG. Grain-size analysis performed ->SP
S-3	10-12	2.0/2.0	-	**SAND**, coarse with trace (~5%) fine gravel grading down to fine to medium with little (~10%) coarse, poorly graded, well rounded, medium dense, damp, 10YR6/6 Munsell brownish yellow grading down to 10YR7/8 Munsell yellow, no visible structure, outwash. **SP**	10/10/10/11	Breathing zone PID=0 ppm and LEL=BKG.
				BOE at 12'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 44B-92-02X
CLIENT: AEC	DATE STARTED: 7/8/92	GROUP: 3 (Cannib. yard "B")
CONTRACTOR: D. L. Maher	DATE COMPLETED: 7/8/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Photovac Microtip
GROUND ELEV.: 250.6'	REFERENCE PT. ELEV.: N/A	TOTAL DEPTH: 12'
LOGGED BY: JMC/RRR	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.5	0	(0-1.0) Silty **SAND**, fine to medium with little (~10-20%) fine gravel, subangular fragments, medium dense, dry, 10YR4/1 Munsell dark gray, roots, topsoil/fill. **SM** (1.0-1.5) **SAND**, fine, poorly graded, greater coarse content than above, dense, dry, 10YR6/8 Munsell brownish yellow, no visible structure, outwash. **SP**	8/19/14/14	Analytical sample collected. Breathing zone PID=0 ppm and LEL=BKG.
S-2	5-7	2.0/1.8	0	(5.0-5.5) **SAND**, fine to medium, poorly graded, medium dense, striations, 10YR8/3 Munsell very pale brown, outwash. (5.5-6.5) Same as above except medium to coarse, 10YR7/6 Munsell yellow, no structure. (6.5-6.8) Same as above except fine to medium with little (~10%) coarse, 10YR6/4 Munsell light yellowish brown. **SP**	5/8/8/9	Same as above.
S-3	10-12	2.0/1.8	0	**SAND**, medium to coarse with trace (~5%) fine gravel, poorly graded, rounded, medium dense, damp, no visible structure, 10YR8/3 Munsell very pale brown, outwash. **SP**	5/8/9/9	Same as above.
				BOE at 12'		

ABB ENVIRONMENTAL SERVICES, INC.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 44B-92-03X
CLIENT: AEC	DATE STARTED: 7/8/92	GROUP: 3 (Cannib. Yard "B")
CONTRACTOR: D. L. Maher	DATE COMPLETED: 7/8/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Photovac Microtip
GROUND ELEV.: 250.7'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: JMC/RRR	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.5	-	**SAND**, fine with trace (~10%) silt and little (~20%) fine gravel, poorly graded, subangular, medium dense, dry, 10YR7/8 Munsell yellow, no visible structure, fill. **SP**	5/14/16/11	Analytical sample collected. Breathing zone PID=0 ppm and LEL=BKG.
S-2	5-7	2.0/1.5	-	**SAND**, fine with one gravel fragment at top, poorly graded, medium dense, damp, 2.5YR7/8 Munsell yellow grading down to 10YR8/3 Munsell very pale brown with mottling in middle 0.5' interval of both colors, no visible structure, outwash. **SP**	4/5/7/7	Same as above.
S-3	10-12	2.0/2.0	-	(10.0-10.4') Same as bottom interval above. (10.4-12.0') Same as above except medium to coarse with trace (~5%) fine gravel. **SP**	7/10/10/8	Same as above.
				BOE at 12'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 44B-92-04X
CLIENT: AEC	DATE STARTED: 7/7/92	GROUP: 3 (Cannib. Yd./2nd fence)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 7/7/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Photovac Microtip
GROUND ELEV.: 251.0'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: JMC/BJS	CHECKED BY: RRR	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.0	0	**SAND**, ~70% fine, ~20% medium, ~10% coarse with trace (~10%) silt and trace (~10%) fine gravel (20mm), well graded, subangular gravel pieces, very dense, dry, 5Y5/3 Munsell olive, no visible structure, fill. **SW**	10/30/36/22	Analytical sample collected. Breathing zone PID=0 ppm and LEL=BKG.
S-2	5-7	2.0/1.8	0	**SAND**; (5.0-5.8') ~80% fine and ~20% medium, (5.8-6.8') ~90% medium, ~5% fine , and ~5% coarse with trace (~10%) fine gravel; poorly graded, subrounded, medium dense, dry, 10YR6/4 Munsell light yellowish brown, no visible structure, outwash. **SP**	5/8/9/12	Same as above.
S-3	10-12	2.0/2.0	0	**SAND**, poorly graded, coarse to medium, <5% fines, 15-25% coarse rounded gravel (30-40mm), medium dense, slightly moist, 10YR6/4 Munsell light yellowish brown, some stratification, outwash. **SP**	12/12/14/10	Analytical sample collected. Breathing zone PID=0 ppm and LEL=BKG. Grain-size analysis performed -> SP
				BOE at 12'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 44B-92-05X
CLIENT: AEC	DATE STARTED: 7/7/92	GROUP: 3 (Cannib. Yard "A")
CONTRACTOR: D. L. Maher	DATE COMPLETED: 7/7/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Photovac Microtip
GROUND ELEV.: 250.6'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: JMC/RRR	CHECKED BY: RRR	WATER TABLE BGS: Not encountered

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.5	0	(0-0.2') Black asphalt. (0.2-0.5') Silty **SAND**, fine to medium with little (10-20%) subangular gravel, poorly graded, medium dense, dry, 10YR3/2 Munsell very dark greyish brown, no visible structure, fill. **SM** (0.5-1.5') **SAND**, ~90% fine and ~10% medium with trace (5-10%) silt and trace (5-10%) gravel, poorly graded, medium dense, rounded, dry, 10YR6/8 Munsell brownish yellow, no visible structure, fill. **SP**	16/12/12/11	Analytical sample collected. Breathing zone PID=0 ppm and LEL=BKG.
S-2	5-7	2.0/1.8	0	**SAND**, ~90% medium and ~10% coarse with trace (5-10%) fine gravel, poorly graded, rounded, medium dense, dry, 10YR6/4 Munsell light yellowish brown, outwash. **SP**	6/6/6/12	Same as above.
S-3	10-12	2.0/2.0	0	(10.0-10.9') **SAND**, ~50% medium and ~50% coarse with little (~15%) fine to coarse gravel, poorly graded, subrounded, medium dense, dry, 10YR6/4 Munsell light yellowish brown, no structure in spoon, outwash. **SP** (10.9-12.0') Same as above except ~50% fine and ~50% medium sand and no gravel. **SP**	5/7/11/8	Same as above.
				BOE at 12'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: **6917-04**	BORING NO.: **44B-92-06X**
CLIENT: **AEC**	DATE STARTED: 7/7/92	GROUP: 3 (Cannib. Yard "A")
CONTRACTOR: D. L. Maher	DATE COMPLETED: 7/7/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Photovac Microtip
GROUND ELEV.: 250.9'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: JMC/RRR	CHECKED BY: RRR	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.5	115	Gravelly **SAND**, large gravel clasts, well graded, angular (construction rubble?), very dense, dry, 7.5YR3/3 Munsell dark brown, strong oily odor with black oily spots, fill. **SW**	10/37/20/19	Analytical sample collected. Not enough recovery for duplicate. 11.4 ppm over top end of spoon. 115 ppm max. 97 ppm over cuttings.
S-2	5-7	2.0/2.0	235	**SAND**, poorly graded, medium dense, dry, petroleum odor, no visible structure, outwash. **SP** (5.0-6.5') ~60% medium and ~40% coarse sand with little (10-15%) fine gravel, 2.5Y6/6 Munsell olive yellow. (6.5-7.0') fine sand with trace (5-10%) silt, 2.5Y7/4 pale yellow.	6/8/8/10	74 ppm at top end of spoon. 235 ppm max over lower end of spoon. 32 ppm over hole and cuttings. Analytical sample and duplicate collected. Split with CDM.
S-3	10-12	2.0/2.0	36	**SAND**, poorly graded, medium dense, slightly moist, petroleum odor, outwash. **SP** (10.0-10.7') Same as 6.5-7.0' interval above. (10.7-11.4') Coarse sand, ~20% medium sand, 10YR6/6 Munsell brownish yellow. (11.4-12.0') ~90% coarse sand and ~10% medium sand with trace (5-10%) fine gravel, 10YR6/4 Munsell light yellowish brown.	15/8/11/12	10.8 ppm on top end of spoon. 36 ppm over lower end of spoon. 47 ppm over cuttings. LEL=0. Analytical sample collected. Split with CDM.
				BOE at 12'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 52B-92-01X
CLIENT: AEC	DATE STARTED: 6/30/92	GROUP: 3 (SA-52)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/30/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: 10.6 eV PL 100
GROUND ELEV.: 251.1'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: CPL	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.7	>15	(0-1.0') **SAND**, well graded medium to fine with little (15-20%) coarse sand and fine gravel and trace (<5%) silt, sub-rounded, medium dense, dry, 7.5YR4/2 Munsell brown, fill. **SW** (1.0-1.7') **SAND**, poorly graded, medium to fine with trace (<5%) coarse sand to fine gravel (up to 1" max), subrounded to subangular, loose to medium dense, dry, 7.5YR7/3 Munsell light brown [pinkish gray], fill. **SP**	10/10/14/16	Analytical sample collected. Breathing zone PID=0 ppm and LEL=BKG. Attribute spoon PID to rig exhaust.
S-2	5-7	2.0/1.1	BKG	(5.0-5.5') Same as 1.0-1.7' fill. (5.5'6.1') **SAND**, moderately graded, medium to fine with trace (<5%) coarse sand and silt and little (~10%) fine gravel (up to 1" max), subrounded, loose, dry to slightly moist, 2.5Y7/2 Munsell light gray. **SW**	6/5/5/8	Analytical sample collected. Breathing zone PID=0 ppm and LEL=BKG.
S-3	10-12	2.0/2.0	BKG	Same as S-2 except medium dense. **SW**	12/9/9/7	Same as above.
				BOE at 12'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 52B-92-02X
CLIENT: AEC	DATE STARTED: 6/30/92	GROUP: 3 (SA-52)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/30/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: 10.6 eV PL-100
GROUND ELEV.: 251'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: CPL	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.3	0	(0-0.7') **SAND**, moderately graded, medium to fine sand with trace (~5%) silt and little (10-15%) coarse sand and fine gravel (up to 1" max), subrounded to subangular, loose to medium dense, dry, 2.5YR7/2 Munsell light gray [brown], fill. **SW** (0.7-1.3') **SAND**, poorly graded, fine to medium with trace (<5%) coarse sand and fine gravel and little (10-15%) silt, subrounded, loose to medium dense, dry, 2.5YR4/2 Munsell dark grayish brown, fill. **SP**	9/14/14/12	Analytical sample collected. Split with CDM. Head space PID=0 ppm. Breathing zone LEL=BKG. 3" spoon.
S-2	5-7	2.0/1.9	0	(5.0-6.0') **SAND**, well graded, medium to fine with little (5-10%) silt and coarse sand and fine gravel (up to 1" max), subrounded, loose to medium dense, dry, 10YR3/3 Munsell dark brown, fill. **SW** (6.0-6.9') **SAND**, moderately graded, medium to fine with trace (<5%) silt and little (10-15%) coarse sand and fine gravel (up to 1" max), subrounded to subangular, loose to medium dense, dry to moist, 2.5Y7/2 Munsell light gray [brown]. **SW**	17/9/10/17	Collected analytical sample. Head space PID=0 ppm. Breathing zone LEL=BKG. 2" spoon.
S-3	10-12	2.0/2.0	0	Same as S-2 except more moist, crude stratification. **SW**	9/12/14/7	Analytical sample collected. Split with CDM. Headspace PID=0 ppm. Breathing zone LEL=BKG. 3" spoon.
				BOE at 12'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: **6917-04**	BORING NO.: **52B-92-03X**
CLIENT: **AEC**	DATE STARTED: 6/30/92	GROUP: 3 (SA-52)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/30/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: 10.6 eV HL-200
GROUND ELEV.: 250.2'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: CPL	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.4	0	(0-1.1') **SAND**, poorly graded, fine to medium with trace (5-10%) silt and gravel (up to 1.5"), surounded, loose to medium dense, dry, 7.5YR3/2 Munsell dark brown, fill. **SP** (1.1-1.4') **SAND**, well graded, medium to fine with trace (<5%) silt and trace (5-10%) coarse sand and fine gravel, medium dense, dry, 10YR3/2 Munsell very dark grayish brown, fill. **SW**	10/12/17/14	Analytical sample collected. Split with CDM. Head space PID=0 ppm. Breathing zone LEL=BKG. 2" spoon.
S-2	5-7	2.0/1.8	0	(5.0-5.3') Same as 1.1-1.4' interval. (5.3-6.8') **SAND**, poorly graded, medium to fine with trace (<5%) silt and little (10-15%) coarse sand and gravel (up to 1" max), subrounded to subangular, medium dense, dry to slightly moist, 2.5Y7/2 Munsell light gray [brown]. **SP**	6/7/8/11	Analytical sample collected. Split with CDM. Head space PID=0 ppm. Breathing zone LEL=BKG. Grain size analysis performed-->SP. 3" spoon.
S-3	10-12	2.0/1.6	0	Same as S-2 except loose.	9/5/5/5	Analytical sample collected. Head space PID=0 ppm. Breathing zone LEL=BKG. 2" spoon.
				BOE at 12'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: **6917-04**	BORING NO.: **52B-92-04X**
CLIENT: **AEC**	DATE STARTED: 6/30/92	GROUP: 3 (SA-52)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/30/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: 10.6 eV HL-200
GROUND ELEV.: 249.8'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: CPL	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.4	0	(0-0.6') **SAND**, poorly graded, fine to medium with trace (5-10%) silt and gravel (up to 1.5" max), subrounded, medium dense to loose, dry, 7.5YR3/2 Munsell dark brown, fill. **SP** (0.6-1.4') **SAND**, well graded, medium to fine with trace (<5%) silt and trace (5-10%) coarse sand and fine gravel, subrounded, medium dense, dry, 10YR3/2 Munsell very dark grayish brown, fill or natural soil? **SW**	9/15/14/15	Analytical sample and duplicate collected. Head space PID=0 ppm. Breathing zone LEL=BKG.
S-2	5-7	2.0/1.6	0	(5.0-5.4') Same as 0.6-1.4' interval of S-1. (5.4-6.6') **SAND**, moderately graded, medium to fine with trace (<5%) silt and little (10-15%) coarse sand and gravel (up to 1" max), subrounded to subangular, medium dense, dry to slightly moist, 2.5y7/2 Munsell light gray [brown]. **SW**	9/8/9/12	Analytical sample and MS/MSD collected. Head space PID=0 ppm. Breathing zone LEL=BKG.
S-3	10-12	2.0/2.0	0	Same as above except loose. **SW**	4/3/3/9	Analytical sample collected. Head space PID=0 ppm. Breathing zone LEL=BKG.
				BOE at 12'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 52B-92-05X
CLIENT: AEC	DATE STARTED: 7/1/92	GROUP: 3 (TDA-Maintenance)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 7/1/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Photovac Microtip
GROUND ELEV.: 249.4'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: JKR/JC	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.7	50	**SAND**, well graded, fine to coarse, 10-20% fines, <5% gravel, grades to medium sand with little fine to coarse sand and gravel, medium dense, damp, dark brown to reddish brown, some stratification. SM	17/14/10/11	Analytical sample collected. Grain size analysis performed-->SM 2" spoon.
S-2	5-7	2.0/1.6	12	**SAND**, moderately well graded, medium with a little fine and coarse and trace gravel, medium dense, damp, brown. SW/SP	4/6/7/7	Analytical sample collected. 2" spoon.
S-3	10-12	2.0/1.4	0	**SAND**, moderately well graded, medium with little fine and coarse sand, medium dense to dense, damp, brown. SW/SP	4/7/9/11	Same as above.
				BOE at 12' No refusal		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 52B-92-06X
CLIENT: AEC	DATE STARTED: 6/30/92	GROUP: 3 (TDA-Maintenance)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/30/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Photovac Microtip
GROUND ELEV.: 249.4'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: JKR/JC	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.3		**SAND**, well graded, fine to coarse with little gravel and trace silt, medium dense, dry, brown. **SW**	14/8/8/16	Analytical sample collected. 2" spoon.
S-2	5-7	2.0/1.6		**SAND**, moderately well graded, coarse with little fine and gravel, medium dense, damp, brown. **SW/SP**	7/9/9/11	Same as above.
S-3	10-12	2.0/1.4		**SAND**, moderately well graded, medium to coarse (similar to S-2) with a couple dark brown layers of fine sand, medium dense, moist, brown. **SW/SP**	4/6/7/10	Same as above.
				BOE at 12' **No refusal**		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 52B-92-07X
CLIENT: AEC	DATE STARTED: 7/1/92	GROUP: 3 (TDA-Maintenance)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 7/1/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Photovac Microtip
GROUND ELEV.: 249.1'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: JKR/JC	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.4	40	**SAND**, well graded, fine to coarse with little gravel, medium dense, damp, reddish brown to brown. **SW**	6/6/7/8	Analytical sample collected. 2" spoon.
S-2	5-7	2.0/1.1	33	**SAND**, moderately well graded, medium with some fine and coarse and trace gravel, medium dense, damp, brown. **SW/SP**	10/10/11/10	Same as above.
S-3	10-12	2.0/1.4	2	Same as S-2 **SW/SP**	4/7/6/5	Same as above.
				BOE at 12' **No refusal**		

SOIL BORING LOG - FORT DEVENS, MA.

PROJECT NO.: 6917-04		BORING NO.: 52B-92-08X
CLIENT: AEC	DATE STARTED: 7/1/92	GROUP: 3 (TDA-Maintenance)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 7/1/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Photovac Microtip
GROUND ELEV.: 246.8'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: JKR/JC	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.2	80	**SAND**, well graded, fine to coarse sand with trace gravel, medium dense, dry to damp, brown to slightly reddish brown. **SW**	10/14/14/8	Analytical sample collected. 2" spoon.
S-2	5-7	2.0/1.2	20	**SAND**, moderately well graded, medium with some coarse and little fine, medium dense, damp, brown. **SP/SW**	4/5/7/11	Same as above.
S-3	10-12	2.0/1.3	2	**SAND**, moderately well graded, medium, similar to S-2, medium dense, damp, brown. **SP/SW**	5/5/10/12	Same as above.
				BOE at 12'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: **6917-04**	BORING NO.: **52B-92-09X**
CLIENT: **AEC**	DATE STARTED: 7/1/92	GROUP: 3 (TDA-Maintenance)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 7/1/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Photovac Microtip
GROUND ELEV.: 246.6'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: JKR/JC	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.5	50	**SAND**, moderately well graded, medium with some fine and coarse and trace gravel, medium dense, damp, brown to slightly reddish brown. **SW/SP**	6/8/7/7	Analytical sample collected. 2" spoon.
S-2	5-7	2.0/1.8	0	**SAND**, poorly graded, medium with trace fine and little gravel, medium dense, damp, brown to reddish brown. **SP**	6/6/6/7	Analytical sample collected. Grain size analysis performed -► SP 2" spoon
S-3	10-12	2.0/1.0	0	**SAND**, moderately poorly graded, medium to coarse with little gravel, medium dense, damp, brown. **SP**	4/6/10/10	Analytical sample collected. 2" spoon.
				BOE at 12'		

GROUP 5 LOGS

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G5M-92-01X
CLIENT: AEC	DATE STARTED: 6/8/92	GROUP: 5 (North Post Landfill)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/8/92	PROTECTION: Modified D
METHOD: 6.25" HSA	BORING DIAMETER: 10"	PID METER: Model 580B OVM
GROUND ELEV.: 238.7'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 40'
LOGGED BY: LNS	CHECKED BY: BJR	WATER TABLE BGS: 30.6'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/0.8	BKG	**SAND**, moderately well graded, trace (<5%) gravel, very loose, dry, 10YR7/3 Munsell very pale brown, no structure, glacial outwash. SP	1/1/2/5	
S-2	5-7	2.0/1.7	BKG	Same as above except 10YR8/2 Munsell white, no gravel. SP	2/2/2/3	
S-3	10-12	2.0/1.3	BKG	(10.0-10.5') Same as above except loose. (10.5-11.3') **SAND**, coarse, otherwise same as above, size gradation is gradual over 0.1'. SP	2/3/3/10	Cobbles and gravel in cuttings may be too large to be retrieved by split spoon.
S-4	15-17	2.0/0.7	BKG	Gravelly **SAND**, well graded, ~35% gravel from 3mm diameter to 15mm, subangular, medium dense, moist, 7.5YR4/3 Munsell dark brown, till. SW	4/8/6/6	
S-5	20-22	2.0/1.4	BKG	(20.0-20.5') Same as above. SW (20.5-21.4') Same white sand as S-2, medium dense, moist. SP	9/8/8/10	
S-6	25-27	2.0/1.5	BKG	**SAND**, moderately well graded, fine to medium, no gravel, homogenous, medium dense, moist, 10YR8/2 Munsell white, glacial outwash. SP	6/10/12/30	Sand under hand lens is ~90% quartz grains, ~5% black, small grains (mica?), and ~5% felsic grains (light brown).
S-7	30-32	2.0/1.4	BKG	Gravelly **SAND**, well graded with some (~45%) gravel, gravel is subrounded to subangular, dense, **Saturated** , 10YR3/3 Munsell dark brown. SW	10/20/20/19	Analytical sample collected. Grain size analysis performed--> **SW-SM**. Color describes sand; gravel includes white quartz pebbles and dark gray cobbles.
S-8	35-37	2.0/1.1	BKG	Same as above except medium dense. SW	5/8/10/9	
				BOE at 40'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 06917-04	BORING NO.: G5M-92-02X
CLIENT: AEC	DATE STARTED: 6/05/92	GROUP: 5 (North Post Landfill)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/08/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: OVM, LEL, Radiometer
GROUND ELEV.: 222.1	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 24'
LOGGED BY: RRR	CHECKED BY: BJR	WATER TABLE BGS: 15'

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.4	0	**SAND**, poorly graded, coarse to fine with little (~15%) fines and trace (~5%) gravel, subrounded, medium dense, dry, 10YR5/4 Munsell yellowish brown, glacial outwash. **SP-SM**	3/7/7/7	PID=BKG and LEL=0/21
S-2	2-4	2.0/1.0	BKG	Same as S-1 except very loose. **SP-SM**	2/2/2/2	Same as above.
S-3	4-6	2.0/1.45	BKG	(4.0-4.3') **SILT** , with some (~30%) fine to medium sand, rounded, stiff, damp, 5YR3/4 Munsell dark reddish brown. **ML** (4.3-5.45') **SAND**, poorly graded, fine to coarse, coarsening downward, with little (~15%) fines, subrounded to subangular, medium dense, moist, 7.5YR5/4 Munsell brown, transgressive facies, glacial outwash. **SP-SM**	5/6/8/9	Same as above.
S-4	6-8	2.0/1.2	BKG	Same as 4.3-5.45' of S-3 except loose. **SP-SM**	3/5/5/7	Same as above.
S-5	8-10	2.0/1.4	BKG	Same as above, slightly higher moisture content. **SP-SM**	2/3/5/4	Same as above.
S-6	10-12	2.0/1.4	BKG	Same as above. Gravel and silt lenses in the shoe. **SP-SM**	4/4/4/7	Same as above.
S-7	12-14	2.0/1.3	BKG	Same as above. **SP-SM**	3/4/4/6	Same as above.
S-8	14-15	2.0/1.3	BKG	Same as above except 15.0-15.5' is damp and 15.5-16.3' is **Saturated** . **SP-SM**	2/2/2/4	Same as above and hit water at 15'. Stopped drilling for the weekend at 16'. Analytical sample collected.
S-9	15-16	2.0/1.7	BKG		3/4/3/6	
S-10	16-18	2.0/1.3	BKG	(16.0-17.1') Same as above. **SP-SM** (17.1-17.3') **SILT** , with some (~30%) fine to medium sand, stiff, wet, 10YR3/4 Munsell dark yellowish brown. **ML**	2/2/8/9	S-9 collected on 6/8/92. TOC sample collected from 15-17'. Rock caught in shoe. PID=BKG and LEL=0/21. Grain size analysis performed-->**SP** .

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: G5M-92-02X

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-11	18-20	2.0/1.1	BKG	(18.0-18.1') Same as 17.1-17.3' of S-10 above. **ML** (18.1-18.5') **SAND**, poorly graded, coarse to fine with little (15-20%) fines and trace (~5%) gravel, rounded, medium dense, 7.5YR5/4 Munsell brown. **SP-SM** (18.5-19.1') Weathered cobbles, igneous and metamorphic, shales weathering to light brown silt.	6/8/19/21	Fractured cobbles and silt packed in shoe. PID=BKG and LEL=0/21.
S-12	20-22	2.0/0.8	BKG	(20.0-20.3') Silty **SAND**, poorly graded, 30-40% fines, subangular, medium dense, wet 7.5YR5/4 Munsell brown. **SM** (20.3-20.8') Silt matrix surrounding weathered and fractured rock (cobbles).	6/9/12/13	Fractured cobbles in shoe. PID=BKG and LEL=0/21.
S-13	22-24	2.0/1.1	BKG	(22.0-22.5') **SAND**, poorly graded, fine to coarse with some (~20%) fines, subrounded to subangular, medium dense, wet, brown. **SP-SM** (22.5-23.1') Silty **SAND**, poorly graded, ~30% silt, sand is fine, subrounded, medium dense, wet, yellow brown. **SM**	2/3/10/14	
				BOE at 24'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G5M-92-03A
CLIENT: AEC	DATE STARTED: 6/03/92	GROUP: 5 (North Post Landfill)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/03/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: OVM
GROUND ELEV.: 236.4'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 24'
LOGGED BY: RRR	CHECKED BY: DSP	WATER TABLE BGS: 16.6'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/0.7	0	**SAND**, moderately well graded, coarse to fine with some (~20%) fine gravel, little (~10%) coarse gravel, and little (~10%) silt, subangular, medium dense, moist, 2.5YR3/3 Munsell, no apparent bedding, glacial outwash. **SP-SM**	6/10/12/11	No reference sample taken.
						Coarse gravel/cobble zone at ~3' (cuttings).
S-2	5-7	2.0/1.0	0	Similar to S-1 except for coarse sand to fine gravel layer at 5.5-5.6', and silt at 0.8'. Some (~20%) fine sand, subrounded, very dense, wet from water in casing due to accidental discharge from hose, 2.5YR3/3 Munsell dark reddish brown, no bedding, glacial outwash. **SP-SM**	11/26/42/10	5.8' pushing rock with spoon.
						Silty sand layer at 8.0' (cuttings) with some (~20%) coarse gravel a[illegible] cobbles, rounded.
S-3	10-12	2.0/1.4	0	(10.0-11.0') **SAND**, well graded, subangular fine gravel to fine sand, very dense, moist, 2.5YR3/4 Munsell dark reddish brown. **SW** (11.0-11.4') Silty **SAND**, some (~20%) fine to medium sand and some (~20%) coarse sand, subrounded, 2.5YR4/3 Munsell reddish brown grading to 2.5YRN6 Munsell gray. **SM**	14/30/35/16	Rock caught in spoon.
S-4	15-17	2.0/1.3		(15.0-15.9') Sandy **SILT** to Silty **SAND**, poorly graded, little (~15%) medium to coarse sand, rounded, medium dense, **Saturated** , Munsell dark reddish brown. **ML-SM** (15.9-16.3') Same as above except 2.5YRN6 Munsell gray medium to coarse sand.	14/14/10/10	Analytical sample collected. Water at 16.6'.
S-5	20-22	2.0/1.5	0	(20.0-20.5') Fine **SAND**, 20-30% silt, poorly graded, subrounded, very dense, wet, 2.5YRN6 Munsell gray. **SM** (20.5-21.1') Silty **SAND**, fine with ~20% coarse gravel, subangular, very dense, wet, 2.5YR3/4 Munsell dark reddish brown. **SM** Continued on next page.	16/52/84/42	

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: G5M-92-03A

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-5 cont.	20-22	2.0/1.5	0	(21.1-21.5') **SAND**, moderately well graded, coarse to fine with some (~20%) fines and little (~10%) gravel, subrounded, very dense, wet, 2.5YR3/4 Munsell dark reddish brown. SP-SM	16/52/84/42	
				BOE at 24'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: **6917-04**	BORING NO.: **G5M-92-03B**
CLIENT: AEC	DATE STARTED: 6/18/92	GROUP: 5 (North Post Landfill)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/19/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: OVM
GROUND ELEV.: 237.9'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 38'
LOGGED BY: BBJ	CHECKED BY: BJR	WATER TABLE BGS: 28-29'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/0.6	0	**SAND**, moderately well graded, coarse to fine with little (~15%) silt and little (~10%) coarse gravel, medium dense, moist, 7.5YR4/6 Munsell strong brown, no apparent bedding, glacial outwash. **SP-SM**	3/15/14/13	
						Cobbles and boulders from 1.5-5.0'.
S-2	5-7	2.0/0.5	0	Silty **SAND**, poorly graded, fine with some (~30%) silt and some (~20%) fine gravel, subrounded, medium dense, moist, 10YR3/6 Munsell dark yellowish brown, no apparent bedding, glacial outwash. **SM**	3/6/5/5	
S-3	10-12	2.0/1.3	0	**SAND**, poorly graded, fine with trace (~5%) silt, loose, moist to damp with depth, 10YR7/2 Munsell light gray, no apparent bedding, glacial outwash. **SP**	8/4/4/4	
S-4	15-17	2.0/1.7	0	**SAND**, poorly graded, fine with trace (<5%) silt, loose, moist to damp at stratifications, 2.5Y8/4 Munsell pale yellow, stratified with more silt (~5%) in 0.1-0.5' layers, glacial outwash. **SP**	2/4/4/8	
						17.0-18.0' hit cobbles/gravel with augers.
S-5	20-22	2.0/1.0	0	**SAND**, well graded, fine to coarse with some (~20%) fine gravel and trace (~5%) silt, subrounded, medium dense, moist, 10YR3/4 Munsell dark yellowish brown, no bedding, glacial outwash. **SW**	5/8/7/9	
S-6	25-27	2.0/0.8	0	Gravelly **SAND**, poorly graded, fine to medium with little (~10%) coarse sand and trace (~5%) silt, subrounded, dense, moist, 10YR7/3 Munsell very pale brown, no bedding, fewer gravel with depth. **SP**	20/22/14/16	Augers in cobbles, cobbles at head of augers at 25'.
						WATER at 29.5' BGS in augers (augers at 30' BGS).

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: G5M-92-03B

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-7	30-32	2.0/1.2	0	Similar to S-6 except 10YR4/2 Munsell dark grayish brown, very dense, **Saturated** , bedding. **SP**	12/16/17/16	Analytical sample collected. 3" spoon. Grain size analysis performed-->**SP-SM.**
S-8	35-37	2.0/0.7	0	**SAND**, well graded, fine to medium with some (~20%) coarse sand, little (~15%) gine gravel, and trace (~5%) silt, medium dense, wet, 10YR6/6 Munsell brownish yellow, no bedding. **SW**	5/5/7/8	
				BOE at 38'		

TEST PIT FIELD LOG - FORT DEVENS, MA

TEST PIT FIELD LOG - FORT DEVENS, MA	PROJECT NO.: 6917-04	TEST PIT NO.: 09E9201X
CLIENT: AEC	DATE: 7/7/92	STUDY AREA: SA-9, LF-5
CONTRACTOR: D. L Maher	Time: 1320 End: 1405	PROTECTION: Level D
GEOLOGIST: I. Broadwater, J. Corulla	GROUND ELEV.: 222.1'	TOTAL DEPTH: 9'

DEPTH	SOIL DESCRIPTION	USCS	NOTES
0' – 3'	**SAND**, poorly graded, medium, 0-10% gravel, loose, moist, brown.	SP	
3' – 9'	**PEAT** , mostly wood with some electrical conduit pipes, occassional brick, some wood appears black and charred, Fill.	PT	MS/MSD volume taken at 4' feet (#178)
9' – 14'	End of Test Pit at 9' (no water encountered)		

No.	Serial No.	Depth	Field #	PID
S-1	178	4'	EX090104	BKG
S-2	179	8'	EX090108	BKG

TEST PIT FIELD LOG - FORT DEVINS, MA	PROJECT NO.: 6917-04	TEST PIT NO.: 09E9202X
CLIENT: AEC	DATE: 7/7/92	STUDY AREA: SA-9, LF-5
CONTRACTOR: D. L Maher	Time: 1120 End:	PROTECTION: Level D
GEOLOGIST: I. Broadwater, J. Corulla	GROUND ELEV.: 222.1'	TOTAL DEPTH: 9'

DEPTH	SOIL DESCRIPTION	USCS	NOTES
0' - 4.5'	SAND, poorly graded, medium, 10-20% gravel, loose, moist, brown.	SP	
4.5' - 9'	PEAT, charred wood with stained sand	PT	
9'	End of Test Pit at 9' (no water encountered)		

No.	Serial No.	Depth	Field #	PID
S-1	182 A,B,C	5'	EX090205	BKG
S-2	183 A,B,C	8'	ED090208	BKG
S-2	439 A,B,C	8'	EX090205	BKG

ABB-ENVIRONMENTAL SERVICES, INC.

TEST PIT FIELD LOG - FORT DEVENS, MA

TEST PIT FIELD LOG - FORT DEVENS, MA	PROJECT NO.: 6917-04	TEST PIT NO.: 09E9203X
CLIENT: AEC	DATE: 7/7/92	STUDY AREA: SA-9, LF-5
CONTRACTOR: D. L Maher	Time: 0855 End:	PROTECTION: Level D
GEOLOGIST: I. Broadwater, J. Corulla	GROUND ELEV.: 225.2'	TOTAL DEPTH: 9'

DEPTH	SOIL DESCRIPTION	USCS	NOTES
0' – 1'	**SAND**, well graded, fine to coarse, 10-20% gravel, loose, moist, brown	SW	
1' – 9'	**MIXED REFUSE**, tires, bottles, roof slate at 2.5-feet, carpet, clear plastic, automobile parts (red)	N/A	
9'	End of Test Pit at 9' (no water encountered)		
10'			
11'			
12'			
13'			
14'			

No.	Serial No.	Depth	Field #	PID
S-1	186 A,B,C	1'	EX090301	BKG
S-2	187 A,B,C	5'	ED090305	BKG
S-3	188 A,B,C	9'	EX090309	BKG

ABB-ENVIRONMENTAL SERVICES, INC.

TEST PIT FIELD LOG - FORT DEVENS, MA

PROJECT NO.: 6917-04		**TEST PIT NO.:** 09E9204X
CLIENT: AEC	DATE: 7/7/92	STUDY AREA: SA-9, LF-5
CONTRACTOR: D. L Maher	Time: 1530 End:	PROTECTION: Level D
GEOLOGIST: I. Broadwater, J. Corulla	GROUND ELEV.: 209.6'	TOTAL DEPTH: 9'

DEPTH	SOIL DESCRIPTION	USCS	NOTES
0' – 2'	**SAND**, poorly graded, medium to coarse, 0-10% silt, 0-10% angular gravel, moist	SP	
2'	**PEAT**, decayed organics, 10-20% silt and clay, saturated, soft	PT	
3' – 9'	**SILT** , slightly plastic, 20% fine to medium sand, saturated, soft	ML	
9'	End of Test Pit at 9' (no water encountered)		
10'			
11'			
12'			
13'			
14'			

No.	Serial No.	Depth	Field #	PID
S-1	404 A,B,C	3'	EX090403	BKG

ABB-ENVIRONMENTAL SERVICES, INC.

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: 21B-93-01X
CLIENT: AEC	DATE STARTED: 6/7/93		STUDY AREA: 21
CONTRACTOR: none	DATE COMPLETED: 6/7/93		PROTECTION: Modified D
METHOD: hand dug	BORING DIAMETER:		PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 4'
LOGGED BY: D. Pierce	CHECKED BY:		WATER TABLE BGS: > 4'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0 - 1.2	NA	BKG	Clayey SAND, fine to medium sand, 5 - 10% gravel to 1 in. max. (sub-rounded), 20 - 30% slightly to mod plastic fines, loose, damp, dark grayish brown (10YR4/2), small root fibers, apparent FILL	NA	SC	Hole dug by hand shovel.
S-2	1.2 - 1.6	NA	BKG	SAND, poorly graded, fine to medium sand, < 5% fine gravel (sub-rounded), 5 - 12% nonplastic fines, loose, damp, very dark brown (10YR2/2), small root fibers, rich in decayed organics, buried RESIDUAL SOIL	NA	SP-SM	
S-3	1.6 - 4.0	NA	BKG	SAND, poorly graded, fine to medium sand, 5 - 10% gravel to 3 in. max. (sub-rounded), < 5% nonplastic fines, medium dense, damp, dark yellowish brown (10YR4/6), small root fibers	NA	SP	Analytical sample BX210102 composited from 2.0'-4.0' with stainless steel spoon and pail.

BOE at 4.0'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 21B-93-02X
CLIENT: AEC	DATE STARTED: 6/7/93	STUDY AREA: 21
CONTRACTOR: none	DATE COMPLETED: 6/7/93	PROTECTION: Modified D
METHOD: hand dug	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 4'
LOGGED BY: D. Pierce	CHECKED BY:	WATER TABLE BGS: > 4'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0 - 0.5	NA	BKG	Silty SAND,uniform, fine, sub-rounded, 10 - 20% slightly plastic fines, loose, damp, very dark brown (10YR2/2), small root fibers, rich in decayed organics, RESIDUAL SOIL	NA	SM	Hole dug by hand shovel and post-hole digger
S-2	0.5 - 1.6	NA	BKG	Sandy SILT, nonplastic to slightly plastic, 40 - 60% fine sand (sub-rounded), firm, damp, yellowish brown (10YR5/8), small root fibers, grades into unit below	NA	ML-SM	
S-3	1.6 - 2.9	NA	BKG	Silty SAND, uniform, fine, 20 - 35% nonplastic fines, medium dense, damp, brownish yellow (10YR6/8), small root fibers	NA	SM	Analytical sample BX210202 composited from 2.0' to 4.0' using stainless steel spoon and pail
S-4	2.9 - 4.0	NA	BKG	SAND, well graded, fine to coarse, gravel to 3 in. max. (sub-rounded), 5 - 12% nonplastic fines, dense, damp, brownish yellow (10YR6/8), small root fibers	NA	SW-SM	

BOE at 4'

GROUP 6 BORING LOGS

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G6M-92-01X
CLIENT: AEC	DATE STARTED: 6/18/92	GROUP: 6 (Moore Air Field-FTA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/18/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: Model 580B OVM
GROUND ELEV.: 263.1'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 66'
LOGGED BY: NWH	CHECKED BY: BJR	WATER TABLE BGS: 57'

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.6	BKG	(0-0.4') Topsoil. (0.4-1.6') **SAND**, moderately well graded, trace (~5%) gravel (0.5" max), subrounded, medium dense, dry, 10YR5/8 Munsell yellowish brown, interbedded thin dark brown layers. **SW**	4/9/9/10	2" spoon.
S-2	2-4	2.0/1.5	BKG	(2.0-3.0') **SAND**, same as above except loose. **SW** (3.0-3.5') **SAND**, poorly graded, medium, subrounded, loose, damp, 10YR2/2 Munsell very dark brown. **SP**	4/3/3/6	2" spoon.
S-3	4-6	2.0/1.1	BKG	**SAND**, well graded, little (~10%) gravel (0.5" max), subrounded, medium dense, damp, 10YR6/3 Munsell pale brown. **SW**	10/12/14/9	2" spoon.
S-4	6-8	2.0/1.2	BKG	**SAND**, poorly graded, medium to coarse, subrounded, loose, damp, 10YR6/4 Munsell light yellowish brown. **SP**	2/2/4/4	2" spoon.
S-5	8-10	2.0/1.5	BKG	**SAND**, moderately well graded, trace (~5%) gravel (0.5" max), subrounded, loose, damp, 10YR6/3 Munsell pale brown. **SW**	1/2/4/8	2" spoon.
S-6	10-12	2.0/1.2	BKG	**SAND**, well graded, some (~20%) gravel (0.75" max), subrounded, loose, damp, 10YR6/6 Munsell brownish yellow. **SW**	2/5/5/4	2" spoon.
S-7	12-14	2.0/2.0	BKG	**SAND**, poorly graded, fine to medium, subrounded, medium dense, damp, 10YR8/4 Munsell very pale brown. **SP**	2/4/8/7	2" spoon.
S-8	14-16	2.0/1.7	BKG	**SAND**, poorly graded, fine to medium, subrounded, loose, damp, 2.5Y8/4 Munsell pale yellow. **SP**	3/3/4/6	2" spoon.
S-9	16-18	2.0/1.3	BKG	**SAND**, same as above. **SP**	2/2/5/8	2" spoon.

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: G6M-92-01X (continued)

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-10	18-20	2.0/1.7	BKG	**SAND**, poorly graded, fine with some (~20%) medium sand, subrounded, loose, damp, 2.5Y8/4 Munsell pale yellow. **SP**	3/3/4/4	2" spoon.
S-11	20-22	2.0/2.0	BKG	**SAND**, poorly graded, fine, subrounded, loose, damp. **SP**	2/4/5/6	2" spoon.
S-12	22-24	2.0/2.0	BKG	**SAND**, same as above except medium dense. **SP**	2/5/6/6	2" spoon.
S-13	24-26	2.0/2.0	BKG	**SAND**, same as above except loose. **SP**	3/4/6/8	2" spoon.
S-14	26-28	2.0/2.0	BKG	**SAND**, same as above. **SP**	3/4/6/6	2" spoon.
S-15	28-30	2.0/1.4	BKG	**SAND**, poorly graded, fine to medium, subrounded, loose, damp, 10YR8/4 Munsell very pale brown, some oxidized bands. **SP**	1/3/4/6	2" spoon.
S-16	30-32	2.0/1.7	BKG	**SAND**, poorly graded, fine, subrounded, medium dense, damp, 10YR8/4 Munsell very pale brown. **SP**	4/5/7/11	2" spoon.
S-17	32-34	2.0/1.7	BKG	**SAND**, poorly graded, fine with trace (~5%) silt, medium dense, damp, 10YR6/3 Munsell pale brown, some .25-.50" layers of silty fine sand. **SP**	4/5/7/12	2" spoon.
S-18	34-36	2.0/1.7	BKG	(34.0-35.0') **SAND** same as above. **SP** (35.0-35.7') **SAND**, poorly graded, fine to medium, subrounded, medium dense, damp, 10YR6/3 Munsell pale brown and 2.5Y7/6 Munsell yellow. **SP**	6/10/10/7	2" spoon.
S-19	36-38	2.0/1.6	BKG	**SAND**, poorly graded, fine to medium, subrounded, loose, damp, 10YR6/3 Munsell pale brown. **SP**	4/5/5/10	2" spoon.
S-20	38-40	2.0/1.7	BKG	**SAND**, poorly graded, fine with trace (~10%) medium sand, subrounded, loose, damp, 10YR6/3 Munsell pale brown. **SP**	3/3/5/11	2" spoon.
S-21	40-42	2.0/1.9	BKG	**SAND**, poorly graded, fine with trace (~10%) silt, subrounded, medium dense, damp, 10YR7/2 Munsell light gray. **SP-SM**	3/5/7/6	2" spoon.
S-22	42-44	2.0/2.0	BKG	**SAND**, same as above, interbedded with dark and light color bands. **SP**	3/5/10/11	2" spoon.

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: G6M-92-01X (continued)

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-23	44-46	2.0/1.2	BKG	**SAND**, poorly graded, fine, subrounded, loose, damp, 10YR7/4 Munsell very pale brown. **SP**	4/4/6/9	2" spoon.
S-24	46-48	2.0/1.6	BKG	(46.0-47.0') **SAND** same as above except medium dense. **SP** (47.0-47.6') **SAND**, poorly graded, fine with trace (~10%) silt, subrounded, medium dense, damp, 10YR5/2 Munsell grayish brown. **SP-SM**	2/4/7/9	2" spoon.
S-25	48-50	2.0/1.4	BKG	**SAND**, poorly graded, fine to medium, subrounded, medium dense, damp, 10YR7/4 Munsell very pale brown. **SP**	2/4/8/10	2" spoon.
S-26	50-52	2.0/1.4	BKG	**SAND** same as above. **SP**	2/4/7/10	2" spoon. Grain size analysis performed-->SP
S-27	52-54	2.0/1.4	BKG	**SAND**, poorly graded, fine with trace (~10%) silt, subrounded, medium dense, damp, interbedded with thin bands of silty sand, 10YR7/2 Munsell light gray. **SP**	3/6/16/15	2" spoon.
S-28	54-56	2.0/1.4	BKG	**SAND**, poorly graded, fine, medium dense, damp, 2.5Y8/4 Munsell pale yellow. **SP**	3/10/16/18	2" spoon.
S-29	56-58	2.0/1.4	BKG	**SAND**, poorly graded, fine to medium, subrounded, medium dense, moist to **Saturated** (below 57'), 2.5Y5/4 Munsell light olive brown. **SP**	2/7/14/16	2" spoon. Analytical sample collected.
S-30	58-60	2.0/1.8	BKG	**SAND**, same as above, and saturated. **SP**	4/5/12/14	2" spoon.
S-31	60-62	2.0/2.0	BKG	**SAND**, same as above. **SP**	4/9/9/15	2" spoon.
S-32	62-64	2.0/1.6	BKG	**SAND**, same as above. 0.5" thick layer of clayey/silty samd at 63.5'. **SP**	4/8/15/18	2" spoon.
S-33	64-66	2.0/1.7	BKG	**SAND**, poorly graded, fine to medium with trace (~10%) silt, subrounded, medium dense, saturated, 2.5YR5/4 Munsell yellowish brown. **SP**	4/5/10/14	2" spoon.
				BOE at 66'		

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917-04	BORING NO.: G6M-92-02X
CLIENT: AEC	DATE STARTED: 6/11/92		GROUP: 6 (Moore Air Field-FTA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/12/92		PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"		PID METER: Photovac Microtip
GROUND ELEV.: 268.6'	REFERENCE PT. ELEV.: NA		TOTAL DEPTH: 73'
LOGGED BY: RRR	CHECKED BY: BJR		WATER TABLE BGS: 65'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/2.0	BKG	(0-0.3') White cement dust and chips. (0.3-2.0') **SAND**, moderately well graded, coarse to fine with some (15-20%) fines, subrounded, medium dense, damp, light brown. **SP-SM**	5/8/9/10	Analytical sample and MS/MSD collected. Split with EPA. Initially drilled through 6" of pavement. PID=BKG and LEL=0/21. 3" spoon.
S-2	5-7	2.0/1.4	BKG	**SAND**, same as above. **SP-SM**	3/6/9/6	2" spoon. PID=BKG, and LEL=0/21.
S-3	10-12	2.0/1.3	BKG	**SAND**, same as above except slightly coarser, loose. Cement dust and chips at top of spoon. **SP**	3/3/6/4	Analytical sample collected. 2" spoon. PID=BKG and LEL=0/21.
S-4	15-17	2.0/1.5	BKG	(15.0-15.3') **SAND**, same as above. **SP** (15.3-16.5') **SAND**, poorly graded, medium to fine with trace (~10%) fines, subrounded to rounded, loose, damp to dry, gray-tan. **SP-SM**	4/2/2/2	Lithology change. 2" spoon. PID=BKG and LEL=0/21.
S-5	20-22	2.0/1.6	BKG	**SAND**, poorly graded as above, 7.5YR6/2 Munsell pinkish gray. **SP-SM**	4/2/5/9	2" spoon. PID=BKG and LEL=0/21.
S-6	25-27	2.0/2.0	BKG	**SAND**, poorly graded as above, 0.01' thick discontinuous clay lenses, medium dense. **SP-SM**	6/9/8/10	Analytical sample collected. Split with EPA. 3" spoon. PID=BKG and LEL=0/21.
S-7	30-32	2.0/1.6	BKG	(30.0-30.2') **SAND**, moderately well graded, coarse to fine, subrounded, medium dense, damp, tan. **SW-SP** (30.2-30.5') **SILT**, with some (~20%) fine sand, subrounded, very stiff, damp, green-brown. **ML-SM** (30.5-31.6') **SILTY SAND**, poorly graded, fine, subangular, medium dense, damp to dry, light tan. **SM**	4/8/8/10	Lithology change. 2" spoon. PID=BKG and LEL=0/21.
S-8	35-37	2.0/1.6	BKG	(35.0-35.5') **SILTY SAND** as above. **SM** (35.5-36.6') **SAND**, poorly graded, fine to medium coarsening downward, subangular to subrounded, medium dense, damp, light tan. **SP**	4/7/8/8	2" spoon. PID=BKG and LEL=0/21.

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: G6M-92-02X (continued)

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-9	40-42	2.0/1.5	BKG	(40.0-40.3') **SILTY SAND**, poorly graded, fine, subangular, medium dense, damp to dry, light tan. **SM** (40.3-41.5') **SAND**, poorly graded, fine to medium, coarsening downward, subangular to subrounded, medium dense, damp, light tan. **SP**	4/7/8/8	Analytical sample collected. 2" spoon. Silty sand sitting inside stem as it moves down. PID=BKG and LEL=0/21.
S-10	45-47	2.0/1.3	BKG	**SAND**, poorly graded as above. **SP**	6/7/10/12	2" spoon. PID=BKG and LEL=0/21.
S-11	50-52	2.0/-	BKG	**SILTY SAND** , poorly graded, as above with increased silt content (20-30%). **SM**	4/10/15/16	Same as above.
S-12	55-57	2.0/1.3	BKG	**SILTY SAND**, poorly graded, fine, subrounded, medium dense, moist, light tan. **SM**	6/9/12/24	Same as above.
S-13	60-62	2.0/1.6	BKG	**SILTY SAND**, as above grading to Sandy **SILT** , medium dense grading to very stiff, moist to **Saturated** , brown. **SM/ML**	9/9/14/19	Same as above.
S-14	65-67	2.0/2.0	BKG	**SANDY SILT**, as above, moist to saturated 5.0-65.4', from 65.4-67.0' saturated. **ML**	5/7/9/8	Analytical sample collected. 2" spoon. Grain size analysis performed-->**ML**. PID=BKG and LEL=0/21.
						Stopped drilling at 67' at end of day on 6/11/92 at 1510. Resumed drilling on 6/12/92 at 0810.
S-15	70-72	2.0/2.0	BKG	(70.0-70.4') **SAND**, moderately well graded, coarse to fine, subangular, loose, saturated, light brown. **SW/SP** (70.4-72.0') **SAND** grading to Sandy **SILT** , poorly graded, fine, subrounded, loose grading to firm, saturated, light brown. **SP/SM**	3/4/4/4	Same as above and no detects on draeger tubes (Benzene 0.5/A 5/D and 1,1,1-TCA 50/D. Lithology change.
				BOE at 73'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G6M-92-03X
CLIENT: AEC	DATE STARTED: 6/09/92	GROUP: 6 (Moore Air Field-DSA G6)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/10/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: Photovac Microtip
GROUND ELEV.: 267.0'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 70'
LOGGED BY: RRR	CHECKED BY: BJR	WATER TABLE BGS: 62'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/2.0	BKG	(0-1.2') **SILTY SAND**, poorly graded, medium to fine with some (30-40%) silt and trace (~10%) coarse sand, subangular, loose, damp, brown. SM (1.2-1.4') **SILTY SAND** same as above except gray. SM (1.4-2.0') **SAND**, poorly graded, medium to fine with trace (~10%) fines and trace (~5%) coarse sand, subrounded, loose, damp, tan. SP	4/4/5/6	Analytical sample collected. Over-drove the spoon ~1' to ensure recovery. PID=BKG and LEL=0/21.
S-2	5-7	2.0/1.5	BKG	(5.0-6.1') **SAND**, poorly graded, same as 1.4-2.0' of S-1. SP (6.1-6.5') **SAND**, moderately poorly graded, coarse to fine with little (~20%) fines and little (~15%) gravel, subrounded, very loose, moist, light brown, glacial outwash. SP-SM	1/0/1/0	With one hammer blow, the spoon dropped 18". The next blow dropped the spoon an additional 12". PID=BKG and LEL=0/21.
						Cuttings: poorly g[illegible] sand as above.
S-3	12-14	2.0/1.7	BKG	**SAND**, moderately poorly graded as 6.1-6.5', loose. SP-SM	3/3/4/3	Analytical sample collected. Over-drove spoon ~1' to ensure recovery. PID=BKG and LEL=0/21.
S-4	15-17	2.0/1.3	BKG	**SAND** same as above. SP-SM	3/3/4/5	Rock caught in shoe. PID=BKG and LEL=0/21.
S-5	20-22	2.0/1.6	BKG	(20.0-20.2') **SAND** same as above. SP-SM (20.2-21.6') **SILTY SAND**, poorly graded, fine, subrounded, loose, damp, light tan. SM	4/4/6/8	Lithology change.
						Cuttings: silty sand as above.
S-6	25-27	2.0/1.7	BKG	(25.0-25.2') **SAND**, poorly graded, medium to fine with some (25-30%) silt, subrounded, medium dense, moist, tan. SP-SM (25.2-26.4') **SILTY SAND**, poorly graded, fine, subrounded, medium dense, moist. SM	4/6/10/14	Analytical sample collected. Over-drove spoon ~1' to ensure recovery. PID=BKG and LEL=0/21. Alternat[illegible] lithological chang[illegible]

Continued on next page.

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: G6M-92-03X (continued)

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-6 cont.	25-27	2.0/1.7	BKG	(26.4-26.5') **SILT** with trace (~10%) fine sand, stiff, moist, greenish brown. **ML** (26.5-26.7') **SILTY SAND**, same as 25.2-26.4'. **SM**	4/6/10/14	See previous page.
S-7	30-32	2.0/1.6	BKG	**SAND**, poorly graded, fine with trace (~10%) silt, subrounded, medium dense, damp, light brown. **SP**	4/5/8/10	Stop drilling at 1630 on 6/09/92. Start drilling at 0900 on 6/10/92.
S-8	35-37	2.0/1.8	BKG	(35.0-35.7') **SILTY SAND**, poorly graded, fine, subangular, medium dense, moist, light brown. **SM** (35.7-35.8') **SILT** , very stiff, moist, greenish brown. **ML** (35.8-36.8') **SILTY SAND**, same as 35.0 - 35.7' **SM**	4/9/9/10	PID=BKG and LEL=0/21.
S-9	40-42	2.0/1.6	BKG	**SILTY SAND**, same as above. **SM**	4/8/10/12	Analytical sample and duplicate collected. PID=BKG and LEL=0/21.
S-10	45-47	2.0/2.0	BKG	**SILTY SAND**, same as above except loose. **SM**	3/4/6/8	PID=BKG and LEL=0/21.
S-11	50-52	2.0/1.6	BKG	(50.0-50.6') **SILTY SAND** same as above , except medium dense. **SM** (50.6-51.6') **SILTY SAND**, same as above except color change to tan. **SM**	4/8/8/8	PID=BKG and LEL=0/21. Draeger tubes for benzene and 1,1,1-TCA--> no detects.
S-12	55-57	2.0/2.0	BKG	(55.0-56.5') **SILTY SAND**, same as above. **SM** (56.5-56.7') **SILTY SAND**, very stiff, saturated, dark brown. **CL** (56.7-57.0') **SILTY SAND**, same as 55.0-56.5' (saturated?) **SM**	5/9/11/21	Analytical sample collected. Split with EPA/oversight contractors. The clay layer is saturated, but does not appear to be the water table. Clay is holding on to recharge water. PID=BKG and LEL=0/21.
S-13	60-62	2.0/1.6	BKG	**SILTY SAND**, same as above except 60.0-61.4' damp, and 61.4-61.6' **Saturated** , 0.01' thick clay layer at 60.7'. **SM**	3/4/10/25	Grain size analysis performed-->**SM**. PID=BKG and LEL=0/21.
S-14	65-67	2.0/0.9	BKG	(65.0-65.6') **SAND**, poorly graded, medium to fine with some (20-30%) fines and trace (5-10%) coarse sand, subangular, loose, saturated, brown. **SP-SM** (65.6-65.9') **SILTY SAND**, poorly graded, sand is fine, subangular, stiff, saturated, brown to light reddish brown. **SM-ML**	4/6/4/14	Note: This sand may be residual left in the auger from above. PID=BKG and LEL=0/21.
				BOE at 70'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G6M-92-04X
CLIENT: AEC	DATE STARTED: 6/15/92	GROUP: 6 (Moore Air Field-FTA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/16/92	PROTECTION: Modified D
METHOD: 6.65' HSA	BORING DIAMETER: 10"	PID METER: Photovac Microtip
GROUND ELEV.: 268.0'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 72'
LOGGED BY: RRR	CHECKED BY: BJR	WATER TABLE BGS: 63.7'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.6	BKG	(0-0.3') Organic soil, roots, silty, loose, dry, dark brown. **OL** (0.3-1.6') **SAND**, moderately poorly graded, coarse to fine with little (~20%) silt and trace (~5%) gravel, medium dense, dry, tan. **SM-SP**	5/8/11/17	PID=BKG and LEL=0/21.
S-2	5-7	2.0/1.5	BKG	Alternating bands ~0.2' thick of silty organic soil as above (**OL**) and moderately poorly graded sand as above (**SM-SP**), loose.	1/2/4/4	Same as above.
S-3	10-12	2.0/1.8	BKG	(10.0-11.5') Silty and clayey dark organic soil with some (~20%) fine sand, stiff, wet from 10.5-11.0'. **OL-OH** (11.5-11.8') **SAND**, moderately poorly graded as 0.3-1.6', dry, loose. **SM-SP**	3/3/6/7	Same as above.
						Encountered some lar[illegible] cobbles.
S-4	15-17	2.0/1.3	BKG	(15.0-16.0') Black organic soil with roots-->riding down the hole inside the auger. (16.0-16.3') **SAND**, moderately well graded, coarse to fine with little (~15%) gravel and trace (~10%) fines, rounded to subrounded, medium dense, dry, tan. **SP-SM**	5/5/7/10	PID=BKG and LEL=0/21.
S-5	20-22	2.0/1.3	BKG	**SAND**, same as above. **SP-SM**	4/7/7/8	Same as above.
S-6	25-27	2.0/1.0	BKG	**SAND**, poorly graded, medium to coarse with little (~15%) fine sand, subrounded to rounded, loose, dry, light tan-yellow. **SP**	4/3/3/6	Note: ceased taking reference samples due to lack of jars. Draeger tubes taken from 22.0-25.0' resulted in no detects for benzene or 1,1,1-TCA. PID=BKG and LEL=0/21.
S-7	30-32	2.0/1.5	BKG	**SAND**, moderately graded, medium to fine with little (~15%) coarse and little (~15%) fines, black igneous chips at 1.3', subrounded, loose, damp, tan with dark rust colored staining at 31.0'31.1'. **SP-SW**	3/3/6/7	Same as above.

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: G6M-92-04X (continued)

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-8	35-37	2.0/1.2	BKG	**SAND**, same as above except no discoloration. **SP-SW**	5/5/5/10	PID=BKG and LEL=0/21.
S-9	40-42	2.0/1.3	BKG	**SAND**, poorly graded, fine to coarse with little (15-20%) fines, subrounded, medium dense, damp, light tan yellow. **SM**	6/8/8/7	Same as above.
S-10	45-47	2.0/1.0	BKG	**SAND**, poorly graded as above. **SM**	5/5/9/14	Same as above.
S-11	50-52	2.0/1.2	BKG	**SAND**, poorly graded as above. **SM**	6/10/14/28	Same as above.
S-12	55-57	2.0/1.4	BKG	**SAND**, poorly graded as above except moist. **SM**	14/12/14/18	Same as above.
S-13	60-62	2.0/1.1	BKG	**SAND**, poorly graded as above except moist to **Saturated** . **SM**	6/10/14/27	Same as above.
S-14	65-67	2.0/1.1	BKG	(65.0-65.4') **SAND**, same as above, **Saturated** . **SM** (65.4-66.1') **SANDY GRAVEL**, well graded, sand is coarse to fine, subrounded, medium dense, saturated, light tan to tan. **GW**	4/4/7/12	Analytical sample collected. Grain size analysis performed-->SP PID=BKG and LEL=0/21.
S-15	70-72	2.0/1.3	BKG	(70.0-70.6') **SAND**, moderately poorly graded, coarse to fine with trace (~10%) gravel and trace (~10%) fines, subrounded, medium dense to loose, saturated, tan. **SP-SM** (70.6-71.3') **SILT** and **SILTY SAND**, poorly graded, fine, subrounded, stiff and medium dense, saturated, dark tan to brown. **SM-ML**	12/6/6/8	PID=BKG and LEL=0/21.
				BOE at 72'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G6M-92-05X
CLIENT: AEC	DATE STARTED: 6/15/92	GROUP: 6 (Moore Air Field-FTA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/16/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: Model 580A OVM
GROUND ELEV.: 266.4'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 70'
LOGGED BY: NWH	CHECKED BY: BJR	WATER TABLE BGS: 62'

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.5	BKG	(0-0.4') Topsoil, brown, organic. (0.4-1.5') **SAND**, well graded, some (~20%) gravel (1.0" max) and trace (~5%) silt, subangular, medium dense, damp, 10YR5/6 Munsell yellowish brown. **SW**	3/4/8/9	2" spoon.
S-2	5-7	2.0/1.5	BKG	**SAND**, moderately well graded, trace (~10%) gravel (1.0" max) and trace (~5%) silt, subangular, loose, damp, 10YR4/4 Munsell dark yellowish brown. **SW**	2/3/3/4	2" spoon.
S-3	10-12	2.0/1.0	BKG	**SAND**, poorly graded, fine to medium with trace (~5%) gravel (1.0" max), subangular, medium dense, damp, 10YR6/4 Munsell light yellowish brown. **SP**	5/10/10/14	2" spoon.
S-4	15-17	2.0/1.2	BKG	**SAND**, well graded, some (~20%) 0.5" max gravel and trace (~5%) 2.0" max gravel, subangular, medium dense, damp, 10YR7/3 Munsell very pale brown. **SW**	4/5/10/10	2" spoon.
S-5	20-22	2.0/0.8	BKG	**SAND**, same as above, except loose. **SW**	3/4/5/8	2" spoon.
S-6	25-27	2.0/1.1	BKG	**SAND**, poorly graded, medium with trace (~2%) gravel (<0.5"), subrounded, loose, damp, 10YR7/3 Munsell very pale brown. **SP**	2/1/4/5	2" spoon.
S-7	30-32	2.0/1.1	BKG	**SAND**, same as above. **SP**	2/2/8/5	2" spoon.
S-8	35-37	2.0/0.5	BKG	**SAND**, poorly graded, fine to medium with some (~30%) gravel (>2.0"), subrounded, medium dense, damp, 10YR8/3 Munsell very pale brown. **SP**	10/7/7/10	2" spoon.
S-9	40-42	2.0/0.5	BKG	**SAND**, same as above. **SP**	8/8/10/10	2" spoon.
S-10	45-47	2.0/1.5	BKG	**SAND**, moderately well graded, fine to medium with some (~20%) coarse sand and trace (~5%) gravel (0.5" max), subrounded, medium dense, damp, 10YR8/3 Munsell very pale brown. **SW-SP**	4/5/6/14	2" spoon.

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: **G6M-92-05X** (continued)

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-11	50-52	2.0/1.6	BKG	**SAND**, poorly graded, medium with some (~20%) fine sand and trace (~5%) gravel (0.5" max), subrounded, medium dense, damp, 10YR8/3 Munsell very pale brown. **SP**	3/9/14/15	2" spoon.
S-12	55-57	2.0/1.6	BKG	**SAND**, same as above except with trace (~2%) coarse sand. **SP**	3/6/8/10	2" spoon.
S-13	60-62	2.0/1.2	BKG	**SAND**, well graded, fine to medium with some (~20%) coarse sand and little (~10%) gravel (0.5" max), subrounded, medium dense, **Saturated** , at spoon head, 10YR6/3 Munsell pale brown. **SW**	5/14/14/17	2" spoon.
S-14	62-64	2.0/1.6	BKG	**SAND**, moderately well graded, little (~10%) gravel (0.5" max), subrounded, medium dense, sat., 10YR6/3 Munsell pale brown, silty fine sand lens at 62.8', some sorting into ~1.0" layers of coarser sand. **SP/SW**	3/10/12/19	Analytical sample collected. Grain size analysis performed-->SP 3" spoon.
S-15	68-70	2.0/1.7	BKG	**SAND**, same as above with some dark brown streaks at 69.7', dense. **SP/SW**	4/20/28/31	2" spoon.
				BOE at 70'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G6M-92-06X
CLIENT: AEC	DATE STARTED: 6/16/92	GROUP: 6 (Moore Air Field)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/17/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: Photovac Microtip
GROUND ELEV.: 261.6'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 63'
LOGGED BY: RRR	CHECKED BY: BJR	WATER TABLE BGS: 55'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0.5-2.5	2.0/1.5	BKGD	Drilled through 0.5' of concrete. (0.5-2.5') **SILTY SAND** poorly graded, coarse to fine with little (15-20%) fines, subangular, loose, dry, tan to yellow. **SM**	5/5/5/5	PID=BKG and LEL=0/20.
S-2	5-7	2.0/1.3	BKGD	(5.0-5.4') **SILTY SAND**, poorly graded as above. **SM** (5.4-6.3') **SAND**, poorly graded, coarse to medium with little (~15%) gravel and trace (~5%) fines, subangular, medium dense, dry, mottled tan. **SP**	5/6/5/7	PID=BKG and LEL=0/17. Stopped drilling 6/16/92 and restarted drilling at 0800 on 6/17/92.
S-3	10-12	2.0/1.3	BKGD	**SAND**, same as above. **SP**	4/7/5/5	PID=BKG and LEL=0/20.
S-4	15-17	2.0/1.4	BKGD	**SAND**, same as above except slightly finer, loose. **SP-SM**	5/5/5/7	Same as above.
S-5	20-22	2.0/1.3	3.0	**SAND**, same as above except damp. **SP-SM**	4/5/4/8	PID=BKG and LEL=0/21.
S-6	25-27	2.0/1.6	0.4	**SAND**, poorly graded, medium to fine with little (15-20%) coarse, little (~15%) fines, and 5-10% gravel, subangular to subrounded, loose to medium dense, damp, tan. **SP-SM**	6/5/7/17	Same as above, and readings on tip attributed to moisture.
S-7	30-32	2.0/1.3	BKGD	**SILTY SAND**, same as above except 20-25% fines. **SM**	6/8/12/20	PID=BKG and LEL=0/21.
S-8	35-37	2.0/1.3	BKGD	**SILTY SAND**, same as above. **SM**	10/14/16/22	PID=BKG and LEL=1/21.
S-9	40-42	2.0/1.2	BKGD	**SILTY SAND**, same as above. **SM**	6/8/10/12	Same as above.
S-10	45-47	2.0/1.4	BKGD	**SILTY SAND**, poorly graded, med. to fine with little (~15%) coarse and some (20-25%) fines, subangular, dense, damp to moist, tan to yellow. **SM**	18/16/20/22	PID=BKG and LEL=0/21.

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: G6M-92-06X

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-11	50-52	2.0/1.4	BKGD	**SILTY SAND**, same as above except trace (~5%) coarse gravel, moist. **SM**	16/16/18/20	Same as above.
S-12	55-57	2.0/1.5	BKGD	**SILTY SAND**, same as above except **Saturated** . **SM**	20/12/27/26	Analytical sample collected. 2" spoon. Grain size analysis performed-->**SP** . Water at 55'. PID=BKG and LEL=0/21. Draeger tube tests for benzene and 1,1,1-TCA from 52-55' had no detects.
S-13	60-62	2.0/1.3	BKGD	Silty **SAND** same as above except very loose. **SM**	1/1/1/6	PID=BKG and LEL=0/21.
				BOE at 63'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G6M-92-07X
CLIENT: AEC	DATE STARTED: 6/24/92	GROUP: 6
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/25/92	PROTECTION: Modified D
METHOD: HSA Maherksman	BORING DIAMETER: 10"	PID METER: Microtip
GROUND ELEV.: 264.4'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 65.2'
LOGGED BY: RRR	CHECKED BY: DSP	WATER TABLE BGS: 57.1'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
	0-1			(0-0.4') **ASPHALT**, dry, 10YR2/1 Munsell black (0.4-1.0') **SUBBASE**, asphaltic concrete, dry, 10YR4/1 Munsell dark gray		
S-1	1-3	2.0/2.0	98	(1.4-2.3') **SAND**, poorly graded, medium to fine, 10-15% fines, 5-10% coarse subangular gravel, medium dense, dry, 10YR2/2 Munsell dark brown to black SP (2.3-3.0') **SAND**, poorly graded, same as above, except 10YR5/3 Munsell Brown SP	5/8/7/9	3" spoon samples split with MEP, VOC, TPHC, Lead PID=BKGD
S-2	5-7	2.0/1.5	26	(5.0-5.8') **SAND**, poorly graded, same as 2.3-3.0', except loose, 10YR5/3 Munsell brown SP (5.8-7.0') **SAND**, well graded, fine to coarse, 5-10% fines, loose, dry, 10YR6/4 Munsell light brown SW	4/5/5/6	PID=BKGD
S-3	10-12	2.0/1.5	7	**SAND**, well graded, fine to coarse, 5-10% fines, med. dense, dry, 7.5YR6/4 Munsell light brown SW	4/5/6/8	2" spoon, VOC, TPHC, Lead, PID=BKGD
S-4	15-17	2.0/1.4	BKGD	**SAND**, poorly graded, fine to medium, 5-10% fines, subrounded gravel, loose, dry, 7.5YR6/4 Munsell light brown SP-SW	2/2/4/5	PID=BKGD
S-5	20-22	2.0/1.9	1.0	**SAND**, same as S-4 SP-SW	2/3/5/5	PID=BKGD
S-6	25-27	2.0/1.8	BKGD	**SAND**, same as S-4, except for silt layer, plastic, firm, dry SP-SW	3/6/10/12	3" spoon split w/EPA VOC, TPHC, and Lead, PID=BKGD
S-7	30-32	2.0/1.5	BKGD	**SAND**, poorly graded, fine, 10-15% silt, 5-10% subrounded gravel, loose, dry, 7.5YR6/4 Munsell light brown SP	4/4/6/11	PID=BKGD
S-8	35-37	2.0/1.5	4.2	**SAND**, poorly graded, same as S-7 SP	4/7/8/10	PID=BKGD
S-9	40-42	2.0/1.3	13.0	**SAND**, well graded, fine to coarse, <%5 fines, 5-10% subrounded gravel, medium dense, dry, 7.5YR6/4 Munsell light brown SW	3/8/9/13	TPHC, VOC, and Lead analyticals PID=BKGD

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: G6M-92-07X (continued)

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-10	45-47	2.0/1.4	12.4	**SAND**, well graded, same as S-9 **SW**	4/5/9/17	PID=BKGD
S-11	50-52	2.0/1.5	7.8	**SAND**, poorly graded, medium to fine, medium dense, damp, 7.5YR6/4 Munsell light brown **SP**	6/9/14/16	PID=BKGD
S-12	55-57	2.0/1.5	3.3	**SAND**, poorly graded, 0-5% fines, medium dense, damp 7.5YR6/4 Munsell light brown **SP**	4/7/7/14	PID=BKGD Grain-size analsis performed -> SP
S-13	60-62	2.0/1.8	BKGD	**SAND**, well graded, fine to coarse, medium dense, **saturated** , 7.5YR6/4 Munsell light brown **SW**	4/6/6/13	TPHC, VOA, Lead split with EPA PID=BKGD
				Bottom of Exploration at 65.2'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.04	BORING NO.: G6M-92-08X
CLIENT: AEC	DATE STARTED: 6/22/92	GROUP: 6
CONTRACTOR: D. L. Maher	DATE COMPLETED:	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: Microtip
GROUND ELEV.: 263.21'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 63'
LOGGED BY: RRR	CHECKED BY: DSP	WATER TABLE BGS: 54.7'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
	0-1			**ASPHALT AND CONCRETE**		
S-1	1-3	2.0/1.5	BKGD	**SAND**, well graded, fine to coarse, 20-30% gravel, 10-15% cobbles, dense, dry, 10YR7/6 Munsell yellow **SW**	10/27/21/25	Rock caught in shoe of spoon analyticals collected PID=BKGD, LEL/O2=0/21
S-2	5-7	2.0/0.6	BKGD	**SAND**, well graded, same as S-1, except medium dense **SW**	8/8/9/10	PID=BKGD, LEL/O2=0/21 Rock caught in shoe of spoon
S-3	10-12	2.0/1.4	BKGD	(10.0-11.0') **SAND**, poorly graded, medium to fine, 10-15% subangular to subrounded gravel, 10-15% fines, medium dense, dry **SP** (11.0-11.1') **SANDY SILT**, fine sand, soft, dry, 5Y4/3 Munsell olive **ML** (11.1-11.4') **SAND**, poorly graded, same as 10.0-11.0' **SP**	8/9/4/2	PID=BKGD, LEL/O2=0/21
S-4	15-17	2.0/0.4	BKGD	**GRAVELLY SAND** well graded, coarse to fine, 20-40% cobbles, loose, dry, 7.5YR6/4 Munsell light brown **SW**	4/4/4/5	Poor recovery due to cobble zone at 15' PID=BKGD, LEL/O2=0/21
				Fewer cobbles 17-18'; encounter cobbles at 19'		PID=BKGD, LEL/O2=0/21
S-5	20-22	2.0/1.2	BKGD	(20.0-20.2') **GRAVELLY SAND** well graded, coarse to fine, 20-40% cobbles, medium dense, dry, 7.5YR6/4 Munsell light brown **SW** (20.2'-21.2') **SANDY SILT**, fine sand, stiff, dry 5Y4/3 Munsell olive **ML**	8/6/7/9	PID=BKGD, LEL/O2=0/21
S-6	25-27	2.0/1.9	BKGD	**SANDY SILT**, fine sand, stiff, dry **ML**	9/8/7/9	PID=BKGD, LEL/O2=0/21 Spoon overdriven for maximum recovery, analytical taken VOC, Lead, TPHC
S-7	30-32	2.0/2.0	BKGD	(30.0-31.0') **SANDY SILT**, fine sand, stiff, dry, 5Y4/3 Munsell olive **ML** (31.0-31.2') **CLAY**, firm, moist, 5GY4/1 Munsell dark greenish gray **CL** (30.0-31.0') **SANDY SILT**, same as 30.0-31.0' **ML**	4/5/8/7	PID=BKGD, LEL/O2=0/21

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: G6M-92-08X (continued)

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-8	35-37	2.0/1.8	BKGD	(35.0-35.4') **SANDY SILT**, fine, stiff, dry, 5Y4/3 Munsell olive **ML** (35.4-36.8') **SAND**, poorly graded, fine to medium, 10-20% fines, loose, dry, **SP** 7.5YR6/4 Munsell light brown	4/5/5/7	Draeger tubes for 1,1,1-TCA - no detects PID=BKGD, LEL/O2=0/21
S-9	40-42	2.0/1.6	BKGD	(40.0-41.0') **SAND**, poorly graded, fine to medium, 10-20% fines, loose, dry, 7.5YR6/4 Munsell light brown **SP** (41.0-42.0') **SILTY SAND**, poorly graded, 35-45% fines loose, damp 7.5YR6/4 Munsell light brown **SM**	8/4/5/6	PID=BKGD, LEL/O2=1/21
S-10	45-47	2.0/1.7	BKGD	**SILTY SAND**, same as above, except medium dense **SM** grading to **SAND** same as 40.0-41.0, except medium dense **SM/SP**	6/6/5/7	PID=BKGD, LEL/O2=1/21
S-11	50-52	2.0/1.3	BKGD	**SILTY SAND**, poorly graded, same as 41.0-42.0' except medium dense **SM**	6/7/12/15	PID=BKGD, LEL/O2=1/21
S-12	55-57	2.0/2.0	BKGD	**SILTY SAND**, poorly graded, same as above **SM** **saturated**	5/6/8/11	Analyticals collected. Water encountered at 54.7' 1500hrs 6/22/92. PID=BKGD, LEL/O2=1/21
S-13	60-62	2.0/1.2	BKGD	**SILTY SAND**, poorly graded, same as above, saturated **SM**	6/3/5/4	PID=BKGD, LEL/O2=1/21 Grain size sample collected -> SM
				Bottom of Exploration at 63.0'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G6M-92-09X
CLIENT: AEC	DATE STARTED: 6/18/92	GROUP: 6
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/19/92	PROTECTION: Modified D
METHOD: HSA Maherksman	BORING DIAMETER: 10"	PID METER: Microtip 10.6eV
GROUND ELEV.: 258.6'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 58'
LOGGED BY: R. Donagan	CHECKED BY: RRR	WATER TABLE BGS: 49'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.9	BKGD	(0-0.6') **PEAT** organic soil OL (0.6-1.1') **SILTY SAND**, well graded, fine to coarse, 10-15% fines, medium dense, dry, 7.5YR3/4 Munsell dark SM (1.1-1.9') **SAND**, poorly graded, medium to fine, 10-15% fines, medium dense, dry, 5YR6/4 to 5YR3/3 Munsell light reddish brown to dark reddish brown SP	7/7/7/7	PID = BKGD, LEL/O2 = 0/21
S-2	5-7	2.0/1.8	BKGD	**SAND**, poorly graded, medium to fine, 10-15% fines, loose, dry, 5YR6/4 to 5YR3/3 Munsell light reddish brown to dark reddish brown SP	4/4/3/4	PID = BKGD, LEL/O2 = 0/21
S-3	10-12	2.0/1.6	BKGD	**SAND**, poorly graded, same as above SP except medium dense	4/8/6/10	PID = BKGD, LEL/O2 = 0/21
S-4	15-17	2.0/1.4	BKGD	**SAND**, poorly graded, same as above SP except loose	3/4/5/7	PID = BKGD, LEL/O2 = 0/21
S-5	20-22	2.0/1.2	BKGD	(20.0-22.8') **SAND**, same as above SP (22.8-23.2') **SAND**, poorly graded, fine to medium, subrounded, .oose, dry, 7.5YR6/4 Munsell light brown SP	3/3/6/8	PID = BKGD, LEL/O2 = 0/21
S-6	25-27	2.0/1.6	BKGD	(25.0-25.3') **SAND**, same as 22.8-23.2' SP (25.3-26.6') **SILTY SAND**, poorly graded, fine to medium, medium dense, moist, 7.5YR6/4 Munsell light brown, 3" lense of sandy silt SM	8/11/13/13	PID = BKGD, LEL/O2 = 0/21
S-7	30-32	2.0/2.0	BKGD	**SANDY SILT**, 30% fine to medium sand, stiff, 7.5YR6/4 Munsell light brown ML	6/6/8/10	PID = BKGD, LEL/O2 = 0/21
S-8	35-37	2.0/1.5	BKGD	(35.0-35.5') **SANDY SILT**, same as above ML (35.5-36.5') **SILTY SAND**, poorly graded, medium to fine, 10-20% fines, medium dense, dry, 7.5YR6/6 Munsell pinkish gray SM	5/8/8/12	PID = BKGD, LEL/O2 = 0/21
S-9	40-42	2.0/2.0	BKGD	**SILTY SAND**, poorly graded, medium to fine, 10-20% fines, medium dense, moist, 7.5YR6/2 to 7.5YR3/2 Munsell pinkish gray to dark brown SM	8/10/12/14	PID = BKGD, LEL/O2 = 0/21
S-10	45-47	2.0/2.0	BKGD	**SILTY SAND**, poorly graded, fine, medium dense, moist 7.5YR5/2 Munsell brown SM	6/11/11/12	PID = BKGD, LEL/O2 = 0/21

SOIL BORING LOG - FORT DEVENS, MA.				BORING NO.: G6M-92-09X (CONTINUED)		
SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-11	50-52	2.0/2.0	BKGD	**SILTY SAND**, poorly graded, fine, medium dense, **saturated**, 7.5YR5/2 Munsell brown **SM**	10/12/12/16	PID = BKGD, LEL/O2 = 0/21
S-12	55-57	2.0/2.0	BKGD	**SILTY SAND**, same as S-11 **SM**	5/10/12/12	PID = BKGD, LEL/O2 = 0/21
				Bottom of Exploration at 58'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G6M-92-10X
CLIENT: AEC	DATE STARTED: 6/24/92	GROUP: 6
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/24/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: TE 10.6 eV
GROUND ELEV.: 227.2'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 17.0'
LOGGED BY: GF	CHECKED BY: DSP	WATER TABLE BGS: 10.6'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.7	BKGD	**SAND**, well graded, coarse to fine, 0-10% fines, 0-5% subrounded gravel, loose, 10YR7/3 to 10YR5/3 Munsell very pale brown to brown **SW**	2/2/3/4	PID = BKGD, LEL/O2 = 0/21
S-2	5-7	2.0/2.0	BKGD	**SAND**, well graded, same as above except damp, 10YR7/3 very pale brown **SW**	2/2/3/4	PID = BKGD, LEL/O2 = 0/21
S-3	10-12	2.0/2.0	BKGD	**SANDY SILT**, well graded, coarse to fines, 50-60% fines, 0-5% subrounded gravel, medium dense, saturated at 10.6', 10YR6/4 to 10YR7/3 Munsell light yellowish brown to very pale brown **ML**	3/5/7/4	PID = BKGD, LEL/O2 = 0/21 Grain size analysis performed - ML
S-4	15-17	2.0/2.0	BKGD	**SANDY SILT**, well graded, same as S-3, except 10YR6/4 Munsell yellowish-brown **ML**	3/5/6/3	
				Bottom of Exploration at 17.0'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: G6M-92-11X
CLIENT: AEC	DATE STARTED: 6/25/92	GROUP: 6
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/25/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10" hole	PID METER: 10.6eV TE
GROUND ELEV.: 223.2'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 17.0'
LOGGED BY: GF	CHECKED BY: DSP	WATER TABLE BGS: 10.6'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.5'	BKGD	**SAND**, well graded, coarse to fine, 0-10% fines, 0-5% subrounded gravel, loose, dry, 10YR6/4 to 5YR5/3 Munsell light yellowish-brown to reddish-brown **SW**	3/3/2/2	PID = BKGD, LEL/O2 = 0/21
S-2	5-7	2.0/2.0	BKGD	**SILTY SAND**, well graded, coarse to fine, 30-40% fines, 0-5% subrounded gravel, medium dense, dry, 2.5YR6/4 to 10YR4/4 Munsell dark yellowish-brown to dark yellowish-brown **SM**	3/6/6/5	PID = BKGD, LEL/O2 = 0/21
S-3	10-12	2.0/0.0	BKGD	No recovery, **saturated** at approximately 10.6'	7/8/9/9	PID = BKGD, LEL/O2 = 0/21
S-4	12-14	2.0/2.0	BKGD	**SILTY SAND**, same as S-2, except saturated, 10YR5/4 Munsell yellowish-brown **SM**	5/5/8/8	PID = BKGD, LEL/O2 = 0/21
S-5	15-17	2.0/1.7	BKGD	**SILTY SAND**, same as above, except loose **SM**	4/4/5/8	PID = BKGD, LEL/O2 = 0/21
				Bottom of Exploration at 17.0'		

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.04	BORING NO.: G6M-93-12X
CLIENT: AEC	DATE STARTED: 6/1/93		STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/2/93		PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:		PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 20'
LOGGED BY: S. Murray	CHECKED BY:		WATER TABLE BGS: ~10'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.3	BG	SAND, poorly graded, fine to medium, 0 - 5% gravel, 0 - 5% fines, dense, dry, dark brown	7-14-17-12	SP	
S-2	5-7	2.0/1.7	BG	Silty SAND, poorly graded, fine, 20 - 40% fines, medium dense, damp to moist, yellowish brown	7-6-8-11	SM-ML	Rusty discoloration. Tip of spoon is wet.
S-3	10-12	2.0/1.5	BG	Sandy SILT, 20 - 45% fine sand, stiff, saturated, dark yellowish brown	5-6-7-8	ML-SM	
S-4	15-17	2.0/1.5	BG	Sandy SILT, as in S-3.	6-6-9-9	ML-SM	

BOE at 20'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.04	BORING NO.: G6M-93-13X
CLIENT: AEC	DATE STARTED: 6/1/93	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/1/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 19'
LOGGED BY: S. Murray	CHECKED BY:	WATER TABLE BGS: ~10'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.0	BG	Top 0.5': SAND and GRAVEL. Bottom 1.5': SAND, poorly graded, very fine, 12 - 20% fines, med dense, damp, light olive brown (2.5Y5/3)	8-10-11-13	GW/SW SM	
S-2	5-7	2.0/1.6	BG	Top 0.5': SILT, damp, light olive brown Bottom 1.5': SAND, poorly graded, fine, 12 - 20% fines, medium dense, damp, yellowish brown (10YR5/4)	6-7-8-9	ML SM	5% rust discoloration
S-3	10-12	2.0/2.0	1.0	Sandy SILT/silty SAND, poorly graded, 20 - 55% fines, med dense, saturated, dark yellowish brown (10YR4/4)	6-10-12-16	SM-ML	5% rust discoloration.
S-4	15-17	2.0/1.8	BG	Sandy SILT/silty SAND, poorly graded, 20 - 55% fines, loose, saturated, dark yellowish brown (10YR4/4)	4-5-5-5	SM-ML	5% rust discoloration.

BOE at 19'

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: G6M-94-15A (p. 1 of 2)
CLIENT: AEC		DATE STARTED: 8/8/94	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring		DATE COMPLETED:	PROTECTION: D
METHOD: HSA		BORING DIAMETER:	PID METER: TE 580 B OVM
GROUND ELEV:		REFERENCE PT. ELEV.:	TOTAL DEPTH: 44.5'
LOGGED BY: R. Rustad		CHECKED BY:	WATER TABLE BGS: 36'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.6	0.2	Top 0.6': Silty SAND, poorly graded, fine, 5 - 10% coarse, loose, dry, very dark gray (10YR3/1) Next 0.3': SAND, well graded, fine to medium, 10% coarse, 10% silt, loose, dry, yellowish brown (10YR5/6) Next 0.7': SAND, poorly graded, fine, 10 - 20% medium, 5% silt, loose, dry, very pale brown	3-3-3-3	SP-SM SW SP	
S-2	5-7	2.0/1.9	0.1	SAND, poorly graded, fine, 10 - 20% medium, 5% silt, loose, dry, very pale brown	7-3-5-7	SP	
S-3	10-12	2.0/1.3	0.2	SAND, poorly graded, medium to coarse, 10% fines, loose, dry, light brown (7.5YR6/4)	3-3-4-6	SP	
S-4	15-17	2.0/1.4	0.0	SAND, poorly graded, fine to medium, < 5% coarse, < 5% silt, loose, dry, light brown (7.5YR6/4)	4-4-6-7	SP	
S-5	20-22	2.0/2.0	0.0	SAND, poorly graded, fine, < 5% medium, 5% silt, loose, dry, pinkish gray (7.5YR7/2)	4-4-4-5	SP	
S-6	25-27	2.0/1.8	0.0	SAND, poorly graded, fine, < 5% medium, 5% silt, loose, dry, pinkish gray (7.5YR7/2)	7-7-8-8	SP	

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: G6M-94-15A (p. 2 of 2)
CLIENT: AEC	DATE STARTED: 8/8/94	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	PROTECTION: D
METHOD: HSA	BORING DIAMETER:	PID METER: TE 580 B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 44.5'
LOGGED BY: R. Rustad	CHECKED BY:	WATER TABLE BGS: 36'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-7	30-32	2.0/2.0	0.0	<u>Top 0.3'</u>: SAND, as in S-6 <u>Next 0.8'</u>: Silty SAND, poorly graded, fine, 10% silt, medium dense, wet <u>Next 0.2'</u>: SAND, poorly graded, fine, moist <u>Bottom 0.7'</u>: Silty SAND, poorly graded, fine, 10 - 15% silt, medium dense, moist, brown (7.5YR5/3)	7-8-9-13	SP SM SP SP-SM	iron staining
S-8	35-37	2.0/1.9	0.0	<u>Top 0.9'</u>: SAND, poorly graded, fine, 5 - 10% silt, medium dense, wet <u>Next 0.6'</u>: SILT to sandy SILT, 10 - 20% fine sand, gray <u>Next 0.1'</u>: Clayey SILT <u>Bottom 0.3'</u>: SAND, poorly graded, fine, wet	7-5-6-9	SP SM SM-CL SP	iron staining
S-9	40-42	2.0/2.0	--	<u>Top 1.2'</u>: Sandy SILT, 10 - 15% clay, loose to medium dense, wet, grayish brown (10YR5/2) <u>Bottom 0.8'</u>: Silty SAND, poorly graded, fine, 15 - 20% silt, medium dense to loose, wet, brown (7.5YR5/3)	11-8-11-12	SM SP-SM	

BOE at 44.5'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: G6M-94-16X (p. 1 of 2)
CLIENT: AEC	DATE STARTED: 8/11/94	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 44'
LOGGED BY: R. Rustad	CHECKED BY:	WATER TABLE BGS: 35'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.5	0.0	Top 0.5': SAND, poorly graded, fine to med, < 5% c gravel, 5% c sand, < 5% silt, very loose, dry, dk grayish brown (10YR4/2)	3-3-4-6	SP	
				Bottom 1.0': SAND, well graded, fine to coarse, 5% gravel, < 5% silt, very loose, dry, brownish yellow (10YR6/6)		SW	
S-2	5-7	2.0/1.5	0.0	SAND, poorly graded, medium, 5 - 10% coarse, 5% fine, < 5% fines, very loose, dry, very pale brown (10YR7/4)	2-4-4-5	SP	
S-3	10-12	2.0/1.4	0.0	SAND, poorly graded, medium, 5 - 10% coarse, 5% fine, < 5% fines, very loose, dry, very pale brown (10YR7/4)	3-4-3-4	SP	
S-4	15-17	2.0/2.0	0.0	SAND, poorly graded, fine, < 5% fines, very loose, dry, light brown (10YR6/4)	2-4-4-4	SP	
S-5	20-22	2.0/2.0	0.0	SAND, poorly graded, fine, < 5% fines, loose, dry, light brown (10YR6/4)	6-6-7-9	SP	
S-6	25-27	2.0/2.0	0.0	SAND, poorly graded, fine, < 5% fines, loose, dry, light brown (10YR6/4)	4-5-7-7	SP	

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: G6M-94-16X (p. 2 of 2)
CLIENT: AEC	DATE STARTED: 8-11-94	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 44'
LOGGED BY: R. Rustad	CHECKED BY:	WATER TABLE BGS: 35'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-7	30-32	2.0/1.7	0.0	SAND, poorly graded, fine to medium, < 5% coarse, < 5% fines, loose, dry, very pale brown (10YR7/4)	4-6-7-8	SP	
S-8	35-37	2.0/2.0	0.0	Top 0.6': Silty SAND, poorly graded, fine sand, < 5% med, 15 - 20% silt, loose, wet Bottom 1.4': SAND, poorly graded, fine, 5% medium, < 5% fines, loose, wet, yellowish brown (10YR5/6)	4-6-10-10	SM SP	iron staining at contact between lithologies and within bottom 1.4'
S-9	40-42	2.0/2.0	0.0	Top 1.8': SAND, poorly graded, fine, 5 - 10% silt, loose, wet, yellowish brown (10YR5/6) Bottom 0.2': SAND, poorly graded, fine, < 5% medium, < 5% fines, loose, wet, yellowish brown (10YR5/6)	5-7-9-10	SP-SM SP	extensive iron staining

BOE at 44'

SOIL BORING LOG - FORT DEVENS, MA.

PROJECT NO.: 6917.07		BORING NO.: G6M-94-17A (p. 1 of 2)
CLIENT: AEC	DATE STARTED: 8/10/94	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 44.0'
LOGGED BY: D. Pierce	CHECKED BY:	WATER TABLE BGS: 36.3'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.3	0.3	SAND, poorly graded, < 10% gravel to 1" max., sand coarse to fine, mostly fine to coarse, < 5% fines, very loose, damp, brown (10YR5/3)	2-2-2-3	SP	some fibrous roots
S-2	4-6	2.0/1.2	0.2	SAND,poorly graded, <10% gravel to 1" max, sand coarse to fine, < 5% fines, med dense, damp, white (10YR8/2)	6-7-7-6	SP	
S-3	9-11	2.0/1.2	0.0	SAND, poorly graded, fine to medium (mostly med), < 5% fines, loose, moist, salt & pepper, white (10YR8/2)	2-3-5-7	SP	
S-4	14-16	2.0/1.5	0.0	<u>Top 1.2'</u>: SAND, poorly graded, fine to med (mostly med), <5% fines, loose, damp, salt & pepper, white (10YR8/2)	4-6-5-6	SP	
				<u>Bottom 0.3'</u>: Gravelly SAND, 20 - 30% gravel to 3/4" max, mostly f gravel, c to med sand (mostly coarse), < 5% fines, med dense, moist, light yellowish brown (10YR6/4)		SP	
S-5	19-21	2.0/1.7	0.0	<u>Top 0.3'</u>: SAND, poorly graded, fine to coarse, mostly med, < 5% fines, loose, moist, lt yellow brn (10YR6/6)	5-6-7-6	SP	
				<u>Bottom 1.4'</u>: SAND, uniform, fine, < 5% fines, med dense, damp, white (10YR8/2)		SP	fine stratification visible from color bands
S-6	24-26	2.0/2.0	0.0	SAND, uniform, fine, < 5% fines, medium dense, damp, white (10YR8/2)	8-8-8-9	SP	fine stratification visible from color bands

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: G6M-94-17A (p. 2 of 2)
CLIENT: AEC	DATE STARTED: 8/10/94	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 44.0'
LOGGED BY: D. Pierce	CHECKED BY:	WATER TABLE BGS: 36.3'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-7	29-31	2.0/1.6	0.0	SAND, poorly graded, f to med, < 5% fines, damp, med dense, very pale brown (10YR8/3)	8-9-9-9	SP	finely stratified
S-8	34-36	2.0/1.8	0.0	Top 1.0': Sandy SILT, slightly plastic, 10 - 20% f sand, very stiff, saturated, very pale brown (10YR7/3) Next 0.2': SAND, poorly graded, med to f, 5 - 10% nonplastic fines, med dense, saturated, banded colors dark reddish brown (5YR2.5/2 and yellowish red (5YR5/6). Next 0.3': Sandy SILT, as in top 1.0'. Bottom 0.3': Silty SAND, fine, 20 - 40% slightly plastic fines, very stiff, saturated, reddish yellow (7.5YR8/6)	6-7-11-12	ML SP-SM ML SM	finely stratified
S-9	39-41	2.0/2.0	0.0	Top 0.3': Sandy SILT, slightly plastic, 10 - 20% f sand, stiff, saturated, lt yellowish brn (2.5Y6/3) Next 0.2': Silty CLAY, slightly to mod. plastic, stiff, saturated, lt yellowish brown (2.5Y6/3) Bottom 1.5': Silty SAND, fine, 20 - 50% slightly plastic fines, med dense, saturated, brownish yellow (10YR6/6) with some color banding (esp. 39.5' to 39.9'), yellowish red (5YR5/6)	9-6-6-8	ML CL SM-ML	
	41-44			Silty SAND	logged from auger cuttings	SM-ML	

BOE at 44'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: G6M-94-18X (p. 1 of 6)
CLIENT: AEC	DATE STARTED: 8/12/94	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	PROTECTION: Modified D
METHOD: drive & wash	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 92.75'
LOGGED BY: R. Rustad, D. Pierce	CHECKED BY:	WATER TABLE BGS: 11.9'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.6	0.3	Top 0.5': SAND, well graded, f to c, 10% gravel, fill. Next 0.8': SAND, well graded, f to c, 5% gravel, 5 - 10% silt, very loose, dry, dk brn (10YR3/3) Bottom 0.3': SAND, poorly graded, f to med, < 5% fines, very loose, dry, pale brown (10YR6/3)	2-2-5-4	SW SW SP	organic
S-2	2-4	2.0/1.3	0.0	SAND, poorly graded, fine to med, < 5% fines, very loose, dry, pale brown (10YR6/3)	3-4-4-5	SP	
S-3	4-6	2.0/1.7	0.0	Top 1.1': SAND, poorly graded, f to med, < 5% fines, very loose, dry, pale brn (10YR6/3). Next 0.2': Sandy SILT, poorly graded, 20 - 30% f sand, very loose, dry, gray brown (10YR5/2) Bottom 0.4': SAND, poorly graded, f to med, 10% coarse, < 5% fines, loose, dry, lt yellowish brown (10YR6/2)	3-3-6-7	SP SM SP	organic black sand at 1.3' to 1.4'
S-4	6-8	2.0/2.0	11.2	Top 1.3': SAND, poorly graded, fine, < 5% fines, loose, dry, very pale brn (10YR7/3). Bottom 0.7': Silty SAND, poorly graded, fine, 20 - 30% fines, loose, dry, pale brown (10YR6/3)	12-6-8-10	SP SM	finely laminated finely laminated with a slightly coarser lens from 7.6'-7.7' bgs
S-5	8-10	2.0/1.9	192.0	Top 0.9': Silty SAND to sandy SILT, poorly graded, 40 - 50% f sand, 50 - 60% silt, med dense, moist Next 0.6': Sandy SILT grading into clayey SILT, slightly plastic, 5% f sand, wet, lt olive brown (2.5Y5/3) Bottom 0.4': Silty SAND, poorly graded, fine, 20% silt, med dense, wet, brown (10YR5/3)	10-10-12-12	SM ML SM-ML	extensive orange iron staining from 9.4-9.6' bgs
S-6	10-12	2.0/1.7	NR	Silty SAND, fine, 20-40% nonplastic to slightly plastic fines, med dense, wet, very pale brn (10YR9/4) with scattered orange-brown spots	8-7-7-8	SM	
S-7	12-14	2.0/2.0	NR	Top 1.4': Silty SAND, fine, 20 - 40% grading into 12 - 20% nonplastic to slightly plastic fines, med dense, wet, very pale brn (10YR9/4) with orange-brn laminae. Next 0.2': Clayey SILT, slightly plastic, < 10% f sand, dense, moist, lt brownish gray (2.5Y6/2); overlain by 1/8" layer of orange-brn SAND. Bottom 0.4': Silty SAND, fine, 20-40% nonplastic fines, loose, moist, brownish yellow (10YR6/4).	6-4-6-8	SM ML SM	
S-8	14-16	2.0/1.6	NR	Silty SAND, fine, 20 - 40% nonplastic fines, med dense (loose in some layers), wet, laminated, alternating lt brownish gray (2.5Y6/2) and yellowish red (5YR4/6)	12-10-8-11	SM	

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: G6M-94-18X (p. 2 of 6)
CLIENT: AEC	DATE STARTED: 8/12/94	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	PROTECTION: Modified D
METHOD: drive & wash	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 92.75'
LOGGED BY: R. Rustad, D. Pierce	CHECKED BY:	WATER TABLE BGS: 11.9'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-9	16-18	2.0/2.0	NR	Top 0.6': Silty SAND, as in S-8 Next 0.9': Silty SAND, fine, 12 - 25% nonplastic fines, med dense, saturated, very pale brown (10YR7/4) with scattered orange-brown spots (16.0' - 17.5' bgs) accompanied by unidentified fibers. Next 0.1': Silty SAND with ~10% angular gravel to 3/8" max Bottom 0.4': Silty SAND, as in S-8	9-9-11-11	SM SM SM SM	
S-10	18-20	2.0/2.0	16.9	Silty SAND, fine, 12 - 20% fines, med dense, wet, lt yellowish brn (10YR6/4)	12-10-10-11	SM	
S-11	20-22	2.0/1.0	6.4	Silty SAND, as in S-10	13-8-10-9	SM	
S-12	22-24	2.0/1.3	11.4	Silty SAND, fine, 12-40% fines (silt content varies with depth), med dense, wet, lt yellowish brn (10YR6/4)	7-6-9-10	SM-ML	
S-13	24-26	2.0/2.0	14.2	Top 1.0': Silty SAND, as in S-11 Next 0.6': Interlayered clayey SILT and silty SAND,lt yellowish brown (10YR6/4) interlayered with orange-brown. Bottom 0.4': SAND, uniform, fine, 5 - 12% fines, med dense, wet, lt yellowish brn (10YR6/4) interlaminated with yellowish red (5YR5/8)	5-5-9-11	SM ML & SM SP-SM	
S-14	26-28	2.0/1.5	44.2	Top 0.7': SAND, uniform, fine, 5 - 12% fines, med dense, wet, lt yellowish frn (10YR6/4). Next 0.3': Sandy SILT, slightly plastic, 10 - 20% f sand, very stiff, wet, lt yellowish brn. Bottom 0.5': SAND, uniform, fine, 5 - 12% fines, med dense, wet, reddish yellow (7.5YR6/6)	7-11-11-11	SP-SM ML SP-SM	highest PID value in this layer
S-15	28-30	2.0/1.3	13.6	Silty SAND, fine, 12 - 20% nonplastic fines, med dense, wet, lt yellowish brn (10YR6/4), infrequent and non-distinct pink laminae (7.5YR7/4)	4-6-8-12	SM	
S-16	30-32	2.0/1.7	0.0	Top 1.1': Silty SAND, fine, 15 - 25% nonplastic fines, med dense, wet, lt yellowish brn (10YR6/4). Next 0.1': Clayey SILT, slightly plastic, 10 - 20% f sand, very stiff, lt yellowish brn (2.5Y6/3). Bottom 0.5': Silty SAND, fine, 15 - 25% nonplastic fines, med dense, wet, lt yellowish brn (10YR6/4) with bands of reddish yellow (7.5YR6/6)	7-8-9-10	SM ML SM	
S-17	32-34	2.0/1.5	0.0	Silty SAND, fine, 15 - 25% nonplastic fines, med dense, wet, lt yellowish brn (10YR6/4) with bands of reddish yellow (7.5YR6/6)	4-5-7-12	SM	

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: G6M-94-18X (p. 3 of 6)
CLIENT: AEC	DATE STARTED: 8/12/94	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	PROTECTION: Modified D
METHOD: drive & wash	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 92.75'
LOGGED BY: R. Rustad, D. Pierce	CHECKED BY:	WATER TABLE BGS: 11.9'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-18	34-36	2.0/1.5	1.6	Silty SAND, fine, 12 - 20% nonplastic fines, med dense, wet, pale yellow (2.5Y8/3) with faint laminae of reddish yellow (7.5YR6/6), particularly in 35.6'-35.7' bgs	6-8-8-15	SM	
S-19	36-38	2.0/1.7	0.0	Silty SAND, similar to S-18, except layering mostly indistinguishable	5-10-12-14	SM	
S-20	38-40	2.0/1.6	0.0	Top 0.6': Silty SAND, as in S-19 Bottom 1.0': SAND, poorly graded, fine, 5 - 12% fines, med dense, wet, very pale brown (10YR7/3)	3-7-9-10	SM SP-SM	
S-21	40-42	2.0/1.9	0.0	Top 1.6': SAND, poorly graded, fine, 5 - 12% fines, med dense, wet, very pale brown (10YR7/3) with laminae and layers of reddish yellow (7.5YR6/8) Bottom 0.3': CLAY, moderately to highly plastic, < 10% f sand, very stiff, wet, light olive brn (2.5Y5/3) with very thin laminae of dk reddish brown fine sand (5YR3/3)	6-7-5-7	SP-SM CH	
S-22	42-44	2.0/2.0	0.0	Top 1.7': SAND, poorly graded, fine, 5 - 12% fines, med dense, wet, very pale brown (10YR7/3) with laminae and layers of reddish yellow (7.5YR6/8) Next 0.1': CLAY, moderately to highly plastic, stiff, wet, lt olive brown (2.5Y5/3). Bottom 0.2': SAND, as in top 1.7'.	4-6-10-16	SP-SM CH SP-SM	
S-23	44-46	2.0/2.0	0.0	Top 0.9': SAND, poorly graded, fine, 5 - 12% fines, med dense, wet, very pale brown (10YR7/3) with laminae and layers of reddish yellow (7.5YR6/8) Bottom 1.1': Interbedded clay and sand. CLAY - mod. to highly plastic, stiff, wet, lt olive brn (2.5Y5/3). SAND - as in above 0.9', in layers 1/8" to 1"	9-4-5-9	SP-SM CH & SP-SM	
S-24	46-48	2.0/2.0	0.0	Top 0.8': SAND, poorly graded, fine, 5 - 12% fines, med dense, wet, light olive brown (2.5Y5/3). Next 0.5': Sandy CLAY, mod. to highly plastic, 35 - 50% f sand, very stiff, wet, lt olive brown (2.5Y5/3). Next 0.3': Clayey SAND, fine, 25 - 50% mod. to highly plastic fines, very stiff, wet, lt olive brown (2.5Y5/6). Next 0.3': Clayey SAND, fine, 15 - 25% moderately plastic fines, very dense, wet, reddish brown (5YR4/4). Bottom 0.1': CLAY, mod. to highly plastic, hard, wet, light olive brown (2.5Y5/3).	10-9-17-21	SP-SM CH-SC SC-CH SC-CH CH	

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: G6M-94-18X (p. 4 of 6)
CLIENT: AEC	DATE STARTED: 8/12/94	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	PROTECTION: Modified D
METHOD: drive & wash	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 92.75'
LOGGED BY: R. Rustad, D. Pierce	CHECKED BY:	WATER TABLE BGS: 11.9'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-25	48-50	2.0/1.5	0.0	Top 0.3': CLAY, moderately to highly plastic, hard, wet, light olive brown (2.5Y5/3). Bottom 1.2': SAND, poorly graded, fine, 5 - 12% slightly to mod. plastic fines, med dense, wet, pink (7.5YR7/3) interlaminated with yellowish red (5YR4/6).	10-8-13-16	CH SP-SM	
S-26	50-52	2.0/0.0	--	- no recovery -	8-8-11-14	--	
S-27	52-54	2.0/2.0	0.0	Silty SAND, fine, 12 - 20% fines, dense, wet, interlayered brownish yellow (10YR6/6) and light brownish yellow (10YR6/4)	10-12-21-25	SM	
S-28	54-56	2.0/1.4	0.0	SAND, poorly graded, fine, 5 - 12% fines, med dense, wet, interlayered very pale brown (10YR7/4) and brownish yellow (10YR6/6)	10-9-10-12	SP-SM	
S-29	56-58	2.0/2.0	0.0	Top 0.1': CLAY, mod. to highly plastic, very stiff, wet, light olive brown (2.5Y5/3). Next 0.3': SAND, poorly graded, fine, < 5% fines, dense, wet, reddish yellow (7.5YR7/6). Bottom 1.6': SAND, poorly graded, fine, 5 - 12% fines (12 - 20% fines 56.4' - 56.8'), dense, very pale brown (10YR7/3) interlaminated with reddish yellow (7.5YR7/6).	9-16-18-25	CH SP SP-SM & SM	
S-30	58-60	2.0/2.0	0.0	Top 0.6': Alternating layers (0.5" to 1.0" thick) of clay and sand. CLAY, mod to highly plastic, very stiff, wet, lt olive brown (2.5Y5/3). SAND, poorly graded, fine, 5 - 12% fines, very pale brown (10YR8/4) to strong brown (7.5YR5/6). Bottom 1.4': Silty SAND, fine, 15 - 30% fines, med dense, wet, very pale brown (10YR7/4).	10-10-14-19	CH & SP-SM SM	
S-31	60-62	2.0/1.2	0.0	Silty SAND, fine, 12 - 20% fines, med dense, wet, very pale brn (10YR7/4)	5-4-8-11	SM	
S-32	62-64	2.0/2.0	0.0	SAND, fine, 5 - 12% fines, med dense, wet, very pale brown (10YR7/4) with occasional indistinct laminae of reddish yellow (7.5YR6/8)	5-7-12-20	SP-SM	
S-33	64-66	2.0/1.3	0.0	SAND, poorly graded, fine, 10% fines, loose, wet, very pale brown (10YR7/4), angular to subangular grains	5-5-7-14	SP-SM	

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: **6917.07**	BORING NO.: **G6M-94-18X** (p. 5 of 6)
CLIENT: **AEC**	DATE STARTED: 8/12/94	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	PROTECTION: Modified D
METHOD: drive & wash	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 92.75'
LOGGED BY: R. Rustad, D. Pierce	CHECKED BY:	WATER TABLE BGS: 11.9'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-34	66-68	2.0/1.7	0.0	Top 1.5': SAND, poorly graded, fine, 10% fines, loose, wet, very pale brown (10YR7/4) with occasional reddish yellow laminae, micaceous flakes in sand (0.01 - 1.0 mm), angular to subangular grains. Bottom 0.2': SILT, slightly plastic, 5 - 10% f sand, medium dense, wet, gray (10YR5/1).	5-9-14-20	SP-SM SM-SP	
S-35	68-70	2.0/1.4	0.0	Top 0.7': SAND, poorly graded, fine, 5 - 10% fines with occasional reddish laminae, med dense to dense, wet, pale brown (10YR6/3). Next 0.2': Sandy SILT, poorly graded, 15 - 20% f sand, soft to firm, wet, lt brownish gray (10YR6/2). Bottom 0.5': SANDto silty SAND, poorly graded, fine, 10 - 25% silt, loose, wet, grayish brn (10YR5/2)	20-19-7-10	SP-SM SM SP-SM to SM	
S-36	70-72	2.0/1.5	0.0	Sandy SILT, 20 - 30% f sand, medium dense, wet, pale brown (10YR6/3)	9-11-15-14	SM	
S-37	72-74	2.0/1.2	0.0	Sandy SILT, 20 - 30% f sand, medium dense, wet, pale brown (10YR6/3) with thick reddish laminae (coarser texture from 72.5' to 72.6' and 73.0' to 73.1)	7-10-19-17	SM	
S-38	74-76	2.0/1.8	0.0	Sandy SILT, as in S-37, but with thin laminae	2-4-10-10	SM	
S-39	76-78	2.0/1.6	0.0	Top 1.1': Sandy SILT, 20 - 30% fine sand, med dense, wet, pale brown (10YR6/3) with thin reddish laminae - grading over 0.2' into - Bottom 0.5': SAND, poorly graded, fine, 5% med, 5 - 10% silt, med dense, wet, gray (10YR6/1)	5-9-13-20	SM SP-SM	
S-40	78-80	2.0/1.9	0.0	SAND, as in bottom 0.5' of S-39, but with increasing frequency of laminae (5 - 10 per inch)	22-17-10-12	SP-SM	
S-41	80-82	2.0/2.0	0.0	Top 1.7': Silty SAND, poorly graded, f sand, 15 - 20% silt, loose, wet, lt brownish gray (10YR6/2), micaceous, no bedding or laminae. Bottom 0.3': Sandy SILT, slightly plastic, 20 - 30% f sand, loose, wet, gray (10YR5/1).	5-4-7-8	SM SM	
S-42	82-84	2.0/2.0	0.0	Top 1.1': Sandy SILT, as in bottom 0.3' of S-41. Bottom 0.9': Silty SAND to sandy SILT, slightly plastic, 30 - 45% f sand, loose, wet, gray (10YR5/1), some thin laminae present at 83' -83.2' (pale brown)	3-4-7-8	SM SM-ML	

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: G6M-94-18X (p. 6 of 6)
CLIENT: AEC	DATE STARTED: 8/12/94	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	PROTECTION: Modified D
METHOD: drive & wash	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 92.75'
LOGGED BY: R. Rustad, D. Pierce	CHECKED BY:	WATER TABLE BGS: 11.9'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-43	84-86	2.0/2.0	0.0	Top 0.9': Silty SAND, fine, poorly graded, 15 - 20% silt, med dense, wet, gray (10YR5/1) Bottom 1.1': Silty SAND, as in above 0.9', but including gravel-sized, angular phyllite (5 mm maximum)	5-9-18-20	SM-ML SM-ML	
S-44	86-88	2.0/0.4	0.0	Clayey SILT, plastic, firm, wet, gray (10YR5/1), contains angular phyllite gravel	21-13-16-46	ML-CL	
S-45	88-90	2.0/1.8	0.0	Top 1.1': GRAVEL- to COBBLE-sized phyllite fragments, angular, in a sandy SILT matrix, f to c sand, dense, wet, dk gray (10YR4/1). Next 0.4': Coarse SAND and GRAVEL, 10% med sand, < 5% fines, including subangular phyllite fragments (max size 5 mm). Bottom 0.3': SILT, 5% gravel, 10% f to c sand, very stiff.	18-52-22-7	GM GW ML	
S-46	90-92	2.0/1.8	0.0	Top 0.6': Sandy SILT, 30 - 40% fine sand, med stiff, wet, gray (10YR6/1) Bottom 1.2': Silty SAND, well graded, f to c, 20 - 30% silt, med dense, wet, subangular to subrounded	27-18-12-9	ML SM-ML	
S-47	92-92.5	0.75/0.5	0.0	GRAVEL, well graded, angular, 20% fine to coarse sand, 20% silt. Phyllite cuttings from rollerbit.	33-133/0.15"	GM	
				BOE at 92.75'			

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07			BORING NO.: G6M-95-19X (p. 1 of 3)	
CLIENT: AEC		DATE STARTED: 1/20/95			STUDY AREA: 50	
CONTRACTOR: New Hampshire Boring		DATE COMPLETED: 1/24/95			PROTECTION: Modified D	
METHOD: HSA and drive & wash		BORING DIAMETER:			PID METER: Model 580B OVM	
GROUND ELEV:		REFERENCE PT. ELEV.:			TOTAL DEPTH: 87.0'	
LOGGED BY: J. Healey, H. Colby		CHECKED BY:			WATER TABLE BGS: 10.5'	

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.6	BKG	Top 0.2': Silty SAND, f to med, 30% fines, nonplastic, loose, damp, dk brn Bottom 1.3': SAND, poorly graded, f to med, 10% gravel, 10% fines, med dense, damp, brown	4-6-4-6	SM SP-SM	roots (topsoil)
S-2	2-4	2.0/1.1	BKG	Top 0.6': Silty SAND, f to med, 25% fines, med dense, damp, dk brown Bottom 0.5': SAND, poorly graded, f to med, < 5% fines, med dense, damp, reddish brown	10-11-5-4	SM SP	some coal powder
S-3	4-6	2.0/1.3	BKG	SAND, poorly graded, fine to coarse (mostly f to med), 5% f gravel, < 5% fines, loose, damp, yellow-brown	2-4-5-8	SP	
S-4	6-8	2.0/1.2	BKG	SAND, well graded, fine to coarse, 15% f gravel, < 5% fines, med dense, damp to moist, tan	14-13-15-14	SW	
S-5	8-10	2.0/	BKG	SAND, poorly graded, f to c (finer with depth), < 5% fines, med dense, wet (becoming saturated with depth), tan	10-10-11-9	SP	
S-6	10-12	2.0/2.0	BKG	SAND, poorly graded, f to med (very fine at bottom 0.2'), med dense, saturated, tan with some rust staining	2-5-7-9	SP	
S-7	12-14	2.0/	BKG	SAND, poorly graded, f to med (bottom 0.5' is very fine, denser), med dense, saturated, tan with some rust staining	11-10-14-16	SP	
S-8	14-16	2.0/	BKG	SAND, poorly graded, fine to medium, med dense, saturated, tan	4-4-5-7	SP	
S-9	16-18	2.0/2.0	BKG	Top 1.0': SAND, well graded, fine to coarse, < 5% fines, medium dense, saturated, tan Bottom 1.0': SAND, poorly graded, fine, 10% silt, medium dense, saturated, tan	9-10-12-16	SW SP	
S-10	18-20	2.0/2.0	BKG	SAND, poorly graded, fine, 5 - 12% fines, medium dense, saturated, laminated, tan	5-8-9-10	SP-SM	
S-11	20-22	2.0/1.5	BKG	SAND, poorly graded, fine, < 5% fines, medium dense, saturated, tan with rust staining	10-11-13-15	SP	
S-12	22-24	2.0/2.0	BKG	Top 1.0': SAND, as in S-11 Bottom 1.0': Silty SAND, fine, 25% fines, medium dense, saturated, laminated, tan	11-10-13-13	SP SM	
S-13	24-26	2.0/1.5	BKG	SAND, poorly graded, fine, med dense, saturated, slightly laminated, tan with some rust color	11-13-14-14	SP	

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: G6M-95-19X (p. 2 of 3)
CLIENT: AEC	DATE STARTED: 1/20/95	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 1/24/95	PROTECTION: Modified D
METHOD: HSA and drive & wash	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 87.0'
LOGGED BY: J. Healey, H. Colby	CHECKED BY:	WATER TABLE BGS: 10.5'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-14	26-28	2.0/1.8	BKG	SAND, as in S-13	10-10-10-11	SP	
S-15	28-30	2.0/1.8	BKG	SAND, as in S-13	12-13-14-15	SP	
S-16	30-32	2.0/1.8	BKG	SAND, as in S-13	10-11-11-12	SP	
S-17	32-34	2.0/0.8	BKG	SAND, as in S-13	12-14-18-21	SP	
S-18	34-36	2.0/1.7	BKG	SAND, similar to S-13, but slightly coarser	8-8-9-11	SP	
S-19	36-38	2.0/0.5	BKG	SAND, as in S-18	3-5-4-5	SP	
S-20	38-40	2.0/1.6	BKG	SAND, as in S-18	9-14-9-13	SP	
S-21	40-42	2.0/1.1	BKG	SAND, as in S-18	9-10-13-12	SP	
S-22	42-44	2.0/0.5	BKG	SAND, as in S-18	9-11-13-17	SP	
S-23	44-46	2.0/	BKG	SAND, as in S-18	5-5-7-9	SP	
S-24	46-48	2.0/2.0		SAND, as in S-18	8-8-12-12	SP	
S-25	48-50	2.0/1.3		SAND, as in S-18	6-8-12-13	SP	
S-26	50-52	2.0/1.5		SAND, as in S-18	25-13-11-12	SP	
S-27	52-54	2.0/2.0		Silty fine sand at top of interval. SAND, poorly graded, fine, medium dense, saturated, slightly laminated, tan with some rust color.	10-17-16-13	SM SP	
S-28	54-56	2.0/2.0		Top 0.8': Fine SAND with silt, trace clay. Next 0.4': Fine SAND, little silt, gray. Bottom 0.8': Fine SAND, yellowish brown.	17-11-17-16	SM SP SP	
S-29	56-58	2.0/1.9		SAND, poorly graded, med dense, saturated, tan, minor laminations	8-6-10-8	SP	
S-30	58-60	2.0/2.0		SAND, as in S-29	7-6-7-11	SP	
S-31	60-62	2.0/0.0		- no recovery -	12-7-4-5	--	
S-32	62-64	2.0/1.8		SAND, as in S-29	2-6-6-5	SP	
S-33	64-66	2.0/		SAND, as in S-29, but slightly more grayish	6-4-3-6	SP	
S-34	66-68	2.0/2.0		SAND, as in S-33	WR-WR-8-8	SP	
S-35	68-70	2.0/1.3		SAND, as in S-33, but with no laminations	8-6-7-13	SP	
S-36	70-72	2.0/2.0		SAND, as in S-35	4-6-5-4	SP	
S-37	72-74	2.0/0.5		SAND, as in S-35 -- poor recovery	WR-7-10-13	SP	
S-38	74-76	2.0/1.1		SAND, as in S-35	5-7-5-4	SP	

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: G6M-95-19X (p. 3 of 3)
CLIENT: AEC	DATE STARTED: 1/20/95	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 1/24/95	PROTECTION: Modified D
METHOD: HSA and drive & wash	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 87.0'
LOGGED BY: J. Healey, H. Colby	CHECKED BY:	WATER TABLE BGS: 10.5'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-39	76-78	2.0/1.8		SAND with trace silt, poorly graded, med dense, saturated, grayish tan, minor laminations	8-11-11-4	SP	
S-40	78-80	2.0/2.0		SAND, poorly graded, medium dense, saturated, grayish tan, minor laminations	8-12-17-21	SP	
S-41	80-82	2.0/1.2		SAND, as in S-40	6-7-7-11	SP	
S-42	82-84	2.0/2.0		Top 1.7': SAND, as in S-40. Bottom 0.3': SAND with little silt, poorly graded, med dense, saturated, grayish tan, minor laminations. Weathered rock fragments in tip.	8-13-25-41	SP SP-SM	
S-43	84-85	1.0/1.0		SAND, fine to medium, some f to med gravel, 5% fines, very dense, saturated, gray to brown, TILL	32-48-100/5"	SW	

BOE at 87'

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: G6M-95-20X (p. 1 of 4)
CLIENT: AEC	DATE STARTED: 1/16/95		STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 1/17/95		PROTECTION: Modified D
METHOD: HSA and drive & wash	BORING DIAMETER:		PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 89'
LOGGED BY: J. Healey	CHECKED BY:		WATER TABLE BGS: 8'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.6		Top 0.3': Sandy SILT, nonplastic, 30% f sand, very stiff, moist, dark brown. Next 0.7': SAND, mod. well graded, f to c (mostly med), loose, damp, light yellow-brown. Bottom 0.6': SAND, poorly graded, fine, loose, damp, tan.	13-33-13-11	SM-ML SW SP	roots a few pieces of coal
S-2	2-4	2.0/1.4		SAND, poorly graded, fine, 10% med to coarse, loose, damp, banded tan and yellow with a 1" band of dk brown silty sand at 0.2'	8-5-4-6	SP	
S-3	4-6	2.0/1.4		SAND, poorly graded, fine, loose, damp. Top 0.4' is banded tan and yellow with one band of dark silt; bottom 1.0' is tan.	3-4-6-8	SP	
S-4	6-8	2.0/1.3		SAND, poorly graded, fine, med dense, damp (bottom 0.1' wet), tan	6-8-8-11	SP	
S-5	8-10	2.0/1.1		SAND, poorly graded, fine, band of silt at 0.3', med dense, top 0.2' wet, bottom 0.9' saturated, tan	3-6-7-7	SP	
S-6	10-12	2.0/1.6		SAND, poorly graded, fine, 10% silt, med dense, saturated, tan with a few bands of rust, laminated	4-6-6-8	SP-SM	
S-7	12-14	2.0/1.8		SAND, poorly graded, fine, band of silt at 1', med dense, saturated, tan with some thick bands of rust, laminated	8-9-16-13	SP-SM	
S-8	14-16	2.0/1.5		SAND, poorly graded, fine, less silt than in S-7, med dense, saturated, tan with thinner bands of rust, laminated	7-7-7-8	SP	
S-9	16-18	2.0/2.0		SAND, poorly graded, fine, med dense, saturated, tan with thin bands of rust, laminated	10-10-10-10	SP	
S-10	18-20	2.0/		SAND, as in S-9	5-7-7-8	SP	
S-11	20-22	2.0/2.0		SAND, as in S-9, but more reddish	6-6-7-5	SP	
S-12	22-24	2.0/2.0		SAND, poorly graded, fine, med dense, saturated, lt brown with thin bands of rust, laminated	5-9-9-9	SP	
S-13	24-26	2.0/2.0		SAND, as in S-12	5-7-9-9	SP	
S-14	26-28	2.0/2.0		SAND, as in S-12, but slightly coarser	10-12-14-14	SP	
S-15	28-30	2.0/		SAND, as in S-14	0-4-6-12	SP	
S-16	30-32	2.0/2.0		SAND, as in S-14	8-11-14-10	SP	
S-17	32-34	2.0/2.0		SAND, as in S-14	13-16-19-23	SP	

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: G6M-95-20X (p. 2 of 4)
CLIENT: AEC	DATE STARTED: 1/16/95	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 1/17/95	PROTECTION: Modified D
METHOD: HSA and drive & wash	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 89'
LOGGED BY: J. Healey	CHECKED BY:	WATER TABLE BGS: 8'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-18	34-36	2.0/0.3		SAND, poorly graded, fine, med dense, saturated, lt brown with thin bands of rust, laminated	not recorded	SP	
S-19	36-38	2.0/1.8		SAND, as in S-18	8-12-16-19	SP	
S-20	38-40	2.0/0.9		SAND, poorly graded, fine, med dense, saturated, tan with some rust laminations	6-9-16-18	SP	
S-21	40-42	2.0/1.5		SAND, as in S-20	9-12-20-23	SP	
S-22	42-44	2.0/2.0		SAND, as in S-20	8-6-10-18	SP	
S-23	44-46	2.0/1.3		Top 0.2': Silty CLAY, slightly plastic, very stiff, saturated, lt brn Next 0.4': SILT, nonplastic, 25 - 30% f sand, very stiff, saturated, tan and rust, highly laminated Bottom 0.7': SAND, poorly graded, fine, grain size decreases with depth, dense, saturated, tan with rust bands, laminated	8-15-18-23	CL ML SP	
S-24	46-48	2.0/2.0		Top 1.5': SAND, as in bottom 0.7' of S-23. Bottom 0.5': Interbedded fine SAND, SILT, and CLAY, sand is poorly graded, 50% fines, saturated, tan and gray-brown, thin laminar beds	6-8-8-14	SP SM, ML, and CL	
S-25	48-50	2.0/2.0		Top 0.8': Silty SAND, poorly graded, fine, 15 - 20% fines, saturated, tan with rust laminations. Bottom 1.2': Interbedded SILT and CLAY, slightly plastic, 15% f sand, very stiff, saturated, tan and gray-brown and rust, highly laminated	not recorded	SM ML and CL	
S-26	50-52	2.0/2.0		Top 1.0': SAND, poorly graded, fine, 10 - 20% fines, dense, saturated, tan with rust laminations. Bottom 1.0': SAND, poorly graded, fine, dense, saturated, tan with rust laminations	12-16-18-20	SM SP	
S-27	52-54	2.0/2.0		SAND, poorly graded, fine, 5 - 10% fines (a few thin bands of silt and clay), medium dense, saturated, tan with rust staining	8-11-13-22	SP	
S-28	54-56	2.0/2.0		SAND, poorly graded, fine, dense, saturated, tan with rust laminations	10-18-14-14	SP	
S-29	56-58	2.0/2.0		SAND, poorly graded, fine, 5% fines (a few thin bands of silt), dense, saturated, tan with rust laminations	10-12-19-21	SP	
S-30	58-60	2.0/1.7		SAND, poorly graded, fine, dense, saturated, tan with rust laminations	12-13-14-23	SP	

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: G6M-95-20X (p. 3 of 4)
CLIENT: AEC	DATE STARTED: 1/16/95		STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 1/17/95		PROTECTION: Modified D
METHOD: HSA and drive & wash	BORING DIAMETER:		PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 89'
LOGGED BY: J. Healey	CHECKED BY:		WATER TABLE BGS: 8'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-31	60-62	2.0/1.8		SAND, poorly graded, fine, dense, saturated, tan with rust laminations	28-21-21-35	SP	
S-32	62-64	2.0/1.3		SAND, as in S-31, but with increasing rust color at bottom of interval	6-9-12-26	SP	
S-33	64-66	2.0/2.0		Top 0.6': SAND, poorly graded, fine, dense, saturated, rust colored Bottom 1.4': SAND, poorly graded, fine, dense, saturated, tan with rust laminations	10-30-45-61	SP SP	
S-34	66-68	2.0/1.4		SAND, poorly graded, fine, dense, saturated, tan with very little rust	13-17-25-27	SP	
S-35	68-70	2.0/2.0		Top 1.2': SAND, poorly graded, fine, dense, saturated, light reddish brown Bottom 0.8': SAND, poorly graded, fine (finer than in top 1.2'), dense, saturated, tan	14-20-27-41	SP SP	
S-36	70-72	2.0/1.2		Top 0.8': SAND, poorly graded, fine, dense, saturated, light reddish brown Bottom 0.4': SAND, poorly graded, fine (finer than in top 0.8'), dense, saturated, tan	9-12-20-26	SP SP	
S-37	72-74	2.0/2.0		SAND, poorly graded, fine (becoming finer at bottom 0.3'), medium dense, saturated, tan with rust-colored striations	5-11-17-21	SP	
S-38	74-76	2.0/2.0		SAND, poorly graded, fine, dense, saturated, tan, some rust striations	9-14-28-28	SP	
S-39	76-78	2.0/2.0		SAND, poorly graded, fine, med dense, saturated, tan	8-3-13-17	SP	
S-40	78-80	2.0/		SAND, as in S-39	11-13-17-21	SP	
S-41	80-82	2.0/2.0		Top 1.2': SAND, poorly graded, fine, medium dense, saturated, tan Bottom 0.3': SAND, poorly graded, fine, 10% fines, medium dense, saturated, gray-brown	9-11-14-17	SP SP-SM	
S-42	82-84	1.5/1.5		Top 0.8': SAND, poorly graded, fine, dense, saturated, tan. Bottom 0.7': Silty, gravelly SAND, well graded, fine, 25 - 30% f to c gravel, 25 - 30% fines, dense, saturated, gray-brown.	26-28-31-50/0"	SP SM	
S-43	84-86	2.0/1.0		Top 0.5': Silty, gravelly SAND, as in bottom 0.7' of S-42 Bottom 0.5': Silty SAND, well graded, fine to coarse, 10 - 15% fine gravel, 15% fines, dense, saturated, gray	35-20-27-15	SM SM	

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: G6M-95-20X (p. 4 of 4)
CLIENT: AEC	DATE STARTED: 1/16/95	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 1/17/95	PROTECTION: Modified D
METHOD: HSA and drive & wash	BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 89'
LOGGED BY: J. Healey	CHECKED BY:	WATER TABLE BGS: 8'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-44	86-88	2.0/2.0		Top 1.2': SAND, poorly graded, fine, dense, saturated, tan Next 0.3': Gravelly SAND, well graded, fine to coarse, 40% fine gravel, dense, saturated, gray Bottom 0.5': SAND, poorly graded, fine to medium, 15% fine gravel, 5 - 10% fines, dense, saturated, gray, till	8-18-15-38	SP SW SP-SM	
S-45	88-89	1.0/1.0		Top 0.5': SAND, poorly graded, fine to coarse, 10% fine gravel, very dense, saturated, gray Bottom 0.5': SAND, poorly graded, fine, 15% fine gravel, 5% fines, very dense, saturated, gray	60-88-100/0"	SP SP	

BOE at 89'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 30B-92-01X
CLIENT: AEC	DATE STARTED: 6/11/92	GROUP: 6 (Moore Airfield-DSA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/11/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Model 580B OVM
GROUND ELEV.: 268.6'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: LNS	CHECKED BY: BJR	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
				0-0.6 Drilled through cement.		Ground surface is taken to be below asphalt
S-1	0-2	2.0/1.6	BKG	**SAND**, poorly graded, medium-dense, dry. **SP-SM** (0-0.2) gravelly; ~40% fill, 7.5YR7/6 Munsell reddish-yellow. (0.2-1.6) 10YR8/3 very pale brown, no structure, glacial outwash.	2/7/6/7	3" spoon. Analytical sample collected.
S-2	2-4	2.0/-	BKG	Same as above, medium to coarse grained (~10% feldspar and mica, ~85% quartz) with ~5% gravel. **SP-SM**	5/6/8/7	2" spoon. Grain-size analysis performed.
S-3	4-6	2.0/0.9	BKG	Same as above except loose, 10YR8/2 Munsell white. **SP-SM**	3/6/4/7	2" spoon. Analytical sample collected.
S-4	6-8	2.0/1.5	BKG	Same as above except color change to darker brown from 6.5 - 6.55'. **SP-SM**	4/4/4/4	2" spoon.
S-5	8-10	2.0/2.0	BKG	Same as above but coarser, sand composition= quartz ~80%, mica ~10%, and feldspar ~10%. **SP-SM**	3/4/4/5	2" spoon. Analytical sample and duplicate collected.
				BOE at 10'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: **6917-04**	BORING NO.: **30B-92-02X**
CLIENT: **AEC**	DATE STARTED: 6/10/92	GROUP: 6 (Moore Air Field-DSA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/10/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Model 580B OVM
GROUND ELEV.: 268.6'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: LNS	CHECKED BY: BJR	WATER TABLE BGS: Not encountered

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0.4-2	2.0/1.6	BKG	Augered through 0.4' of asphalt **SAND**, medium with trace gravel (<10%), poorly graded, medium-dense, dry, 10YR8/2 Munsell white, glacial outwash, quartz ~80% and feldspars. **SP**	2/7/7/8	2" spoon. Analytical samples collected.
S-2	2-4	2.0/1.1	BKG	Same as above except gravel <5%, loose, quartz ~85%, brown band from 2.7-2.73'. **SP**	7/5/5/7	2" spoon.
S-3	4-6	2.0/1.2	BKG	Same as above except no gravel, loose. **SP**	2/6/7/6	2" spoon. Analytical samples collected.
S-4	6-8	2.0/1.4	BKG	Same as above. **SP**	2/4/5/6	2" spoon.
S-5	8-10	2.0/1.3	BKG	Same as above except coarser, little gravel (~10%) **SP**	2/3/4/5	2" spoon. Analytical samples collected.
				BOE at 10'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 30B-92-03X
CLIENT: AEC	DATE STARTED: 6/11/92	GROUP: 6 (Moore Air Field-DSA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/11/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Model 580B OVM
GROUND ELEV.: 268.8'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: LNS	CHECKED BY: BJR	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.8	BKG	**SAND**, medium to coarse with little (~10%) gravel, sand - 75% quartz, ~15% mica and feldspar; poorly graded, medium dense, 10YR6/2 Munsell light brownish-gray, no structure. **SP**	4/11/11/14	3" spoon. Analytical sample collected. Depth 0 is ~0.4' below top of asphalt.
S-2	2-4	2.0/-	-	Same as above. **SP**	4/5/6/8	3" spoon.
S-3	4-6	2.0/-	-	Same as above except <5% gravel, sand - ~85% quartz, ~10% mica and feldspar, and 10YR8/2 Munsell white. **SP**	11/8/6/6	2" spoon. Collected analytical sample.
S-4	6-8	2.0/1.7	BKG	Same as above except no gravel, sand - ~90% quartz, ~5% mica, ~5% feldspar, 10YR7/2 Munsell light gray, loose, and moist. **SP**	4/2/6/7	2" spoon.
S-5	8-10	2.0/-	BKG	Same as above except coarser, sand - ~85% quartz, ~10% mica, ~5% feldspar; medium dense. **SP**	5/8/8/9	3" spoon. Collected analytical sample.
				BOE at 10'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: **6917-04**	BORING NO.: **30B-92-04X**
CLIENT: AEC	DATE STARTED: 6/10/92	GROUP: 6 (Moore Air Field-DSA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/10/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Model 580B OVM
GROUND ELEV.: 268.7'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: LNS	CHECKED BY: BJR	WATER TABLE BGS: ~9' (perched)

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.8	BKG	(0-0.5') Silty **SAND**, poorly graded, medium dense, damp, 10YR3/2 Munsell very dark grayish brown, roots/grass, fill? **SM** (0.5-1.8') Gravelly **SAND**, well graded, medium dense, dry, 10YR8/1 Munsell white, no structure, glacial outwash. **SW**	2/11/9/11	Analytical sample collected.
S-2	2-4	2.0/1.5	BKG	Same as above except some (~20%) gravel, sand - ~20% mica and feldspar, poorly graded. **SP**	10/10/9/10	
S-3	4-6	2.0/-	BKG	Same as above except loose. **SP**	3/5/4/6	Analytical sample collected.
S-4	6-8	2.0/1.4	BKG	Same as above except well graded. **SW**	2/3/2/4	
S-5	8-10	2.0/1.6	BKG	Same as above except oxidized horizon at 8.8-8.9' and top of wet zone at 8.9'. **SW**	2/3/4/3	Analytical sample collected.
				BOE at 10'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 30B-92-05X
CLIENT: AEC	DATE STARTED: 6/10/92	GROUP: 6 (Moore Air Field-DSA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/10/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Model 580B OVM
GROUND ELEV.: 268.5'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: LNS	CHECKED BY: BJR	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.7	BKG	(0-0.6) Silty **SAND** with ~10% pebbles, poorly graded, medium dense, damp, 10YR3/1 Munsell very dark gray, roots, fill? **SM** (0.6-1.7) **SAND**, medium to coarse, poorly graded, medium dense, damp, 10YR6/6 Munsell brownish yellow, glacial outwash. **SP**	2/8/8/11	3" spoon. Analytical sample collected.
S-2	2-4	2.0/1.3	BKG	Coarse **SAND** with ~5% gravel, poorly graded, loose, damp, 10YR6/8 Munsell brownish yellow grading down to 10YR8/3 Munsell very pale brown, glacial outwash. **SP**	4/5/5/8	2" spoon.
S-3	4-6	2.0/1.2	BKG	(4.0-4.4) Same as above. (4.4-5.2) Same as above except 10YR8/2 Munsell white **SP**	4/6/6/7	2" spoon. Grain-size analysis performed.
S-4	6-8	2.0/1.6	BKG	Same as above except medium grained, ~90 quartz, ~10% mica and feldspar, loose, 10YR8/1 Munsell white. **SP**	3/4/5/4	2" spoon. Analytical sample collected.
S-5	8-10	2.0/-	-	Same as above except fine to medium grained and very loose. **SP**	2/2/2/3	2" spoon. Analytical sample collected.
				BOE at 10'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 30B-92-06X
CLIENT: AEC	DATE STARTED: 6/10/92	GROUP: 6 (Moore Air Field-DSA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/10/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Model 580B OVM
GROUND ELEV.: 266.5'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: LNS	CHECKED BY: BJR	WATER TABLE BGS: Not encountered

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/2.0	BKG	Silty **SAND**, fine, poorly graded, ~15% silt and ~15% gravel, medium dense, dry, 10YR3/3 Munsell dark brown, roots near top, fill? **SM** (1.5-2.0) Same as above except coarser, ~10% gravel, 10YR8/2 Munsell white, fill? **SP**	4/11/11/19	3" spoon. Analytical sample collected. Split with CDM.
S-2	2-4	2.0/1.6	BKG	(2.0-3.0) Same as above except dense. Abrupt facies change at 3.0'. (3.0-3.6) **SAND**, medium to coarse, ~10% micas and feldspars, poorly graded, dense, dry to moist, 10YR8/2 Munsell white, glacial outwash. **SP**	14/15/17/12	3" spoon. Analytical sample collected. Split with CDM.
S-3	4-6	2.0/1.6	BKG	Same as above except fine to medium grading down to medium, medium dense. **SP**	3/7/7/4	2" spoon.
S-4	6-8	2.0/1.3	BKG	Same as above except 6.1-6.4 is dry, 10YR6/4 Munsell light yellowish brown with two 0.05' thick bands of darker brown sand. **SP**	4/8/7/9	2" spoon.
S-5	8-10	2.0/1.0	BKG	Same sand as above except medium to coarse, ~20% micas and feldspars, loose. **SP**	2/3/4/6	2" spoon. Analytical sample collected.
				BOE at 10'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 30B-92-07X
CLIENT: AEC	DATE STARTED: 6/10/92	GROUP: 6 (Moore Air Field-DSA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/10/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Model 5 OVM
GROUND ELEV.: 268.0'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: LNS	CHECKED BY: BJR	WATER TABLE BGS: 7.5'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.0	BKG	**SAND**, poorly graded with gravel, medium dense, dry. (0-0.1) 10YR7/1 Munsell light gray, glacial outwash, ~10% gravel. (0.1-1.0) Same as above except gravelly, no roots, 7.5YR3/2 Munsell dark brown. **SP**	7/7/7/5	2" spoon. Analytical sample collected.
S-2	2-4	2.0/1.1	BKG	(2.0-2.2) Same as above. (2.2-2.6) Same as above except 7.5YR5/4 Munsell brown, ~30% coarse sand (3 mm). (2.6-2.9) Shattered cement piece (from surface) (2.9-3.1) Same as 2.2-2.6. **SP**	5/16/12/7	2" spoon. Grain-size analysis performed.
S-3	4-6	2.0/1.4	BKG	**SAND**, poorly graded with ~90% medium silica quartz grains and ~10% medium mica and feldspar fragments, loose, dry, 10YR8/4 Munsell very pale brown, glacial outwash. **SP**	2/2/3/5	2" spoon.
S-4	6-8	2.0/1.6	BKG	Same as above, **WET** at 7.5'. **SP**	3/3/5/8	2" spoon. Analytical sample collected.
S-5	8-10	2.0/1.8	BKG	Same as above except grain size coarsens downward from medium to coarse. **SP**	2/2/8/10	3" spoon. Collected analytical sample and split with CDM.
				BOE at 10'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-07	BORING NO.: 30B-92-08X
CLIENT: AEC	DATE STARTED: 6/10/92	GROUP: 6 (Moore Air Field-DSA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/10/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Model 580B OVM
GROUND ELEV.: 267.4'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: LNS	CHECKED BY: BJR	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.9	BKG	**SAND**, fine to medium, poorly graded, medium dense, dry, 10YR3/3 Munsell dark brown, some grass roots at surface, some blackened areas at 1.0 and 1.6', fill. SP	3/6/5/6	Analytical sample collected.
S-2	2-4	2.0/1.5	BKG	(2.0-2.2) Same as above (fill). (2.2-3.5) **SAND**, medium to coarse, ~15% gravel, sand - ~85% quartz, ~10% mica and feldspars, poorly graded, medium dense, poorly graded, medium dense, dry, 10YR7/3 Munsell very pale brown, glacial outwash. SP	3/5/6/6	
S-3	4-6	2.0/1.4	BKG	Same as above except sand - 90% quartz, ~5% mica, ~5% feldspar, loose, 10YR8/2 Munsell white. SP	1/2/4/4	Analytical sample collected and grain-size analysis performed.
S-4	6-8	2.0/1.0	BKG	Same as above except medium dense. SP	2/5/7/6	
S-5	8-10	2.0/1.5	BKG	Same as above except very loose. SP	2/3/0/8	Analytical sample collected.
				BOE at 10'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 31B-92-01X
CLIENT: AEC	DATE STARTED: 6/11/92	GROUP: 6 (Moore Airfield-FTA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/11/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Model 580B OVM
GROUND ELEV.: 267.5'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: LNS	CHECKED BY: BJR	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.6	BKG	**SAND**, poorly graded, medium with ~10% gravel, medium dense, dry, 10YR5/6 Munsell yellowish brown grading to a slightly darker brown, no structure, variable minerals (quartz, mica, feldspar). **SP**	6/11/11/11	Analytical sample collected. 2" spoon. Drilled through 0.4' tarmac.
S-2	2-4	2.0/1.5	BKG	(2.0-2.7') Same as above. (2.8-3.5') **SAND**, Same as above except 10YR5/8 Munsell yellowish brown, very homogenous, from 2.7-2.8' there is a band of black stained material, glacial outwash. **SP**	6/7/8/6	Analytical sample collected. 2" spoon.
S-3	4-6	2.0/1.6	BKG	**SAND**, well graded, ~10% gravel, loose, dry, 10YR5/8 Munsell yellowish brown, glacial outwash. **SW**	9/3/5/4	2" spoon.
S-4	6-8	2.0/1.8	BKG	**SAND**, poorly graded, medium to coarse, ~80% quartz, ~10% feldspar, ~10% mica, loose, dry, 10YR7/2 Munsell light gray. **SP**	4/3/4/5	2" spoon.
S-5	8-10	2.0/-	BKG	Same as above. **SP**	3/2/5/12	Analytical sample collected. 2" spoon.
				BOE at 10'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA. PROJECT NO.: 6917-04		BORING NO.: 31B-92-02X
CLIENT: AEC	DATE STARTED: 6/11/92	GROUP: 6 (Moore Airfield-FTA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/11/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Model 580B OVM
GROUND ELEV.: 267.8'	REFERENCE PT. ELEV.:	TOTAL DEPTH: 10'
LOGGED BY: LNS	CHECKED BY: BJR	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.5	BKG	(0-0.4') **SAND**, poorly graded, fine to medium with little (~15%) gravel, medium dense, 10YR5/3 Munsell brown. **SP** (0.4-0.7') **SAND**, poorly graded, medium with ~80% quartz and ~20% mica and feldspar, 10YR7/4 Munsell very pale brown. **SP** (0.7-1.0') Same except 10YR4/2 Munsell dark grayish brown. **SP** (1.0-1.5') Same except 10YR6/4 Munsell light yellowish brown, some faint color banding apparent **SP**	6/11/11/14	Analytical sample collected.
S-2	2-4	2.0/1.5	BKG	**SAND**, poorly graded, with 5-10% fines, <5% gravel, medium dense, dry, 10YR7/4 Munsell very pale brown. At 3.2' color changes abruptly to 10YR2/2 Munsell very dark brown, becomes finer, and has 2 bands each of 0.01' thick of lighter brown and black at 3.4'. **SP-SM**	12/9/6/9	Grain size analysis performed-->**SP-SM.**
S-3	4-6	2.0/1.6	BKG	**SAND**, poorly graded with ~85% quartz and ~15% mica and feldspar, medium dense, dry, 10YR7/4 Munsell very pale brown. Concrete fragment present at 4.1' (from above). **SP**	10/9/8/7	Analytical sample collected.
S-4	6-8	2.0/1.5	BKG	(6.0-6.2') **SAND**, poorly graded, fine, loose, 10YR3/1 Munsell very dark gray, glacial outwash. **SP** (6.2-7.5') Same as S-3. **SP**	4/4/4/5	
S-5	8-10	2.0/1.4	BKG	Same as above except color change 10YR7/2 Munsell light gray grading to 10YR8/2 Munsell white at bottom. **SP**	3/5/5/6	Analytical sample collected.
				BOE at 10'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 31B-92-03X
CLIENT: AEC	DATE STARTED: 6/11/92	GROUP: 6 (Moore Air Field-FTA)
CONTRACTOR: D. L. Maher	DATE COMPLETED:	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Model 580B OVM
GROUND ELEV.: 267.8'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: LNS	CHECKED BY: BJR	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.5	BKG	**SAND**, moderately poorly graded, fine to medium with little (~10%) gravel, sand - 80% quartz, and ~10% mica and feldspar, medium dense, dry, 10YR5/4 Munsell yellowish brown, no structure. **SP**	9/10/15/16	Analytical sample collected. 2" spoon. Drilled through asphalt, depths are from bottom of asphalt.
S-2	2-4	2.0/1.0	BKG	Same as above except 10YR6/6 Munsell brownish yellow, dense. **SP**	25/12/20/14	2" spoon.
S-3	4-6	2.0/1.5	BKG	Same as above with gradual color change 10YR7/3 Munsell very pale brown, medium dense. **SP**	7/11/8/6	Analytical sample collected. 2" spoon.
S-4	6-8	2.0/1.4	BKG	(6.0-6.3') **SAND**, fine to medium, poorly graded, medium dense, dry, 10YR4/3 Munsell dark brown. **SP** (6.3-7.4') Same as S-3.	4/6/7/8	2" spoon.
S-5	8-10	2.0/	BKG	Same as above. **SP**	3/6/14/12	Analytical sample and MS/MSD collected. 3" spoon.
				BOE at 10'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 31B-92-04X
CLIENT: AEC	DATE STARTED: 6/12/92	GROUP: 6 (Moore Air Field-FTA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/12/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Model 580B OVM
GROUND ELEV.: 267.5'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: LNS	CHECKED BY: BJR	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.3	2.5	**SAND**, moderately well graded, fine to medium with little (~10%) fine gravel (subrounded), sand - ~80% quartz and ~10% mica and feldspars, medium dense, dry, 10YR6/6 Munsell brownish yellow, slightly darker brown at top of spoon, no structure. SW	3/14/15/14	Analytical sample collected. 2" spoon. Drilled through 0.3' of asphalt.
S-2	2-4	2.0/1.6	BKG	(2.0-2.7') Same as above. SW (2.7-3.0') Same as above only increasing percentage of fine sand, 10YR5/1 Munsell gray. SP (3.0-3.6') Same sand only fine to medium, no gravel, 10YR4/6 Munsell dark yellowish brown. SP	15/10/10/9	2" spoon.
S-3	4-6	2.0/1.8	BKG	Same as above only increasing percentage of medium to coarse sand, and 10YR6/6 Munsell brownish yellow. SP	4/7/7/9	Analytical sample collected. Split with S. Vest of M&E. 3" spoon.
S-4	6-8	2.0/1.5	BKG	Same as above except 10YR7/3 Munsell very pale brown, ~85% quartz and ~15% mica and feldspars, loose. SP	2/4/5/7	2" spoon.
S-5	8-10	2.0/1.8	BKG	(8.0-8.5') Same as above except medium dense. (8.5-9.8') Same as above except 10YR8/2 Munsell white, ~90% quartz and ~10% mica and feldspar. SP	4/7/10/11	Analytical sample collected, and split with CDM. 3" spoon.
				BOE at 10'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 31B-92-05X
CLIENT: AEC	DATE STARTED: 6/12/92	GROUP: 6 (Moore Air Field-FTA)
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/15/92	PROTECTION: Modified D
METHOD: 4.25" HSA	BORING DIAMETER: 8"	PID METER: Model 580B OVM
GROUND ELEV.: 267.4'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 62'
LOGGED BY: LNS	CHECKED BY: BJR	WATER TABLE BGS: 15-17'

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.5	BKG	(0-0.4') **SAND**, poorly graded, fine to medium with ~75% quartz and ~25% other fines, medium dense, dry, 10YR6/2 Munsell light brownish gray, no structure. **SP** (0.4-1.5') Same as above except 10YR7/2 Munsell light gray, ~80% quartz and ~20% mica and feldspar and other fines, glacial outwash. **SP**	2/10/15/20	Analytical sample collected, and split with CDM. 3" spoon.
S-2	5-7	2.0/1.5	BKG	(5.0-5.3') **SAND**, poorly graded, fine, loose, dry, 7.5YR3/2 Munsell dark brown. **SP** (5.3-6.5') **SAND**, poorly graded, medium to coarse, loose, dry, 10YR6/4 Munsell light yellowish brown, ~80% quartz, ~10% mica and feldspars, and ~10% fines. **SP-SM**	5/3/5/5	2" spoon.
S-3	10-12	2.0/1.4	BKG	(10.0-10.7') Same as above. (10.7-11.4') Same as above except 10YR7/2 Munsell light gray, ~85% quartz and ~15% mica and feldspars, <5% fines, <5% gravel **SP**	2/3/4/11	Grain size analysis performed-->**SP** . 2" spoon.
S-4	15-17	2.0/2.0	BKG	(15.0-15.3') Same as above. (15.3-17.0') **SAND**, poorly graded, coarse with little (~15%) gravel, ~75% quartz and ~10% micas and feldspars, medium dense, **WET** , 10YR8/2 Munsell white, no structure. **SP**	7/7/8/8	Analytical sample and duplicate collected, and split with M&E.
S-5	20-22	2.0/0.9	BKG	Same as above except loose. **SP**	3/4/6/7	2" spoon.
S-6	25-27	2.0/1.0	BKG	Same as above. **SP**	6/5/4/7	2" spoon.
S-7	30-32	2.0/1.5		Same as above. **SP**	4/4/6/6	Analytical sample collected. 2" spoon.
S-8	35-37	2.0/1.2	BKG	**SAND**, poorly graded, coarse with little (~10%) gravel (.75" max), subangular, medium dense, moist, 10YR6/3 Munsell pale brown, no structure. **SP**	8/8/8/8	2" spoon.

SOIL BORING LOG - FORT DEVENS, MA.

BORING NO.: 31B-92-05X (continued)

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-9	40-42	2.0/1.0	BKG	Same as above. **SP**	5/7/9/10	2" spoon.
S-10	45-47	2.0/1.3	BKG	Same as above with gravel to 3". **SP**	10/12/17/16	Analytical sample collected. 3" spoon.
S-11	50-52	2.0/1.3	BKG	Same as above. **SP**	10/9/10/16	2" spoon.
S-12	55-57	2.0/1.2	BKG	**SAND**, poorly graded, fine to medium with trace (~5%) fine gravel, subangular, medium dense, moist, 10YR6/3 Munsell pale brown. **SP**	6/11/14/17	Grain size analysis performed-->**SP**. 2" spoon.
S-13	60-62	2.0/1.7	BKG	Same as above except very dense. **SP**	10/24/30/36	Analytical sample and MS/MSD collected.
				BOE at 62'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 50B-92-01X
CLIENT: AEC	DATE STARTED: 6/26/92	GROUP: 6
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/26/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10"	PID METER: Microtip HL-200
GROUND ELEV.: 262.8'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 32'
LOGGED BY: GF	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
	0-1		·	BITUMINOUS CONCRETE		
S-1	1-3	2.0/1.2	BKGD	**SAND**, well graded, coarse to fine, 5-10% fines, 10-15% subrounded gravel, very dense, slighty damp, 10YR5/6 Munsell yellowish brown, fill **SW-SM**	17/36/27/19	Analytical sample collected. Grain size anal. performed ->SW-SM PID=BKGD, LEL/02=0/21
S-2	5-7	2.0/1.6	BKGD	**SAND**, well graded, coarse to fine, 0-10% fines, 10-15% subrounded gravel, loose, slightly damp, 10YR5/6 Munsell yellowish brown **SW-SM**	3/3/2/3	PID=BKGD, LEL/02=0/21
S-3	10-12	2.0/1.2	BKGD	**SAND**, well graded, same as S-2 **SW-SM**	3/3/4/3	PID=BKGD, LEL/02=0/21
S-4	15-17	2.0/0.6	BKGD	**SAND**, well graded, same as S-2, except for 10YR5/3 Munsell Brown **SW-SM**	4/4/3/3	PID=BKGD, LEL/02=0/21
S-5	20-22	2.0/0.3	BKGD	**SAND**, well graded, same as S-2, S-4 **SW-SM**	4/5/3/4	PID=BKGD, LEL/02=0/21
S-6	25-27	2.0/1.8	BKGD	**SILTY SAND**, poorly graded, coarse to fine 10-20% fines, 30-40% subrounded gravel, medium dense, damp, 10yr6/3 Munsell pale brown **SM**	18/10/11/12	PID=BKGD, LEL/02=0/21 Analytical smaple collected
S-7	30-32	2.0/1.8	BKGD	**SILTY SAND**, poorly graded, same as S-6 **SM**	9/9/10/10	Grain size analysis performed -> SM Analytical sample taken. PID=BKGD, LEL/02=0/21
				Bottom of Exploration at 32' (no groundwater encountered)		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: B50-92-02X
CLIENT: AEC	DATE STARTED: 9/29/92	GROUP: 6
CONTRACTOR: D. L. Maher	DATE COMPLETED: 9/29/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10" borehole	PID METER:
GROUND ELEV.: 263.7'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 11'
LOGGED BY: JKR/JC	CHECKED BY: -	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
				(0.0-0.4') ASPHALT (0.4-1.0') ASPHALT SUBBASE		
S-1	1-3	2.0/1.4	BKGD	**SAND**, well graded, fine to coarse, 0-5% fines, 20-40% gravel, dense, dry, 7.5YR5/4 to 7.5YR6/4 Munsell brown to light brown **SW**	8/20/18/17	All samples taken with with 2" split-spoon Analytical sample collected.
S-2	3-5	2.0/1.2	BKGD	**SAND**, poorly graded, fine to medium, 0-5% fines, 10-20% gravel, dense, damp 7.5YR5/4 Munsell brown **SP**	22/20/19/23	
S-3	5-7	2.0/1.3	BKGD	**SAND**, poorly graded, same as S-2 **SP**	20/21/20/15	Analytical sample collected.
S-4	7-9	2.0/1.2	BKGD	**SAND** poorly graded, medium to coarse, 0-5% gravel, medium dense, damp, 7.5Y^5/4 to 7.5YR6/4 Munsell brown to light brown **SP**	3/9/12/12	Grain size analysis performed -> SP
S-5	9-11	2.0/1.6	BKGD	**SAND**, poorly graded, mostly medium, medium dense, damp, 7.5YR5/4 Munsell brown **SP**	5/7/7/7	Analytical sample collected.
				Bottom of exploration at 11' (no water encountered)		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 50B-92-03X
CLIENT: AEC	DATE STARTED: 6/25/92	GROUP: 6
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/25/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10" borehole	PID METER: Microtip
GROUND ELEV.: 263.7'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: RRR	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.6	BKGD	(0-0.3') **SILTY SAND**(topsoil), poorly graded, 0-10% fines, loose, moist, 7.5YR3/4 Munsell dark brown (0.3-1.6') **SILTY SAND**, poorly graded, medium to fine, subrounded, 15% fines, medium dense, damp, 10YR6/4 Munsell light yellowish brown **SM**	4/6/6/8	Analytical samples taken for TPHC, VOA, and Lead Headspace PID = BKGD
S-2	2-4	2.0/1.6	BKGD	**SAND**, poorly graded, medium to fine, 0-5% fines, medium dense, 10YR6/4 Munsell light yellowish brown **SP**	7/6/6/7	Headspace PID = BKGD
S-3	4-6	2.0/1.5	BKGD	(4.0-5.2') **SAND**, well grad., same as S-2 **SW** (5.2-5.5') **SAND**, well graded, coarse to fine, 0-5% fines, medium dense, dry, 10YR7/4 Munsell very pale light brown **SW**	4/7/6/7	analytical samples taken for TPHC, VOA, and Lead Headspace PID = BKGD
S-4	6-8	2.0/1.4	BKGD	**SANDY SILT**, well graded, 30-40% coarse to fine sand, dry, very stiff, 10YR7/4 Munsell very pale light brown Munsell **ML**	2/8/12/13	Headspace PID = BKGD Grain size analysis performed -> ML
S-5	8-10	2.0/1.4	BKGD	**SANDY SILT**, well graded sand, same as S-4 **ML**	3/4/9/8	Headspace PID = BKGD Analytical samples taken
				Bottom of Exploration at 10'		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 50B-92-04X
CLIENT: AEC	DATE STARTED: 6/25/92	GROUP: 6
CONTRACTOR: D.L. Maher	DATE COMPLETED: 6/25/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10" borehole	PID METER: Microtip
GROUND ELEV.: 263.1'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: RRR	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.6	BKGD	(0.0-0.3') **SILTY SAND** (Topsoil) poorly graded, fine to medium, 20% silt, loose, dry 10YR2/2 Munsell very dark brown **SM** (0.3-1.6') **SAND** poorly graded, fine to medium, medium dense, dry, 10YR7/4 Munsell very pale brown **SP**	4/5/7/12	Analyticals taken for TPHC, VOAs, and Pb Headspace PID = BKGD
S-2	2-4	2.0/1.4	BKGD	(2.0-2.6') **SAND**, poorly graded, same as 0.3-1.6' **SP** (2.6-3.4') **SAND**, well graded, coarse to fine, 5-15% subrounded gravel, medium dense, dry 10YR7/4 Munsell very pale brown **SW**	9/12/8/14	Headspace PID = BKGD
S-3	4-6	2.0/1.5	BKGD	**SAND**, well graded, same as 2.6-3.4; occassional thin (0.02') laminate of sandy silt, 10YR3/3 Munsell dark brown **SW**	6/13/9/9	Analyticals taken for TPHC, VOAs, and Pb Headspace PID = BKGD
S-4	6-8	2.0/1.5	BKGD	**SAND**, well graded, coarse to fine, 5-10% subrounded gravel, medium dense, dry, 10YR7/4 Munsell very pale brown **SW**	9/15/6/9	Headspace PID = BKGD
S-5	8-10	2.0/1.6	BKGD	**SAND**, well graded, same as S-4 **SW**	8/8/12/13	Headspace PID = BKGD. Analytical sample taken
				Bottom of Exploration at 10'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 50B-92-05X
CLIENT: AEC	DATE STARTED: 6/26/92	GROUP: 6
CONTRACTOR: D.L. Maher	DATE COMPLETED: 6/26/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10" borehole	PID METER: Microtip
GROUND ELEV.: 262.5'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: RRR	CHECKED BY:	WATER TABLE BGS: Not encountered

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/2.0	6.5	(0.0-0.6') **SILTY SAND**, well grd., coarse to fine, 10-15% fines, 10YR3/3 Munsell dark brown (Topsoil) **SM** (0.6-2.0') **SILTY SAND**, poorly graded, medium to fine 10-15% fines, medium dense, damp, 10YR6/3 Munsell pale brown **SM**	3/7/8/9	Headspace PID = BKGD Analytical sample taken
S-2	2-4	2.0/1.3	BKGD	**SAND**, poorly graded, medium to fine, 5-10% fines, medium dense, damp, 10YR6/3 Munsell pale brown **SP**	4/5/7/9	Headspace PID = BKGD
S-3	4-6	2.0/1.6	BKGD	(4.0-4.8') **SAND**, poorly graded, same as S-2 except loose **SP** (4.8-5.6') **SAND**, poorly graded, medium to fine, 5-10% fines, trace gravel, loose, damp, 10YR7/3 Munsell very pale brown **SP**	4/5/5/7	Headspace PID = BKGD Analytical sample taken
S-4	6-8	2.0/1.6	BKGD	**SAND**, poorly graded, same as 4.8-5.6', except medium dense **SP**	4/7/6/6	Headspace PID = BKGD
S-5	8-10	2.0/2.0	BKGD	**SAND**, poorly graded, same as S-4, except loose **SP**	4/3/6/5	Headspace PID = BKGD Analytical sample taken. Grain size analysis performed -> SP
				Bottom of exploration at 10' (no water encountered)		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 50B-92-06X
CLIENT: AEC	DATE STARTED: 6/26/92	GROUP: 6
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/26/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10" borehole	PID METER: Microtip
GROUND ELEV.: 261.1'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 10'
LOGGED BY: RRR	CHECKED BY: DSP	WATER TABLE BGS: Not encountered

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.6	BKGD	(0.0-0.3') **SILTY SAND**, poorlty graded, coarse to fine, 10-15% fines, loose, dry, 10YR3/3 Munsell dark brown **SM** (0.3-1.6') **SAND**, poorly graded, medium to fine, 5-10% fines, loose, dry, 10YR6/3 Munsell pale brown **SP**	4/5/5/5	Headspace PID = BKGD Analytical sample taken
S-2	2-4	2.0/1.4	BKGD	**SAND**, well graded, coarse to fine, 5-10% fines, medium dense, dry, 10YR6/3 Munsell pale brown **SW**	5/7/7/9	Headspace PID = BKGD
S-3	4-6	2.0/1.6	BKGD	**SAND**, well graded, same S-2 **SW**	4/6/6/7	Headspace PID = BKGD Analytical sample taken
S-4	6-8	2.0/1.5	BKGD	**SAND**, well graded, same S-2 **SW**	4/7/4/5	Headspace PID = BKGD
S-5	8-10	2.0/2.0	BKGD	**SAND**, well graded, coarse to fine, 5-10% fines, 10-15% gravel, medium dense, dry, 10YR6/3 Munsell pale brown **SW**	3/9/12/9	Headspace PID = BKGD Analytical sample duplicate taken.
				Bottom of exploration at 10' (no water encountered)		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 50B-92-07X
CLIENT: AEC	DATE STARTED: 6/24/92	GROUP: 6
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/24/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10" borehole	PID METER: 10.6eV TE
GROUND ELEV.: 223.4'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12'
LOGGED BY: GF	CHECKED BY: DSP	WATER TABLE BGS: Approximately 10'

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.3	BKGD	**SAND**, well graded, coarse to fine, 5-10% fines, trace subrounded gravel, very loose, dry 10YR6/3 Munsell pale brown **SW**	1/2/1/3	Headspace PID = BKGD LEL/02 = 0/21 Analytical sample taken
S-2	5-7	2.0/2.0	BKGD	(2.0-2.4') **SAND**, well graded, same as S-1, except loose **SW** (2.4-2.7') **SILTY SAND**, poorly graded, medium to fine, 10-20% fines, 5-10% gravel, loose, moist, 10YR5/2 Munsell grayish brown **SM** (2.7-4.0') **SAND**, well graded, same as 2.0-2.4' **SW**	2/3/4/5	Headspace PID = BKGD LEL/02 = 0/21 Analytical sample taken. Grain size analysis performed -> SM
S-3	10-12	2.0/2.0	BKGD	**silty SAND**, poorly graded, medium to fine, 10-20% fines, 5-20% gravel, loose, **saturated**, 10YR5/4 Munsell yellowish brown **SM**	2/3/2/3	Headspace PID = BKGD LEL/02 = 0/21 Analytical sample taken
				Bottom of Exploration at 12'		

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6970-04	BORING NO.: 50B-92-08X
CLIENT: AEC	DATE STARTED: 6/23/92	GROUP: 6
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/23/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10" borehole	PID METER: 10.6 eV TE
GROUND ELEV.: 223.1'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 12.0'
LOGGED BY: GF	CHECKED BY: DSP	WATER TABLE BGS: Approximately 10'

SAMPLE NO.	SAMPLE DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.6	BKGD	**SAND**, well graded, fine to coarse, 5-15% fines, 0-5% subrounded to subangluar gravel, loose, dry, 0.0-1.3' 10YR6/6 Munsell brownish yellow 1.3-1.6' 10YR4/2 Dark grayish brown **SW**	3/4/3/3	LEL/02 = 0/21 Analytical sample taken
S-2	5-7	2.0/1.8	BKGD	**SAND**, well graded, fine to coarse, 5-15% fines, 0-5% subrounded, to subangular gravel, medium dense, dry, 10YR6/3 Munsell pale brown **SW**	9/6/7/11	LEL/02 = 0/21 Analytical sample taken
S-3	10-12	2.0/1.8	50	**SAND**, well graded, same as S-2, except **Saturated**, 10YR6/6 Munsell brownish-yellow **SW**	5/5/7/7	LEL/02 = 0/21 Analytical sample taken
				Bottom of Exploration at 12.0' (estimated depth to water - 10.5')		

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917-04	BORING NO.: 50B-92-09X
CLIENT: AEC	DATE STARTED: 6/23/92	GROUP: 6
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/23/92	PROTECTION: Modified D
METHOD: .6.65" HSA	BORING DIAMETER: 10" borehole	PID METER: 10.6 eV TE
GROUND ELEV.: 226.9'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 17.0'
LOGGED BY: GF	CHECKED BY: DSP	WATER TABLE BGS: approx. 14'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/0.9	BKGD	**SAND**, well graded, coarse to fine, 5-15% fines, 0-5% subrounded gravel, loose, dry, (0.0-0.3') 10YR5/3 Munsell brown, SW (0.3-0.9') 10YR5/6 Munsell yellowish brown	4/4/5/7	LEL/02 = 0/21 Analytical sample taken
S-2	5-7	2.0/1.5	BKGD	**SAND**, poorly graded, medium to fine, 5-15% fines, 0-5% subrounded gravel, very loose, dry (0.0-1.0') 2.5YR6/3 Munsell light yellowish brown (1.0-1.5') 10YR5/6 Munsell yellowish-brown SP	3/2/2/1	LEL/02 = 0/21 Analytical sample taken
S-3	10-12	2.0/1.5	BKGD	**SAND**, well graded, coarse to fine, 5-15% fines, 0-5% subrounded gravel, loose, damp (5.0-5.7') 10YR6/4 light yellowish brown (5.7-6.5') 10YR5/6 yellowish brown SW	2/5/3/3	LEL/02 = 0/21 Analytical sample taken
S-4	15-17	2.0/2.0	223	**SAND**, well graded, same as S-3, except **saturated**, 10YR5/6 Munsell yellowish-brown SW	2/4/3/2	LEL/02 = 0/21 Analytical sample taken
				Bottom of Exploration at 17.0'		

ABB ENVIRONMENTAL SERVICES, INC.

SOIL BORING LOG - FORT DEVENS, MA.

SOIL BORING LOG - FORT DEVENS, MA. PROJECT NO.: 6917-04		BORING NO.: 50B-92-10X
CLIENT: AEC	DATE STARTED: 6/22/92	GROUP: 6
CONTRACTOR: D. L. Maher	DATE COMPLETED: 6/23/92	PROTECTION: Modified D
METHOD: 6.65" HSA	BORING DIAMETER: 10" borehole	PID METER: 10.6 eV TE
GROUND ELEV.: 223.2'	REFERENCE PT. ELEV.: NA	TOTAL DEPTH: 22'
LOGGED BY: GF	CHECKED BY: DSP	WATER TABLE BGS: Approximately 10'

SAMPLE NO.	DEPTH (ft)	PEN/REC (ft/ft)	PID OF SPOON (ppm)	SOIL DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6"	COMMENTS
S-1	0-2	2.0/1.8	BKGD	**SAND**, well graded, coarse to fine, 5-10% fines, 0-5% subrounded gravel, medium dense, dry, 10YR5/3 Munsell brown (glacial outwash) **SW**	4/7/4/5	LEL/02 = 0/21 Analytical sample taken
S-2	5-7	2.0/1.8	BKGD	(5.0-6.6') **SILTY SAND**, fine to medium, 10-15% fines, trace gravel, loose, dry, 10YR6/4 Munsell light yellowish-brown **SM** (6.6-7.0') **SANDY SILT**, 20-30% medium to fine sand, stiff, 10YR6/6 Munsell brownish yellow **ML**	3/5/5/6	Headspace PID = BKGD LEL/02 = 0/21 Analytical sample taken
S-3	10-12	2.0/2.0	BKGD	**SANDY SILT**, same as 6.6-7.0', except firm, (10.0-11.8') **saturated**, 10YR6/3 Munsell pale brown (11.8-12.0') 10YR3/2 Munsell dark grayish brown **ML**	2/4/3/3	Headspace PID = BKGD LEL/02 = 0/21 Analytical sample taken, not enough for MS/MSD Grain size analysis performed.
S-4	15-17	2.0/2.0	BKGD	**SANDY SILT**, same as S-3 saturated, 10YR5/4 Munsell yellowish-brown **ML**	4/4/2/4	LEL/02 = 0/21
S-5	20-22	2.0/2.0	BKGD	**SANDY SILT**, same as S-3, except very stiff, saturated, 10YR5/4 Munsell yellowish-brown **ML**	3/5/11/11	LEL/02 = 0/21
				Bottom of Exploration at 22'		

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.04	BORING NO.: 50B-93-11X / G6M-93-14X
CLIENT: AEC	DATE STARTED: 6/2/93		STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/2/93		PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:		PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 20'
LOGGED BY: S. Murray	CHECKED BY:		WATER TABLE BGS: 10'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.7	1.5	SAND, poorly graded, fine to medium, 5% gravel, 5 - 12% fines, medium dense, dry, dark grayish brown	5-6-7-11	SP-SM	
S-2	5-7	2.0/1.8	5.7	Top 1.0 - SAND, poorly graded, very fine sand, 5 - 12% fines, medium dense, dry, very pale brown Bottom 1.0 - Sandy SILT, 20 - 40% fine sand, stiff, moist to wet	5-6-7-7	SP-SM ML	Odor present.
S-3	10-12	2.0/1.8	BG	Sandy SILT, 20 - 40% fine sand, stiff, saturated	7-7-7-9	ML	

BOE at 20'. Monitoring well G6M-93-14X installed at this location.

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.04	BORING NO.: 50B-93-12X
CLIENT: AEC	DATE STARTED:	6/2/93	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	6/2/93	PROTECTION: Modified D
METHOD: HSA	BORING DIAMETER:		PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 12'
LOGGED BY: S. Murray	CHECKED BY:		WATER TABLE BGS: ~10.5'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.7	0.5	SAND, poorly graded, fine to medium, 2 - 5% gravel, 0 - 5% fines, loose, dry, grayish brown	2-3-4-5	SP	
S-2	5-7	2.0/0.1	BG	- no recovery -	5-4-4-5		
S-3	7-9	2.0/1.8	50/100	Top 1.0' - Sandy SILT, stiff, wet, grayish brown. Bottom 1.0' - Silty SAND, poorly graded, 20 - 40% fines, medium dense, wet, pale brown	4-4-8-6	ML SM	Strong odor; product present within silt.
S-4	10-12	2.0/1.8	50/100	Silty SAND, poorly graded, 20 - 40% fines, medium dense, saturated, pale brown	4-5-6-4	SM	

BOE at 12'

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.04	BORING NO.: 50B-93-13X
CLIENT: AEC		DATE STARTED: 6/2/93	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring		DATE COMPLETED:	PROTECTION: Modified D
METHOD: HSA		BORING DIAMETER:	PID METER: Model 580B OVM
GROUND ELEV:		REFERENCE PT. ELEV.:	TOTAL DEPTH: 12'
LOGGED BY: S. Murray		CHECKED BY:	WATER TABLE BGS: ~10'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.6	BG	SAND, poorly graded, fine to medium, 5 - 12% fines, loose, dry, brown	5-5-5-4	SP-SM	
S-2	5-7	2.0/1.8	BG	SAND, poorly graded, fine, 12 - 15% fines, medium dense, dry, light gray	6-6-6-7	SM	
S-3	7-9	2.0/1.8	2.0	Silty SAND, poorly graded, fine, 20 - 40% fines, medium dense, damp to moist, light brownish gray	5-5-6-7	SM-ML	Reference
S-4	10-12	2.0/1.8	0.5	Sandy SILT, 20 - 40% fine sand, stiff, saturated, light brownish gray	4-5-7-9	ML	

BOE at 12'

SOIL BORING LOG - FORT DEVENS, MA.		PROJECT NO.: 6917.07	BORING NO.: 50B-93-14X
CLIENT: AEC	DATE STARTED:	6/3/93	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED:	6/3/93	PROTECTION: D/C
METHOD: HSA	BORING DIAMETER:		PID METER: Model 580B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:		TOTAL DEPTH: 12'
LOGGED BY: S. Murray	CHECKED BY:		WATER TABLE BGS: 10'

SAMPLE NO.	SAMPLE DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.3	7-9	SAND, poorly graded, fine to medium, 5 - 8% gravel, 5 - 12% fines, loose, dry, very dark grayish brown	4-2-4-4	SP-SM	
S-2	2-4	2.0/1.4	10-70	Sandy SILT, 30 - 40% fine sand, stiff, damp, olive brown	4-3-8-13	ML-SM	
S-3	4-6	2.0/0.8	9-10	Silty SAND, poorly graded, fine, 15 - 35% fines, medium dense, dry, yellowish brown	31-14-10-8	SM	
S-4	6-8	2.0/1.4	5-20	Sandy SILT, 15 - 40% fine sand, stiff, damp to moist, grayish brown	4-5-10-10	ML-SM	
S-5	8-10	2.0/1.5	10-40	Silty SAND, poorly graded, fine, 20 - 40% fines, loose, moist to wet, light olive brown	6-5-5-7	SM	
S-6	10-12	2.0/2.0	5-10	Sandy SILT, 15 - 40% fine sand, stiff, saturated, light olive brown	4-4-7-6	ML-SM	

BOE at 12'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 50B-93-15X
CLIENT: AEC	DATE STARTED: 6/2/93	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/2/93	PROTECTION: D
METHOD: HSA	BORING DIAMETER	PID METER: TE 580 B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 12'
LOGGED BY: S. Murray	CHECKED BY:	WATER TABLE BGS: ~10'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.0	BG	SAND, poorly graded, 5% gravel, 5 - 12% fines, medium dense, dry, very dark gray (10YR4/1)	4-5-10-19	SP-SM	
S-2	5-7	2.0/1.6	BG	SAND, well graded, 5 - 10% gravel, 0 - 5% fines, medium dense, dry, pale brown	6-6-10-6	SW	
S-3	7-9	2.0/1.6	BG	Silty SAND, poorly graded, fine, 20 - 40% fines, medium dense, moist to wet, light brownish gray	6-10-10-12	SM-ML	
S-4	10-12	2.0/2.0	BG	Sandy SILT, 15 - 30% fine sand, stiff, saturated, light brownish gray	3-6-7-8	ML-SM	reference only

BOE at 12'

SOIL BORING LOG - FORT DEVENS, MA.	PROJECT NO.: 6917.07	BORING NO.: 50B-93-16X
CLIENT: AEC	DATE STARTED: 6/2/93	STUDY AREA: 50
CONTRACTOR: New Hampshire Boring	DATE COMPLETED: 6/2/93	PROTECTION: D
METHOD: HSA	BORING DIAMETER:	PID METER: TE 580 B OVM
GROUND ELEV:	REFERENCE PT. ELEV.:	TOTAL DEPTH: 12'
LOGGED BY: S. Murray	CHECKED BY:	WATER TABLE BGS: ~10'

SAMPLE NO.	DEPTH (ft.)	PEN./REC. (ft./ft.)	PID OF SPOON (ppm)	SOIL/ROCK DESCRIPTION AND PHYSICAL CONDITIONS	BLOWS/6 IN.	USCS SOIL CLASS.	COMMENTS
S-1	0-2	2.0/1.0	BG	SAND, poorly graded, fine to medium, 5 - 7% fines, medium dense, dry, grayish brown (10YR5/2)	4-5-10-12	SP	
S-2	5-7	2.0/1.7	BG	Top 1.0': Sandy SILT, 15 - 40% fine sand, stiff, damp. Bottom 0.7': Silty SAND, poorly graded, very fine, 20 - 35% fines, loose, damp, light brownish gray	8-3-6-7	ML SM-ML	
S-3	10-12	2.0/2.0	BG	Sandy SILT, 15 - 40% fine sand, stiff, saturated, light olive brown	9-4-4-7	ML-SM	

BOE at 12'

APPENDIX C

MONITORING WELL COMPLETION DIAGRAM

GROUP 3 MONITORING WELLS

ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 3
BORING No.:	G3M-92-01X
GEOLOGIST:	C. LYONS
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/29/92
TOP OF RISER ELEV.:	252.49'
GROUND SURF. ELEV.:	250.70'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 3
BORING No.:	G3M-92-02X
GEOLOGIST:	C. LYONS
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	7/1/92
TOP OF RISER ELEV.:	251.01'
GROUND SURF. ELEV.:	249.10'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT: FORT DEVENS	
PROJECT No.: 6917-04	
STUDY AREA: GROUP 3	
BORING No.: G3M-92-03X	
GEOLOGIST: C. LYONS	
DRILLER: D.L MAHER	
DRILLING METHOD: HSA	
DATE INSTALLED: 7/1/92	
TOP OF RISER ELEV.: 250.90'	
GROUND SURF. ELEV.: 249.00'	



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 3
BORING No.:	G3M-92-04X
GEOLOGIST:	J. RAWCLIFFE /J. CURULLA
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/30/92
TOP OF RISER ELEV.:	252.89'
GROUND SURF. ELEV.:	251.00'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 3
BORING No.:	G3M-92-05X
GEOLOGIST:	J. RAWCLIFFE /J. CURULLA
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	7/2/92
TOP OF RISER ELEV.:	254.30'
GROUND SURF. ELEV.:	252.20'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 3
BORING No.:	G3M-92-06X
GEOLOGIST:	B. SCHOONARD/J. CURULLA
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	7/6/92
TOP OF RISER ELEV.:	253.71'
GROUND SURF. ELEV.:	251.70'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 3
BORING No.:	G3M-92-07X
GEOLOGIST:	C. LYONS
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	7/2/92
TOP OF RISER ELEV.:	251.90'
GROUND SURF. ELEV.:	249.80'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	BATTERY REPAIR AREA
BORING No.:	G3M-93-08X
GEOLOGIST:	J. BELL, S. MURRAY
DRILLER:	NHB
DRILLING METHOD:	6.25"HSA
DATE INSTALLED:	5/27/93
TOP OF RISER ELEV.:	245.69'
GROUND SURF. ELEV.:	243.80'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	BATTERY REPAIR AREA
BORING No.:	G3M-93-09X
GEOLOGIST:	S. MURRAY
DRILLER:	NHB
DRILLING METHOD:	6.25"HSA
DATE INSTALLED:	5/26/93
TOP OF RISER ELEV.:	242.07'
GROUND SURF. ELEV.:	240.40'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	SAs 44 & 52
BORING No.:	G3M-93-10X
GEOLOGIST:	J. BELL, S. MURRAY
DRILLER:	NHB
DRILLING METHOD:	6.25"HSA
DATE INSTALLED:	5/28/93
TOP OF RISER ELEV.:	252.58'
GROUND SURF. ELEV.:	251.00'



ABB

ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	SAs 44 & 52
BORING No.:	G3M-93-11X
GEOLOGIST:	S. MURRAY
DRILLER:	NHB
DRILLING METHOD:	6.25"HSA
DATE INSTALLED:	5/28/93
TOP OF RISER ELEV.:	252.88'
GROUND SURF. ELEV.:	251.00'



GROUP 5 MONITORING WELLS

ABB

ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	NORTH POST LANDFILL
BORING No.:	G5M-92-01X
GEOLOGIST:	LNS
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/09/92
TOP OF RISER ELEV.:	240.45'
GROUND SURF. ELEV.:	238.70'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	NORTH POST LF.
BORING No.:	G5M-92-02X
GEOLOGIST:	R. RUSTAD
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/9/92
TOP OF RISER ELEV.:	224.73'
GROUND SURF. ELEV.:	222.10'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	NORTH POST LF.
BORING No.:	G5M-92-03B
GEOLOGIST:	B. JOHNSON
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/19/92
TOP OF RISER ELEV.:	239.62'
GROUND SURF. ELEV.:	237.90'



GROUP 6 MONITORING WELLS

ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 6
BORING No.:	G6M-92-01X
GEOLOGIST:	NWH
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/17/92
TOP OF RISER ELEV.:	265.41'
GROUND SURF. ELEV.:	263.10'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 6
BORING No.:	G6M-92-02X
GEOLOGIST:	R. RUSTAD
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/11/92
TOP OF RISER ELEV.:	271.00'
GROUND SURF. ELEV.:	268.60'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 6
BORING No.:	G6M-92-03X
GEOLOGIST:	R. RUSTAD
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/10/92
TOP OF RISER ELEV.:	269.53'
GROUND SURF. ELEV.:	267.00'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 6
BORING No.:	G6M-92-04X
GEOLOGIST:	R. RUSTAD
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/16/92
TOP OF RISER ELEV.:	270.36'
GROUND SURF. ELEV.:	268.00'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 6
BORING No.:	G6M-92-05X
GEOLOGIST:	NWH, GCF
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/16/92
TOP OF RISER ELEV.:	268.88'
GROUND SURF. ELEV.:	266.40'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 6
BORING No.:	G6M-92-06X
GEOLOGIST:	R. RUSTAD
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/17/92
TOP OF RISER ELEV.:	263.79'
GROUND SURF. ELEV.:	261.60'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 6
BORING No.:	G6M-92-07X
GEOLOGIST:	R. RUSTAD
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/25/92
TOP OF RISER ELEV.:	266.86'
GROUND SURF. ELEV.:	264.40'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 6
BORING No.:	G6M-92-08X
GEOLOGIST:	R. RUSTAD
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/23/92
TOP OF RISER ELEV.:	262.94'
GROUND SURF. ELEV.:	263.20'



ABB
ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	GROUP 6
BORING No.:	G6M-92-09X
GEOLOGIST:	R. RUSTAD
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/19/92
TOP OF RISER ELEV.:	261.25'
GROUND SURF. ELEV.:	258.60'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	WWII FUEL POINT
BORING No.:	G6M-92-10X
GEOLOGIST:	C. LYONS
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/24/92
TOP OF RISER ELEV.:	225.81'
GROUND SURF. ELEV.:	223.20'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	WWII FUEL POINT
BORING No.:	G6M-92-11X
GEOLOGIST:	G. FLAHERTY
DRILLER:	D.L MAHER
DRILLING METHOD:	HSA
DATE INSTALLED:	6/24/92
TOP OF RISER ELEV.:	225.62'
GROUND SURF. ELEV.:	223.20'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	WWII FUEL POINT
BORING No.:	G6M-93-12X
GEOLOGIST:	S. MURRAY
DRILLER:	NHB
DRILLING METHOD:	6.25"HSA
DATE INSTALLED:	6/2/93
TOP OF RISER ELEV.:	224.73'
GROUND SURF. ELEV.:	223.10'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	WWII FUEL POINT
BORING No.:	G6M-93-13X
GEOLOGIST:	S. MURRAY
DRILLER:	NHB
DRILLING METHOD:	6.25"HSA
DATE INSTALLED:	6/1/93
TOP OF RISER ELEV.:	225.58'
GROUND SURF. ELEV.:	223.70'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	WWII FUEL POINT
BORING No.:	G6M-93-14X
GEOLOGIST:	S. MURRAY
DRILLER:	NHB
DRILLING METHOD:	6.25"HSA
DATE INSTALLED:	6/3/93
TOP OF RISER ELEV.:	224.89'
GROUND SURF. ELEV.:	223.20'



ABB

ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	WWII FUEL POINT
BORING No.:	G6M-94-15A
GEOLOGIST:	R. RUSTAD
DRILLER:	NHB
DRILLING METHOD:	6.25"HSA
DATE INSTALLED:	8/9/94
TOP OF RISER ELEV.:	253.67'
GROUND SURF. ELEV.:	251.50'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	WWII FUEL POINT
BORING No.:	G6M-94-16X
GEOLOGIST:	R. RUSTAD
DRILLER:	NHB
DRILLING METHOD:	6.25"HSA
DATE INSTALLED:	8/11/94
TOP OF RISER ELEV.:	254.77'
GROUND SURF. ELEV.:	252.90'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	WWII FUEL POINT
BORING No.:	G6M-94-17A
GEOLOGIST:	D. PIERCE
DRILLER:	NHB
DRILLING METHOD:	6.25"HSA
DATE INSTALLED:	8/10/94
TOP OF RISER ELEV.:	256.17'
GROUND SURF. ELEV.:	253.00'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	WWII FUEL POINT
BORING No.:	G6M-94-18X
GEOLOGIST:	R. RUSTAD
DRILLER:	NHB
DRILLING METHOD:	4" D & W
DATE INSTALLED:	8/18/94
TOP OF RISER ELEV.:	225.78'
GROUND SURF. ELEV.:	223.60'



ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	WWII FUEL POINT
BORING No.:	G6M-95-19X
GEOLOGIST:	H. COLBY
DRILLER:	NHB
DRILLING METHOD:	4" D & W
DATE INSTALLED:	1/25/95
TOP OF RISER ELEV.:	224.59'
GROUND SURF. ELEV.:	222.80'



ABB

ABB ENVIRONMENTAL SERVICES, INC.

MONITORING WELL DIAGRAM

PROJECT:	FORT DEVENS
PROJECT No.:	6917-04
STUDY AREA:	WWII FUEL POINT
BORING No.:	G6M-95-20X
GEOLOGIST:	J. HEALEY
DRILLER:	NHB
DRILLING METHOD:	4" D & W
DATE INSTALLED:	1/19/95
TOP OF RISER ELEV.:	225.31'
GROUND SURF. ELEV.:	223.00'



APPENDIX D

STREAM-FLOW CALCULATIONS AND DISCUSSIONS

STREAM-FLOW ESTIMATES

Stream-flow measurements were made in Cold Spring Brook on June 22, 1992 and in the Nashua River on June 24, 1992 (Figure D-1).

In Cold Spring Brook, the upstream measurement was made where the brook crosses beneath Patton Road (on the downstream side of the road). The culvert beneath Patton Road is the outlet from Cold Spring Brook Pond, and beavers regulate the pond level by plugging the culvert. Attempts to unplug the culvert were unsuccessful because of quick response actions by the beavers. However, it was observed that the pond level is generally stable, indicating that discharge from the pond is approximately equal to inflow to the pond. Stream flow was estimated based on field observations. The downstream measurement in Cold Spring Brook was made where the Brook flows under Barnum Road (on the downstream side of the Road), using a Montidore electronic velocity meter.

In the Nashua River, the measurements were made at the most upstream location on base (the bridge at Still River Gate on the South Post) and approximately 8 miles away at the most downstream location on base (the Route 2A bridge on the North Post). Because of the depth and current of the river, a Gurley current meter suspended from a cable was used to obtain velocity readings in each cross-section segment.

The calculated flows were as follows:

STREAM	FLOW AT UPSTREAM LOCATION (cfs)	FLOW AT DOWNSTREAM LOCATION (cfs)
Cold Spring Brook	0.02	0.13
Nashua River	101	109



FIGURE D-1
LOCATIONS OF STREAM FLOW MEASUREMENTS
FORT DEVENS, MASSACHUSETTS

ABB Environmental Services, Inc.

7053-07 A

ABB
ASEA BROWN BOVERI

Inter-Office Correspondence

6917-04

TO: Ben Rice

FROM: Gary Shearer

DATE: July 8, 1992

SUBJECT: **FORT DEVENS STREAM GAGING**

Stream gaging of two streams at the Fort Devens site was conducted on June 22 and 24, 1992. The flow was measured in Cold Spring Brook at the Patten Road crossing (upstream) and at the Barnum Road crossing (downstream). The flow in the Nashua river was measured at the most upstream location at Fort Devens near the Village of Still River at Harvard Road and at the Route 2A crossing (downstream location).

Cold Spring Brook at Patten Road is ponded at the upstream side of road by a beaver dam at the culvert under the roadway. The discharge from the culvert, based upon field observations, was determined to be approximately 0.02 cfs or 9 gpm. While the culvert is plugged, the pond level is reportedly stable indicating the flow discharging from the culvert is representative of the inflow to the pond.

The flow in Cold Spring Brook at Barnum Road was determined to be 0.13 cfs based upon stream gaging measurements. A cross section was located approximately 8 feet downstream of the Barnum Road bridge and velocity readings were obtained using a Montidore electronic velocity meter. The velocity measurements and the cross sectional area of the stream were obtained to calculate the flow in the stream. The attached data sheets show the information obtained in the field and the flow calculations.

The depth of the water at the two Nashua River cross sections required the flow measurements to be obtained from the bridges. A Gurley current meter suspended by a cable from the bridge was used to obtain the velocity readings at each cross section. Each stream cross section was divided into segments and meter measurements were obtained at 0.2 and 0.8 depth at each segment. The meter readings were converted to velocities and recorded. The flows calculated in the Nashua River were 101 cfs at Harvard Road and 109 cfs at Route 2A. The attached data sheets show the field readings and the flow calculations for each site.

cc: J. Snowden

Attachment

9202159D (b)

Stream Flow Measurements

Cold Spring Brook

G. Shearer
M. Murphy

DATE: 6/22/92
TIME IN: 9:30
TIME OUT: 11:30
TRANSECT LOCATION: Cold Spring Brk
(Refer to site plan) Barnum Rd x-ing Downstream Site

TOTAL CHANNEL WIDTH (ft.): 27'
TOTAL NO. SEGMENTS (M): 7
WIDTH/SEGMENT (w) (ft.): ——

Montedoro Electronic Velocity Meter
Vel. Readings Based on 40 sec avg.

STATION (m)	DEPTH d (ft)	AREA (ft²)	VELOCITY 0.2d	VELOCITY 0.8d	MEAN VEL (v) (ft/s)	DISCH q = wdv	STATION (m)
0	0	—	0	0	—		
5	1.0	2.5	0	0	0	0	
10	1.1	5.25	0	0	0	0	
15	1.5	6.5	0	0	0	0	
18	1.5	4.5	0	0.01	0	0	
20	1.6	3.1	0.02	0.06	0.04	.06	
22	1.5	3.1	0	0	0	.06	
27	0	3.75	0	0	0	0	
					TOTAL =	0.13 cfs	

SKETCH OF CHANNEL SECTION:
m=0 (left bank facing upstream)

Section located 8' downstream of Barnum Rd Bridge



FIGURE 4-13
STREAM FLOW MEASUREMENT DATA SHEET
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, I

8202159D (b)

Stream Flow Measurements

Nashua River
Rte 2A – Downstream Section

TOTAL CHANNEL WIDTH (ft.): 90'
TOTAL NO. SEGMENTS (M): 9
WIDTH/SEGMENT (w) (ft.): 10'

Section Taken @ Downstream Side of Rt 2A Bridge

G. Shearer
A. Murphy

DATE: 6/24/92
TIME IN: 9 AM
TIME OUT: 10:30 AM
TRANSECT LOCATION:
(Refer to site plan)

Gurley Current Meter suspended from Bridge

STATION (m)	DEPTH d (ft)	AREA (ft²)	VELOCITY 0.2d	0.8d	MEAN VEL (v) (ft/s)	DISCH q = wdv	STATION (m)
0	0	—	0	0	—		
10	3.7	18.5	0	0	0	0	
20	5.5	46	0.24	0	.12	2.8	
30	6.8	61.5	0.15	0.13	.14	8.0	
40	7.2	70	0.40	0.21	.30	15.4	
50	7.6	74	0.43	0.16	.30	22.2	
60	7.7	76.5	0.40	0.31	.35	24.9	
70	8.0	78.5	0.25	0.24	.25	23.6	
80	5.8	69	0.14	0	.07	11.0	
90	0	29	0	0	0	1.0	
					TOTAL =	108.9 cfs	

SKETCH OF CHANNEL SECTION:
m=0 (left bank facing upstream)

PG 2 of 3

FIGURE 4-13
STREAM FLOW MEASUREMENT DATA SHEET
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, I

820159D (b)

Stream Flow Measurements

Nashua River
Upstream Section – Ft Devens Access Rd

G. Shearer
M. Murphy

TOTAL CHANNEL WIDTH (ft.): 67'
TOTAL NO. SEGMENTS (M): 8
WIDTH/SEGMENT (w) (ft.):

DATE: 6/24/92
TIME IN: 12:30
TIME OUT: 2:00
TRANSECT LOCATION:
(Refer to site plan)

Section Taken @ Downstream Side of Bridge

Gurley Current Meter. Suspended from Bridge.

STATION (m)	DEPTH d (ft)	Area (ft)^2	VELOCITY 0.2d	0.8d	MEAN VEL (v) (ft/s)	DISCH q = wdv	STATION (m)
0	0		0	0	0		
10	4.7	23.5	0.24	0.18	0.21	2.5	
20	7.8	62.5	0.42	0.13	0.28	16.6	
30	9.8	88.0	0.47	0.40	0.44	31.7	
35	7.1	42.3	0.40	0.38	0.39	17.6	
40	5.4	31.3	0.19	0.32	0.26	10.2	
50	5.2	53.0	0.35	0.30	0.33	15.6	
60	3.0	41.0	0	0	0	6.8	
67	0	10.5	0	0	0	0	
					TOTAL =	101	cfs

SKETCH OF CHANNEL SECTION:
m=0 (left bank facing upstream)

PG 3 of 3

FIGURE 4-13
STREAM FLOW MEASUREMENT DATA SHEET
PROJECT OPERATIONS PLAN
FORT DEVENS, MASSACHUSETTS
ABB Environmental Services, I

PROJECT	COMP. BY	JOB NO.
Cold Spring Brook Ft. Devens	GS	6917-04
	CHK. BY	DATE
		6/24/92

G. Shearer
M. Murphy

Location: Patton Road
upstream site

Estimated flow through culvert

Based on visual observation on 6/24/92

Velocity = 0.25 fps

Area = $\frac{2}{12} \times \frac{6}{12} = .08\ ft^2$



flow = 0.25 × .08 = .02 cfs or 9 gallons/minute

Upstream side of culvert blocked by beaver dam that controls the pond level and discharge through culvert. Pond level is apparently stable and therefore flow through culvert is representative of actual flow from drainage area.

APPENDIX E

PROJECT ANALYTE LIST/CRLS

APPENDIX E
PROJECT ANALYTE LIST / CERTIFIED REPORTING LIMITS

SITE INVESTIGATION REPORT
FORT DEVENS

TEST NAME	PARAMETER NAME	SOIL		WATER	
		CRL	UNIT	CRL	UNIT
	PAL INORGANICS				
AL	ALUMINUM	2.35	ug/g	141	ug/l
SB	ANTIMONY	0.109	ug/g	3.03	ug/l
AS	ARSENIC	0.25	ug/g	2.54	ug/l
BA	BARIUM	5.18	ug/g	5	ug/l
BE	BERYLLIUM	0.5	ug/g	5	ug/l
CD	CADMIUM	0.7	ug/g	4.01	ug/l
CA	CALCIUM	100	ug/g	500	ug/l
CR	CHROMIUM	4.05	ug/g	6.02	ug/l
CO	COBALT	1.42	ug/g	25	ug/l
CU	COPPER	0.965	ug/g	8.09	ug/l
FE	IRON	3.68	ug/g	38.8	ug/l
PB	LEAD	0.177	ug/g	1.26	ug/l
MG	MAGNESIUM	100	ug/g	500	ug/l
MN	MANGANESE	2.05	ug/g	2.75	ug/l
HG	MERCURY	0.05	ug/g	0.243	ug/l
NI	NICKEL	1.71	ug/g	34.3	ug/l
K	POTASSIUM	100	ug/g	375	ug/l
SE	SELENIUM	0.25	ug/g	3.02	ug/l
AG	SILVER	0.589	ug/g	4.6	ug/l
NA	SODIUM	100	ug/g	500	ug/l
TL	THALLIUM	0.319	ug/g	6.99	ug/l
V	VANADIUM	3.39	ug/g	11	ug/l
ZN	ZINC	8.03	ug/g	21	ug/l

APPENDIX E
PROJECT ANALYTE LIST / CERTIFIED REPORTING LIMITS

SITE INVESTIGATION REPORT
FORT DEVENS

TEST NAME	PARAMETER NAME	SOIL		WATER	
		CRL	UNIT	CRL	UNIT
	PAL EXPLOSIVES				
135TNB	1,3,5-TRINITROBENZENE	0.488	ug/g	0.449	ug/l
13DNB	1,3-DINITROBENZENE	0.496	ug/g	0.611	ug/l
246TNT	2,4,6-TRINITROTOLUENE	0.456	ug/g	0.635	ug/l
24DNT	2,4-DINITROTOLUENE	0.424	ug/g	0.0637	ug/l
26DNT	2,6-DINITROTOLUENE	0.524	ug/g	0.0738	ug/l
HMX	CYCLOTETRAMETHYLENETETRANITRAMINE	0.666	ug/g	1.21	ug/l
NB	NITROBENZENE	2.41	ug/g	0.645	ug/l
RDX	CYCLONITE	0.587	ug/g	1.17	ug/l
TETRYL	NITRAMINE	0.731	ug/g	1.56	ug/l
NG	NITROGLYCERINE	4	ug/g	10	ug/l
PETN	PENTAERYTHRITOL TETRANITRATE	4	ug/g	20	ug/l
	PAL ANIONS/CATIONS				
HCO3	BICARBONATE	NA		NA	ug/l
CL	CHLORIDE	NA		2,120	ug/l
SO4	SULFATE	NA		10,000	ug/l
NO3	NITRATE	NA		10	ug/l
CA	CALCIUM	NA		500	ug/l
K	POTASSIUM	NA		375	ug/l
MG	MAGNESIUM	NA		500	ug/l
	PAL WATER QUALITY PARAMETERS				
CL	CHLORIDES	NA		2,120	ug/l
N2KJEL	TOTAL NITROGEN	NA		183	ug/l
NIT	NO3-N	NA		10	ug/l
SO4	SULFATES	NA		10,000	ug/l
TPO4	TOTAL PHOSPHORUS	NA		13.3	ug/l
--	HARDNESS	NA		NA	ug/l

APPENDIX E
PROJECT ANALYTE LIST / CERTIFIED REPORTING LIMITS

SITE INVESTIGATION REPORT
FORT DEVENS

TEST NAME	PARAMETER NAME	SOIL CRL	SOIL UNIT	WATER CRL	WATER UNIT
ALK	ALKALINITY	NA		NA	ug/l
TSS	TOTAL SUSPENDED SOLIDS	NA		NA	ug/l
DO	DISSOLVED OXYGEN	NA		NA	ug/l
	PAL ORGANICS VOLATILE COMPOUNDS				
111TCE	1,1,1-TRICHLOROETHANE	0.0044	ug/g	0.5	ug/l
112TCE	1,1,2-TRICHLOROETHANE	0.0054	ug/g	1.2	ug/l
11DCE	1,1-DICHLOROETHYLENE / 1,1-DICHLOROETHENE	0.0039	ug/g	0.5	ug/l
11DCLE	1,1-DICHLOROETHANE	0.0023	ug/g	0.68	ug/l
12DCE	1,2-DICHLOROETHYLENES, TOTAL (CIS AND TRANS ISOMERS)	0.003	ug/g	0.5	ug/l
12DCLE	1,2-DICHLOROETHANE	0.0017	ug/g	0.5	ug/l
12DCLP	1,2-DICHLOROPROPANE	0.0029	ug/g	0.5	ug/l
ACET	ACETONE	0.017	ug/g	13	ug/l
BRDCLM	BROMODICHLOROMETHANE	0.0029	ug/g	0.59	ug/l
C2H3CL	CHLOROETHENE / VINYL CHLORIDE	0.0062	ug/g	2.6	ug/l
C2H5CL	CHLOROETHANE	0.012	ug/g	1.9	ug/l
C6H6	BENZENE	0.0015	ug/g	0.5	ug/l
CCL4	CARBON TETRACHLORIDE	0.007	ug/g	0.5	ug/l
CH2CL2	METHYLENE CHLORIDE	0.012	ug/g	2.3	ug/l
CH3BR	BROMOMETHANE	0.0057	ug/g	5.8	ug/l
CH3CL	CHLOROMETHANE	0.0088	ug/g	3.2	ug/l
CHBR3	BROMOFORM	0.0069	ug/g	2.6	ug/l
C13DCP	CIS-1,3-DICHLOROPROPYLENE C+S-1,3-DICHLOROPROPENE	0.0032	ug/g	0.58	ug/l
CHCL3	CHLOROFORM	0.00087	ug/g	0.5	ug/l

APPENDIX E
PROJECT ANALYTE LIST / CERTIFIED REPORTING LIMITS

SITE INVESTIGATION REPORT
FORT DEVENS

TEST NAME	PARAMETER NAME	SOIL CRL	SOIL UNIT	WATER CRL	WATER UNIT
CL2CH2	DICHLOROMETHANE	12	ug/g	2.3	ug/l
CLC6H5	CHLOROBENZENE	0.00086	ug/g	0.5	ug/l
CS2	CARBON DISULFIDE	0.0044	ug/g	0.5	ug/l
DBRCLM	DIBROMOCHLOROMETHANE	0.0031	ug/g	0.67	ug/l
ETC6H5	ETHYLBENZENE	0.0017	ug/g	0.5	ug/l
MEC6H5	TOLUENE	0.00078	ug/g	0.5	ug/l
MEK	METHYLETHYL KETONE / 2-BUTANONE	0.07	ug/g	6.4	ug/l
MIBK	METHYLISOBUTYL KETONE	0.027	ug/g	3	ug/l
MNBK	METHYL-N-BUTYL KETONE / 2-HAXANONE	0.032	ug/g	3.6	ug/l
STYR	STYRENE	0.0026	ug/g	0.5	ug/l
T13DCP	TRANS-1,3-DICHLOROPROPENE	0.0028	ug/g	0.7	ug/l
TCLEA	1,1,2,2-TETRACHLOROETHANE	0.0024	ug/g	0.51	ug/l
TCLEE	TETRACHLOROETHYLENE / TETRACHLOROETHENE	0.00081	ug/g	1.6	ug/l
TRCLE	TRICHLOROETHYLENE / TRICHLOROETHENE	0.0028	ug/g	0.5	ug/l
TXYLEN	XYLENES, TOTAL COMBINED	1.5	ug/g	0.84	ug/l
	PAL ORGANICS SEMIVOLATILE COMPOUNDS				
124TCB	1,2,4-TRICHLOROBENZENE	0.04	ug/g	1.8	ug/l
12DCLB	1,2-DICHLOROBENZENE	0.11	ug/g	1.7	ug/l
13DCLB	1,3-DICHLOROBENZENE	0.13	ug/g	1.7	ug/l
14DCLB	1,4-DICHLOROBENZENE	0.098	ug/g	1.7	ug/l
245TCP	2,4,5-TRICHLOROPHENOL	0.1	ug/g	5.2	ug/l
246TCP	2,4,6-TRICHLOROPHENOL	0.17	ug/g	13	ug/l
24DCLP	2,4-DICHLOROPHENOL	0.18	ug/g	2.9	ug/l
24DMPN	2,4-DIMETHYLPHENOL	0.69	ug/g	5.8	ug/l

APPENDIX E
PROJECT ANALYTE LIST / CERTIFIED REPORTING LIMITS

SITE INVESTIGATION REPORT
FORT DEVENS

TEST NAME	PARAMETER NAME	SOIL CRL	SOIL UNIT	WATER CRL	WATER UNIT
24DNP	2,4-DINITROPHENOL	1.2	ug/g	21	ug/l
24DNT	2,4-DINITROTOLUENE	0.14	ug/g	4.5	ug/l
26DNT	2,6-DINITROTOLUENE	0.085	ug/g	0.79	ug/l
2CLP	2-CHLOROPHENOL	0.06	ug/g	0.99	ug/l
2CNAP	2-CHLORONAPHTHALENE	0.036	ug/g	0.5	ug/l
2MNAP	2-METHYLNAPHTHALENE	0.049	ug/g	1.7	ug/l
2MP	2-METHYLPHENOL / 2-CRESOL	0.029	ug/g	3.9	ug/l
2NANIL	2-NITROANILINE	0.062	ug/g	4.3	ug/l
2NP	2-NITROPHENOL	0.14	ug/g	3.7	ug/l
33DCBD	3,3'-DICHLOROBENZIDINE	6.3	ug/g	12	ug/l
3NANIL	3-NITROANILINE	0.45	ug/g	4.9	ug/l
46DN2C	4,6-DINITRO-2-CRESOL / METHYL-4,6-DINITROPHENOL	0.55	ug/g	17	ug/l
4BRPPE	4-BROMOPHENYLPHENYL ETHER	0.033	ug/g	4.2	ug/l
4CANIL	4-CHLOROANILINE	0.81	ug/g	7.3	ug/l
4CL3C	4-CHLORO-3-CRESOL / 3-METHYL-4-CHLOROPHENOL	0.095	ug/g	4	ug/l
4CLPPE	4-CHLOROPHENYLPHENYL ETHER	0.033	ug/g	5.1	ug/l
4MP	4-METHYLPHENOL / 4-CRESOL	0.24	ug/g	0.52	ug/l
4NANIL	4-NITROANILINE	0.41	ug/g	5.2	ug/l
4NP	4-NITROPHENOL	1.4	ug/g	12	ug/l
ANAPNE	ACENAPHTHENE	0.036	ug/g	1.7	ug/l
ANAPYL	ACENAPHTHYLENE	0.033	ug/g	0.5	ug/l
ANTRC	ANTHRACENE	0.033	ug/g	0.5	ug/l
B2CEXM	BIS (2-CHLOROETHOXY) METHANE	0.059	ug/g	1.5	ug/l
B2CIPE	BIS (2-CHLOROISOPROPYL) ETHER	0.2	ug/g	5.3	ug/l

APPENDIX E
PROJECT ANALYTE LIST / CERTIFIED REPORTING LIMITS

SITE INVESTIGATION REPORT
FORT DEVENS

TEST	PARAMETER	SOIL		WATER	
NAME	NAME	CRL	UNIT	CRL	UNIT
B2CLEE	BIS (2-CHLOROETHYL) ETHER / 2,2-OXYBIS(1-CHLOROPROPANE)	0.033	ug/g	1.9	ug/l
B2EHP	BIS (2-ETHYLHEXYL) PHTHLATE	0.62	ug/g	4.8	ug/l
BAANTR	BENZO [A] ANTHRACENE	0.17	ug/g	1.6	ug/l
BAPYR	BENZO [A] PYRENE	0.25	ug/g	4.7	ug/l
BBFANT	BENZO [B] FLUORANTHENE	0.21	ug/g	5.4	ug/l
BBZP	BUTYLBENZYL PHTHALATE	0.17	ug/g	3.4	ug/l
BGHIPY	BENZO [G,H,I] PERYLENE	0.25	ug/g	6.1	ug/l
BKFANT	BENZO [K] FLUORANTHENE	0.066	ug/g	0.87	ug/l
BZALC	BENZYL ALCOHOL	0.19	ug/g	0.72	ug/l
CARBAZ	CARBAZOLE	No certified limit		No certified limit	
CHRY	CHRYSENE	0.12	ug/g	2.4	ug/l
CL6BZ	HEXACHLOROBENZENE	0.033	ug/g	1.6	ug/l
CL6CP	HEXACHLOROCYCLOPNTADIENE	6.2	ug/g	8.6	ug/l
CL6ET	HEXACHLOROETHANE	0.15	ug/g	1.5	ug/l
DBAHA	DIBENZ [A,H] ANTHRACENE	0.21	ug/g	6.5	ug/l
DBZFUR	DIBENZOFURAN	0.035	ug/g	1.7	ug/l
DEP	DIETHYL PHTHALATE	0.24	ug/g	2	ug/l
DMP	DIMETHYL PHTHALATE	0.17	ug/g	1.5	ug/l
DNBP	DI-N-BUTYL PHTHALATE	0.061	ug/g	3.7	ug/l
DNOP	DI-N-OCTYL PHTHALATE	0.19	ug/g	15	ug/l
FANT	FLUORANTHENE	0.068	ug/g	3.3	ug/l
FLRENE	FLUORENE	0.033	ug/g	3.7	ug/l
HCBD	HEXACHLOROBUTADIENE	0.23	ug/g	3.4	ug/l
ICDPYR	INDENO [1,2,3-C,D] PYRENE	0.29	ug/g	8.6	ug/l
ISOPHR	ISOPHORONE	0.033	ug/g	4.8	ug/l
NAP	NAPHTHALENE	0.037	ug/g	0.5	ug/l

APPENDIX E
PROJECT ANALYTE LIST / CERTIFIED REPORTING LIMITS

SITE INVESTIGATION REPORT
FORT DEVENS

TEST NAME	PARAMETER NAME	SOIL CRL	SOIL UNIT	WATER CRL	WATER UNIT
NB	NITROBEZENE	0.045	ug/g	0.5	ug/l
NNDNPA	N-NITROSO DI-N-PROPYLAMINE	0.2	ug/g	4.4	ug/l
NNDPA	N-NITROSO DIPHENYLAMINE	0.19	ug/g	3	ug/l
PCP	PENTACHLOROPHENOL	1.3	ug/g	18	ug/l
PHANTR	PHENANTHRENE	0.033	ug/g	0.5	ug/l
PHENOL	PHENOL	0.11	ug/g	9.2	ug/l
PYR	PYRENE	0.033	ug/g	2.8	ug/l
	PAL ORGANICS PESTICIDES AND PCBS				
ABHC	ALPHA-BENZENEHEXACHLORIDE / ALPHA-HEXACHLOROCYCLOHEXANE	0.00907	ug/g	0.0385	ug/l
ACLDAN	ALPHA CHLORDANE	0.005	ug/g	0.075	ug/l
AENSLF	ALPHA-ENDOSULFAN / ENDOSULFAN I	0.00602	ug/g	0.023	ug/l
ALDRN	ALDRIN	0.00729	ug/g	0.0918	ug/l
BBHC	BETA-BENZENEHEXACHLORIDE / BETA-HEXACHLOROCYCLOHEXANE	0.00257	ug/g	0.024	ug/l
BENSLF	BETA-ENDOSULFAN / ENDOSULFAN II	0.00663	ug/g	0.023	ug/l
DBHC	DELTA-BENZENEHEXACHLORIDE / DELTA-HEXACHLOROCYCLOHEXANE	0.00555	ug/g	0.0293	ug/l
DLDRN	DIELDRIN	0.00629	ug/g	0.024	ug/l
ENDRN	ENDRIN	0.00657	ug/g	0.0238	ug/l
ENDRNA	ENDRIN ALDEHYDE	0.024	ug/g	0.0285	ug/l
ENDRNK	ENDRIN KETONE	Not certified		Not certified	
ESFSO4	ENDOSULFAN SULFATE	0.00763	ug/g	0.0786	ug/l
GCLDAN	GAMMA-CHLORDANE	0.005	ug/g	0.075	ug/l
HPCL	HEPTACHLOR	0.00618	ug/g	0.0423	ug/l
HPCLE	HEPTACHLOR EPOXIDE	0.0062	ug/g	0.0245	ug/l

APPENDIX E
PROJECT ANALYTE LIST / CERTIFIED REPORTING LIMITS

SITE INVESTIGATION REPORT
FORT DEVENS

TEST NAME	PARAMETER NAME	SOIL CRL	SOIL UNIT	WATER CRL	WATER UNIT
LIN	LINDANE/ GAMA-BENZENEHEXACHLORIDE/ GAMMA-HEXACHLOROCYCLOHEXANE	0.00638	ug/g	0.0507	ug/l
MEXCLR	METHOXYCHLOR	0.0711	ug/g	0.057	ug/l
PCB016	PCB 1016	0.0666	ug/g	0.16	ug/l
PCB221	PCB 1221	0.0666	ug/g	0.16	ug/l
PCB232	PCB 1232	0.0666	ug/g	0.16	ug/l
PCB242	PCB 1242	0.0804	ug/g	0.19	ug/l
PCB248	PCB 1248	0.0804	ug/g	0.19	ug/l
PCB254	PCB 1254	0.0804	ug/g	0.19	ug/l
PCB260	PCB 1260	0.0804	ug/g	0.19	ug/l
PPDDD	2,2-BIS (PARA-CHLOROPHENYL)- 1,1DICHLOROETHANE	0.00826	ug/g	0.0233	ug/l
PPDDE	2,2-BIS (PARA-CHLOROPHENYL)- 1,1-DICHLOROETHENE	0.00765	ug/g	0.027	ug/l
PPDDT	2,2-BIS (PARA-CHLOROPHENYL)- 1,1,1-TRICHLOROETHANE	0.00707	ug/g	0.034	ug/l
TXPHEN	TOXAPHENE	0.444	ug/g	1.35	ug/l

NOTES: CRL = CERTIFIED REPORTING LIMIT
NA= NOT APPLICABLE

APPENDIX F

DATA QUALITY REPORT

1.0 QUALITY CONTROL BLANK RESULTS

1.1 INTRODUCTION

This data quality report provides an evaluation of method blank and field quality control sample data generated for the Site Investigation (SI) activities conducted at Fort Devens Army Base, Ayer, Massachusetts. Data were generated by ESE Laboratories from the soil and water samples collected from May 1992 through July 1992. All data used in this report came directly off AEC's IRDMIS system. Samples originated only from study areas within SA Groups 3, 5, 6. Evaluations are discussed in this section on a per group basis.

Quality Control Frequency Tables

Frequency tables were generated for all quality control blanks that were analyzed during the Groups 3, 5, 6 portion of the Fort Devens Site Investigation. These include trip blanks, rinsate blanks and method blanks. The tables present results by analytical method and were used to identify any target analytes that appeared in blanks. The rate at which these analytes were found with respect to the total number of blanks, and the concentration range reported, are the key components of the frequency tables. Analytes which are not listed on the tables were not detected at a concentration above the Certified Reporting Limit (CRL).

The frequency tables are arranged by QC type (method blanks, rinsate blanks, trip blanks, and by the site group to which they are associated. An exception to this regime are the method blanks. Method blanks are not associated to an individual site group. Because of this, all method blanks from SA Groups 3, 5, 6 are lumped together. Method blank data includes analyses that were made in association with samples collected during SI activities at Fort Devens, prior to and including August 13. The method blank data may overlap with concurrent investigations at Group 2 and 7 sites. August 13 was the date selected as the cutoff for date of analysis since this is two weeks after the last sample was collected at SA Groups 3, 5, 6. Two weeks was selected since this was the maximum holding time allowed for VOC analysis. A general analysis which evaluates trends throughout the analytical period covering SA Groups 3, 5, 6 is presented for method blanks in Section 1.2.

1.2 METHOD BLANKS

Method blanks were analyzed to determine if compound analytes were introduced during the processing of the field samples. Chemically pure deionized water was used to collect method blanks at the laboratory. The blanks were run as if they were actual field samples using all the analytical methods. Any compounds that are detected are a result of contamination at the laboratory, since the water used in the analyses is contaminant free.

Since method blanks were done at the laboratory, there was no easy way to assign individual blanks to a specific group. Therefore, this discussion addresses method blank contamination issues globally for all of SA Groups 3,5,6. Table F-1 is a presentation of all compounds detected above CRL values in the SA Groups 3,5,6 method blanks and the frequency at which they were found.

Method blanks were analyzed for the following parameters: inorganics (soil and water), SVOCs (soil and water), VOCs (soil and water), explosives (soil and water), pesticides/PCBs (water only), nitrate/nitrite as nitrogen, total Kjeldahl nitrogen, chloride/sulfate ion (water only), total phosphates (water only), alkalinity (water only), carbonate ion (water only), hardness (water only), TOC (water and soil), TSS (water only) and TPHC (water and soil).

Inorganics

Soil method blanks for inorganics involve the use of AEC approved soil that is run as an ordinary field sample. The soil that is used is called a Tampa Bay soil. It is supposed to be free of contamination. The soil, in fact, is not free of contamination of inorganics. There are high background levels of many elements. Table F-1 shows that Aluminum, Barium, Calcium, Chromium, Copper, Iron, Potassium, Magnesium, Manganese, Sodium,Nickel, Lead, V and Zinc were found in Group 3,5,6 method blanks. These elements were found in varying frequencies. Aluminum, Calcium, Copper, Iron, Potassium, Magnesium, Manganese, Sodium,Lead, V and Zinc were found in every method blank that was completed. Table F-1 also lists concentrations at which elements were found. The reported concentrations represent background levels present in the Tampa Bay soil. The data does not represent contamination introduced at the laboratory.

The only inorganic elements detected in the water method blank analysis were lead, iron and potassium. Lead was detected in four of 12 method blanks at concentrations ranging from 1.6 μg/L to 1.8 μg/L. Iron was found in two of 12 method blanks at 143 μg/L.

Potassium was also detected in two of 12 method blanks at 578 μg/L. The presence of these elements in water method blanks indicates introduction during the analytical process. The concentrations of these elements in actual samples may be biased high due to additional amounts introduced at the laboratory.

SVOCs

AEC methods LM18 and UM18 were used to analyze method blanks in soil and water, respectively. Toluene and bis (2-ethylhexyl) phthalate were reported in the SVOC soil blanks. Toluene was detected in two of two soil blanks at 0.2 μg/g. Bis (2-ethylhexyl) phthalate was detected in two of 26 soil blanks at 1.1 μg/g. Both compounds are listed in the USEPA SOW as common laboratory contaminants. These contaminants, when detected in sample results at similar concentrations, are probably representative of laboratory contamination. Other SVOC compounds detected in the method blanks were 1,2-Epoxycyclohexene, mesityl oxide and several unknown compounds. These non-target compounds should also be considered as contaminants when seen in sample data at similar concentrations.

Bis (2-ethylhexyl) phthalate was also detected in two of 26 SVOC water blanks. The concentration at which it was found was 6.6 μg/L. 1,2-Epoxycyclohexene, mesityloxide and one unknown compound were also detected in these blanks.

VOCs

AEC methods LM19 and UM20 were used to analyze soil and water method blanks for VOCs. Acetone, trichlorofluoromethane, chloroform and one unknown compound were detected in the soil method blanks. The frequency and concentration at which they were found are presented in Table F-1. Acetone and chloroform are defined as common laboratory contaminants in the USEPA SOW. Trichlorofluoromethane, although not included in this list is also frequently used as a solvent in laboratories. These compounds can be considered as laboratory introductions when observed in similar concentrations to those in the method blank data.

1,1,1-Trichloroethane, toluene and chloroform were reported in the water method blanks. Toluene and chloroform, as stated previously, are common laboratory contaminants. Their presence in similar concentrations as sample results should be attributed to this introduction

rather than site contamination. The presence of 1,1,1-trichloroethane has also been attributed to laboratory contamination per conversations with ESE Laboratory personnel. The problem has been persistent for several months. Laboratory personnel are investigating the cause of this contamination.

Explosives

There were no explosive compounds detected above CRL in any of the SA Groups 3, 5, and 6 method blanks.

Pesticides/PCBs

There were no pesticide or PCB compounds detected in any of the SA Groups 3, 5, and 6 method blanks.

Other Methods

There was no contamination in SA Groups 3, 5, and 6 method blanks involving the following methodologies: nitrate/nitrite as nitrogen, chloride/sulfate ion, total Kjeldahl nitrogen, total phosphates, carbonate ion, hardness and TOC. TPHC contamination was observed in 14 of 22 soil method blanks. Concentrations of ranged from 4 to 31.2 μg/g. The soil TPHC method blank results should be considered upon encountering similar values for this parameter in the sample data. Method blanks that were tested for TSS and alkalinity also showed evidence of contamination. TSS was present in four of 20 method blanks at 4000 μg/L to 4500 μg/L. Alkalinity detections were observed in two of ten method blanks at 5000 μg/L.

1.3 FIELD QUALITY CONTROL

1.3.1 Group 3 Field Quality Control Blanks

Data from quality control blanks have been summarized for SA Group 3. Rinsate results are summarized in Table F-2. Trip blank results are summarized in Table F-3. Method blank results are presented in Table F-1.

Inorganics

Several elements considered to be target analytes were detected in the rinsate samples associated with Group 3. Elements detected include barium, iron, lead, manganese and potassium.

Lead was detected in two of the six rinsate blanks. Concentrations of 9.44 $\mu g/L$ and 14.6 $\mu g/L$ were reported for these two samples. Both values are considerably higher than Certified Reporting Limit of 1.25 $\mu g/L$. A review of method blank data revealed only two of 12 samples contaminated with lead at concentrations of 1.6 $\mu g/L$ and 1.8 $\mu g/L$. Analysis of the source water, used in the decontamination process, shows an average value of 3.2 $\mu g/L$ of lead detected using the same method. These results suggest that low concentrations of lead were present in the source water. The potential for cross contamination of low concentrations of lead also existed based on rinsate results.

Iron and potassium were found at a frequency of four out of six rinsates. The range of iron concentrations found in the blanks was from 48.2 $\mu g/L$ to 148 $\mu g/L$. Iron was detected in two of twelve method blanks at 143 $\mu g/L$. Potassium was found at concentrations of 504 $\mu g/L$ to 995 $\mu g/L$. This compares to a 578 $\mu g/L$ method blank result. Source water results for both iron and potassium show both to be present at mean concentrations of 187 $\mu g/L$ and 1,090 $\mu g/L$, respectively. These elements are common components of groundwater, and their presence is most likely due to occurrence in the source water aquifer.

SVOCs

None of the SVOC target compounds were detected above the CRL using Method UM18. Three unknown compounds were found in concentrations from 4 $\mu g/L$ to 70 $\mu g/L$.

VOCs

Only three target VOCs were detected in the rinsate blanks. These compounds were methylene chloride, 1,1,1-trichloroethane, and chloroform. One unknown compound was found at 20 $\mu g/L$. Of the target analytes, methylene chloride, was found in the highest concentration at 10 $\mu g/L$. Although this compound is considered to be a common laboratory contaminant, no detectable levels were found in the method blanks. The most

commonly found VOC contaminant was 1,1,1-trichloroethylene which was detected in seven of eight rinsate blanks.

Trip blanks sent to the laboratory were analyzed for VOCs using method UM20. The only target compound detected in Group 3 trip blanks was methylene chloride. From the trip blank frequency table (Table F-3) methylene chloride is shown is to be present in four of six trip blanks at 2.64 μg/L to 4.7 μg/L. The CRL for methylene chloride is 2.30 μg/L. Methylene chloride is commonly introduced as a laboratory contaminant, although it is conspicuously absent above the CRL in any SA Group 3, 5, 6 method blanks. The absence of other VOCs in the trip blanks indicates that cross contamination of compounds by VOCs did not occur during shipment and storage of the samples.

1.3.2 Group 5 Field Quality Control Blanks

Data from quality control blanks have been summarized for Group 5 in the attached tables. Rinsate results are summarized in Table F-4. Trip blank results are summarized in Table F-5. Method blank results are presented in Table F-1.

Inorganics

A total of eight elements were detected in the rinsate blanks associated with SA Group 5. These metals were calcium, copper, iron, potassium, magnesium, manganese, sodium and zinc. All elements were found at a frequency of one in two rinsate blanks. These elements are commonly found at background concentrations in natural soils. All detected elements were found in the blank identified as SBK92111.

The other elements present in the rinsate blank are also found in every soil method blank analyzed. These elements are background concentrations of the Tampa Bay soil used in soil method blanks. They also can be found in the source water results at concentrations similar to those found in the rinsate blank. This indicates that the metals contamination in the rinsate blank could be the result of laboratory contamination and/or could be representative of background concentration carried over from the source water or equipment used to collect the samples.

SVOCs

No SVOC target compounds were found in the SA Group 5 rinsate blanks.

VOCs

None of the VOC target compounds were found in the SA Group 5 rinsate blanks. One target VOC, methylene chloride was found in the SA Group 5 trip blanks. This contaminant could have been introduced by the laboratory, however its absence in method blanks make this determination inconclusive. The absence of other VOC's in the trip blanks indicates that cross contamination did not occur in the samples.

Other Analytes

Nitrogen as nitrate and nitrite was found in the rinsate blank at 320 $\mu g/L$. It was not detected in any of the method blanks. An average concentration of 670 $\mu g/L$ was found in the source water. Alkalinity and carbonate values in the rinsate do not compare with source water results indicating introduction during the decontamination or rinsate blank collection processes. This concentration compares with an average value of 21,000 $\mu g/L$ found in the source water. All parameters were present in the rinsate blank identified as SBK92111.

1.3.3 Group 6 Field Quality Control Blanks

Data from quality control blanks have been summarized for Group 6 in the attached tables. Rinsate results are summarized in Table F-6. Trip blank results are summarized in Table F-7. Method blank results are presented in Table F-1.

Metals

Two target metals were found in one of two rinsates analyzed under AEC method SS10. These two metals are iron and manganese. Iron was found at 85.5 $\mu g/L$ and manganese at 3.2 $\mu g/L$. These analytes may have been introduced as laboratory contaminants, or from the source water, since much higher concentrations are present in all the method blanks and source water. Lead was found in one rinsate at 8.68 $\mu g/L$. Lead was also reported in the

field blank at a low concentration and is likely present due to occurrence in the source water.

SVOCs

None of the target SVOCs were detected above the CRL for any rinsate blanks.

VOCs

Three target VOCs were detected in Group 6 rinsates. They include 1,1,1-trichloroethane, toluene and chloroform. These compounds were found in one of two rinsate blanks. All three were found in method blanks at varying frequencies. Chloroform was most commonly found in these blanks. Chloroform is a common laboratory contaminant, and is routinely present in municipal water supplies. It was detected in 16 of 36 method blanks. Since all three VOCs are present in the method blanks at similar concentrations to those in the rinsates it is possible that they are present due to introduction during processing at the laboratory.

Methylene chloride was the only compound detected in the trip blank. It was found in one of the four trip blanks sent to the laboratory. The absence of other VOCs indicates that cross contamination probably did not occur.

1.3.4 Groundwater Field Quality Control Blanks

Three rounds of groundwater sampling of SA Groups 3, 5, and 6 monitoring wells were completed during Fort Devens Site Investigation. Round 1 groundwater sampling was completed in the summer of 1992. Round 2 groundwater sampling was completed during the fall of 1992. Round 3 was completed in the winter of 1993.

Field quality control samples, including rinsate and trip blanks, were collected in conjunction with these samples. Trip blanks were analyzed for VOCs to determine if cross contamination occurred during shipment and storage. Rinsate blanks from Rounds 1 and 2 were analyzed for inorganics, SVOCs, VOCs, explosives, pesticides/PCBs, nitrate/nitrite as nitrogen, total phosphates, alkalinity, TPHC, total Kjeldahl nitrogen, TSS and hardness. Rinsate blanks from Round 3 were analyzed for VOCs only.

Inorganics

Several elements were detected in rinsate blanks from the groundwater sampling efforts. These include barium, copper, iron, potassium, manganese, lead and zinc. The only one of these elements found in method blanks using the same methods was lead. Barium was detected in two of 11 rinsates from Round 1 water sampling. The concentrations of barium in these samples ranged from 7.21 μg/L to 11.1 μg/L. There was no barium detected above CRL in Round 2 water sampling.

Copper was detected in one rinsate sample from Round 1. The concentration of copper was 20.1 μg/L. There were no copper concentrations above CRL in any of the three Round 2 rinsates.

There were detectable levels of iron in seven of 11 Round 1 rinsate samples. Concentrations ranged from 48.2 μg/L to 150 μg/L. There was no iron reported above CRL in Round 2 rinsate data.

Potassium was reported above CRL in four of 11 rinsates in Round 1 rinsate samples and in all three Round 2 rinsate samples. Concentrations ranged from 504 μg/L to 1100 μg/L in these samples.

Manganese was reported above CRL in two of 11 Round 1 rinsate blanks and in two of three Round 2 rinsates. Concentrations ranged from 3.3 μg/L to 5.3 μg/L.

Lead was reported in two of 11 rinsates from Round 1 and in none of the three Round 2 rinsates. The concentrations of the detected lead were 9.4 μg/L and 14.6 μg/L. Lead was detected in method blanks for SA Groups 3, 5, and 6 but in concentrations of only roughly 1 to 2 μg/L.

Zinc was detected in two of 11 Round 1 rinsates and in two of three Round 2 rinsates. Concentrations ranged from 25.8 μg/L to 181 μg/L.

None of these elements, with the exception of lead, were detected in method blank samples for SA Groups 3, 5, and 6. Introduction may have come from the sampling equipment which was decontaminated with AEC approved source water that has high background levels of all of these elements.

SVOCs

There were no SVOC compounds detected in any of the rinsate blanks from any of the rounds of groundwater sampling.

VOCs

Rinsate and trip blank samples from all three rounds of groundwater sampling were analyzed for VOCs. Compounds that were detected in the rinsates include chloroform, toluene and 1,1,1-Trichloroethane. Chloroform was measured in three rinsates at concentrations of 2.4 μg/L to 2.8 μg/L. Toluene was measured in three rinsates at concentrations ranging from 0.51 μg/L to 0.74 μg/L. Toluene and chloroform are both found in the method blanks as well. Both of these compounds are defined as common laboratory contaminants in the USEPA SOW. 1,1,1-Trichloroethane was found to be present in four rinsate samples at 1.5 μg/L to 2.8 μg/L. There was also 1,1,1-Trichloroethane present in the method blanks indicating laboratory introduction. ESE Laboratories personnel have said that there has been a problem with contamination of this compound at their facility for the past several months. The source of its introduction is not known by their personnel, although they are investigating the problem to determine what may be done about it. Similar concentrations of 1,1,1-Trichloroethane in sample results may be attributable to laboratory introduction.

The only VOCs found in the trip blanks were chloroform and 1,1,1-Trichloroethane. As stated previously, these compounds have been identified as laboratory contaminants in the data. The trip blanks results indicate that no cross contamination of VOCs occurred in the shipment or storage of the samples.

Explosives

There were no explosive compounds detected in any of the rinsate samples.

Pesticides/PCBs

There were no pesticide or PCB compounds detected in any of the rinsate samples.

Other Methods

Rinsate blanks collected during the groundwater sampling efforts were also analyzed using the following methodologies: nitrate/nitrite as nitrogen, total phosphates, alkalinity, TPHC, total Kjeldahl nitrogen, TSS and hardness. Detectable concentrations of the following parameters were found in the rinsates: nitrate/nitrite as nitrogen, bicarbonate ion, alkalinity, total Kjeldahl nitrogen and hardness. These compounds were found at concentrations at or less than concentrations measured in the source water used to decontaminate the sampling equipment. This is a possible source of their presence in these samples.

2.0 MATRIX SPIKES AND DUPLICATE QUALITY CONTROL

2.1 INTRODUCTION

Matrix Spikes

Matrix spike and matrix spike duplicate samples were collected at a rate of one each per 20 environmental samples. The purpose of collecting these samples was to measure the effect of the matrix on the recovery of known concentrations of target analytes. A summary of matrix spike data is presented for each group (see Tables F-8, F-10, F-12). Data have been segregated by group and method to show recovery trends of particular analytes from each study area. In the tables matrix spikes have been paired with the corresponding matrix spike duplicates to make recovery comparisons. The relative percent differences (RPD) between recoveries of the matrix spikes and the matrix spike duplicates have been calculated and are listed next to the percent recovery. The relative percent difference is used to measure the analytical precision of the results. The average recoveries, and maximum and minimum recoveries for each method are also included as a way of measuring trends.

The criteria used for interpreting MS/MSD data are the analytical USEPA CLP protocols and the POP for Fort Devens Vol III. Interpretations of the MS/MSD results for each group are contained in Sections 2.2, 2.4. and 2.6 of the Appendix and in Sections 4.3.2, 5.3.2, and 6.5.2 of the SI report.

Duplicates

Field duplicate samples were collected at the same rate as the MS/MSD samples. Duplicates are differentiated from samples in the identification code. The second digit in the code will have a "D" in place to denote the duplicate. The duplicate code is identical to the conjugate sample code except for this digit.

The purpose of collecting duplicate samples was to measure the precision of the sampling and of the analytical results. The method by which this is measured is through the calculation of the RPD for each sample/duplicate pair. The RPD is the difference of the results divided by the average of them. The smaller the RPD the more closely the results agree. The more closely the results agree the greater the consistency shown by the

laboratory for a particular method. The RPD has been calculated for each pair of samples/duplicates. They are presented with the balance of the duplicate data by group in Tables F-9, F-11, and F-13. Interpretations of duplicate data are presented in Sections 2.3, 2.5, and 2.7 of this Appendix and in Sections 4.3.3, 5.3.3, and 6.5.3 of the SI report.

A review of the duplicate data for SA Groups 3, 5, and 6 is presented with the MS/MSD review. The review is written for each group separately.

2.2 GROUP 3 MATRIX SPIKES

Matrix spike data for Group 3 has been reviewed and are presented in Table F-8. A total of five soil samples and associated duplicates were collected from study areas within the group. MS/MSD analyses were performed for inorganics.

Inorganics

Matrix spike analysis included the following elements for Group 3: selenium, lead, arsenic, thallium, antimony, silver, beryllium, cadmium, chromium, copper, nickel, zinc, and mercury. The recovery control limits of spiked inorganics are 25 percent+/- of 100 percent under CLP requirements. The CLP requirements are identical to those specified in the ABB-ES Fort Devens POP, Vol III. A total of 86 analyses were completed for inorganic matrix spikes. With the exception of six matrix spike analyses, all recoveries for inorganics fell within quality control limits. Five recovery values exceeded the CLP upper limit (125 percent). One value was below the CLP lower limit (75 percent).

The six recoveries which fell outside control limits occurred in lead soil (AEC Method JD17) and arsenic soil (AEC Method JD19) analyses. BX440310 and BX440410 and their associated duplicates accounted for all six. Sample BX440310 had recoveries of 132 percent and 129 percent for lead and 210 percent and 97 percent for arsenic. Concentrations of 8.54 μg/g for arsenic, and 3.81 μg/g for lead, were reported in the original unspiked run of the sample. This is consistent with background concentrations in soils for these elements found in Section 3.5 of the SI report text. Concentrations of lead and arsenic in the original sample may be responsible for high matrix spike recoveries for BX440410.

In general the recoveries for the Group 3 matrix spikes/matrix spike duplicates were within CLP limits. The data reflect little matrix interference in the recovery of inorganic analytes.

2.3 GROUP 3 DUPLICATES

One water sample and two soil samples were collected from Group 3 for duplicate analysis. The water sample is identified as MXG30300. The two soil samples are BX440605 and BX520605. Duplicate data for Group 3 are presented in Table F-9. BX440605, BX520605 and their respective duplicates were analyzed for the following soil methodologies: inorganics (AEC Methods JB01, JD15, JD17, JD19, JD24, JD25, JS16), SVOCs (AEC Method LM18), VOCs (AEC Method LM19) and TPHC. The water sample, MXG303X1, and the duplicate were analyzed for the following: inorganics (AEC Methods SB01, SD09, SD20, SD21, SD22, SD28 and SS10), SVOCs (AEC Method UM18), VOCs (AEC Method UM20), nitrate/nitrite as nitrogen (AEC Method TF22), chloride/sulfate ions (AEC Method TT10), TPHC, TSS, alkalinity and bicarbonate ion.

USEPA Region I guidelines were used to assess the RPDs of inorganics, SVOCs and VOCs. These guidelines provide criteria as to whether there is good precision of the results.

Inorganics

The following elements are included in the inorganics duplicate review for both soil samples and the water sample from Group 3: mercury (AEC Methods JB01, SB01), selenium (AEC Methods JD15, SD21), lead (AEC Methods JD17, SD20), arsenic (AEC Methods JD19, SD22), thallium (AEC Method JD24, SD09), antimony (AEC Method JD25, SD28) and silver, aluminum, barium, beryllium, calcium, cadmium, cobalt, chromium, copper, iron, potassium, magnesium, manganese, sodium, nickel, vanadium, zinc (AEC Method JS16, SS10).

The USEPA Region I criteria for the RPD of inorganic methods is 50 percent for soils and 30 percent for waters. The following elements were detected in the soil samples BX440605 and BX520605: arsenic, aluminum, barium, calcium, cobalt, chromium, copper, iron, potassium, magnesium, manganese, sodium, nickel, lead, vanadium, and zinc. Beryllium was detected in BX520605 and BD520605 but was not found in either of the sample/duplicate pair of BX440605. The RPDs for all elements of both sample/duplicate pairs were all below the USEPA 50 percent limit. The highest RPD reported was for that of lead in the

sample/duplicate pair of BX520605 (25.5 percent). There was good reproducibility of the results shown for the soil inorganic methods.

MXG303X1 was used for the inorganic water analyses. The following elements were detected in this sample and its duplicate: aluminum, barium, calcium, iron, potassium, magnesium, manganese, sodium, and lead. The RPDs for the following elements were above the 30 percent USEPA criteria: aluminum (73.3 percent), barium (68.3 percent), calcium (51 percent), iron (51 percent), potassium (105 percent) and manganese (163 percent). All of these elements are analyzed using AEC Method SS10. MXG303X1 inorganic waters were run in lot ZZE.

SVOCs

AEC Method LM18 was used to detect SVOC compounds in BX440605, BX520605 and their respective duplicates. The method also tested for PCB compounds and pesticides in these soil samples. The following SVOC compounds were reported above CRL in the soil sample BX440605: 1-Methylnaphthalene, 2-Methylnaphthalene, dodecane, tridecane, tetradecane, pentadecane, hexadecane, heptadecane, fluorene, naphthalene, dibenzofuran and phenanthrene. The RPD for nine out of these 12 pairs of samples was 0 percent. The highest RPD of the SVOC compounds was 40 percent for phenanthrene. All RPDs were below the USEPA Region I limit of 50 percent for soil organics. In general there was good reproducibility of the results of this sample.

The following SVOC compounds were found in at least one of the sample pair BX520605: anthracene, benzo(a)anthracene, benzo(k)fluoranthene, chrysene, fluoranthene, phenanthrene, and pyrene. The RPDs for the following compounds do not satisfy the USEPA CLP condition for organics in soils of RPD <50 percent: benzo(a)anthracene (68.7 percent), fluoranthene (139.8 percent), phenanthrene (154 percent) and pyrene (143 percent). The results for many of these compounds do not show agreement. Many compounds were present in detectable concentrations in one sample but were non-detect in the duplicate. The high sorption coefficients for these polyaromatic hydrocarbons may be responsible for the lack of agreement found in the SVOC concentrations for this duplicate set. By looking at Table F-9 it can be seen that there are many high RPD values for compounds which are non-detect. The CRL values do not agree because there was a dilution performed at the laboratory. This results in the differing CRL values and the resulting high RPDs.

None of the SVOC compounds were found above the CRL in WXG303X1 or the duplicate.

VOCs

AEC methods LM19 and UM20 were used to determine the precision of measuring VOCs in soil and water, respectively. BX440605, BX520605, MXG303X1 and their associated duplicates were used for the analyses. VOCs were not detected in BX520605 or its duplicate. There was, however, evidence of VOC contamination in BX440605. Ethylbenzene, toluene and xylene were reported in either this sample or the duplicate. The RPDs between the sample and duplicate for these compounds are as follows: ethylbenzene (193.7 percent), toluene (170 percent) and xylene (196 percent). The results show inconsistency for the method by the laboratory or a lack of homogeneity of VOCs in the sample.

None of the VOCs were found in the water sample MXG303X1 or the duplicate.

Other Methods

Duplicate samples were collected from Group 3 and analyzed using other methods. These include the following: nitrate/nitrite as nitrogen (AEC Method TF22), chloride/sulfate ions (AEC Method TT10), TPHC, TSS, alkalinity and bicarbonate ion. All of the above analyses were performed on the water sample MXG303X1. Soil samples BX440605, BX520605 and their respective duplicates were tested for TPHC only. There are no USEPA CLP criteria to use as guidance in assessing the precision for these methods.

Nitrate/nitrite as nitrogen results for MXG303X1 are 1800 μg/L and 1400 μg/L. The RPD of these results is 25 percent.

Chloride ion was found in both samples of the MXG303X1 sample/duplicate pair. The values reported for these samples are 21200 μg/L and 16600 μg/L. The RPD of these concentrations was calculated to be 24.3 percent. Sulfate ion was not detected above the CRL of 10000 μg/L in either of the sample pair.

TPHC analyses were completed on two soil and one water sample pairs collected from Group 3. Excellent precision was shown for both the soil and water methods. The RPDs

of the two soil sample pairs were 4.9 percent for BX440605 and 18.4 percent for BX520605. Both TPHC concentrations for MXG303X1 were below the CRL of 200 μg/L.

The TSS results for MXG303X1 and its duplicate were both below the CRL of 4000 μg/L.

Alkalinity results for MXG303X1 are 230000 μg/L and 24000 μg/L. The RPD for these results was determined to be 162.5 percent. The difference in these values could reflect field variability in the collection of the samples. The RPD is high enough to cast doubt on the reproducibility of alkalinity concentrations for this group.

Bicarbonate ion results for MXG303X1 and the duplicate are 281000 μg/L and 29300 μg/L. The RPD for the values was reported at 162.2 percent. Because of the close association of bicarbonate ion to alkalinity, concentrations of each would be expected to be in relative proportions to one another. The differences between the samples and duplicates are about the same for both the bicarbonate and alkalinity methods. Because these differences are consistent for both methods, field variability is a likely cause for the high RPDs. This should be taken into consideration during the Group 3 review of alkalinity/bicarbonate ion data.

2.4 GROUP 5 MATRIX SPIKES

The matrix spike data from Group 5 have been reviewed and are presented in Table F-10. Group 5 water samples were spiked and analyzed for the following: inorganics, explosives, nitrate/nitrite as nitrogen, total Kjeldahl nitrogen, total phosphates, chloride/sulfate ion, alkalinity and hardness. Group 5 soil samples were spiked and analyzed for inorganics and explosives. USEPA CLP advisory limits and requirements specified in the Fort Devens POP, Volume III were used to evaluate the recoveries for applicable methods. The following assessment summarizes the effect of the Group 5 sample matrices on the recoveries of known spike concentrations.

Inorganics

The following elements were included in the Group 5 inorganic matrix spike review for both soil and water samples: mercury (AEC methods JB01, SB01), selenium (AEC methods JD15, SD21), lead (AEC methods JD17, SD20), arsenic (AEC methods JD19, SD22), thallium (AEC methods JD24, SD09), antimony (AEC methods JD25, SD28) and silver,

aluminum, barium, beryllium, calcium, cadmium, cobalt, chromium, copper, iron, potassium, magnesium, manganese, sodium, nickel, vanadium, zinc (AEC methods JS16, SS10).

A total of nine water samples and two rinsate blanks were spiked and analyzed using the various inorganic water methods. Not all nine samples were tested for all elements. Table F-10 summarizes the samples that go with the various methodologies.

The USEPA CLP advisory limit for the recoveries of inorganics is 100 percent $\pm$25 percent. The recoveries of all of the elements analyzed by the inorganic water methods met this criteria with the exception of thallium, aluminum, chromium, and iron. The thallium recoveries of all water samples except WXG509XX and its duplicate were above the USEPA limit. The average recovery for all samples run in three different lots was 134.2 percent. Thallium was not detected in any method blanks or Group 5 rinsate blanks. Group 5 water sample results for thallium may be biased high given the recoveries obtained in the MS/MSD analysis.

Very low recoveries for aluminum were observed in two of four pairs of MS/MSDs. These samples are MDMW13X1, MXMW07X1 and the associated duplicates. Aluminum recoveries for MDMW13X1 were 46.7 percent and 7.1 percent. Aluminum recoveries for MXMW07X1 and the duplicate were both 7.1 percent. The recoveries for these samples do not meet the USEPA CLP criteria. The low recovery values may be due to matrix effects of the water samples. Sample results for MXMW13X1 and MXMW07X1 may be biased low based on the matrix spike recovery data. Two other MS/MSD sample pairs tested for aluminum had recoveries that fell within USEPA advisory limits.

Of the four MS/MSD water sample pairs submitted for chromium analysis under method SS10 only one pair had spike recoveries that did not fall within USEPA guidelines. The sample was identified as MXMW07X1. Recoveries for this sample were 65.5 percent and 59.5 percent. Chromium concentrations for MXMW07X1 could be biased low based on these recoveries. The average chromium recovery for all Group 5 samples was 86.6 percent.

Iron recoveries for two of four MS/MSD water sample pairs were well below the lower USEPA recovery limit of 75 percent. All four recoveries were 3.9 percent. The sample pairs identified with these low iron recoveries are MDMW13X1 and MXMW07X1. The sample concentrations of iron for MDMW13X1 and MXMW07X1 may be biased low because of these matrix effects.

The MS/MSD soil recoveries for all elements except lead, copper and zinc were within USEPA advisory limits. All Group 5 soil samples analyzed under method JD17 for lead had recoveries that far exceeded the upper USEPA advisory limit. Samples that were spiked with lead that showed these elevated recoveries were DDG50500 and EX090104. Lead recoveries for DDG50500 were 730.1 percent and 307.2 percent. Lead was not detected in any method blanks or in any of the Group 5 rinsate blanks. However, concentrations of lead were measured at 73 $\mu g/g$ in the unspiked sample of DDG50500 and at 89 $\mu g/g$ in EX090104.

Both pairs of MS/MSD samples were spiked at about 5.0 $\mu g/g$. Large concentrations of lead in the sample could have skewed the recoveries high since the spiking concentration relative to the sample concentration is low. There also was little agreement in the results. RPDS for the MS/MSDs were 81.5 percent and 122 percent. Lead concentrations may be biased high in light of the MS/MSD results.

Only one MS/MSD soil sample, EX090104, was analyzed using method JS16. The only elements for the method for which USEPA recovery criteria were not met were copper and zinc. Only one copper recovery of the MS/MSD sample pair was over the USEPA limit. This recovery was 160.7 percent. The average recovery for the two samples was 138.2 percent. Both zinc recoveries were below the USEPA lower limit of 75 percent. Recoveries were reported at 50.5 percent and 44.6 percent. The low recoveries could be due to matrix effects of the soil. Zinc results for EX090104 and possibly other samples could be biased low because of these effects.

Explosives

There are no USEPA CLP guidelines governing the recoveries of explosive compounds. However, the protocol followed was that specified in the Fort Devens POP, Volume III Section A.6. The specification for explosive compound recoveries as stated in this document is that they must fall within 25 percent of the mean recovery for daily control spikes. Two water samples were collected from Group 5 for MS/MSD analysis of explosive compounds. The recoveries of all explosive compounds met this stipulation with the exception of 1,3,5-trinitrobenzene. The recoveries of one sample pair out of two were below the minimum recovery needed to meet the criteria. The sample was identified as WXG507XX. Recoveries for these samples were 45.3 percent and 44.4 percent. The other sample pair, MXMW08X1, had 1,3,5-trinitrobenzene recoveries of 82.9 percent and 78.9 percent. These recoveries are within the acceptable recovery range for this compound.

2.5 GROUP 5 DUPLICATES

Duplicate water and soil samples were collected from Group 5 study areas. The sample/duplicate results were used to measure sampling and analytical precision. Group 5 water samples and duplicates were analyzed for the following methodologies: inorganics, SVOCs, VOCs, explosives, nitrate/nitrite as nitrogen, total Kjeldahl nitrogen, total phosphates, chloride/sulfate ions, alkalinity, hardness, bicarbonate ion, TPHC and TSS. Group 5 duplicate soil samples were analyzed for the following: inorganics, SVOCs, VOCs, explosives and TPHC. Group 5 duplicate data is summarized in Table F-11.

USEPA Region I protocols were used to assess the RPDs of inorganics, SVOCs and VOCs. The protocols provided criteria to determine whether there was good precision of the data.

Inorganics

The following elements were included in both the soil and water methods used in Group 5 duplicate analyses: mercury (AEC methods JB01, SB01), selenium (AEC methods JD15, SD21), lead (AEC methods JD17, SD20), arsenic (AEC methods JD19,SD22), thallium (AEC methods JD24, SD09), antimony (AEC methods JD25, SD28) and silver, aluminum, barium, beryllium, calcium, cadmium, cobalt, chromium, copper, iron, potassium, magnesium, manganese, sodium, nickel, vanadium, zinc (AEC methods JS16, SS10).

Inorganic duplicate soil samples collected from Group 5 were SX210100, WXG50500 and EX090208. The USEPA Region I criteria for the RPD of duplicates for inorganic soils is 50 percent. The RPDs between samples and duplicates for most of the elements included in the inorganic soil methods were below this level. The RPD between results was greater than 50 percent (107.8 percent in SX210100), antimony (94.2 percent in EX090208), cadmium (70.1 percent in SX210100 and 80.9 percent in EX090208), potassium (59.9 percent in EX090208), manganese (54 percent in SX210100) and sodium (84.7 percent in WXG50500).

There is a significant difference in the results of the arsenic test for SX210100. Concentrations for the samples were reported at 8.99 $\mu g/g$ and 30 $\mu g/g$. A lack of homogeneous arsenic concentrations may explain for the disparity in the concentrations.

The 94.2 percent RPD calculated for antimony results in EX090208 exceeds the 50 percent USEPA CLP limit because the numbers are small enough that even a small difference between them could result in a high RPD calculation. Concentrations were reported at 3.03 $\mu g/g$ and < 1.090 $\mu g/g$. These are low levels of contamination for this element.

Cadmium concentrations of 1.510 $\mu g/g$ and 3.12 $\mu g/g$ were reported for SX210100. The cadmium concentrations of EX090208 were reported at 1.659 $\mu g/g$ and < 0.700 $\mu g/g$. The RPDs of these results are high for the same reasons explained in the discussion for antimony. The reported concentrations represent low level cadmium contamination for these samples and represent good agreement.

The RPD of manganese results for SX210100 exceeds the USEPA CLP limit by 4 percent. The precision shown in the detection of this element could be more of a reflection of the lack of even dispersal of manganese throughout the samples.

The RPD of sodium results for DXG50500 is 84.7 percent. The concentration in one of the sample pair was reported at < 100 $\mu g/g$. Conversely, a concentration of 247 $\mu g/g$ was detected in the duplicate. These results indicate enough of a difference to show inconsistency for the detection of this element.

MXMW13X1, WXG507XX and their associated duplicates were the Group 5 water samples analyzed for inorganics. The USEPA CLP guideline for the RPD between inorganic duplicate samples is 30 percent. The RPDs for the results of the duplicate pair of WXG507XX were all less than this 30 percent limit for all elements. The RPDs for the results of the duplicate pair of MXMW13X1 exceeded this limit in the analysis of the following elements: mercury (137.4 percent), lead (83 percent), arsenic (81.2 percent), aluminum (154.6 percent), barium (94.1 percent), chromium (72.5 percent), magnesium (111 percent) and manganese (97 percent). These results do not demonstrate good precision for the methods used for the detection of these elements.

SVOCs

AEC method LM18 was used to measure SVOCs in Group 5 soil samples. SX210100, DXG50500, EX090208 and their respective duplicates were used to determine if there was good agreement between the results. SVOC compounds were not reported above the respective CRLs for SX210100 and EX090208. The following SVOC compounds were found to be present in the sample/duplicate pair of DXG50500: fluoranthene, phenanthrene,

pyrene and several unknowns. The RPD for these results was greater than the USEPA CLP guideline of 50 percent for all of these compounds except phenanthrene for which the RPD was 47.6 percent. RPDs of 65 percent each were calculated for the fluoranthene and pyrene results. The results of six unknown compounds were reported for the sample pair of DXG50500. The range of RPDs, all of which exceeded the 50 percent USEPA limit, was from 65.2 percent to 163.2 percent.

AEC method UM18 was used to measure SVOC concentrations in Group 5 water samples. Two pairs of water samples from the group were used in this analysis; MXMW13X1, WXG507XX and their respective duplicates. The only compound detected above CRL in either sample pair was N,N-Diethyl-3-methylbenzamide. This compound was detected in both samples of WXG507XX. The concentrations were reported at 70 μg/L and 80 μg/L. The RPD of these results is 13.3 percent. This is well below the USEPA limit of 30 percent for organic water RPDs.

VOCs

AEC method LM19 was used to measure VOC concentration in Group 5 soil samples. Two sets of samples/duplicates were used in the method; DXG50500 and EX090208. There were no VOC compounds found in either of the EX090208 samples. The only VOC reported above CRL in the DXG50500 duplicate pair was acetone. Acetone was detected in both the sample and duplicate at 80 μg/g and 70 μg/g. As stated previously, acetone is a common laboratory contaminant. Although none was found using this method in method blanks, the probable cause of its presence is introduction at the laboratory. The RPD of these results was determined to be 10.8 percent. This is well below the USEPA CLP limit of 30 percent.

AEC method UM20 was used for VOC in water analysis. One sample/duplicate pair was used in this analysis; DXG50700. None of the VOCs were measured above CRL in this sample.

Explosives

AEC method LW12 was used to measure explosives in soils. One soil sample and duplicate were collected. This sample was identified as DXG50500. No explosive compounds were detected in either sample using this method.

AEC method UW32 was used to measure explosive compound concentrations in Group 5 water samples. Water samples submitted for this analysis were MXMW13X1, WXG507XX and their respective duplicates. None of the explosive compounds were found above CRL in any of the water samples analyzed.

Other Methods

Several other methods were used to determine sampling and analytical precision for Group 5 water and soil samples. There were no USEPA CLP guidelines available to measure the precision of the results. Professional judgment was used to determine whether there was good agreement between the sample and duplicate results.

One method that was used in the duplicate analysis of soil samples from Group 5 was TPHC. Three soil sample/duplicate pairs were collected for this analysis. These are SX210100, DXG50500 and EX090208. Petroleum contamination was found to be present in all six samples. The RPDs between sample and duplicate results were 12.9 percent for SX210100, 57.8 percent for DXG50500 and 1.9 percent for EX090208. The highest concentrations found in this set of samples were 5300 μg/g and 5200 μg/g reported for EX090208 and the duplicate, respectively.

Methods that were used in the duplicate analysis of water samples from Group 5 were nitrate/nitrite as nitrogen (AEC method TF22), total Kjeldahl nitrogen (AEC method TF26), total phosphates (AEC method TF27), chloride/sulfate ions (AEC method TT10), alkalinity, hardness, bicarbonate ion, TPHC and TSS.

MXMW13X1, WXG507XX and the corresponding duplicates were used for nitrate/nitrite as nitrogen in water analysis. Nitrogen compounds were detected in all four of these samples. Concentrations were reported at 40.4 μg/L and 66.8 μg/L for the MXMW13X1 sample pair. The RPD of these results is 49.3 percent. Concentrations of 860 μg/L and 910 μg/L were reported for the WXG507XX sample pair. The RPD for these results is 5.6 percent. Overall there was good reproducibility of the nitrogen results for these two pairs of water samples using this method.

MXMW13X1, WXG507XX and their duplicates were used also for total Kjeldahl nitrogen analysis. There was no nitrogen detected above CRL for MXMW13X1 and MDMW13X1. Concentrations of 1140 μg/L and 952 μg/L were measured in WXG507XX and

WDG507XX, respectively. The RPD of the WXG507XX results is 18 percent. The total Kjeldahl nitrogen concentrations agree between samples and the corresponding duplicates.

MXMW13X1, WXG507XX and their duplicates were also used for total phosphate measurements. Phosphates were found to be present in all four samples. Concentrations were measured at 248 $\mu g/L$ and 99 $\mu g/L$ for MXMW13X1 samples. The RPD of these results is 85.9 percent. This represents a significant difference in the values. The concentrations of phosphate in WXG507XX samples were 139 $\mu g/L$ and 148 $\mu g/L$. The RPD of these results is only 6.3 percent.

Chloride and sulfate ion concentrations were determined for MXMW13X1, WXG507XX and their respective duplicates. The RPD of the chloride results was 2.3 percent in MXMW13X1 and 0 percent in WXG507XX. The RPD of the sulfate results was 0 percent for MXMW13X1 and 0.8 percent for WXG507XX. There is excellent precision shown for the method in the detection of both ion concentrations.

Alkalinity analysis was completed on MXMW13X1 and WXG507XX. RPDs were calculated at 33.3 percent and 12.1 percent respectively for these samples. These RPDs represent good reproduction of the values for this parameter.

MXMW13X1, WXG507XX and the respective duplicates were used to determine agreement in hardness concentrations. The RPDs were 20 percent and 0 percent respectively for these sample pairs. The RPD values indicate good agreement in the results.

MXMW13X1 and its duplicate were analyzed for bicarbonate concentrations. Concentrations of 17100 $\mu g/L$ and 12200 $\mu g/L$ were obtained for these samples. The RPD was determined to be 33.4 percent.

The water samples MXMW13X1, WXG507XX and their corresponding duplicates were analyzed for TPHC concentrations. TPHC levels were below the CRL of 200 $\mu g/L$ for all four samples indicating that there was no petroleum contamination.

MXMW13X1, WXG507XX and their associated duplicates were collected and analyzed for TSS concentrations. The RPD was computed to be 147.6 percent for the MXMW13X1 pair and 83.3 percent for the WXG507XX set. The high RPD values for the results indicate a high degree of variability for the results.

2.6 GROUP 6 MATRIX SPIKES

The matrix spike data from Group 6 have been reviewed and are presented in Table F-12. Group 6 water and soil samples were spiked and analyzed for inorganics. USEPA CLP requirements and requirements specified in the Fort Devens POP were used to evaluate the recoveries of the applicable methods. Recovery values were used to assess the matrix effects manifested in Group 6 samples.

Inorganics

The following elements are included in the various methods used in the matrix spike analysis of inorganics for Group 6 soil and water samples: mercury (AEC methods JB01, SB01), Se (AEC methods JD15, SD21), lead (AEC methods JD17, SD20), arsenic (AEC methods JD19, SD22), thallium (AEC methods JD24, SD09), antimony (AEC methods JD25, SD28) and silver, aluminum, barium, beryllium, calcium, cadmium, cobalt, chromium, copper, iron, potassium, magnesium, manganese, sodium, nickel, vanadium, zinc (AEC methods JS16, SS10).

A total of ten Group 6 soil samples were spiked and analyzed using the various inorganic methods. Not all ten samples were tested for all elements. Refer to Table F-12 to see which samples were analyzed for particular methods.

The USEPA CLP advisory limits for inorganic recoveries is 100 percent $\pm$25 percent. The recoveries were within this range for all elements except arsenic, selenium, lead and antimony. Five MS/MSD soil samples were collected and analyzed for arsenic concentrations. These samples are BX310308, BX 310560, BXG60200, BXG60325 and DXG60400. The arsenic recoveries for three soil samples were not within the USEPA advisory limits. These samples are identified as BX310308, BX310560 and BXG60200. Arsenic recoveries for BX310308 were 110.7 percent and 61 percent. The concentration of arsenic in the unspiked sample of BX310308 was 7.02 μg/g. This represents a background level for the element that may have influenced the percent recovery measured in the MS/MSDs. The RPD of these values is 57.9 percent. The arsenic recoveries for BX310560 are 156.1 percent and 90 percent. The concentration of arsenic in the unspiked sample of BX310560 is 9.10 μg/g. The RPD of these values is 53.7 percent. The high RPDs associated with both of these MS/MSD pairs indicates a lack of precision for the method or more likely uneven dispersal of arsenic concentrations throughout the samples. The recoveries of MS/MSDs of BXG60200 exceeded the USEPA CLP advisory limit.

Recoveries were 208.7 percent and 184.9 percent. The unspiked sample had an arsenic concentration of 8.1 $\mu g/g$. Samples with similar matrices from Group 6 may have arsenic levels biased high based on the recoveries of BXG60200.

The same samples that were analyzed for arsenic were also analyzed for selenium. Two of those MS/MSD pairs, BX310560 and DXG60400, had recoveries that fell outside the USEPA range for inorganic recoveries. These samples are BX310560, DXG60400 and the respective MSDs. The recoveries of BX310560 were 127.7 percent and 124.6 percent. Selenium was not detected above CRL for the unspiked sample. The recoveries of DXG60400 were 49.6 percent and 45.8 percent. Sorptive qualities of the matrix for selenium could be responsible for the low recoveries.

There were eight soil samples from Group 6 spiked with lead for recovery analysis. These MS/MSD samples are BX310308, BX310560, BX500408, BX500915, BXG60200, BXG60325, BXG60855 and DXG60400. Of these samples, four had at least one recovery of the MS/MSD pair outside USEPA CLP limits. These samples are BX500408, BXG60200, BXG60325 and DXG60400. The recoveries of BX500408 were 78.4 percent and 73.3 percent. The low recovery could be a function of matrix interference but the value is so close to the USEPA CLP lower limit that it can not conclusively be attributed to that. The lead recoveries of BXG60200 are 165.4 percent and 154 percent. The lead concentration in the unspiked sample is 3.26 $\mu g/g$. Since the lead spike concentration is only 4.00 $\mu g/g$, the amount of lead in the unspiked sample could be enough to increase the amount recovered in the MS/MSD analysis. The recoveries of BXG60325 MS/MSDs are 133.3 percent and 109.2 percent. The recovery of one of these samples exceeds the USEPA CLP limit by 8.3 percent. This is not enough of an exceedance to conclusively attribute to matrix effects. The recoveries of DXG60400 are 91.8 percent and 62.4 percent. The RPD of these values is 39 percent.

There were three soil samples from Group 6 spiked with antimony for recovery analysis. These samples are BX300510, BXG60200 and DXG60400. All three samples had at least one of the MS/MSD recoveries below the USEPA CLP limit of 75 percent. These recoveries ranged from 71.7 percent to 73.6 percent. The recoveries of those samples falling within the USEPA limit were between 75 percent and 78.6 percent. Its obvious that whether due to matrix effects or processing at the laboratory the recoveries are consistently bordering the 75 percent USEPA limit. Antimony results therefore, may be biased slightly low for Group 6 soil samples.

Two Group 6 water samples were analyzed for inorganic spike recovery; MXG611X1 and WXG602XX. The MS/MSD recoveries of these water samples were within USEPA CLP limits for all elements except thallium, arsenic, and antimony. One sample, MXG611X1, was used for the analysis of these three elements. The thallium MS/MSD recoveries were 128 percent and 126 percent. Arsenic recoveries for the same sample pair are 130 percent and 129 percent. These recoveries just barely exceed the USEPA limit and do not indicate matrix interferences.

The recoveries of antimony for MXG611X1 are 166 percent and 165 percent. These recoveries indicate good precision with the RPD at 0.8 percent however the recoveries have exceeded USEPA CLP limits by roughly 40 percent. Antimony results for Group 6 may be biased high given this information.

2.7 GROUP 6 DUPLICATES

Duplicate soil samples were collected and analyzed from Group 6 study areas. Sample results were compared to duplicate results to determine how well they agreed. A measure of this agreement is provided through the calculation of the RPD. USEPA Region I protocols were used to evaluate the RPD values of inorganics, SVOCs and VOCs. The protocols provide limits for the RPDs that define the precision of the results. Duplicate results along with RPD values are presented in Table F-13.

Group 6 soil samples and duplicates were analyzed for the following methodologies: inorganics, SVOCs, VOCs, TOC and TPHC. No water samples/duplicates were analyzed from this group.

Inorganics

The following elements were included in the various inorganic methods used for Group 6 duplicate analysis: mercury (AEC method JB01), selenium (AEC method JD15), lead (AEC method JD17), arsenic (AEC method JD19), thallium (AEC method JD24), antimony (AEC method JD25) and silver, aluminum, barium, beryllium, calcium, cadmium, cobalt, chromium, copper, iron, potassium, magnesium, manganese, sodium, nickel, vanadium, zinc (AEC method JS16).

A total of seven different soil duplicate samples were analyzed for inorganics. These samples are BX300108, BX310515, BXG60340, BD500608, BXG60760, BXG61112 and BX310304. Not all of the sample duplicates were analyzed for all of the elements listed above. Refer to Table F-13 to see which sample/duplicate pair was analyzed for which elements.

The following elements were reported in all of the previously mentioned inorganic samples and duplicates at concentrations above CRL values: lead, arsenic, aluminum, barium, calcium, cobalt, chromium, copper, iron, potassium, magnesium, manganese, sodium, nickel, vanadium and zinc. Beryllium was detected in only one sample each of the BX310515 and BXG60340 pair. The USEPA Region I criteria for the RPD of duplicates for inorganic soils is 50 percent. This RPD was exceeded by at least one sample/duplicate pair of samples for the following elements: lead, aluminum, chromium, potassium, magnesium, nickel, vanadium, and zinc.

There was an RPD of 130.5 percent for the lead results of the BXG60760 sample pair. The concentrations of the two samples were 0.989 μg/g and 4.700 μg/g. The RPD for the difference in these samples is very high and as a result the precision is poor.

There was an RPD of 66.8 percent for the aluminum results of the BX310304 sample pair. Concentrations were reported at 5650 μg/g and 2820 μg/g. The calculated RPD exceeds the 50 percent USEPA Region I by roughly 17 percent. This indicates a lack of consistency of the results for this sample/duplicate pair.

The RPD of the sample/duplicate pair of BX310515 in the chromium analysis was 81.9 percent. The chromium concentrations were reported at 18.8 μg/g and 7.88 μg/g. An RPD of this magnitude represents poor precision. This should be taken into consideration during the review of chromium data for this sample.

The RPDs of the sample/duplicate pairs of BX310304 and BX310515 of potassium were 54.6 percent and 62.8 percent, respectively. Both samples were run in the lot YGZ. Both RPDs exceed the USEPA Region I limits.

The RPD of the sample duplicate pair BX310515 for magnesium is 72.1 percent. There was no precision shown by the laboratory for this method.

The RPD of the sample/duplicate pair BX310515 for nickel is 74 percent. An RPD of this magnitude indicates lack of agreement of the results. This should be taken into consideration with regards to nickel results for BX310515.

The RPD of the sample/duplicate pair of BX310515 for vanadium is 67.5 percent. The RPD value indicates that there is a big difference in concentrations for the samples. The sample concentrations of vanadium were reported at 4.32 μg/g and 8.72 μg/g.

There was an RPD of 53.6 percent calculated for the zinc results of the BX310515 sample pair. The zinc concentrations were reported at 26.5 μg/g and at 15.3 μg/g.

The sample/duplicate pair of BX310515 was responsible for seven out of eleven RPD exceedances. That statistic brands the inorganics results for this sample pair as the most unreliable of those reported. There is likely a reason for the lack of continuity of these results. A likely reason for it is the uneven distribution of the elements throughout the sample. Regardless of the reason the inorganics results for this sample need to be examined closely.

SVOCs

Three soil samples with their respective duplicates were submitted to determine agreement of concentrations of SVOC compounds. These samples are BX300108, BX310515 and BXG60340. AEC method LM18 was used to analyze these samples. There were no SVOC compounds reported above CRL in any of these sample pairs with the exception of pyrene detections in only one each of the BX300108 and BX310515 sets. Pyrene was reported at 0.080 μg/g and $<$ 0.033 μg/g for BX300108. The RPD of these results is 83.2 percent. Pyrene results of BX310515 are 0.074 μg/g and $<$ 0.200 μg/g. The RPD of these results is 92 percent. The RPDs reported indicate that the results for both sample pairs do not agree well.

One inconsistency was noted in the SVOC duplicate data. The CRL values are different for non detect results of these compounds. The values are not different from each other by any consistent order of magnitude eliminating the possibility of a dilution factor changing them. The errors could possibly be due to transcription errors. The laboratory is investigating the reason for the differing CRLs.

VOCs

There were five soil sample/duplicate pairs analyzed for VOCs. These samples are BX300108, BX310515, BXG60340, BXG60760 and BXG61112. AEC method LM19 was used to determine the VOC concentrations in these samples. USEPA Region I guidelines were used to make determinations as to whether there was agreement in the results between samples and their respective duplicates. The USEPA guideline for measuring precision for volatile organics in soils is an RPD of no more than 50 percent. Only two volatile compounds were detected in the analysis. These compounds were identified as toluene and hexane. Toluene was reported in BXG60340 at 0.002 μg/g and < 0.001 μg/g. This is 0.001 μg/g over the CRL of 0.001 μg/g. The RPD of the results is 66.7 percent. Toluene, although not found in any method LM19 method blanks, has been previously described as a laboratory contaminant. That is the likely source of its introduction into the sample. Hexane was detected in both samples of the sample/duplicate pair of BX310515 at 0.031 μg/g and 0.021 μg/g. The RPD of these results is 38.5 percent. Hexane has not been listed as a target compound for this method. Although it is not defined as a common laboratory contaminant in the USEPA SOW, hexane is commonly used as a solvent.

Other Methods

Other methods for which duplicate samples were analyzed include TOC and TPHC. No USEPA criteria were used to measure the RPDs of the results. A duplicate sample of BXG61112 was collected for TOC duplicate comparisons. The concentrations obtained were 661 μg/g and 303 μg/g. The RPD of these results is 74.3 percent.

Six samples along with their duplicates were analyzed for TPHC contamination. These samples are BXG6112, BX300108, BX310515, BD500608, BXG60340 and BXG60760. Low level petroleum contamination was reported in at least one of the sample pair for all samples. The RPDs for the samples ranged from 0.8 percent to 43.6 percent. For those samples reported as non-detect, the accompanying duplicate had TPHC concentrations very close to the CRL. The results indicate good precision for the method.

LABORATORY QC RESULTS

QA/QC BLANK RESULTS

Table F1
Summary of Detected Analytes in Quality Control Samples
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	MIN Value	MAX Value	Units	Frequency
	00	TPHC	4	31.2	UGG	14 / 22
		TSS	4000	4500	UGL	4 / 20
	99	ALK	5000	5000	UGL	2 / 10
PB IN SOIL BY GFAA	JD17	PB	.217	.334	UGG	14 / 14
METALS IN SOIL BY ICAP	JS16	AL	883	1870	UGG	10 / 10
METALS IN SOIL BY ICAP		BA	6.98	25.7	UGG	6 / 10
METALS IN SOIL BY ICAP		CA	10800	11200	UGG	10 / 10
METALS IN SOIL BY ICAP		CR	5.06	6.25	UGG	6 / 10
METALS IN SOIL BY ICAP		CU	1.78	2.09	UGG	10 / 10
METALS IN SOIL BY ICAP		FE	1610	1960	UGG	10 / 10
METALS IN SOIL BY ICAP		K	263	385	UGG	10 / 10
METALS IN SOIL BY ICAP		MG	1520	1680	UGG	10 / 10
METALS IN SOIL BY ICAP		MN	7.2	7.93	UGG	10 / 10
METALS IN SOIL BY ICAP		NA	2770	2920	UGG	10 / 10
METALS IN SOIL BY ICAP		NI	1.88	1.88	UGG	2 / 10
METALS IN SOIL BY ICAP		V	3.74	6.2	UGG	10 / 10
METALS IN SOIL BY ICAP		ZN	8.05	12.4	UGG	10 / 10
BNA'S IN SOIL BY GC/MS	LM18	12EPCH	.3	.4	UGG	10 / 10
BNA'S IN SOIL BY GC/MS		B2EHP	1.1	1.1	UGG	2 / 26
BNA'S IN SOIL BY GC/MS		MEC6H5	.2	.2	UGG	2 / 2
BNA'S IN SOIL BY GC/MS		MESTOX	.3	.4	UGG	12 / 12
BNA'S IN SOIL BY GC/MS		UNK528	.2	.2	UGG	2 / 2
BNA'S IN SOIL BY GC/MS		UNK648	.8	.8	UGG	2 / 2
BNA'S IN SOIL BY GC/MS		UNK649	.4	.9	UGG	12 / 12
BNA'S IN SOIL BY GC/MS		UNK650	.3	.5	UGG	8 / 8
BNA'S IN SOIL BY GC/MS		UNK659	.3	.6	UGG	14 / 14
VOC'S IN SOIL BY GC/MS	LM19	ACET	.036	.036	UGG	2 / 48
VOC'S IN SOIL BY GC/MS		CCL3F	.008	.008	UGG	4 / 48
VOC'S IN SOIL BY GC/MS		CHCL3	.002	.002	UGG	2 / 48

Table F1
Summary of Detected Analytes in Quality Control Samples
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	MIN Value	MAX Value	Units	Frequency
VOC'S IN SOIL BY GC/MS	LM19	UNK073	.05	.05	UGG	2 / 2
VOC'S IN SOIL BY GC/MS		UNK074	.008	.03	UGG	6 / 6
VOC'S IN SOIL BY GC/MS		UNK076	.005	.005	UGG	2 / 2
VOC'S IN SOIL BY GC/MS		UNK077	.006	.006	UGG	2 / 2
PB IN WATER BY GFAA	SD20	PB	1.6	1.8	UGL	4 / 12
METALS IN WATER BY ICAP	SS10	FE	143	143	UGL	2 / 12
METALS IN WATER BY ICAP		K	578	578	UGL	2 / 12
BNA'S IN WATER BY GC/MS	UM18	12EPCH	6	6	UGL	2 / 2
BNA'S IN WATER BY GC/MS		B2EHP	6.6	6.6	UGL	2 / 26
BNA'S IN WATER BY GC/MS		MESTOX	4	4	UGL	4 / 4
BNA'S IN WATER BY GC/MS		UNK543	6	6	UGL	2 / 2
VOC'S IN WATER BY GC/MS	UM20	111TCE	1.1	2.5	UGL	6 / 36
VOC'S IN WATER BY GC/MS		CHCL3	.5	1.3	UGL	16 / 36
VOC'S IN WATER BY GC/MS		MEC6H5	.5	.51	UGL	4 / 36

Table F2
Summary of Detected Analytes in Quality Control Samples
Installation: Fort Devens, MA (DV)
Groups: 3

RINSATE BLANKS

Method Description	USATHAMA Method Code	Test Name	MIN Value	MAX Value	Units	Frequency
	99	ALK	256000	256000	UGL	1 / 1
		HCO3	312000	312000	UGL	1 / 1
PB IN WATER BY GFAA	SD20	PB	9.44	14.6	UGL	2 / 7
METALS IN WATER BY ICAP	SS10	BA	7.21	11.1	UGL	2 / 7
METALS IN WATER BY ICAP		CA	1160	1160	UGL	1 / 7
METALS IN WATER BY ICAP		FE	48.2	149	UGL	5 / 7
METALS IN WATER BY ICAP		K	504	995	UGL	5 / 7
METALS IN WATER BY ICAP		MN	3.24	3.27	UGL	2 / 7
METALS IN WATER BY ICAP		ZN	105	105	UGL	1 / 7
NO2, NO3 IN WATER	TF22	NIT	22.7	22.7	UGL	1 / 1
BNA'S IN WATER BY GC/MS	UM18	UNK540	4	4	UGL	1 / 1
BNA'S IN WATER BY GC/MS		UNK630	70	70	UGL	1 / 1
BNA'S IN WATER BY GC/MS		UNK631	5	5	UGL	1 / 1
VOC'S IN WATER BY GC/MS	UM20	111TCE	1.3	3.5	UGL	7 / 8
VOC'S IN WATER BY GC/MS		CH2CL2	10	10	UGL	2 / 8
VOC'S IN WATER BY GC/MS		CHCL3	.51	1.2	UGL	5 / 8
VOC'S IN WATER BY GC/MS		UNK134	20	20	UGL	1 / 1

Table F3
Summary of Detected Analytes in Quality Control Samples
Installation: Fort Devens, MA (DV)
Groups: 3

TRIP BLANKS

Method Description	USATHAMA Method Code	Test Name	MIN Value	MAX Value	Units	Frequency
VOC'S IN WATER BY GC/MS	UM20	CH2CL2	2.64	4.7	UGL	4 / 6
VOC'S IN WATER BY GC/MS		UNK134	10	20	UGL	2 / 2
VOC'S IN WATER BY GC/MS		UNK178	30	30	UGL	1 / 1

Table F4
Summary of Detected Analytes in Quality Control Samples
Installation: Fort Devens, MA (DV)
Groups: 5

RINSATE BLANKS

Method Description	USATHAMA Method Code	Test Name	MIN Value	MAX Value	Units	Frequency
	00	HARD	12000	12000	UGL	1 / 1
	99	ALK	22000	22000	UGL	1 / 1
		HCO3	26800	26800	UGL	1 / 1
METALS IN WATER BY ICAP	SS10	CA	6630	6630	UGL	1 / 2
METALS IN WATER BY ICAP		CU	20.1	20.1	UGL	1 / 2
METALS IN WATER BY ICAP		FE	71.5	71.5	UGL	1 / 2
METALS IN WATER BY ICAP		K	1100	1100	UGL	1 / 2
METALS IN WATER BY ICAP		MG	1730	1730	UGL	1 / 2
METALS IN WATER BY ICAP		MN	3.23	3.23	UGL	1 / 2
METALS IN WATER BY ICAP		NA	2730	2730	UGL	1 / 2
METALS IN WATER BY ICAP		ZN	25.8	25.8	UGL	1 / 2
NO2, NO3 IN WATER	TF22	NIT	320	320	UGL	1 / 1

Table F5
Summary of Detected Analytes in Quality Control Samples
Installation: Fort Devens, MA (DV)
Groups: 5

TRIP BLANKS

Method Description	USATHAMA Method Code	Test Name	MIN Value	MAX Value	Units	Frequency
VOC'S IN WATER BY GC/MS	UM20	CH2CL2	4	8.6	UGL	4 / 10
VOC'S IN WATER BY GC/MS		UNK133	10	10	UGL	1 / 1

Table F6
Summary of Detected Analytes in Quality Control Samples
Installation: Fort Devens, MA (DV)
Groups: 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	Test Name	MIN Value	MAX Value	Units	Frequency
	00	ALK	31000	31000	UGL	1 / 1
PB IN WATER BY GFAA	SD20	PB	8.68	8.68	UGL	1 / 4
METALS IN WATER BY ICAP	SS10	FE	85.5	85.5	UGL	1 / 2
METALS IN WATER BY ICAP		MN	3.2	3.2	UGL	1 / 2
VOC'S IN WATER BY GC/MS	UM20	111TCE	2.77	2.77	UGL	1 / 4
VOC'S IN WATER BY GC/MS		CHCL3	1.64	1.64	UGL	1 / 4
VOC'S IN WATER BY GC/MS		MEC6H5	.912	.912	UGL	1 / 4
VOC'S IN WATER BY GC/MS		UNK210	6	6	UGL	1 / 1

Table F7
Summary of Detected Analytes in Quality Control Samples
Installation: Fort Devens, MA (DV)
Groups: 6

TRIP BLANKS

Method Description	USATHAMA Method Code	Test Name	MIN Value	MAX Value	Units	Frequency
VOC'S IN WATER BY GC/MS	UM20	CH2CL2	3.2	3.8	UGL	3 / 10
VOC'S IN WATER BY GC/MS		UNK177	10	10	UGL	1 / 1

QA/QC DUPLICATE RESULTS

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
	00	TPHC	BX440605	AGT	07-JUL-1992	30-JUL-1992		7680.000	UGG	4.9
	00	TPHC	BD440605	AGT	07-JUL-1992	30-JUL-1992		7310.000	UGG	4.9
	00	TPHC	BX520605	AGB	30-JUN-1992	27-JUL-1992		58.300	UGG	18.4
	00	TPHC	BD520605	AGB	30-JUN-1992	27-JUL-1992		48.500	UGG	18.4
	00	TPHC	MXG303X1	AYT	29-JUL-1992	12-AUG-1992	<	200.000	UGL	.0
	00	TPHC	MXG303X1	AYT	28-JUL-1992	12-AUG-1992	<	200.000	UGL	.0
	00	TSS	MXG303X1	ALT	28-JUL-1992	04-AUG-1992	<	4000.000	UGL	.0
	00	TSS	MXG303X1	AGV	29-JUL-1992	31-JUL-1992		4000.000	UGL	.0
	99	ALK	MXG303X1	ASL	29-JUL-1992	12-AUG-1992		230000.000	UGL	162.2
	99	ALK	MXG303X1	ASJ	28-JUL-1992	09-AUG-1992		24000.000	UGL	162.2
	99	HCO3	MXG303X1	ASL	29-JUL-1992	12-AUG-1992		281000.000	UGL	162.2
	99	HCO3	MXG303X1	ASJ	28-JUL-1992	09-AUG-1992		29300.000	UGL	162.2
	JB01	HG	BD440605	ZQO	07-JUL-1992	21-JUL-1992	<	0.050	UGG	.0
	JB01	HG	BX440605	ZQO	07-JUL-1992	21-JUL-1992	<	0.050	UGG	.0
	JB01	HG	BX520605	ZQM	30-JUN-1992	23-JUL-1992	<	0.050	UGG	.0
	JB01	HG	BD520605	ZQM	30-JUN-1992	23-JUL-1992	<	0.050	UGG	.0
SE IN SOIL BY GFAA	JD15	SE	BD440605	ZSL	07-JUL-1992	05-AUG-1992	<	0.250	UGG	.0
SE IN SOIL BY GFAA	JD15	SE	BX440605	ZSL	07-JUL-1992	05-AUG-1992	<	0.250	UGG	.0
SE IN SOIL BY GFAA	JD15	SE	BX520605	ZSJ	30-JUN-1992	05-AUG-1992	<	0.250	UGG	.0
SE IN SOIL BY GFAA	JD15	SE	BD520605	ZSJ	30-JUN-1992	05-AUG-1992	<	0.250	UGG	.0
PB IN SOIL BY GFAA	JD17	PB	BX440605	ZXF	07-JUL-1992	06-AUG-1992		5.120	UGG	15.1
PB IN SOIL BY GFAA	JD17	PB	BD440605	ZXF	07-JUL-1992	06-AUG-1992		4.400	UGG	15.1
PB IN SOIL BY GFAA	JD17	PB	BX520605	ZXD	30-JUN-1992	05-AUG-1992		8.100	UGG	25.5
PB IN SOIL BY GFAA	JD17	PB	BD520605	ZXD	30-JUN-1992	05-AUG-1992		6.270	UGG	25.5
AS IN SOIL BY GFAA	JD19	AS	BX440605	ZIX	07-JUL-1992	06-AUG-1992		11.500	UGG	11.0
AS IN SOIL BY GFAA	JD19	AS	BD440605	ZIX	07-JUL-1992	06-AUG-1992		10.300	UGG	11.0
AS IN SOIL BY GFAA	JD19	AS	BD520605	ZIT	30-JUN-1992	05-AUG-1992		19.000	UGG	17.1
AS IN SOIL BY GFAA	JD19	AS	BX520605	ZIT	30-JUN-1992	05-AUG-1992		16.000	UGG	17.1
TL IN SOIL BY GFAA	JD24	TL	BX440605	ZLE	07-JUL-1992	06-AUG-1992	<	0.500	UGG	.0
TL IN SOIL BY GFAA	JD24	TL	BD440605	ZLE	07-JUL-1992	06-AUG-1992	<	0.500	UGG	.0
TL IN SOIL BY GFAA	JD24	TL	BD520605	ZLD	30-JUN-1992	05-AUG-1992	<	0.500	UGG	.0
TL IN SOIL BY GFAA	JD24	TL	BX520605	ZLD	30-JUN-1992	05-AUG-1992	<	0.500	UGG	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
SB IN SOIL BY GFAA	JD25	SB	BX440605	ZME	07-JUL-1992	06-AUG-1992	<	1.090	UGG	.0
SB IN SOIL BY GFAA	JD25	SB	BD440605	ZME	07-JUL-1992	06-AUG-1992	<	1.090	UGG	.0
SB IN SOIL BY GFAA	JD25	SB	BX520605	ZMD	30-JUN-1992	05-AUG-1992	<	1.090	UGG	.0
SB IN SOIL BY GFAA	JD25	SB	BD520605	ZMD	30-JUN-1992	05-AUG-1992	<	1.090	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	BX440605	ZJP	07-JUL-1992	23-JUL-1992	<	0.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	BD440605	ZJP	07-JUL-1992	23-JUL-1992	<	0.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	BX520605	ZJN	30-JUN-1992	21-JUL-1992	<	0.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	BD520605	ZJN	30-JUN-1992	21-JUL-1992	<	0.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AL	BX440605	ZJP	07-JUL-1992	23-JUL-1992		5040.000	UGG	4.5
METALS IN SOIL BY ICAP	JS16	AL	BD440605	ZJP	07-JUL-1992	23-JUL-1992		4820.000	UGG	4.5
METALS IN SOIL BY ICAP	JS16	AL	BX520605	ZJN	30-JUN-1992	21-JUL-1992		5160.000	UGG	16.1
METALS IN SOIL BY ICAP	JS16	AL	BD520605	ZJN	30-JUN-1992	21-JUL-1992		4390.000	UGG	16.1
METALS IN SOIL BY ICAP	JS16	BA	BD440605	ZJP	07-JUL-1992	23-JUL-1992		15.900	UGG	7.8
METALS IN SOIL BY ICAP	JS16	BA	BX440605	ZJP	07-JUL-1992	23-JUL-1992		14.700	UGG	7.8
METALS IN SOIL BY ICAP	JS16	BA	BX520605	ZJN	30-JUN-1992	21-JUL-1992		21.000	UGG	7.4
METALS IN SOIL BY ICAP	JS16	BA	BD520605	ZJN	30-JUN-1992	21-JUL-1992		19.500	UGG	7.4
METALS IN SOIL BY ICAP	JS16	BE	BX440605	ZJP	07-JUL-1992	23-JUL-1992	<	0.500	UGG	.0
METALS IN SOIL BY ICAP	JS16	BE	BD440605	ZJP	07-JUL-1992	23-JUL-1992	<	0.500	UGG	.0
METALS IN SOIL BY ICAP	JS16	BE	BD520605	ZJN	30-JUN-1992	21-JUL-1992		0.628	UGG	22.7
METALS IN SOIL BY ICAP	JS16	BE	BX520605	ZJN	30-JUN-1992	21-JUL-1992	<	0.500	UGG	22.7
METALS IN SOIL BY ICAP	JS16	CA	BD440605	ZJP	07-JUL-1992	23-JUL-1992		249.000	UGG	15.1
METALS IN SOIL BY ICAP	JS16	CA	BX440605	ZJP	07-JUL-1992	23-JUL-1992		214.000	UGG	15.1
METALS IN SOIL BY ICAP	JS16	CA	BX520605	ZJN	30-JUN-1992	21-JUL-1992		439.000	UGG	12.8
METALS IN SOIL BY ICAP	JS16	CA	BD520605	ZJN	30-JUN-1992	21-JUL-1992		386.000	UGG	12.8
METALS IN SOIL BY ICAP	JS16	CD	BX440605	ZJP	07-JUL-1992	23-JUL-1992	<	0.700	UGG	.0
METALS IN SOIL BY ICAP	JS16	CD	BD440605	ZJP	07-JUL-1992	23-JUL-1992	<	0.700	UGG	.0
METALS IN SOIL BY ICAP	JS16	CD	BX520605	ZJN	30-JUN-1992	21-JUL-1992	<	0.700	UGG	.0
METALS IN SOIL BY ICAP	JS16	CD	BD520605	ZJN	30-JUN-1992	21-JUL-1992	<	0.700	UGG	.0
METALS IN SOIL BY ICAP	JS16	CO	BD440605	ZJP	07-JUL-1992	23-JUL-1992		3.330	UGG	20.9
METALS IN SOIL BY ICAP	JS16	CO	BX440605	ZJP	07-JUL-1992	23-JUL-1992		2.700	UGG	20.9
METALS IN SOIL BY ICAP	JS16	CO	BX520605	ZJN	30-JUN-1992	21-JUL-1992		4.350	UGG	10.9
METALS IN SOIL BY ICAP	JS16	CO	BD520605	ZJN	30-JUN-1992	21-JUL-1992		3.900	UGG	10.9
METALS IN SOIL BY ICAP	JS16	CR	BD440605	ZJP	07-JUL-1992	23-JUL-1992		10.600	UGG	4.8
METALS IN SOIL BY ICAP	JS16	CR	BX440605	ZJP	07-JUL-1992	23-JUL-1992		10.100	UGG	4.8
METALS IN SOIL BY ICAP	JS16	CR	BX520605	ZJN	30-JUN-1992	21-JUL-1992		15.200	UGG	13.3

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN SOIL BY ICAP	JS16	CR	BD520605	ZJN	30-JUN-1992	21-JUL-1992		13.300	UGG	13.3
METALS IN SOIL BY ICAP	JS16	CU	BD440605	ZJP	07-JUL-1992	23-JUL-1992		6.720	UGG	1.5
METALS IN SOIL BY ICAP	JS16	CU	BX440605	ZJP	07-JUL-1992	23-JUL-1992		6.620	UGG	1.5
METALS IN SOIL BY ICAP	JS16	CU	BD520605	ZJN	30-JUN-1992	21-JUL-1992		9.140	UGG	.3
METALS IN SOIL BY ICAP	JS16	CU	BX520605	ZJN	30-JUN-1992	21-JUL-1992		9.110	UGG	.3
METALS IN SOIL BY ICAP	JS16	FE	BX440605	ZJP	07-JUL-1992	23-JUL-1992		8400.000	UGG	10.5
METALS IN SOIL BY ICAP	JS16	FE	BD440605	ZJP	07-JUL-1992	23-JUL-1992		7560.000	UGG	10.5
METALS IN SOIL BY ICAP	JS16	FE	BX520605	ZJN	30-JUN-1992	21-JUL-1992		7910.000	UGG	15.7
METALS IN SOIL BY ICAP	JS16	FE	BD520605	ZJN	30-JUN-1992	21-JUL-1992		6760.000	UGG	15.7
METALS IN SOIL BY ICAP	JS16	K	BX440605	ZJP	07-JUL-1992	23-JUL-1992		395.000	UGG	15.6
METALS IN SOIL BY ICAP	JS16	K	BD440605	ZJP	07-JUL-1992	23-JUL-1992		338.000	UGG	15.6
METALS IN SOIL BY ICAP	JS16	K	BX520605	ZJN	30-JUN-1992	21-JUL-1992		912.000	UGG	6.1
METALS IN SOIL BY ICAP	JS16	K	BD520605	ZJN	30-JUN-1992	21-JUL-1992		858.000	UGG	6.1
METALS IN SOIL BY ICAP	JS16	MG	BX440605	ZJP	07-JUL-1992	23-JUL-1992		1890.000	UGG	2.7
METALS IN SOIL BY ICAP	JS16	MG	BD440605	ZJP	07-JUL-1992	23-JUL-1992		1840.000	UGG	2.7
METALS IN SOIL BY ICAP	JS16	MG	BX520605	ZJN	30-JUN-1992	21-JUL-1992		2590.000	UGG	19.5
METALS IN SOIL BY ICAP	JS16	MG	BD520605	ZJN	30-JUN-1992	21-JUL-1992		2130.000	UGG	19.5
METALS IN SOIL BY ICAP	JS16	MN	BX440605	ZJP	07-JUL-1992	23-JUL-1992		148.000	UGG	22.6
METALS IN SOIL BY ICAP	JS16	MN	BD440605	ZJP	07-JUL-1992	23-JUL-1992		118.000	UGG	22.6
METALS IN SOIL BY ICAP	JS16	MN	BX520605	ZJN	30-JUN-1992	21-JUL-1992		162.000	UGG	8.4
METALS IN SOIL BY ICAP	JS16	MN	BD520605	ZJN	30-JUN-1992	21-JUL-1992		149.000	UGG	8.4
METALS IN SOIL BY ICAP	JS16	NA	BD440605	ZJP	07-JUL-1992	23-JUL-1992		152.000	UGG	9.7
METALS IN SOIL BY ICAP	JS16	NA	BX440605	ZJP	07-JUL-1992	23-JUL-1992		138.000	UGG	9.7
METALS IN SOIL BY ICAP	JS16	NA	BX520605	ZJN	30-JUN-1992	21-JUL-1992		165.000	UGG	9.5
METALS IN SOIL BY ICAP	JS16	NA	BD520605	ZJN	30-JUN-1992	21-JUL-1992		150.000	UGG	9.5
METALS IN SOIL BY ICAP	JS16	NI	BD440605	ZJP	07-JUL-1992	23-JUL-1992		9.930	UGG	4.2
METALS IN SOIL BY ICAP	JS16	NI	BX440605	ZJP	07-JUL-1992	23-JUL-1992		9.520	UGG	4.2
METALS IN SOIL BY ICAP	JS16	NI	BX520605	ZJN	30-JUN-1992	21-JUL-1992		14.200	UGG	11.2
METALS IN SOIL BY ICAP	JS16	NI	BD520605	ZJN	30-JUN-1992	21-JUL-1992		12.700	UGG	11.2
METALS IN SOIL BY ICAP	JS16	V	BD440605	ZJP	07-JUL-1992	23-JUL-1992		7.640	UGG	12.4
METALS IN SOIL BY ICAP	JS16	V	BX440605	ZJP	07-JUL-1992	23-JUL-1992		6.750	UGG	12.4
METALS IN SOIL BY ICAP	JS16	V	BX520605	ZJN	30-JUN-1992	21-JUL-1992		10.200	UGG	16.9
METALS IN SOIL BY ICAP	JS16	V	BD520605	ZJN	30-JUN-1992	21-JUL-1992		8.610	UGG	16.9
METALS IN SOIL BY ICAP	JS16	ZN	BX440605	ZJP	07-JUL-1992	23-JUL-1992		18.800	UGG	2.7
METALS IN SOIL BY ICAP	JS16	ZN	BD440605	ZJP	07-JUL-1992	23-JUL-1992		18.300	UGG	2.7
METALS IN SOIL BY ICAP	JS16	ZN	BX520605	ZJN	30-JUN-1992	21-JUL-1992		21.400	UGG	10.8
METALS IN SOIL BY ICAP	JS16	ZN	BD520605	ZJN	30-JUN-1992	21-JUL-1992		19.200	UGG	10.8

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.200	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.080	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.600	UGG	100.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.200	UGG	100.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.500	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	12DPH	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.200	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.600	UGG	66.7
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.300	UGG	66.7
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.490	UGG	84.1
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.200	UGG	84.1
BNA'S IN SOIL BY GC/MS	LM18	1MNAP	BX440605	ZNS	07-JUL-1992	31-JUL-1992		20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	1MNAP	BD440605	ZNS	07-JUL-1992	31-JUL-1992		20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.500	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	245TCP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.200	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	246TCP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.800	UGG	90.9
BNA'S IN SOIL BY GC/MS	LM18	246TCP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.300	UGG	90.9
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.900	UGG	76.9
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.400	UGG	76.9
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	7.000	UGG	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	7.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	3.450	UGG	110.1
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	1.000	UGG	110.1
BNA'S IN SOIL BY GC/MS	LM18	24DNP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	6.000	UGG	100.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	2.000	UGG	100.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.700	UGG	80.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.300	UGG	80.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.425	UGG	72.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.200	UGG	72.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.300	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.120	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.180	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.072	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	BX440605	ZNS	07-JUL-1992	31-JUL-1992		30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	BD440605	ZNS	07-JUL-1992	31-JUL-1992		30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.245	UGG	84.1
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.100	UGG	84.1
BNA'S IN SOIL BY GC/MS	LM18	2MP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.145	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	2MP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.058	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.310	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.124	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	2NP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	2NP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.700	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	2NP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.280	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	60.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	60.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	31.500	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	12.600	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.250	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.900	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.750	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	1.100	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.165	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.066	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	4.050	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	1.620	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.475	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.190	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.165	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.066	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	4MP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4MP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4MP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	1.200	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	4MP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.480	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.050	UGG	85.7

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.820	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	4NP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	7.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	4NP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	2.800	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	ABHC	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ABHC	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ABHC	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	ABHC	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.600	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.600	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	3.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	1.200	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.600	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.180	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.072	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.165	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.066	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.165	UGG	14.3
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	BX520605	ZNM	30-JUN-1992	24-JUL-1992		0.143	UGG	14.3
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.295	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.118	UGG	85.7

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	1.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.400	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.165	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.066	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	3.100	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	1.240	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.800	UGG	68.7
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	BX520605	ZNM	30-JUN-1992	24-JUL-1992		0.391	UGG	68.7
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	1.250	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.500	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	1.050	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.420	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	BBHC	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	BBHC	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.600	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	BBZP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBZP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBZP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.800	UGG	80.7
BNA'S IN SOIL BY GC/MS	LM18	BBZP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.340	UGG	80.7
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	3.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	1.200	UGG	85.7

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	BENZID	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	9.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	9.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	4.000	UGG	75.9
BNA'S IN SOIL BY GC/MS	LM18	BENZID	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	1.800	UGG	75.9
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	60.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	60.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	30.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	12.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	1.250	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.500	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.700	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.700	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	BX520605	ZNM	30-JUN-1992	24-JUL-1992		0.430	UGG	26.3
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.330	UGG	26.3
BNA'S IN SOIL BY GC/MS	LM18	BZALC	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	10.000	UGG	185.4
BNA'S IN SOIL BY GC/MS	LM18	BZALC	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.380	UGG	185.4
BNA'S IN SOIL BY GC/MS	LM18	C12	BX440605	ZNS	07-JUL-1992	31-JUL-1992		100.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	C12	BD440605	ZNS	07-JUL-1992	31-JUL-1992		100.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	C13	BD440605	ZNS	07-JUL-1992	31-JUL-1992		100.000	UGG	22.2
BNA'S IN SOIL BY GC/MS	LM18	C13	BX440605	ZNS	07-JUL-1992	31-JUL-1992		80.000	UGG	22.2
BNA'S IN SOIL BY GC/MS	LM18	C14	BX440605	ZNS	07-JUL-1992	31-JUL-1992		200.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	C14	BD440605	ZNS	07-JUL-1992	31-JUL-1992		200.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	C15	BD440605	ZNS	07-JUL-1992	31-JUL-1992		100.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	C15	BX440605	ZNS	07-JUL-1992	31-JUL-1992		100.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	C16	BX440605	ZNS	07-JUL-1992	31-JUL-1992		80.000	UGG	13.3
BNA'S IN SOIL BY GC/MS	LM18	C16	BD440605	ZNS	07-JUL-1992	31-JUL-1992		70.000	UGG	13.3
BNA'S IN SOIL BY GC/MS	LM18	C17	BD440605	ZNS	07-JUL-1992	31-JUL-1992		30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	C17	BX440605	ZNS	07-JUL-1992	31-JUL-1992		30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.165	UGG	85.7

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.066	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	CHRY	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	BX520605	ZNM	30-JUN-1992	24-JUL-1992		0.761	UGG	23.7
BNA'S IN SOIL BY GC/MS	LM18	CHRY	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.600	UGG	23.7
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.165	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.066	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	60.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	60.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	31.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	12.400	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.800	UGG	90.9
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.300	UGG	90.9
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	1.050	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.420	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	DBHC	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	DBHC	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.600	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	BX440605	ZNS	07-JUL-1992	31-JUL-1992		0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	BD440605	ZNS	07-JUL-1992	31-JUL-1992		0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.175	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.070	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	DEP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	1.200	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	DEP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.480	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.600	UGG	107.7

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	DMP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.800	UGG	80.7
BNA'S IN SOIL BY GC/MS	LM18	DMP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.340	UGG	80.7
BNA'S IN SOIL BY GC/MS	LM18	DNBP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.305	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	DNBP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.122	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	DNOP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	10.000	UGG	185.4
BNA'S IN SOIL BY GC/MS	LM18	DNOP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.380	UGG	185.4
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	66.7
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	1.000	UGG	66.7
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	66.7
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	1.000	UGG	66.7
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	66.7
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	1.000	UGG	66.7
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	3.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	1.200	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	FANT	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.700	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FANT	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.700	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FANT	BX520605	ZNM	30-JUN-1992	24-JUL-1992		1.920	UGG	139.8
BNA'S IN SOIL BY GC/MS	LM18	FANT	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.340	UGG	139.8
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	BX440605	ZNS	07-JUL-1992	31-JUL-1992		1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	BD440605	ZNS	07-JUL-1992	31-JUL-1992		1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.165	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.066	UGG	85.7

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.600	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	HCBD	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	1.150	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	HCBD	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.460	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	HPCL	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.500	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	HPCL	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.200	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.600	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	1.450	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.580	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.165	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.066	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	LIN	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	LIN	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.600	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.600	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	NAP	BX440605	ZNS	07-JUL-1992	31-JUL-1992		6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	BD440605	ZNS	07-JUL-1992	31-JUL-1992		6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.185	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	NAP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.074	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	NB	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.400	UGG	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	NB	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.225	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	NB	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.090	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.500	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.200	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	1.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.400	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	10.000	UGG	185.4
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.380	UGG	185.4
BNA'S IN SOIL BY GC/MS	LM18	PCB016	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	5.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	PCB016	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	2.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	PCB221	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	5.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	PCB221	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	2.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	PCB232	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	5.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	PCB232	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	2.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	PCB242	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	5.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	PCB242	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	2.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	PCB248	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	10.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	PCB248	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	4.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	PCB254	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB254	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	20.000	UGG	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	PCB254	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	10.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	PCB254	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	4.000	UGG	85.7
BNA'S IN SOIL BY GC/MS	LM18	PCB260	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	20.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	PCB260	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	6.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	PCP	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	6.000	UGG	79.1
BNA'S IN SOIL BY GC/MS	LM18	PCP	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	2.600	UGG	79.1
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	BX440605	ZNS	07-JUL-1992	31-JUL-1992		0.900	UGG	40.0
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	BD440605	ZNS	07-JUL-1992	31-JUL-1992		0.600	UGG	40.0
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	BX520605	ZNM	30-JUN-1992	24-JUL-1992		1.280	UGG	154.3
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.165	UGG	154.3
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.600	UGG	92.7
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.220	UGG	92.7
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.600	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.600	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	2.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	0.600	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	PYR	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	BX520605	ZNM	30-JUN-1992	24-JUL-1992		1.000	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	PYR	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	0.165	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	BX440605	ZNS	07-JUL-1992	31-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	BD440605	ZNS	07-JUL-1992	31-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	BD520605	ZNL	30-JUN-1992	28-JUL-1992	<	20.000	UGG	107.7

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	BX520605	ZNM	30-JUN-1992	24-JUL-1992	<	6.000	UGG	107.7
BNA'S IN SOIL BY GC/MS	LM18	UNK552	BX440605	ZNS	07-JUL-1992	31-JUL-1992		70.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK552	BD440605	ZNS	07-JUL-1992	31-JUL-1992		70.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK557	BD440605	ZNS	07-JUL-1992	31-JUL-1992		20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK557	BX440605	ZNS	07-JUL-1992	31-JUL-1992		20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK558	BX440605	ZNS	07-JUL-1992	31-JUL-1992		20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK558	BD440605	ZNS	07-JUL-1992	31-JUL-1992		20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK562	BD440605	ZNS	07-JUL-1992	31-JUL-1992		30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK562	BX440605	ZNS	07-JUL-1992	31-JUL-1992		30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK563	BX440605	ZNS	07-JUL-1992	31-JUL-1992		20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK563	BD440605	ZNS	07-JUL-1992	31-JUL-1992		20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK565	BD440605	ZNS	07-JUL-1992	31-JUL-1992		20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK565	BX440605	ZNS	07-JUL-1992	31-JUL-1992		20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK566	BX440605	ZNS	07-JUL-1992	31-JUL-1992		30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK566	BD440605	ZNS	07-JUL-1992	31-JUL-1992		30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK567	BD440605	ZNS	07-JUL-1992	31-JUL-1992		30.000	UGG	40.0
BNA'S IN SOIL BY GC/MS	LM18	UNK567	BX440605	ZNS	07-JUL-1992	31-JUL-1992		20.000	UGG	40.0
BNA'S IN SOIL BY GC/MS	LM18	UNK571	BX440605	ZNS	07-JUL-1992	31-JUL-1992		20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK571	BD440605	ZNS	07-JUL-1992	31-JUL-1992		20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK574	BD440605	ZNS	07-JUL-1992	31-JUL-1992		60.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK574	BX440605	ZNS	07-JUL-1992	31-JUL-1992		60.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK579	BX440605	ZNS	07-JUL-1992	31-JUL-1992		30.000	UGG	40.0
BNA'S IN SOIL BY GC/MS	LM18	UNK579	BD440605	ZNS	07-JUL-1992	31-JUL-1992		20.000	UGG	40.0
BNA'S IN SOIL BY GC/MS	LM18	UNK580	BD440605	ZNS	07-JUL-1992	31-JUL-1992		70.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK580	BX440605	ZNS	07-JUL-1992	31-JUL-1992		70.000	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.020	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.020	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.004	UGG	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.030	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.030	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.020	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.020	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.020	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.020	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.008	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.008	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.050	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.050	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.010	UGG	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.080	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.080	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.500	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.500	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.500	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.500	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.020	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.020	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.020	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.020	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.030	UGG	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.030	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.060	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.060	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.008	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.008	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.030	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.030	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.040	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.040	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.060	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.060	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.030	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.030	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.006	UGG	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.040	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.040	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.030	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.030	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.500	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.500	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.020	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.020	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.020	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.020	UGG	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BD440605	ZTU	07-JUL-1992	21-JUL-1992		0.500	UGG	193.7
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.008	UGG	193.7
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BD440605	ZTU	07-JUL-1992	21-JUL-1992		0.050	UGG	170.4
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.004	UGG	170.4
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.400	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.400	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.200	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.200	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BD440605	ZTU	07-JUL-1992	21-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BX440605	ZTN	07-JUL-1992	17-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BD440605	ZTU	07-JUL-1992	21-JUL-1992		4.000	UGG	196.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BX440605	ZTN	07-JUL-1992	17-JUL-1992		0.040	UGG	196.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BX520400	ZTJ	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BD520400	ZTM	30-JUN-1992	13-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BD520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BX520605	ZTK	30-JUN-1992	08-JUL-1992	<	0.002	UGG	.0
HG IN WATER BY CVAA	SB01	HG	MXG303X1	YVX	28-JUL-1992	05-AUG-1992	<	0.243	UGL	.0
HG IN WATER BY CVAA	SB01	HG	MXG303X1	YVX	29-JUL-1992	05-AUG-1992	<	0.243	UGL	.0
TL IN WATER BY GFAA	SD09	TL	MXG303X1	ZKI	29-JUL-1992	13-AUG-1992	<	6.990	UGL	.0
TL IN WATER BY GFAA	SD09	TL	MXG303X1	ZKI	28-JUL-1992	13-AUG-1992	<	6.990	UGL	.0
PB IN WATER BY GFAA	SD20	PB	MXG303X1	ZUI	28-JUL-1992	10-AUG-1992		2.390	UGL	26.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
PB IN WATER BY GFAA	SD20	PB	MXG303X1	ZUI	29-JUL-1992	10-AUG-1992		1.840	UGL	26.0
SE IN WATER BY GFAA	SD21	SE	MXG303X1	ZGO	29-JUL-1992	08-AUG-1992	<	3.020	UGL	.0
SE IN WATER BY GFAA	SD21	SE	MXG303X1	ZGO	28-JUL-1992	08-AUG-1992	<	3.020	UGL	.0
AS IN WATER BY GFAA	SD22	AS	MXG303X1	AAD	29-JUL-1992	08-AUG-1992	<	2.540	UGL	.0
AS IN WATER BY GFAA	SD22	AS	MXG303X1	AAD	28-JUL-1992	08-AUG-1992	<	2.540	UGL	.0
SB IN WATER BY GFAA	SD28	SB	MXG303X1	YWG	29-JUL-1992	12-SEP-1992	<	3.030	UGL	.0
SB IN WATER BY GFAA	SD28	SB	MXG303X1	YWG	28-JUL-1992	12-SEP-1992	<	3.030	UGL	.0
METALS IN WATER BY ICAP	SS10	AG	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992	<	4.600	UGL	.0
METALS IN WATER BY ICAP	SS10	AG	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992	<	4.600	UGL	.0
METALS IN WATER BY ICAP	SS10	AL	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992		304.000	UGL	73.3
METALS IN WATER BY ICAP	SS10	AL	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992	<	141.000	UGL	73.3
METALS IN WATER BY ICAP	SS10	BA	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992		14.600	UGL	68.3
METALS IN WATER BY ICAP	SS10	BA	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992		7.170	UGL	68.3
METALS IN WATER BY ICAP	SS10	BE	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992	<	5.000	UGL	.0
METALS IN WATER BY ICAP	SS10	BE	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992	<	5.000	UGL	.0
METALS IN WATER BY ICAP	SS10	CA	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992		8090.000	UGL	51.0
METALS IN WATER BY ICAP	SS10	CA	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992		4800.000	UGL	51.0
METALS IN WATER BY ICAP	SS10	CD	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992	<	4.010	UGL	.0
METALS IN WATER BY ICAP	SS10	CD	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992	<	4.010	UGL	.0
METALS IN WATER BY ICAP	SS10	CO	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992	<	25.000	UGL	.0
METALS IN WATER BY ICAP	SS10	CO	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992	<	25.000	UGL	.0
METALS IN WATER BY ICAP	SS10	CR	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992	<	6.020	UGL	.0
METALS IN WATER BY ICAP	SS10	CR	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992	<	6.020	UGL	.0
METALS IN WATER BY ICAP	SS10	CU	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992	<	8.090	UGL	.0
METALS IN WATER BY ICAP	SS10	CU	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992	<	8.090	UGL	.0
METALS IN WATER BY ICAP	SS10	FE	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992		421.000	UGL	51.7
METALS IN WATER BY ICAP	SS10	FE	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992		248.000	UGL	51.7
METALS IN WATER BY ICAP	SS10	K	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992		1210.000	UGL	105.4

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN WATER BY ICAP	SS10	K	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992	<	375.000	UGL	105.4
METALS IN WATER BY ICAP	SS10	MG	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992		515.000	UGL	3.0
METALS IN WATER BY ICAP	SS10	MG	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992	<	500.000	UGL	3.0
METALS IN WATER BY ICAP	SS10	MN	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992		791.000	UGL	163.1
METALS IN WATER BY ICAP	SS10	MN	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992		80.300	UGL	163.1
METALS IN WATER BY ICAP	SS10	NA	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992		18600.000	UGL	18.2
METALS IN WATER BY ICAP	SS10	NA	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992		15500.000	UGL	18.2
METALS IN WATER BY ICAP	SS10	NI	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992	<	34.300	UGL	.0
METALS IN WATER BY ICAP	SS10	NI	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992	<	34.300	UGL	.0
METALS IN WATER BY ICAP	SS10	V	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992	<	11.000	UGL	.0
METALS IN WATER BY ICAP	SS10	V	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992	<	11.000	UGL	.0
METALS IN WATER BY ICAP	SS10	ZN	MXG303X1	ZZE	28-JUL-1992	05-AUG-1992	<	21.100	UGL	.0
METALS IN WATER BY ICAP	SS10	ZN	MXG303X1	ZZE	29-JUL-1992	05-AUG-1992	<	21.100	UGL	.0
NO2, NO3 IN WATER	TF22	NIT	MXG303X1	XXQ	29-JUL-1992	12-AUG-1992		1800.000	UGL	25.0
NO2, NO3 IN WATER	TF22	NIT	MXG303X1	XXQ	28-JUL-1992	12-AUG-1992		1400.000	UGL	25.0
SO4 IN WATER	TT10	CL	MXG303X1	AKC	29-JUL-1992	17-AUG-1992		21200.000	UGL	24.3
SO4 IN WATER	TT10	CL	MXG303X1	AKC	28-JUL-1992	17-AUG-1992		16600.000	UGL	24.3
SO4 IN WATER	TT10	SO4	MXG303X1	AKC	28-JUL-1992	17-AUG-1992	<	10000.000	UGL	.0
SO4 IN WATER	TT10	SO4	MXG303X1	AKC	29-JUL-1992	17-AUG-1992	<	10000.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	124TCB	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	1.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	124TCB	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	1.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DCLB	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DCLB	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DPH	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DPH	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	13DCLB	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	13DCLB	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	14DCLB	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	14DCLB	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	1.700	UGL	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	245TCP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	5.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	245TCP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	5.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	246TCP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	246TCP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DCLP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	2.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DCLP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	2.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DMPN	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	5.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DMPN	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	5.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNT	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNT	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	26DNT	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	0.790	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	26DNT	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	0.790	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CLP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	0.990	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CLP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	0.990	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CNAP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CNAP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MNAP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MNAP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	3.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	3.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NANIL	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NANIL	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	33DCBD	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	12.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	33DCBD	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	12.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	3NANIL	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	3NANIL	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.900	UGL	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	46DN2C	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	17.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	46DN2C	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	17.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4BRPPE	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4BRPPE	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CANIL	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	7.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CANIL	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	7.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CL3C	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CL3C	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CLPPE	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CLPPE	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4MP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	0.520	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4MP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	0.520	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NANIL	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	5.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NANIL	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	5.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	12.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	12.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ABHC	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ABHC	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ACLDAN	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ACLDAN	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	AENSLF	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	AENSLF	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ALDRN	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ALDRN	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPNE	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPNE	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPYL	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPYL	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANTRC	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANTRC	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CEXM	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	1.500	UGL	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	B2CEXM	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CIPE	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	5.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CIPE	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	5.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CLEE	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	1.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CLEE	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	1.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2EHP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2EHP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAANTR	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	1.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAANTR	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	1.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAPYR	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAPYR	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBFANT	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	5.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBFANT	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	5.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBHC	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBHC	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBZP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	3.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBZP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	3.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENSLF	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENSLF	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZID	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	10.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZID	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	10.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZOA	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	13.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZOA	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	13.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BGHIPY	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	6.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BGHIPY	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	6.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BKFANT	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	0.870	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BKFANT	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	0.870	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BZALC	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	0.720	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BZALC	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	0.720	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CARBAZ	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CARBAZ	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	0.500	UGL	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	CHRY	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	2.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CHRY	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	2.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6BZ	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	1.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6BZ	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	1.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6CP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	8.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6CP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	8.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6ET	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6ET	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBAHA	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	6.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBAHA	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	6.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBHC	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBHC	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBZFUR	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBZFUR	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DEP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DEP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DLDRN	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DLDRN	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DMP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DMP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNBP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNBP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNOP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	15.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNOP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	15.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRN	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	7.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRN	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	7.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNA	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	8.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNA	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	8.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNK	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	8.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNK	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	8.000	UGL	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	ESFSO4	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ESFSO4	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FANT	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	3.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FANT	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	3.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FLRENE	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FLRENE	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	GCLDAN	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	GCLDAN	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HCBD	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	3.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HCBD	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	3.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCL	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCL	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCLE	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	5.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCLE	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	5.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ICDPYR	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	8.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ICDPYR	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	8.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ISOPHR	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ISOPHR	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	LIN	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	LIN	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	MEXCLR	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	MEXCLR	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NAP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NAP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NB	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NB	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDMEA	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDMEA	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDNPA	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDNPA	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDPA	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	3.000	UGL	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	NNDPA	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	3.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB016	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB016	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB221	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB221	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB232	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB232	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB242	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	30.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB242	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	30.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB248	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	30.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB248	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	30.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB254	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB254	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB260	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB260	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	18.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	18.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHANTR	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHANTR	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHENOL	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHENOL	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDD	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDD	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDE	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDE	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDT	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDT	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PYR	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	2.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PYR	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	2.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	TXPHEN	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	TXPHEN	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	<	36.000	UGL	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN WATER BY GC/MS	UM20	111TCE	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	111TCE	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	112TCE	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	1.200	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	112TCE	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	1.200	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	11DCE	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	11DCE	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	11DCLE	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.680	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	11DCLE	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.680	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCE	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCE	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLE	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLE	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLP	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLP	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	2CLEVE	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.710	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	2CLEVE	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.710	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACET	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	13.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACET	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	13.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACROLN	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	100.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACROLN	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	100.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACRYLO	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	100.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACRYLO	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	100.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	BRDCLM	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.590	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	BRDCLM	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.590	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C13DCP	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.580	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C13DCP	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.580	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2AVE	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	8.300	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2AVE	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	8.300	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H3CL	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	2.600	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H3CL	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	2.600	UGL	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN WATER BY GC/MS	UM20	C2H5CL	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	1.900	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H5CL	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	1.900	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C6H6	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C6H6	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL3F	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	1.400	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL3F	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	1.400	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL4	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.580	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL4	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.580	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH2CL2	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	2.300	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH2CL2	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	2.300	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3BR	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	5.800	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3BR	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	5.800	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3CL	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	3.200	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3CL	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	3.200	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHBR3	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	2.600	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHBR3	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	2.600	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHCL3	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHCL3	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CL2BZ	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	10.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CL2BZ	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	10.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CLC6H5	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CLC6H5	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CS2	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CS2	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	DBRCLM	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.670	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	DBRCLM	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.670	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ETC6H5	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ETC6H5	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEC6H5	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEC6H5	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.500	UGL	.0

Table F9
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN WATER BY GC/MS	UM20	MEK	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	6.400	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEK	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	6.400	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MIBK	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	3.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MIBK	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	3.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MNBK	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	3.600	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MNBK	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	3.600	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	STYR	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	STYR	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	T13DCP	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.700	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	T13DCP	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.700	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TCLEA	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.510	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TCLEA	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.510	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TCLEE	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	1.600	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TCLEE	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	1.600	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TRCLE	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TRCLE	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	XYLEN	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	<	0.840	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	XYLEN	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	<	0.840	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
	00	ALK	WDG507XX	AGZ	18-JUN-1992	30-JUN-1992		35000.000	UGL	12.1
	00	ALK	WXG507XX	AGZ	18-JUN-1992	30-JUN-1992		31000.000	UGL	12.1
	00	HARD	MDMW13X1	ALE	20-JUL-1992	28-JUL-1992		22000.000	UGL	20.0
	00	HARD	MXMW13X1	ALE	20-JUL-1992	28-JUL-1992		18000.000	UGL	20.0
	00	HARD	WDG507XX	ZON	18-JUN-1992	30-JUN-1992		40600.000	UGL	.0
	00	HARD	WXG507XX	ZON	18-JUN-1992	30-JUN-1992		40600.000	UGL	.0
	00	TOC	DDG50500	ZWY	18-JUN-1992	11-JUL-1992		13200.000	UGG	44.8
	00	TOC	DXG50500	ZWK	18-JUN-1992	06-JUL-1992		8370.000	UGG	44.8
	00	TPHC	21S-92-0	AGT	09-JUL-1992	30-JUL-1992		1490.000	UGG	12.9
	00	TPHC	21S-92-0	AGT	09-JUL-1992	30-JUL-1992		1310.000	UGG	12.9
	00	TPHC	DXG50500	ZOX	18-JUN-1992	09-JUL-1992		359.000	UGG	57.8
	00	TPHC	DDG50500	ZOX	18-JUN-1992	09-JUL-1992		198.000	UGG	57.8
	00	TPHC	ED090208	AGT	07-JUL-1992	30-JUL-1992		5300.000	UGG	1.9
	00	TPHC	EX090208	AGT	07-JUL-1992	30-JUL-1992		5200.000	UGG	1.9
	00	TPHC	MDMW13X1	ALN	20-JUL-1992	07-AUG-1992	<	200.000	UGL	.0
	00	TPHC	MXMW13X1	ALN	20-JUL-1992	07-AUG-1992	<	200.000	UGL	.0
	00	TPHC	WDG507XX	ZWA	18-JUN-1992	08-JUL-1992	<	1600.000	UGL	.0
	00	TPHC	WXG507XX	ZWA	18-JUN-1992	08-JUL-1992	<	1600.000	UGL	.0
	00	TSS	MDMW13X1	AGP	20-JUL-1992	23-JUL-1992		199000.000	UGL	147.6
	00	TSS	MXMW13X1	AGP	20-JUL-1992	23-JUL-1992		30000.000	UGL	147.6
	00	TSS	WXG507XX	ZOF	18-JUN-1992	22-JUN-1992		17000.000	UGL	83.3
	00	TSS	WDG507XX	ZOF	18-JUN-1992	22-JUN-1992		7000.000	UGL	83.3
	99	ALK	MDMW13X1	AGI	20-JUL-1992	29-JUL-1992		14000.000	UGL	33.3
	99	ALK	MXMW13X1	AGI	20-JUL-1992	29-JUL-1992		10000.000	UGL	33.3
	99	HCO3	MDMW13X1	AGI	20-JUL-1992	29-JUL-1992		17100.000	UGL	33.4
	99	HCO3	MXMW13X1	AGI	20-JUL-1992	29-JUL-1992		12200.000	UGL	33.4
	JB01	HG	21S-92-0	ZQP	09-JUL-1992	27-JUL-1992		7.700	UGG	26.5
	JB01	HG	21S-92-0	ZQP	09-JUL-1992	27-JUL-1992		5.900	UGG	26.5
	JB01	HG	DDG50500	ZQF	18-JUN-1992	13-JUL-1992		0.461	UGG	21.9
	JB01	HG	DXG50500	ZQF	18-JUN-1992	13-JUL-1992		0.370	UGG	21.9
	JB01	HG	EX090208	ZQO	07-JUL-1992	21-JUL-1992		0.176	UGG	34.7
	JB01	HG	ED090208	ZQO	07-JUL-1992	21-JUL-1992		0.124	UGG	34.7
SE IN SOIL BY GFAA	JD15	SE	21S-92-0	ZSL	09-JUL-1992	05-AUG-1992		1.180	UGG	5.2
SE IN SOIL BY GFAA	JD15	SE	21S-92-0	ZSL	09-JUL-1992	05-AUG-1992		1.120	UGG	5.2
SE IN SOIL BY GFAA	JD15	SE	DXG50500	ZSA	18-JUN-1992	17-JUL-1992	<	0.250	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
SE IN SOIL BY GFAA	JD15	SE	DDG50500	ZSA	18-JUN-1992	17-JUL-1992	<	0.250	UGG	.0
SE IN SOIL BY GFAA	JD15	SE	ED090208	ZSL	07-JUL-1992	05-AUG-1992	<	0.250	UGG	.0
SE IN SOIL BY GFAA	JD15	SE	EX090208	ZSL	07-JUL-1992	05-AUG-1992	<	0.250	UGG	.0
PB IN SOIL BY GFAA	JD17	PB	21S-92-0	ZXF	09-JUL-1992	06-AUG-1992		140.000	UGG	7.4
PB IN SOIL BY GFAA	JD17	PB	21S-92-0	ZXF	09-JUL-1992	06-AUG-1992		130.000	UGG	7.4
PB IN SOIL BY GFAA	JD17	PB	DDG50500	ZAT	18-JUN-1992	17-JUL-1992		88.000	UGG	18.6
PB IN SOIL BY GFAA	JD17	PB	DXG50500	ZAT	18-JUN-1992	17-JUL-1992		73.000	UGG	18.6
PB IN SOIL BY GFAA	JD17	PB	EX090208	ZXF	07-JUL-1992	06-AUG-1992		260.000	UGG	31.1
PB IN SOIL BY GFAA	JD17	PB	ED090208	ZXF	07-JUL-1992	06-AUG-1992		190.000	UGG	31.1
AS IN SOIL BY GFAA	JD19	AS	21S-92-0	ZIX	09-JUL-1992	06-AUG-1992		30.000	UGG	107.8
AS IN SOIL BY GFAA	JD19	AS	21S-92-0	ZIX	09-JUL-1992	06-AUG-1992		8.990	UGG	107.8
AS IN SOIL BY GFAA	JD19	AS	DXG50500	ZIK	18-JUN-1992	28-JUL-1992		4.700	UGG	2.8
AS IN SOIL BY GFAA	JD19	AS	DDG50500	ZIK	18-JUN-1992	28-JUL-1992		4.570	UGG	2.8
AS IN SOIL BY GFAA	JD19	AS	EX090208	ZIX	07-JUL-1992	06-AUG-1992		17.000	UGG	28.2
AS IN SOIL BY GFAA	JD19	AS	ED090208	ZIX	07-JUL-1992	06-AUG-1992		12.800	UGG	28.2
TL IN SOIL BY GFAA	JD24	TL	21S-92-0	ZLE	09-JUL-1992	06-AUG-1992	<	0.500	UGG	.0
TL IN SOIL BY GFAA	JD24	TL	21S-92-0	ZLE	09-JUL-1992	06-AUG-1992	<	0.500	UGG	.0
TL IN SOIL BY GFAA	JD24	TL	DDG50500	ZLC	18-JUN-1992	20-JUL-1992	<	0.500	UGG	.0
TL IN SOIL BY GFAA	JD24	TL	DXG50500	ZLC	18-JUN-1992	20-JUL-1992	<	0.500	UGG	.0
TL IN SOIL BY GFAA	JD24	TL	ED090208	ZLE	07-JUL-1992	06-AUG-1992	<	0.500	UGG	.0
TL IN SOIL BY GFAA	JD24	TL	EX090208	ZLE	07-JUL-1992	06-AUG-1992	<	0.500	UGG	.0
SB IN SOIL BY GFAA	JD25	SB	21S-92-0	ZME	09-JUL-1992	06-AUG-1992		3.220	UGG	11.8
SB IN SOIL BY GFAA	JD25	SB	21S-92-0	ZME	09-JUL-1992	06-AUG-1992		2.860	UGG	11.8
SB IN SOIL BY GFAA	JD25	SB	DDG50500	ZMC	18-JUN-1992	24-JUL-1992		8.510	UGG	16.8
SB IN SOIL BY GFAA	JD25	SB	DXG50500	ZMC	18-JUN-1992	24-JUL-1992		7.190	UGG	16.8
SB IN SOIL BY GFAA	JD25	SB	ED090208	ZME	07-JUL-1992	06-AUG-1992		3.030	UGG	94.2
SB IN SOIL BY GFAA	JD25	SB	EX090208	ZME	07-JUL-1992	06-AUG-1992	<	1.090	UGG	94.2
METALS IN SOIL BY ICAP	JS16	AG	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		46.000	UGG	19.0
METALS IN SOIL BY ICAP	JS16	AG	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		38.000	UGG	19.0
METALS IN SOIL BY ICAP	JS16	AG	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		1.690	UGG	.6
METALS IN SOIL BY ICAP	JS16	AG	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		1.680	UGG	.6
METALS IN SOIL BY ICAP	JS16	AG	ED090208	ZJP	07-JUL-1992	23-JUL-1992	<	0.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	EX090208	ZJP	07-JUL-1992	23-JUL-1992	<	0.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AL	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		6130.000	UGG	14.5
METALS IN SOIL BY ICAP	JS16	AL	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		5300.000	UGG	14.5

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN SOIL BY ICAP	JS16	AL	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		4750.000	UGG	5.9
METALS IN SOIL BY ICAP	JS16	AL	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		4480.000	UGG	5.9
METALS IN SOIL BY ICAP	JS16	AL	ED090208	ZJP	07-JUL-1992	23-JUL-1992		8660.000	UGG	8.7
METALS IN SOIL BY ICAP	JS16	AL	EX090208	ZJP	07-JUL-1992	23-JUL-1992		7940.000	UGG	8.7
METALS IN SOIL BY ICAP	JS16	BA	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		460.000	UGG	47.6
METALS IN SOIL BY ICAP	JS16	BA	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		283.000	UGG	47.6
METALS IN SOIL BY ICAP	JS16	BA	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		63.700	UGG	5.0
METALS IN SOIL BY ICAP	JS16	BA	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		60.600	UGG	5.0
METALS IN SOIL BY ICAP	JS16	BA	ED090208	ZJP	07-JUL-1992	23-JUL-1992		71.800	UGG	11.2
METALS IN SOIL BY ICAP	JS16	BA	EX090208	ZJP	07-JUL-1992	23-JUL-1992		64.200	UGG	11.2
METALS IN SOIL BY ICAP	JS16	BE	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992	<	0.500	UGG	.0
METALS IN SOIL BY ICAP	JS16	BE	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992	<	0.500	UGG	.0
METALS IN SOIL BY ICAP	JS16	BE	DXG50500	ZJG	18-JUN-1992	08-JUL-1992	<	0.500	UGG	.0
METALS IN SOIL BY ICAP	JS16	BE	DDG50500	ZJG	18-JUN-1992	08-JUL-1992	<	0.500	UGG	.0
METALS IN SOIL BY ICAP	JS16	BE	ED090208	ZJP	07-JUL-1992	23-JUL-1992		1.000	UGG	7.7
METALS IN SOIL BY ICAP	JS16	BE	EX090208	ZJP	07-JUL-1992	23-JUL-1992		0.926	UGG	7.7
METALS IN SOIL BY ICAP	JS16	CA	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		3980.000	UGG	20.8
METALS IN SOIL BY ICAP	JS16	CA	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		3230.000	UGG	20.8
METALS IN SOIL BY ICAP	JS16	CA	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		891.000	UGG	5.9
METALS IN SOIL BY ICAP	JS16	CA	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		840.000	UGG	5.9
METALS IN SOIL BY ICAP	JS16	CA	EX090208	ZJP	07-JUL-1992	23-JUL-1992		7500.000	UGG	30.8
METALS IN SOIL BY ICAP	JS16	CA	ED090208	ZJP	07-JUL-1992	23-JUL-1992		5500.000	UGG	30.8
METALS IN SOIL BY ICAP	JS16	CD	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		3.140	UGG	70.1
METALS IN SOIL BY ICAP	JS16	CD	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		1.510	UGG	70.1
METALS IN SOIL BY ICAP	JS16	CD	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		10.600	UGG	11.4
METALS IN SOIL BY ICAP	JS16	CD	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		9.460	UGG	11.4
METALS IN SOIL BY ICAP	JS16	CD	EX090208	ZJP	07-JUL-1992	23-JUL-1992		1.650	UGG	80.9
METALS IN SOIL BY ICAP	JS16	CD	ED090208	ZJP	07-JUL-1992	23-JUL-1992	<	0.700	UGG	80.9
METALS IN SOIL BY ICAP	JS16	CO	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		5.350	UGG	.0
METALS IN SOIL BY ICAP	JS16	CO	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		5.350	UGG	.0
METALS IN SOIL BY ICAP	JS16	CO	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		3.130	UGG	.6
METALS IN SOIL BY ICAP	JS16	CO	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		3.110	UGG	.6
METALS IN SOIL BY ICAP	JS16	CO	ED090208	ZJP	07-JUL-1992	23-JUL-1992		5.770	UGG	2.3
METALS IN SOIL BY ICAP	JS16	CO	EX090208	ZJP	07-JUL-1992	23-JUL-1992		5.640	UGG	2.3
METALS IN SOIL BY ICAP	JS16	CR	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		37.500	UGG	23.9
METALS IN SOIL BY ICAP	JS16	CR	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		29.500	UGG	23.9
METALS IN SOIL BY ICAP	JS16	CR	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		63.300	UGG	14.4
METALS IN SOIL BY ICAP	JS16	CR	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		54.800	UGG	14.4
METALS IN SOIL BY ICAP	JS16	CR	ED090208	ZJP	07-JUL-1992	23-JUL-1992		31.400	UGG	4.6
METALS IN SOIL BY ICAP	JS16	CR	EX090208	ZJP	07-JUL-1992	23-JUL-1992		30.000	UGG	4.6

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN SOIL BY ICAP	JS16	CU	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		295.000	UGG	19.7
METALS IN SOIL BY ICAP	JS16	CU	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		242.000	UGG	19.7
METALS IN SOIL BY ICAP	JS16	CU	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		62.800	UGG	31.9
METALS IN SOIL BY ICAP	JS16	CU	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		45.500	UGG	31.9
METALS IN SOIL BY ICAP	JS16	CU	EX090208	ZJP	07-JUL-1992	23-JUL-1992		28.500	UGG	33.1
METALS IN SOIL BY ICAP	JS16	CU	ED090208	ZJP	07-JUL-1992	23-JUL-1992		20.400	UGG	33.1
METALS IN SOIL BY ICAP	JS16	FE	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		12200.000	UGG	12.2
METALS IN SOIL BY ICAP	JS16	FE	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		10800.000	UGG	12.2
METALS IN SOIL BY ICAP	JS16	FE	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		5710.000	UGG	2.3
METALS IN SOIL BY ICAP	JS16	FE	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		5580.000	UGG	2.3
METALS IN SOIL BY ICAP	JS16	FE	EX090208	ZJP	07-JUL-1992	23-JUL-1992		13700.000	UGG	2.2
METALS IN SOIL BY ICAP	JS16	FE	ED090208	ZJP	07-JUL-1992	23-JUL-1992		13400.000	UGG	2.2
METALS IN SOIL BY ICAP	JS16	K	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		392.000	UGG	8.8
METALS IN SOIL BY ICAP	JS16	K	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		359.000	UGG	8.8
METALS IN SOIL BY ICAP	JS16	K	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		551.000	UGG	23.1
METALS IN SOIL BY ICAP	JS16	K	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		437.000	UGG	23.1
METALS IN SOIL BY ICAP	JS16	K	ED090208	ZJP	07-JUL-1992	23-JUL-1992		1070.000	UGG	59.9
METALS IN SOIL BY ICAP	JS16	K	EX090208	ZJP	07-JUL-1992	23-JUL-1992		577.000	UGG	59.9
METALS IN SOIL BY ICAP	JS16	MG	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		2770.000	UGG	10.2
METALS IN SOIL BY ICAP	JS16	MG	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		2500.000	UGG	10.2
METALS IN SOIL BY ICAP	JS16	MG	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		1380.000	UGG	9.9
METALS IN SOIL BY ICAP	JS16	MG	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		1250.000	UGG	9.9
METALS IN SOIL BY ICAP	JS16	MG	ED090208	ZJP	07-JUL-1992	23-JUL-1992		4360.000	UGG	19.4
METALS IN SOIL BY ICAP	JS16	MG	EX090208	ZJP	07-JUL-1992	23-JUL-1992		3590.000	UGG	19.4
METALS IN SOIL BY ICAP	JS16	MN	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		280.000	UGG	54.0
METALS IN SOIL BY ICAP	JS16	MN	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		161.000	UGG	54.0
METALS IN SOIL BY ICAP	JS16	MN	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		109.000	UGG	7.6
METALS IN SOIL BY ICAP	JS16	MN	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		101.000	UGG	7.6
METALS IN SOIL BY ICAP	JS16	MN	EX090208	ZJP	07-JUL-1992	23-JUL-1992		177.000	UGG	3.4
METALS IN SOIL BY ICAP	JS16	MN	ED090208	ZJP	07-JUL-1992	23-JUL-1992		171.000	UGG	3.4
METALS IN SOIL BY ICAP	JS16	NA	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		244.000	UGG	2.5
METALS IN SOIL BY ICAP	JS16	NA	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		238.000	UGG	2.5
METALS IN SOIL BY ICAP	JS16	NA	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		247.000	UGG	84.7
METALS IN SOIL BY ICAP	JS16	NA	DDG50500	ZJG	18-JUN-1992	08-JUL-1992	<	100.000	UGG	84.7
METALS IN SOIL BY ICAP	JS16	NA	ED090208	ZJP	07-JUL-1992	23-JUL-1992		291.000	UGG	35.2
METALS IN SOIL BY ICAP	JS16	NA	EX090208	ZJP	07-JUL-1992	23-JUL-1992		204.000	UGG	35.2
METALS IN SOIL BY ICAP	JS16	NI	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		18.300	UGG	43.2
METALS IN SOIL BY ICAP	JS16	NI	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		11.800	UGG	43.2
METALS IN SOIL BY ICAP	JS16	NI	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		10.500	UGG	5.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN SOIL BY ICAP	JS16	NI	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		9.990	UGG	5.0
METALS IN SOIL BY ICAP	JS16	NI	ED090208	ZJP	07-JUL-1992	23-JUL-1992		23.600	UGG	1.7
METALS IN SOIL BY ICAP	JS16	NI	EX090208	ZJP	07-JUL-1992	23-JUL-1992		23.200	UGG	1.7
METALS IN SOIL BY ICAP	JS16	V	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		17.000	UGG	6.7
METALS IN SOIL BY ICAP	JS16	V	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		15.900	UGG	6.7
METALS IN SOIL BY ICAP	JS16	V	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		9.330	UGG	3.2
METALS IN SOIL BY ICAP	JS16	V	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		9.040	UGG	3.2
METALS IN SOIL BY ICAP	JS16	V	ED090208	ZJP	07-JUL-1992	23-JUL-1992		22.200	UGG	5.6
METALS IN SOIL BY ICAP	JS16	V	EX090208	ZJP	07-JUL-1992	23-JUL-1992		21.000	UGG	5.6
METALS IN SOIL BY ICAP	JS16	ZN	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		289.000	UGG	33.1
METALS IN SOIL BY ICAP	JS16	ZN	21S-92-0	ZJP	09-JUL-1992	23-JUL-1992		207.000	UGG	33.1
METALS IN SOIL BY ICAP	JS16	ZN	DXG50500	ZJG	18-JUN-1992	08-JUL-1992		100.000	UGG	3.0
METALS IN SOIL BY ICAP	JS16	ZN	DDG50500	ZJG	18-JUN-1992	08-JUL-1992		97.000	UGG	3.0
METALS IN SOIL BY ICAP	JS16	ZN	EX090208	ZJP	07-JUL-1992	23-JUL-1992		305.000	UGG	11.8
METALS IN SOIL BY ICAP	JS16	ZN	ED090208	ZJP	07-JUL-1992	23-JUL-1992		271.000	UGG	11.8
BNA'S IN SOIL BY GC/MS	LM18	124TCB	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	124TCB	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	124TCB	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	124TCB	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	124TCB	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	124TCB	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.500	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.500	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	6.000	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.490	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.490	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.500	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.500	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.900	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.900	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	9.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	9.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	3.450	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	3.450	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	60.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	60.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.700	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	24DNT	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.700	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	7.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	7.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.425	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.425	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.900	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.900	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.180	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.180	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.245	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.245	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.700	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.700	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.145	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.145	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.310	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.310	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	3.000	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	2NP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.700	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.700	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	7.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	7.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	200.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	200.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	31.500	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	31.500	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	300.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	300.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.250	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.250	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.750	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.750	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	4.050	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	4.050	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	40.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	40.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.475	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.475	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4MP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4MP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4MP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4MP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4MP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4MP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.050	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.050	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	40.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	40.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	7.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	7.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	70.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	70.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ABHC	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ABHC	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ABHC	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ABHC	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ABHC	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ABHC	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.900	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.900	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.180	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.180	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.295	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.295	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	3.100	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	3.100	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.250	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.250	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.050	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.050	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBZP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBZP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	BBZP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBZP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBZP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBZP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	40.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	40.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	200.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	200.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	300.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	300.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.250	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.250	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	100.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	100.000	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	200.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	200.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	31.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	31.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	300.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	300.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.050	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.050	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	DBHC	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.900	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.900	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.175	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.175	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	4.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.305	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.305	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	100.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	100.000	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FANT	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FANT	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FANT	DXG50500	ZNF	18-JUN-1992	09-JUL-1992		1.680	UGG	65.1
BNA'S IN SOIL BY GC/MS	LM18	FANT	DDG50500	ZNF	18-JUN-1992	09-JUL-1992		0.855	UGG	65.1
BNA'S IN SOIL BY GC/MS	LM18	FANT	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FANT	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.150	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.150	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.500	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.500	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	7.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	7.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.450	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.450	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.165	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.900	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.900	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.185	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.185	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.225	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.225	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.500	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.500	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	1.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	100.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	100.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	50.000	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	PCB016	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	50.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	50.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	50.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	50.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	50.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	5.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	50.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	50.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	50.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	50.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	100.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	100.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB254	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	50.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB254	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	50.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB254	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB254	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	10.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB254	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	100.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB254	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	100.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	80.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	80.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	200.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	200.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	30.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	30.000	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	PCP	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	60.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	60.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	DDG50500	ZNF	18-JUN-1992	09-JUL-1992		0.609	UGG	47.6
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	DXG50500	ZNF	18-JUN-1992	09-JUL-1992		0.375	UGG	47.6
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	ED090208	ZNQ	07-JUL-1992	28-JUL-1992		2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	3.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	0.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	6.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	8.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	0.800	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	DXG50500	ZNF	18-JUN-1992	09-JUL-1992		1.720	UGG	65.3
BNA'S IN SOIL BY GC/MS	LM18	PYR	DDG50500	ZNF	18-JUN-1992	09-JUL-1992		0.873	UGG	65.3
BNA'S IN SOIL BY GC/MS	LM18	PYR	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	2.000	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	80.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	<	80.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	DDG50500	ZNF	18-JUN-1992	09-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	DXG50500	ZNF	18-JUN-1992	09-JUL-1992	<	20.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	ED090208	ZNQ	07-JUL-1992	28-JUL-1992	<	200.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	EX090208	ZNQ	07-JUL-1992	28-JUL-1992	<	200.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	UNK583	DXG50500	ZNF	18-JUN-1992	09-JUL-1992		2.910	UGG	65.8
BNA'S IN SOIL BY GC/MS	LM18	UNK583	DDG50500	ZNF	18-JUN-1992	09-JUL-1992		1.470	UGG	65.8
BNA'S IN SOIL BY GC/MS	LM18	UNK614	DXG50500	ZNF	18-JUN-1992	09-JUL-1992		14.500	UGG	65.2
BNA'S IN SOIL BY GC/MS	LM18	UNK614	DDG50500	ZNF	18-JUN-1992	09-JUL-1992		7.370	UGG	65.2
BNA'S IN SOIL BY GC/MS	LM18	UNK643	DXG50500	ZNF	18-JUN-1992	09-JUL-1992		7.270	UGG	48.8
BNA'S IN SOIL BY GC/MS	LM18	UNK643	DDG50500	ZNF	18-JUN-1992	09-JUL-1992		4.420	UGG	48.8
BNA'S IN SOIL BY GC/MS	LM18	UNK648	DXG50500	ZNF	18-JUN-1992	09-JUL-1992		14.500	UGG	132.4
BNA'S IN SOIL BY GC/MS	LM18	UNK648	DDG50500	ZNF	18-JUN-1992	09-JUL-1992		2.950	UGG	132.4
BNA'S IN SOIL BY GC/MS	LM18	UNK656	DXG50500	ZNF	18-JUN-1992	09-JUL-1992		43.600	UGG	152.3
BNA'S IN SOIL BY GC/MS	LM18	UNK656	DDG50500	ZNF	18-JUN-1992	09-JUL-1992		5.900	UGG	152.3
BNA'S IN SOIL BY GC/MS	LM18	UNK667	DXG50500	ZNF	18-JUN-1992	09-JUL-1992		29.100	UGG	163.2
BNA'S IN SOIL BY GC/MS	LM18	UNK667	DDG50500	ZNF	18-JUN-1992	09-JUL-1992		2.950	UGG	163.2
VOC'S IN SOIL BY GC/MS	LM19	111TCE	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.002	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	12DCE	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	DXG50500	YSZ	18-JUN-1992	25-JUN-1992		0.039	UGG	10.8
VOC'S IN SOIL BY GC/MS	LM19	ACET	DDG50500	YSZ	18-JUN-1992	26-JUN-1992		0.035	UGG	10.8
VOC'S IN SOIL BY GC/MS	LM19	ACET	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.003	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.007	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.027	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	MIBK	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	DDG50500	YSZ	18-JUN-1992	26-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	DXG50500	YSZ	18-JUN-1992	25-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	ED090208	ZTR	07-JUL-1992	19-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	EX090208	ZTN	07-JUL-1992	17-JUL-1992	<	0.002	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	135TNB	DDG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.488	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	135TNB	DXG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.488	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	13DNB	DDG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.496	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	13DNB	DXG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.496	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	246TNT	DDG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.456	UGG	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
EXPL.S IN SOIL BY HPLC	LW12	246TNT	DXG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.456	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	24DNT	DDG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.424	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	24DNT	DXG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.424	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	26DNT	DDG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.524	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	26DNT	DXG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.524	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	HMX	DDG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.666	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	HMX	DXG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.666	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	NB	DDG50500	ZHK	18-JUN-1992	04-JUL-1992	<	2.410	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	NB	DXG50500	ZHK	18-JUN-1992	04-JUL-1992	<	2.410	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	NG	DDG50500	ZHK	18-JUN-1992	04-JUL-1992	<	4.000	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	NG	DXG50500	ZHK	18-JUN-1992	04-JUL-1992	<	4.000	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	PETN	DDG50500	ZHK	18-JUN-1992	04-JUL-1992	<	4.000	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	PETN	DXG50500	ZHK	18-JUN-1992	04-JUL-1992	<	4.000	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	RDX	DDG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.587	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	RDX	DXG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.587	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	TETRYL	DDG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.731	UGG	.0
EXPL.S IN SOIL BY HPLC	LW12	TETRYL	DXG50500	ZHK	18-JUN-1992	04-JUL-1992	<	0.731	UGG	.0
HG IN WATER BY CVAA	SB01	HG	MXMW13X1	YVW	20-JUL-1992	05-AUG-1992		1.310	UGL	137.4
HG IN WATER BY CVAA	SB01	HG	MDMW13X1	YVW	20-JUL-1992	05-AUG-1992	<	0.243	UGL	137.4
HG IN WATER BY CVAA	SB01	HG	WDG507XX	YVM	18-JUN-1992	07-JUL-1992	<	0.243	UGL	.0
HG IN WATER BY CVAA	SB01	HG	WXG507XX	YVM	18-JUN-1992	07-JUL-1992	<	0.243	UGL	.0
TL IN WATER BY GFAA	SD09	TL	MXMW13X1	ZKH	20-JUL-1992	11-AUG-1992	<	6.990	UGL	.0
TL IN WATER BY GFAA	SD09	TL	MDMW13X1	ZKH	20-JUL-1992	11-AUG-1992	<	6.990	UGL	.0
TL IN WATER BY GFAA	SD09	TL	WDG507XX	ZKB	18-JUN-1992	10-JUL-1992	<	6.990	UGL	.0
TL IN WATER BY GFAA	SD09	TL	WXG507XX	ZKB	18-JUN-1992	10-JUL-1992	<	6.990	UGL	.0
PB IN WATER BY GFAA	SD20	PB	MDMW13X1	ZUH	20-JUL-1992	07-AUG-1992		4.450	UGL	83.0
PB IN WATER BY GFAA	SD20	PB	MXMW13X1	ZUH	20-JUL-1992	07-AUG-1992		1.840	UGL	83.0
PB IN WATER BY GFAA	SD20	PB	WDG507XX	XWX	18-JUN-1992	15-JUL-1992		5.750	UGL	9.9
PB IN WATER BY GFAA	SD20	PB	WXG507XX	XWX	18-JUN-1992	15-JUL-1992		5.210	UGL	9.9
SE IN WATER BY GFAA	SD21	SE	MXMW13X1	ZGN	20-JUL-1992	11-AUG-1992	<	3.020	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
SE IN WATER BY GFAA	SD21	SE	MDMW13X1	ZGN	20-JUL-1992	11-AUG-1992	<	3.020	UGL	.0
SE IN WATER BY GFAA	SD21	SE	WDG507XX	ZGD	18-JUN-1992	10-JUL-1992	<	3.020	UGL	.0
SE IN WATER BY GFAA	SD21	SE	WXG507XX	ZGD	18-JUN-1992	10-JUL-1992	<	3.020	UGL	.0
AS IN WATER BY GFAA	SD22	AS	MDMW13X1	AAC	20-JUL-1992	12-AUG-1992		7.570	UGL	81.2
AS IN WATER BY GFAA	SD22	AS	MXMW13X1	AAC	20-JUL-1992	12-AUG-1992		3.200	UGL	81.2
AS IN WATER BY GFAA	SD22	AS	WXG507XX	YIS	18-JUN-1992	10-JUL-1992		3.090	UGL	19.5
AS IN WATER BY GFAA	SD22	AS	WDG507XX	YIS	18-JUN-1992	10-JUL-1992	<	2.540	UGL	19.5
SB IN WATER BY GFAA	SD28	SB	MXMW13X1	YWF	20-JUL-1992	11-AUG-1992	<	3.030	UGL	.0
SB IN WATER BY GFAA	SD28	SB	MDMW13X1	YWF	20-JUL-1992	11-AUG-1992	<	3.030	UGL	.0
SB IN WATER BY GFAA	SD28	SB	WDG507XX	YWB	18-JUN-1992	24-JUL-1992	<	3.030	UGL	.0
SB IN WATER BY GFAA	SD28	SB	WXG507XX	YWB	18-JUN-1992	24-JUL-1992	<	3.030	UGL	.0
METALS IN WATER BY ICAP	SS10	AG	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	4.600	UGL	.0
METALS IN WATER BY ICAP	SS10	AG	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	4.600	UGL	.0
METALS IN WATER BY ICAP	SS10	AG	WDG507XX	YOU	18-JUN-1992	30-JUN-1992	<	4.600	UGL	.0
METALS IN WATER BY ICAP	SS10	AG	WXG507XX	YOU	18-JUN-1992	30-JUN-1992	<	4.600	UGL	.0
METALS IN WATER BY ICAP	SS10	AL	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992		5570.000	UGL	154.6
METALS IN WATER BY ICAP	SS10	AL	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992		713.000	UGL	154.6
METALS IN WATER BY ICAP	SS10	AL	WDG507XX	YOU	18-JUN-1992	30-JUN-1992		144.000	UGL	2.1
METALS IN WATER BY ICAP	SS10	AL	WXG507XX	YOU	18-JUN-1992	30-JUN-1992	<	141.000	UGL	2.1
METALS IN WATER BY ICAP	SS10	BA	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992		28.600	UGL	94.1
METALS IN WATER BY ICAP	SS10	BA	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992		10.300	UGL	94.1
METALS IN WATER BY ICAP	SS10	BA	WDG507XX	YOU	18-JUN-1992	30-JUN-1992		17.900	UGL	4.0
METALS IN WATER BY ICAP	SS10	BA	WXG507XX	YOU	18-JUN-1992	30-JUN-1992		17.200	UGL	4.0
METALS IN WATER BY ICAP	SS10	BE	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	5.000	UGL	.0
METALS IN WATER BY ICAP	SS10	BE	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	5.000	UGL	.0
METALS IN WATER BY ICAP	SS10	BE	WDG507XX	YOU	18-JUN-1992	30-JUN-1992	<	5.000	UGL	.0
METALS IN WATER BY ICAP	SS10	BE	WXG507XX	YOU	18-JUN-1992	30-JUN-1992	<	5.000	UGL	.0
METALS IN WATER BY ICAP	SS10	CA	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992		3820.000	UGL	26.7
METALS IN WATER BY ICAP	SS10	CA	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992		2920.000	UGL	26.7
METALS IN WATER BY ICAP	SS10	CA	WDG507XX	YOU	18-JUN-1992	30-JUN-1992		12900.000	UGL	3.1
METALS IN WATER BY ICAP	SS10	CA	WXG507XX	YOU	18-JUN-1992	30-JUN-1992		12500.000	UGL	3.1
METALS IN WATER BY ICAP	SS10	CD	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	4.010	UGL	.0
METALS IN WATER BY ICAP	SS10	CD	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	4.010	UGL	.0
METALS IN WATER BY ICAP	SS10	CD	WDG507XX	YOU	18-JUN-1992	30-JUN-1992	<	4.010	UGL	.0
METALS IN WATER BY ICAP	SS10	CD	WXG507XX	YOU	18-JUN-1992	30-JUN-1992	<	4.010	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN WATER BY ICAP	SS10	CO	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	25.000	UGL	.0
METALS IN WATER BY ICAP	SS10	CO	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	25.000	UGL	.0
METALS IN WATER BY ICAP	SS10	CO	WDG507XX	YOU	18-JUN-1992	30-JUN-1992	<	25.000	UGL	.0
METALS IN WATER BY ICAP	SS10	CO	WXG507XX	YOU	18-JUN-1992	30-JUN-1992	<	25.000	UGL	.0
METALS IN WATER BY ICAP	SS10	CR	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992		13.800	UGL	72.5
METALS IN WATER BY ICAP	SS10	CR	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992		6.460	UGL	72.5
METALS IN WATER BY ICAP	SS10	CR	WDG507XX	YOU	18-JUN-1992	30-JUN-1992	<	6.020	UGL	.0
METALS IN WATER BY ICAP	SS10	CR	WXG507XX	YOU	18-JUN-1992	30-JUN-1992	<	6.020	UGL	.0
METALS IN WATER BY ICAP	SS10	CU	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992		8.980	UGL	10.4
METALS IN WATER BY ICAP	SS10	CU	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	8.090	UGL	10.4
METALS IN WATER BY ICAP	SS10	CU	WDG507XX	YOU	18-JUN-1992	30-JUN-1992	<	8.090	UGL	.0
METALS IN WATER BY ICAP	SS10	CU	WXG507XX	YOU	18-JUN-1992	30-JUN-1992	<	8.090	UGL	.0
METALS IN WATER BY ICAP	SS10	FE	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992		6770.000	UGL	153.7
METALS IN WATER BY ICAP	SS10	FE	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992		886.000	UGL	153.7
METALS IN WATER BY ICAP	SS10	FE	WDG507XX	YOU	18-JUN-1992	30-JUN-1992		824.000	UGL	4.7
METALS IN WATER BY ICAP	SS10	FE	WXG507XX	YOU	18-JUN-1992	30-JUN-1992		786.000	UGL	4.7
METALS IN WATER BY ICAP	SS10	K	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992		1440.000	UGL	65.9
METALS IN WATER BY ICAP	SS10	K	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992		726.000	UGL	65.9
METALS IN WATER BY ICAP	SS10	K	WDG507XX	YOU	18-JUN-1992	30-JUN-1992		2710.000	UGL	5.3
METALS IN WATER BY ICAP	SS10	K	WXG507XX	YOU	18-JUN-1992	30-JUN-1992		2570.000	UGL	5.3
METALS IN WATER BY ICAP	SS10	MG	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992		2160.000	UGL	111.0
METALS IN WATER BY ICAP	SS10	MG	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992		618.000	UGL	111.0
METALS IN WATER BY ICAP	SS10	MG	WDG507XX	YOU	18-JUN-1992	30-JUN-1992		1860.000	UGL	3.8
METALS IN WATER BY ICAP	SS10	MG	WXG507XX	YOU	18-JUN-1992	30-JUN-1992		1790.000	UGL	3.8
METALS IN WATER BY ICAP	SS10	MN	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992		154.000	UGL	96.6
METALS IN WATER BY ICAP	SS10	MN	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992		53.700	UGL	96.6
METALS IN WATER BY ICAP	SS10	MN	WDG507XX	YOU	18-JUN-1992	30-JUN-1992		131.000	UGL	3.9
METALS IN WATER BY ICAP	SS10	MN	WXG507XX	YOU	18-JUN-1992	30-JUN-1992		126.000	UGL	3.9
METALS IN WATER BY ICAP	SS10	NA	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992		4900.000	UGL	12.6
METALS IN WATER BY ICAP	SS10	NA	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992		4320.000	UGL	12.6
METALS IN WATER BY ICAP	SS10	NA	WDG507XX	YOU	18-JUN-1992	30-JUN-1992		24300.000	UGL	2.5
METALS IN WATER BY ICAP	SS10	NA	WXG507XX	YOU	18-JUN-1992	30-JUN-1992		23700.000	UGL	2.5
METALS IN WATER BY ICAP	SS10	NI	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	34.300	UGL	.0
METALS IN WATER BY ICAP	SS10	NI	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	34.300	UGL	.0
METALS IN WATER BY ICAP	SS10	NI	WDG507XX	YOU	18-JUN-1992	30-JUN-1992	<	34.300	UGL	.0
METALS IN WATER BY ICAP	SS10	NI	WXG507XX	YOU	18-JUN-1992	30-JUN-1992	<	34.300	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN WATER BY ICAP	SS10	V	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	11.000	UGL	.0
METALS IN WATER BY ICAP	SS10	V	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	11.000	UGL	.0
METALS IN WATER BY ICAP	SS10	V	WDG507XX	YOU	18-JUN-1992	30-JUN-1992	<	11.000	UGL	.0
METALS IN WATER BY ICAP	SS10	V	WXG507XX	YOU	18-JUN-1992	30-JUN-1992	<	11.000	UGL	.0
METALS IN WATER BY ICAP	SS10	ZN	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	21.100	UGL	.0
METALS IN WATER BY ICAP	SS10	ZN	MXMW13X1	ZZC	20-JUL-1992	30-JUL-1992	<	21.100	UGL	.0
METALS IN WATER BY ICAP	SS10	ZN	WDG507XX	YOU	18-JUN-1992	30-JUN-1992	<	21.100	UGL	.0
METALS IN WATER BY ICAP	SS10	ZN	WXG507XX	YOU	18-JUN-1992	30-JUN-1992	<	21.100	UGL	.0
NO2, NO3 IN WATER	TF22	NIT	MXMW13X1	XXP	20-JUL-1992	06-AUG-1992		66.800	UGL	49.3
NO2, NO3 IN WATER	TF22	NIT	MDMW13X1	XXP	20-JUL-1992	06-AUG-1992		40.400	UGL	49.3
NO2, NO3 IN WATER	TF22	NIT	WXG507XX	XXN	18-JUN-1992	01-JUL-1992		910.000	UGL	5.6
NO2, NO3 IN WATER	TF22	NIT	WDG507XX	XXN	18-JUN-1992	01-JUL-1992		860.000	UGL	5.6
N2KJEL IN WATER	TF26	N2KJEL	MDMW13X1	SKO	20-JUL-1992	03-AUG-1992	<	183.000	UGL	.0
N2KJEL IN WATER	TF26	N2KJEL	MXMW13X1	SKO	20-JUL-1992	03-AUG-1992	<	183.000	UGL	.0
N2KJEL IN WATER	TF26	N2KJEL	WXG507XX	SKN	18-JUN-1992	08-JUL-1992		1140.000	UGL	18.0
N2KJEL IN WATER	TF26	N2KJEL	WDG507XX	SKN	18-JUN-1992	08-JUL-1992		952.000	UGL	18.0
TOT. PO4 IN WATER	TF27	PO4	MXMW13X1	ZCE	20-JUL-1992	11-AUG-1992		248.000	UGL	85.9
TOT. PO4 IN WATER	TF27	PO4	MDMW13X1	ZCE	20-JUL-1992	11-AUG-1992		99.000	UGL	85.9
TOT. PO4 IN WATER	TF27	PO4	WXG507XX	ZCB	18-JUN-1992	24-JUN-1992		148.000	UGL	6.3
TOT. PO4 IN WATER	TF27	PO4	WDG507XX	ZCB	18-JUN-1992	24-JUN-1992		139.000	UGL	6.3
SO4 IN WATER	TT10	CL	MXMW13X1	AKA	20-JUL-1992	04-AUG-1992		6140.000	UGL	2.3
SO4 IN WATER	TT10	CL	MDMW13X1	AKA	20-JUL-1992	04-AUG-1992		6000.000	UGL	2.3
SO4 IN WATER	TT10	CL	WDG507XX	XIW	18-JUN-1992	07-JUL-1992		44000.000	UGL	.0
SO4 IN WATER	TT10	CL	WXG507XX	XIW	18-JUN-1992	07-JUL-1992		44000.000	UGL	.0
SO4 IN WATER	TT10	SO4	MXMW13X1	AKA	20-JUL-1992	04-AUG-1992	<	10000.000	UGL	.0
SO4 IN WATER	TT10	SO4	MDMW13X1	AKA	20-JUL-1992	04-AUG-1992	<	10000.000	UGL	.0
SO4 IN WATER	TT10	SO4	WXG507XX	XIW	18-JUN-1992	07-JUL-1992		12600.000	UGL	.8
SO4 IN WATER	TT10	SO4	WDG507XX	XIW	18-JUN-1992	07-JUL-1992		12500.000	UGL	.8
BNA'S IN WATER BY GC/MS	UM18	124TCB	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	1.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	124TCB	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	1.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	124TCB	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	124TCB	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DCLB	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	1.700	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	12DCLB	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DCLB	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DCLB	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DPH	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DPH	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DPH	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DPH	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	13DCLB	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	13DCLB	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	13DCLB	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	13DCLB	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	14DCLB	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	14DCLB	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	14DCLB	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	14DCLB	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	245TCP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	5.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	245TCP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	5.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	245TCP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	245TCP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	246TCP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	246TCP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	246TCP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	246TCP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DCLP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	2.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DCLP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	2.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DCLP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	2.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DCLP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	2.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DMPN	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	5.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DMPN	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	5.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DMPN	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DMPN	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNT	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNT	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.500	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	24DNT	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNT	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	26DNT	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	0.790	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	26DNT	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	0.790	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	26DNT	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.790	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	26DNT	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.790	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CLP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	0.990	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CLP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	0.990	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CLP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.990	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CLP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.990	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CNAP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CNAP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CNAP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CNAP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MNAP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MNAP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MNAP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MNAP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	3.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	3.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NANIL	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NANIL	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NANIL	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NANIL	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	33DCBD	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	12.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	33DCBD	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	12.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	33DCBD	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	12.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	33DCBD	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	12.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	3NANIL	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	3NANIL	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	3NANIL	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.900	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	3NANIL	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	46DN2C	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	17.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	46DN2C	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	17.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	46DN2C	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	17.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	46DN2C	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	17.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4BRPPE	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4BRPPE	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4BRPPE	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4BRPPE	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CANIL	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	7.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CANIL	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	7.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CANIL	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	7.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CANIL	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	7.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CL3C	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CL3C	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CL3C	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CL3C	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CLPPE	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CLPPE	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CLPPE	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CLPPE	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4MP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	0.520	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4MP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	0.520	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4MP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.520	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4MP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.520	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NANIL	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	5.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NANIL	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	5.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NANIL	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NANIL	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	12.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	12.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	12.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	12.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ABHC	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ABHC	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ABHC	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ABHC	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.000	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	ACLDAN	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ACLDAN	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ACLDAN	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ACLDAN	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	AENSLF	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	AENSLF	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	AENSLF	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	AENSLF	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ALDRN	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ALDRN	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ALDRN	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ALDRN	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPNE	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPNE	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPNE	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPNE	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPYL	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPYL	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPYL	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPYL	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANTRC	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANTRC	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANTRC	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANTRC	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CEXM	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CEXM	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CEXM	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CEXM	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CIPE	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	5.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CIPE	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	5.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CIPE	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CIPE	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CLEE	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	1.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CLEE	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	1.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CLEE	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.900	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CLEE	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.900	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	B2EHP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2EHP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2EHP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2EHP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAANTR	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	1.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAANTR	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	1.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAANTR	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAANTR	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAPYR	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAPYR	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAPYR	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAPYR	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBFANT	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	5.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBFANT	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	5.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBFANT	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBFANT	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBHC	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBHC	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBHC	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBHC	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBZP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	3.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBZP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	3.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBZP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBZP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENSLF	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENSLF	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENSLF	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENSLF	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZID	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	10.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZID	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	10.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZID	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	10.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZID	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	10.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZOA	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	13.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZOA	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	13.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZOA	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	13.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZOA	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	13.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BGHIPY	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	6.100	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	BGHIPY	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	6.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BGHIPY	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	6.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BGHIPY	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	6.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BKFANT	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	0.870	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BKFANT	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	0.870	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BKFANT	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.870	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BKFANT	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.870	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BZALC	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	0.720	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BZALC	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	0.720	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BZALC	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.720	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BZALC	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.720	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CARBAZ	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CARBAZ	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CARBAZ	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CARBAZ	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CHRY	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	2.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CHRY	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	2.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CHRY	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	2.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CHRY	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	2.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6BZ	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	1.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6BZ	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	1.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6BZ	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6BZ	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6CP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	8.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6CP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	8.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6CP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	8.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6CP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	8.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6ET	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6ET	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6ET	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6ET	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBAHA	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	6.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBAHA	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	6.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBAHA	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	6.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBAHA	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	6.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBHC	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBHC	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.000	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	DBHC	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBHC	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBZFUR	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBZFUR	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBZFUR	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBZFUR	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DEMBZA	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992		80.000	UGL	13.3
BNA'S IN WATER BY GC/MS	UM18	DEMBZA	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992		70.000	UGL	13.3
BNA'S IN WATER BY GC/MS	UM18	DEP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DEP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DEP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DEP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DLDRN	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DLDRN	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DLDRN	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DLDRN	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DMP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DMP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DMP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DMP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	1.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNBP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNBP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNBP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNBP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNOP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	15.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNOP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	15.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNOP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	15.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNOP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	15.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRN	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	7.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRN	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	7.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRN	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	7.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRN	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	7.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNA	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	8.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNA	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	8.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNA	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	8.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNA	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	8.000	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	ENDRNK	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	8.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNK	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	8.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNK	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	8.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNK	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	8.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ESFSO4	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ESFSO4	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ESFSO4	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ESFSO4	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FANT	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	3.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FANT	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	3.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FANT	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FANT	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.300	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FLRENE	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FLRENE	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FLRENE	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FLRENE	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	GCLDAN	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	GCLDAN	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	GCLDAN	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	GCLDAN	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HCBD	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	3.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HCBD	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	3.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HCBD	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HCBD	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCL	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCL	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCL	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCL	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCLE	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	5.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCLE	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	5.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCLE	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCLE	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ICDPYR	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	8.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ICDPYR	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	8.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ICDPYR	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	8.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ICDPYR	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	8.600	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ISOPHR	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.800	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	ISOPHR	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ISOPHR	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ISOPHR	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	LIN	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	LIN	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	LIN	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	LIN	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	MEXCLR	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	MEXCLR	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	MEXCLR	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	MEXCLR	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	5.100	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NAP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NAP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NAP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NAP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NB	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NB	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NB	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NB	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDMEA	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDMEA	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDMEA	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDMEA	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	2.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDNPA	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDNPA	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDNPA	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDNPA	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.400	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDPA	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	3.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDPA	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	3.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDPA	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDPA	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	3.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB016	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB016	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB016	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB016	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB221	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB221	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	21.000	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	PCB221	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB221	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB232	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB232	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB232	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB232	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	21.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB242	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	30.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB242	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	30.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB242	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	30.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB242	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	30.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB248	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	30.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB248	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	30.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB248	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	30.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB248	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	30.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB254	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB254	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB254	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB254	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB260	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB260	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB260	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB260	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCP	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	18.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCP	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	18.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCP	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	18.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCP	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	18.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHANTR	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHANTR	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHANTR	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHANTR	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	0.500	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHENOL	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHENOL	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHENOL	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHENOL	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDD	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDD	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDD	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.000	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	PPDDD	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDE	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDE	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDE	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDE	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	4.700	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDT	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDT	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDT	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDT	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	9.200	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PYR	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	2.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PYR	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	2.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PYR	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	2.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PYR	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	2.800	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	TXPHEN	MXMW13X1	ZRK	20-JUL-1992	04-AUG-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	TXPHEN	MDMW13X1	ZRK	20-JUL-1992	05-AUG-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	TXPHEN	WDG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	36.000	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	TXPHEN	WXG507XX	YJZ	18-JUN-1992	07-JUL-1992	<	36.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	111TCE	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	111TCE	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	112TCE	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	1.200	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	112TCE	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	1.200	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	11DCE	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	11DCE	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	11DCLE	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.680	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	11DCLE	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.680	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCE	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCE	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLE	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLE	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLP	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLP	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	2CLEVE	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.710	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	2CLEVE	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.710	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN WATER BY GC/MS	UM20	ACET	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	13.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACET	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	13.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACROLN	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	100.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACROLN	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	100.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACRYLO	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	100.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACRYLO	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	100.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	BRDCLM	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.590	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	BRDCLM	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.590	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C13DCP	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.580	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C13DCP	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.580	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2AVE	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	8.300	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2AVE	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	8.300	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H3CL	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	2.600	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H3CL	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	2.600	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H5CL	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	1.900	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H5CL	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	1.900	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C6H6	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C6H6	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL3F	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	1.400	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL3F	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	1.400	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL4	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.580	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL4	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.580	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH2CL2	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	2.300	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH2CL2	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	2.300	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3BR	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	5.800	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3BR	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	5.800	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3CL	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	3.200	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3CL	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	3.200	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHBR3	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	2.600	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHBR3	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	2.600	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN WATER BY GC/MS	UM20	CHCL3	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHCL3	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CL2BZ	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	10.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CL2BZ	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	10.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CLC6H5	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CLC6H5	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CS2	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CS2	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	DBRCLM	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.670	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	DBRCLM	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.670	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ETC6H5	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ETC6H5	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEC6H5	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEC6H5	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEK	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	6.400	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEK	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	6.400	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MIBK	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	3.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MIBK	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	3.000	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MNBK	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	3.600	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MNBK	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	3.600	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	STYR	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	STYR	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	T13DCP	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.700	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	T13DCP	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.700	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TCLEA	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.510	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TCLEA	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.510	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TCLEE	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	1.600	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TCLEE	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	1.600	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TRCLE	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TRCLE	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.500	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	XYLEN	WDG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.840	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN WATER BY GC/MS	UM20	XYLEN	WXG507XX	ZPA	18-JUN-1992	22-JUN-1992	<	0.840	UGL	.0
PETN/NG IN WATER BY HPLC	UW19	NG	MXMW13X1	XZI	20-JUL-1992	06-AUG-1992	<	10.000	UGL	.0
PETN/NG IN WATER BY HPLC	UW19	NG	MDMW13X1	XZI	20-JUL-1992	06-AUG-1992	<	10.000	UGL	.0
PETN/NG IN WATER BY HPLC	UW19	NG	WDG507XX	XZD	18-JUN-1992	02-JUL-1992	<	10.000	UGL	.0
PETN/NG IN WATER BY HPLC	UW19	NG	WXG507XX	XZD	18-JUN-1992	02-JUL-1992	<	10.000	UGL	.0
PETN/NG IN WATER BY HPLC	UW19	PETN	MXMW13X1	XZI	20-JUL-1992	06-AUG-1992	<	20.000	UGL	.0
PETN/NG IN WATER BY HPLC	UW19	PETN	MDMW13X1	XZI	20-JUL-1992	06-AUG-1992	<	20.000	UGL	.0
PETN/NG IN WATER BY HPLC	UW19	PETN	WDG507XX	XZD	18-JUN-1992	02-JUL-1992	<	20.000	UGL	.0
PETN/NG IN WATER BY HPLC	UW19	PETN	WXG507XX	XZD	18-JUN-1992	02-JUL-1992	<	20.000	UGL	.0
EXPLOSIVES IN WATER	UW32	135TNB	MXMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	0.449	UGL	.0
EXPLOSIVES IN WATER	UW32	135TNB	MDMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	0.449	UGL	.0
EXPLOSIVES IN WATER	UW32	135TNB	WDG507XX	YXP	18-JUN-1992	01-JUL-1992	<	0.449	UGL	.0
EXPLOSIVES IN WATER	UW32	135TNB	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	<	0.449	UGL	.0
EXPLOSIVES IN WATER	UW32	13DNB	MXMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	0.611	UGL	.0
EXPLOSIVES IN WATER	UW32	13DNB	MDMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	0.611	UGL	.0
EXPLOSIVES IN WATER	UW32	13DNB	WDG507XX	YXP	18-JUN-1992	01-JUL-1992	<	0.611	UGL	.0
EXPLOSIVES IN WATER	UW32	13DNB	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	<	0.611	UGL	.0
EXPLOSIVES IN WATER	UW32	246TNT	MXMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	0.635	UGL	.0
EXPLOSIVES IN WATER	UW32	246TNT	MDMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	0.635	UGL	.0
EXPLOSIVES IN WATER	UW32	246TNT	WDG507XX	YXP	18-JUN-1992	01-JUL-1992	<	0.635	UGL	.0
EXPLOSIVES IN WATER	UW32	246TNT	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	<	0.635	UGL	.0
EXPLOSIVES IN WATER	UW32	24DNT	MXMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	0.064	UGL	.0
EXPLOSIVES IN WATER	UW32	24DNT	MDMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	0.064	UGL	.0
EXPLOSIVES IN WATER	UW32	24DNT	WDG507XX	YXP	18-JUN-1992	01-JUL-1992	<	0.064	UGL	.0
EXPLOSIVES IN WATER	UW32	24DNT	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	<	0.064	UGL	.0
EXPLOSIVES IN WATER	UW32	26DNT	MXMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	0.074	UGL	.0
EXPLOSIVES IN WATER	UW32	26DNT	MDMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	0.074	UGL	.0
EXPLOSIVES IN WATER	UW32	26DNT	WDG507XX	YXP	18-JUN-1992	01-JUL-1992	<	0.074	UGL	.0
EXPLOSIVES IN WATER	UW32	26DNT	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	<	0.074	UGL	.0
EXPLOSIVES IN WATER	UW32	HMX	MXMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	1.210	UGL	.0
EXPLOSIVES IN WATER	UW32	HMX	MDMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	1.210	UGL	.0
EXPLOSIVES IN WATER	UW32	HMX	WDG507XX	YXP	18-JUN-1992	01-JUL-1992	<	1.210	UGL	.0
EXPLOSIVES IN WATER	UW32	HMX	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	<	1.210	UGL	.0
EXPLOSIVES IN WATER	UW32	NB	MXMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	0.645	UGL	.0
EXPLOSIVES IN WATER	UW32	NB	MDMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	0.645	UGL	.0

Table F11
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
EXPLOSIVES IN WATER	UW32	NB	WDG507XX	YXP	18-JUN-1992	01-JUL-1992	<	0.645	UGL	.0
EXPLOSIVES IN WATER	UW32	NB	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	<	0.645	UGL	.0
EXPLOSIVES IN WATER	UW32	RDX	MXMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	1.170	UGL	.0
EXPLOSIVES IN WATER	UW32	RDX	MDMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	1.170	UGL	.0
EXPLOSIVES IN WATER	UW32	RDX	WDG507XX	YXP	18-JUN-1992	01-JUL-1992	<	1.170	UGL	.0
EXPLOSIVES IN WATER	UW32	RDX	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	<	1.170	UGL	.0
EXPLOSIVES IN WATER	UW32	TETRYL	MXMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	2.490	UGL	.0
EXPLOSIVES IN WATER	UW32	TETRYL	MDMW13X1	YXZ	20-JUL-1992	04-AUG-1992	<	2.490	UGL	.0
EXPLOSIVES IN WATER	UW32	TETRYL	WDG507XX	YXP	18-JUN-1992	01-JUL-1992	<	2.490	UGL	.0
EXPLOSIVES IN WATER	UW32	TETRYL	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	<	2.490	UGL	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
	00	TOC	BDG61112	ZWY	25-JUN-1992	11-JUL-1992		661.000	UGG	74.3
	00	TOC	BXG61112	ZWY	25-JUN-1992	11-JUL-1992		303.000	UGG	74.3
	00	TPHC	BD300108	ZOU	11-JUN-1992	29-JUN-1992		40.500	UGG	34.8
	00	TPHC	BX300108	ZWB	11-JUN-1992	19-JUN-1992	<	28.500	UGG	34.8
	00	TPHC	BX310515	ZOU	12-JUN-1992	29-JUN-1992		71.400	UGG	.8
	00	TPHC	BD310515	ZOU	12-JUN-1992	29-JUN-1992		70.800	UGG	.8
	00	TPHC	BD500608	AGS	26-JUN-1992	22-JUL-1992		51.400	UGG	28.2
	00	TPHC	BD500608	AGS	26-JUN-1992	22-JUL-1992		38.700	UGG	28.2
	00	TPHC	BDG60340	ZWB	10-JUN-1992	19-JUN-1992		44.700	UGG	43.6
	00	TPHC	BXG60340	ALO	10-JUN-1992	18-JUN-1992	<	28.700	UGG	43.6
	00	TPHC	BXG60760	ZWR	24-JUN-1992	17-JUL-1992		39.300	UGG	34.6
	00	TPHC	BXG60760	ZWR	24-JUN-1992	17-JUL-1992	<	27.700	UGG	34.6
	00	TPHC	BXG61112	AGC	25-JUN-1992	22-JUL-1992		51.500	UGG	8.3
	00	TPHC	BDG61112	AGS	25-JUN-1992	22-JUL-1992		47.400	UGG	8.3
	JB01	HG	BX300108	YHX	11-JUN-1992	03-JUL-1992	<	0.050	UGG	.0
	JB01	HG	BD300108	YHY	11-JUN-1992	03-JUL-1992	<	0.050	UGG	.0
	JB01	HG	BD310515	YHY	12-JUN-1992	03-JUL-1992	<	0.050	UGG	.0
	JB01	HG	BX310515	YHY	12-JUN-1992	03-JUL-1992	<	0.050	UGG	.0
	JB01	HG	BDG60340	YHY	10-JUN-1992	03-JUL-1992	<	0.050	UGG	.0
	JB01	HG	BXG60340	YHX	10-JUN-1992	03-JUL-1992	<	0.050	UGG	.0
SE IN SOIL BY GFAA	JD15	SE	BX300108	YQR	11-JUN-1992	30-JUN-1992	<	0.250	UGG	.0
SE IN SOIL BY GFAA	JD15	SE	BD300108	YQS	11-JUN-1992	02-JUL-1992	<	0.250	UGG	.0
SE IN SOIL BY GFAA	JD15	SE	BD310515	YQS	12-JUN-1992	02-JUL-1992	<	0.250	UGG	.0
SE IN SOIL BY GFAA	JD15	SE	BX310515	YQS	12-JUN-1992	02-JUL-1992	<	0.250	UGG	.0
SE IN SOIL BY GFAA	JD15	SE	BDG60340	YQS	10-JUN-1992	02-JUL-1992	<	0.250	UGG	.0
SE IN SOIL BY GFAA	JD15	SE	BXG60340	YQR	10-JUN-1992	30-JUN-1992	<	0.250	UGG	.0
PB IN SOIL BY GFAA	JD17	PB	BX300108	ZAK	11-JUN-1992	15-JUL-1992		3.070	UGG	5.4
PB IN SOIL BY GFAA	JD17	PB	BD300108	ZAL	11-JUN-1992	08-JUL-1992		2.910	UGG	5.4
PB IN SOIL BY GFAA	JD17	PB	BD310515	ZAL	12-JUN-1992	08-JUL-1992		5.580	UGG	19.5
PB IN SOIL BY GFAA	JD17	PB	BX310515	ZAL	12-JUN-1992	08-JUL-1992		4.590	UGG	19.5
PB IN SOIL BY GFAA	JD17	PB	BD500608	ZAU	26-JUN-1992	23-JUL-1992		4.440	UGG	19.8
PB IN SOIL BY GFAA	JD17	PB	BD500608	ZAV	26-JUN-1992	24-JUL-1992		3.640	UGG	19.8
PB IN SOIL BY GFAA	JD17	PB	BXG60340	ZAK	10-JUN-1992	15-JUL-1992		2.930	UGG	18.7
PB IN SOIL BY GFAA	JD17	PB	BDG60340	ZAL	10-JUN-1992	08-JUL-1992		2.430	UGG	18.7
PB IN SOIL BY GFAA	JD17	PB	BXG60760	ZAU	24-JUN-1992	23-JUL-1992		4.700	UGG	130.5
PB IN SOIL BY GFAA	JD17	PB	BXG60760	ZAU	24-JUN-1992	23-JUL-1992		0.989	UGG	130.5
PB IN SOIL BY GFAA	JD17	PB	BDG61112	ZAV	25-JUN-1992	24-JUL-1992		3.570	UGG	18.7
PB IN SOIL BY GFAA	JD17	PB	BXG61112	ZAU	25-JUN-1992	23-JUL-1992		2.960	UGG	18.7

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
AS IN SOIL BY GFAA	JD19	AS	BD300108	ZIB	11-JUN-1992	01-JUL-1992		8.070	UGG	44.4
AS IN SOIL BY GFAA	JD19	AS	BX300108	ZIA	11-JUN-1992	29-JUN-1992		5.140	UGG	44.4
AS IN SOIL BY GFAA	JD19	AS	BX310515	ZIB	12-JUN-1992	01-JUL-1992		7.680	UGG	14.2
AS IN SOIL BY GFAA	JD19	AS	BD310515	ZIB	12-JUN-1992	01-JUL-1992		6.660	UGG	14.2
AS IN SOIL BY GFAA	JD19	AS	BDG60340	ZIB	10-JUN-1992	01-JUL-1992		7.720	UGG	7.0
AS IN SOIL BY GFAA	JD19	AS	BXG60340	ZIA	10-JUN-1992	29-JUN-1992		7.200	UGG	7.0
TL IN SOIL BY GFAA	JD24	TL	BX300108	ZLA	11-JUN-1992	07-JUL-1992	<	0.500	UGG	.0
TL IN SOIL BY GFAA	JD24	TL	BD300108	ZLB	11-JUN-1992	08-JUL-1992	<	0.500	UGG	.0
TL IN SOIL BY GFAA	JD24	TL	BD310515	ZLB	12-JUN-1992	08-JUL-1992	<	0.500	UGG	.0
TL IN SOIL BY GFAA	JD24	TL	BX310515	ZLB	12-JUN-1992	08-JUL-1992	<	0.500	UGG	.0
TL IN SOIL BY GFAA	JD24	TL	BDG60340	ZLB	10-JUN-1992	08-JUL-1992	<	0.500	UGG	.0
TL IN SOIL BY GFAA	JD24	TL	BXG60340	ZLA	10-JUN-1992	07-JUL-1992	<	0.500	UGG	.0
SB IN SOIL BY GFAA	JD25	SB	BX300108	ZMA	11-JUN-1992	09-JUL-1992	<	1.090	UGG	.0
SB IN SOIL BY GFAA	JD25	SB	BD300108	ZMB	11-JUN-1992	16-JUL-1992	<	1.090	UGG	.0
SB IN SOIL BY GFAA	JD25	SB	BD310515	ZMB	12-JUN-1992	16-JUL-1992	<	1.090	UGG	.0
SB IN SOIL BY GFAA	JD25	SB	BX310515	ZMB	12-JUN-1992	16-JUL-1992	<	1.090	UGG	.0
SB IN SOIL BY GFAA	JD25	SB	BDG60340	ZMB	10-JUN-1992	16-JUL-1992	<	1.090	UGG	.0
SB IN SOIL BY GFAA	JD25	SB	BXG60340	ZMA	10-JUN-1992	09-JUL-1992	<	1.090	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	BX300108	YGY	11-JUN-1992	25-JUN-1992	<	0.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	BD300108	YGZ	11-JUN-1992	27-JUN-1992	<	0.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	BX310304	YGZ	11-JUN-1992	27-JUN-1992	<	0.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	BX310304	YGZ	11-JUN-1992	27-JUN-1992	<	0.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	BX310515	YGZ	12-JUN-1992	27-JUN-1992	<	0.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	BD310515	YGZ	12-JUN-1992	27-JUN-1992	<	0.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	BDG60340	YGZ	10-JUN-1992	27-JUN-1992	<	0.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	BXG60340	YGY	10-JUN-1992	25-JUN-1992	<	0.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AL	BX300108	YGY	11-JUN-1992	25-JUN-1992		2600.000	UGG	21.7
METALS IN SOIL BY ICAP	JS16	AL	BD300108	YGZ	11-JUN-1992	27-JUN-1992		2090.000	UGG	21.7
METALS IN SOIL BY ICAP	JS16	AL	BX310304	YGZ	11-JUN-1992	27-JUN-1992		5650.000	UGG	66.8
METALS IN SOIL BY ICAP	JS16	AL	BX310304	YGZ	11-JUN-1992	27-JUN-1992		2820.000	UGG	66.8
METALS IN SOIL BY ICAP	JS16	AL	BX310515	YGZ	12-JUN-1992	27-JUN-1992		4370.000	UGG	39.5
METALS IN SOIL BY ICAP	JS16	AL	BD310515	YGZ	12-JUN-1992	27-JUN-1992		2930.000	UGG	39.5
METALS IN SOIL BY ICAP	JS16	AL	BXG60340	YGY	10-JUN-1992	25-JUN-1992		4020.000	UGG	28.7
METALS IN SOIL BY ICAP	JS16	AL	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		3010.000	UGG	28.7
METALS IN SOIL BY ICAP	JS16	BA	BX300108	YGY	11-JUN-1992	25-JUN-1992		14.600	UGG	17.9
METALS IN SOIL BY ICAP	JS16	BA	BD300108	YGZ	11-JUN-1992	27-JUN-1992		12.200	UGG	17.9
METALS IN SOIL BY ICAP	JS16	BA	BX310304	YGZ	11-JUN-1992	27-JUN-1992		13.400	UGG	3.8

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN SOIL BY ICAP	JS16	BA	BX310304	YGZ	11-JUN-1992	27-JUN-1992		12.900	UGG	3.8
METALS IN SOIL BY ICAP	JS16	BA	BX310515	YGZ	12-JUN-1992	27-JUN-1992		20.100	UGG	42.2
METALS IN SOIL BY ICAP	JS16	BA	BD310515	YGZ	12-JUN-1992	27-JUN-1992		13.100	UGG	42.2
METALS IN SOIL BY ICAP	JS16	BA	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		20.700	UGG	.0
METALS IN SOIL BY ICAP	JS16	BA	BXG60340	YGY	10-JUN-1992	25-JUN-1992		20.700	UGG	.0
METALS IN SOIL BY ICAP	JS16	BE	BX300108	YGY	11-JUN-1992	25-JUN-1992	<	0.500	UGG	.0
METALS IN SOIL BY ICAP	JS16	BE	BD300108	YGZ	11-JUN-1992	27-JUN-1992	<	0.500	UGG	.0
METALS IN SOIL BY ICAP	JS16	BE	BX310304	YGZ	11-JUN-1992	27-JUN-1992	<	0.500	UGG	.0
METALS IN SOIL BY ICAP	JS16	BE	BX310304	YGZ	11-JUN-1992	27-JUN-1992	<	0.500	UGG	.0
METALS IN SOIL BY ICAP	JS16	BE	BX310515	YGZ	12-JUN-1992	27-JUN-1992		0.608	UGG	19.5
METALS IN SOIL BY ICAP	JS16	BE	BD310515	YGZ	12-JUN-1992	27-JUN-1992	<	0.500	UGG	19.5
METALS IN SOIL BY ICAP	JS16	BE	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		0.594	UGG	17.2
METALS IN SOIL BY ICAP	JS16	BE	BXG60340	YGY	10-JUN-1992	25-JUN-1992	<	0.500	UGG	17.2
METALS IN SOIL BY ICAP	JS16	CA	BX300108	YGY	11-JUN-1992	25-JUN-1992		480.000	UGG	14.5
METALS IN SOIL BY ICAP	JS16	CA	BD300108	YGZ	11-JUN-1992	27-JUN-1992		415.000	UGG	14.5
METALS IN SOIL BY ICAP	JS16	CA	BX310304	YGZ	11-JUN-1992	27-JUN-1992		374.000	UGG	13.7
METALS IN SOIL BY ICAP	JS16	CA	BX310304	YGZ	11-JUN-1992	27-JUN-1992		326.000	UGG	13.7
METALS IN SOIL BY ICAP	JS16	CA	BX310515	YGZ	12-JUN-1992	27-JUN-1992		735.000	UGG	16.0
METALS IN SOIL BY ICAP	JS16	CA	BD310515	YGZ	12-JUN-1992	27-JUN-1992		626.000	UGG	16.0
METALS IN SOIL BY ICAP	JS16	CA	BXG60340	YGY	10-JUN-1992	25-JUN-1992		1110.000	UGG	28.9
METALS IN SOIL BY ICAP	JS16	CA	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		830.000	UGG	28.9
METALS IN SOIL BY ICAP	JS16	CD	BX300108	YGY	11-JUN-1992	25-JUN-1992	<	0.700	UGG	.0
METALS IN SOIL BY ICAP	JS16	CD	BD300108	YGZ	11-JUN-1992	27-JUN-1992	<	0.700	UGG	.0
METALS IN SOIL BY ICAP	JS16	CD	BX310304	YGZ	11-JUN-1992	27-JUN-1992	<	0.700	UGG	.0
METALS IN SOIL BY ICAP	JS16	CD	BX310304	YGZ	11-JUN-1992	27-JUN-1992	<	0.700	UGG	.0
METALS IN SOIL BY ICAP	JS16	CD	BX310515	YGZ	12-JUN-1992	27-JUN-1992	<	0.700	UGG	.0
METALS IN SOIL BY ICAP	JS16	CD	BD310515	YGZ	12-JUN-1992	27-JUN-1992	<	0.700	UGG	.0
METALS IN SOIL BY ICAP	JS16	CD	BDG60340	YGZ	10-JUN-1992	27-JUN-1992	<	0.700	UGG	.0
METALS IN SOIL BY ICAP	JS16	CD	BXG60340	YGY	10-JUN-1992	25-JUN-1992	<	0.700	UGG	.0
METALS IN SOIL BY ICAP	JS16	CO	BD300108	YGZ	11-JUN-1992	27-JUN-1992		2.500	UGG	13.2
METALS IN SOIL BY ICAP	JS16	CO	BX300108	YGY	11-JUN-1992	25-JUN-1992		2.190	UGG	13.2
METALS IN SOIL BY ICAP	JS16	CO	BX310304	YGZ	11-JUN-1992	27-JUN-1992		3.280	UGG	23.5
METALS IN SOIL BY ICAP	JS16	CO	BX310304	YGZ	11-JUN-1992	27-JUN-1992		2.590	UGG	23.5
METALS IN SOIL BY ICAP	JS16	CO	BX310515	YGZ	12-JUN-1992	27-JUN-1992		3.660	UGG	20.5
METALS IN SOIL BY ICAP	JS16	CO	BD310515	YGZ	12-JUN-1992	27-JUN-1992		2.980	UGG	20.5
METALS IN SOIL BY ICAP	JS16	CO	BXG60340	YGY	10-JUN-1992	25-JUN-1992		3.580	UGG	23.8
METALS IN SOIL BY ICAP	JS16	CO	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		2.820	UGG	23.8
METALS IN SOIL BY ICAP	JS16	CR	BX300108	YGY	11-JUN-1992	25-JUN-1992		7.390	UGG	26.3
METALS IN SOIL BY ICAP	JS16	CR	BD300108	YGZ	11-JUN-1992	27-JUN-1992		5.670	UGG	26.3
METALS IN SOIL BY ICAP	JS16	CR	BX310304	YGZ	11-JUN-1992	27-JUN-1992		8.180	UGG	44.4
METALS IN SOIL BY ICAP	JS16	CR	BX310304	YGZ	11-JUN-1992	27-JUN-1992		5.210	UGG	44.4

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN SOIL BY ICAP	JS16	CR	BX310515	YGZ	12-JUN-1992	27-JUN-1992		18.800	UGG	81.9
METALS IN SOIL BY ICAP	JS16	CR	BD310515	YGZ	12-JUN-1992	27-JUN-1992		7.880	UGG	81.9
METALS IN SOIL BY ICAP	JS16	CR	BXG60340	YGY	10-JUN-1992	25-JUN-1992		7.210	UGG	16.2
METALS IN SOIL BY ICAP	JS16	CR	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		6.130	UGG	16.2
METALS IN SOIL BY ICAP	JS16	CU	BD300108	YGZ	11-JUN-1992	27-JUN-1992		4.200	UGG	12.9
METALS IN SOIL BY ICAP	JS16	CU	BX300108	YGY	11-JUN-1992	25-JUN-1992		3.690	UGG	12.9
METALS IN SOIL BY ICAP	JS16	CU	BX310304	YGZ	11-JUN-1992	27-JUN-1992		7.110	UGG	33.7
METALS IN SOIL BY ICAP	JS16	CU	BX310304	YGZ	11-JUN-1992	27-JUN-1992		5.060	UGG	33.7
METALS IN SOIL BY ICAP	JS16	CU	BX310515	YGZ	12-JUN-1992	27-JUN-1992		6.700	UGG	15.6
METALS IN SOIL BY ICAP	JS16	CU	BD310515	YGZ	12-JUN-1992	27-JUN-1992		5.730	UGG	15.6
METALS IN SOIL BY ICAP	JS16	CU	BXG60340	YGY	10-JUN-1992	25-JUN-1992		4.800	UGG	14.8
METALS IN SOIL BY ICAP	JS16	CU	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		4.140	UGG	14.8
METALS IN SOIL BY ICAP	JS16	FE	BX300108	YGY	11-JUN-1992	25-JUN-1992		4180.000	UGG	18.3
METALS IN SOIL BY ICAP	JS16	FE	BD300108	YGZ	11-JUN-1992	27-JUN-1992		3480.000	UGG	18.3
METALS IN SOIL BY ICAP	JS16	FE	BX310304	YGZ	11-JUN-1992	27-JUN-1992		4980.000	UGG	14.2
METALS IN SOIL BY ICAP	JS16	FE	BX310304	YGZ	11-JUN-1992	27-JUN-1992		4320.000	UGG	14.2
METALS IN SOIL BY ICAP	JS16	FE	BX310515	YGZ	12-JUN-1992	27-JUN-1992		6570.000	UGG	38.0
METALS IN SOIL BY ICAP	JS16	FE	BD310515	YGZ	12-JUN-1992	27-JUN-1992		4470.000	UGG	38.0
METALS IN SOIL BY ICAP	JS16	FE	BXG60340	YGY	10-JUN-1992	25-JUN-1992		6680.000	UGG	29.0
METALS IN SOIL BY ICAP	JS16	FE	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		4990.000	UGG	29.0
METALS IN SOIL BY ICAP	JS16	K	BX300108	YGY	11-JUN-1992	25-JUN-1992		479.000	UGG	21.8
METALS IN SOIL BY ICAP	JS16	K	BD300108	YGZ	11-JUN-1992	27-JUN-1992		385.000	UGG	21.8
METALS IN SOIL BY ICAP	JS16	K	BX310304	YGZ	11-JUN-1992	27-JUN-1992		536.000	UGG	54.6
METALS IN SOIL BY ICAP	JS16	K	BX310304	YGZ	11-JUN-1992	27-JUN-1992		306.000	UGG	54.6
METALS IN SOIL BY ICAP	JS16	K	BX310515	YGZ	12-JUN-1992	27-JUN-1992		850.000	UGG	62.8
METALS IN SOIL BY ICAP	JS16	K	BD310515	YGZ	12-JUN-1992	27-JUN-1992		444.000	UGG	62.8
METALS IN SOIL BY ICAP	JS16	K	BXG60340	YGY	10-JUN-1992	25-JUN-1992		834.000	UGG	17.9
METALS IN SOIL BY ICAP	JS16	K	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		697.000	UGG	17.9
METALS IN SOIL BY ICAP	JS16	MG	BX300108	YGY	11-JUN-1992	25-JUN-1992		1130.000	UGG	28.6
METALS IN SOIL BY ICAP	JS16	MG	BD300108	YGZ	11-JUN-1992	27-JUN-1992		847.000	UGG	28.6
METALS IN SOIL BY ICAP	JS16	MG	BX310304	YGZ	11-JUN-1992	27-JUN-1992		1020.000	UGG	4.3
METALS IN SOIL BY ICAP	JS16	MG	BX310304	YGZ	11-JUN-1992	27-JUN-1992		977.000	UGG	4.3
METALS IN SOIL BY ICAP	JS16	MG	BX310515	YGZ	12-JUN-1992	27-JUN-1992		2050.000	UGG	72.1
METALS IN SOIL BY ICAP	JS16	MG	BD310515	YGZ	12-JUN-1992	27-JUN-1992		964.000	UGG	72.1
METALS IN SOIL BY ICAP	JS16	MG	BXG60340	YGY	10-JUN-1992	25-JUN-1992		1500.000	UGG	41.1
METALS IN SOIL BY ICAP	JS16	MG	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		989.000	UGG	41.1
METALS IN SOIL BY ICAP	JS16	MN	BD300108	YGZ	11-JUN-1992	27-JUN-1992		87.000	UGG	.1
METALS IN SOIL BY ICAP	JS16	MN	BX300108	YGY	11-JUN-1992	25-JUN-1992		86.900	UGG	.1
METALS IN SOIL BY ICAP	JS16	MN	BX310304	YGZ	11-JUN-1992	27-JUN-1992		92.000	UGG	39.3
METALS IN SOIL BY ICAP	JS16	MN	BX310304	YGZ	11-JUN-1992	27-JUN-1992		61.800	UGG	39.3
METALS IN SOIL BY ICAP	JS16	MN	BX310515	YGZ	12-JUN-1992	27-JUN-1992		126.000	UGG	23.4

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN SOIL BY ICAP	JS16	MN	BD310515	YGZ	12-JUN-1992	27-JUN-1992		99.600	UGG	23.4
METALS IN SOIL BY ICAP	JS16	MN	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		118.000	UGG	3.4
METALS IN SOIL BY ICAP	JS16	MN	BXG60340	YGY	10-JUN-1992	25-JUN-1992		114.000	UGG	3.4
METALS IN SOIL BY ICAP	JS16	NA	BX300108	YGY	11-JUN-1992	25-JUN-1992		160.000	UGG	46.2
METALS IN SOIL BY ICAP	JS16	NA	BD300108	YGZ	11-JUN-1992	27-JUN-1992	<	100.000	UGG	46.2
METALS IN SOIL BY ICAP	JS16	NA	BX310304	YGZ	11-JUN-1992	27-JUN-1992		117.000	UGG	.9
METALS IN SOIL BY ICAP	JS16	NA	BX310304	YGZ	11-JUN-1992	27-JUN-1992		116.000	UGG	.9
METALS IN SOIL BY ICAP	JS16	NA	BX310515	YGZ	12-JUN-1992	27-JUN-1992		154.000	UGG	23.2
METALS IN SOIL BY ICAP	JS16	NA	BD310515	YGZ	12-JUN-1992	27-JUN-1992		122.000	UGG	23.2
METALS IN SOIL BY ICAP	JS16	NA	BXG60340	YGY	10-JUN-1992	25-JUN-1992		161.000	UGG	18.3
METALS IN SOIL BY ICAP	JS16	NA	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		134.000	UGG	18.3
METALS IN SOIL BY ICAP	JS16	NI	BD300108	YGZ	11-JUN-1992	27-JUN-1992		5.760	UGG	8.7
METALS IN SOIL BY ICAP	JS16	NI	BX300108	YGY	11-JUN-1992	25-JUN-1992		5.280	UGG	8.7
METALS IN SOIL BY ICAP	JS16	NI	BX310304	YGZ	11-JUN-1992	27-JUN-1992		6.970	UGG	15.0
METALS IN SOIL BY ICAP	JS16	NI	BX310304	YGZ	11-JUN-1992	27-JUN-1992		6.000	UGG	15.0
METALS IN SOIL BY ICAP	JS16	NI	BX310515	YGZ	12-JUN-1992	27-JUN-1992		12.000	UGG	74.0
METALS IN SOIL BY ICAP	JS16	NI	BD310515	YGZ	12-JUN-1992	27-JUN-1992		5.520	UGG	74.0
METALS IN SOIL BY ICAP	JS16	NI	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		7.580	UGG	.3
METALS IN SOIL BY ICAP	JS16	NI	BXG60340	YGY	10-JUN-1992	25-JUN-1992		7.560	UGG	.3
METALS IN SOIL BY ICAP	JS16	V	BX300108	YGY	11-JUN-1992	25-JUN-1992		5.520	UGG	36.4
METALS IN SOIL BY ICAP	JS16	V	BD300108	YGZ	11-JUN-1992	27-JUN-1992		3.820	UGG	36.4
METALS IN SOIL BY ICAP	JS16	V	BX310304	YGZ	11-JUN-1992	27-JUN-1992		5.870	UGG	15.0
METALS IN SOIL BY ICAP	JS16	V	BX310304	YGZ	11-JUN-1992	27-JUN-1992		5.050	UGG	15.0
METALS IN SOIL BY ICAP	JS16	V	BX310515	YGZ	12-JUN-1992	27-JUN-1992		8.720	UGG	67.5
METALS IN SOIL BY ICAP	JS16	V	BD310515	YGZ	12-JUN-1992	27-JUN-1992		4.320	UGG	67.5
METALS IN SOIL BY ICAP	JS16	V	BXG60340	YGY	10-JUN-1992	25-JUN-1992		7.500	UGG	26.4
METALS IN SOIL BY ICAP	JS16	V	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		5.750	UGG	26.4
METALS IN SOIL BY ICAP	JS16	ZN	BX300108	YGY	11-JUN-1992	25-JUN-1992		14.600	UGG	22.1
METALS IN SOIL BY ICAP	JS16	ZN	BD300108	YGZ	11-JUN-1992	27-JUN-1992		11.700	UGG	22.1
METALS IN SOIL BY ICAP	JS16	ZN	BX310304	YGZ	11-JUN-1992	27-JUN-1992		14.000	UGG	10.5
METALS IN SOIL BY ICAP	JS16	ZN	BX310304	YGZ	11-JUN-1992	27-JUN-1992		12.600	UGG	10.5
METALS IN SOIL BY ICAP	JS16	ZN	BX310515	YGZ	12-JUN-1992	27-JUN-1992		26.500	UGG	53.6
METALS IN SOIL BY ICAP	JS16	ZN	BD310515	YGZ	12-JUN-1992	27-JUN-1992		15.300	UGG	53.6
METALS IN SOIL BY ICAP	JS16	ZN	BXG60340	YGY	10-JUN-1992	25-JUN-1992		19.100	UGG	20.8
METALS IN SOIL BY ICAP	JS16	ZN	BDG60340	YGZ	10-JUN-1992	27-JUN-1992		15.500	UGG	20.8
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.040	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.040	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.040	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.040	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.040	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.110	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.110	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.600	UGG	138.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.110	UGG	138.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.110	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.110	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.500	UGG	112.5
BNA'S IN SOIL BY GC/MS	LM18	12DPH	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.140	UGG	112.5
BNA'S IN SOIL BY GC/MS	LM18	12DPH	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.130	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.130	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.600	UGG	128.8
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.130	UGG	128.8
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.130	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.130	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.098	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.098	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.500	UGG	134.4
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.098	UGG	134.4
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.098	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.098	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.100	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.100	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.500	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	245TCP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.100	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	245TCP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.100	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.100	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.800	UGG	129.9
BNA'S IN SOIL BY GC/MS	LM18	246TCP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.170	UGG	129.9
BNA'S IN SOIL BY GC/MS	LM18	246TCP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.180	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.180	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.900	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.180	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.180	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.180	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.690	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.690	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	3.000	UGG	125.2
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.690	UGG	125.2
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.690	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.690	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	1.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	1.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	6.000	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	24DNP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	1.200	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	24DNP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	1.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	1.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.700	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.140	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.085	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.085	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.400	UGG	129.9
BNA'S IN SOIL BY GC/MS	LM18	26DNT	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.085	UGG	129.9
BNA'S IN SOIL BY GC/MS	LM18	26DNT	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.085	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.085	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.060	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.060	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.300	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.060	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.060	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.060	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	139.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.036	UGG	139.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.036	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.049	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.049	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	121.3
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.049	UGG	121.3
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.049	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.049	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.029	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.029	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.100	UGG	110.1
BNA'S IN SOIL BY GC/MS	LM18	2MP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.029	UGG	110.1
BNA'S IN SOIL BY GC/MS	LM18	2MP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.029	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.029	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.062	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.062	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.300	UGG	131.5
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.062	UGG	131.5
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.062	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.062	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.700	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	2NP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.140	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	2NP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	6.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	6.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	30.000	UGG	130.6
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	6.300	UGG	130.6
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	6.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	6.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.450	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.450	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	126.5
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.450	UGG	126.5
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.450	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.450	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.550	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.550	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	3.000	UGG	138.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.550	UGG	138.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.550	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.550	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.033	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.810	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.810	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	4.000	UGG	132.6
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.810	UGG	132.6
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.810	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.810	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.095	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.095	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.500	UGG	136.1
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.095	UGG	136.1
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.095	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.095	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.033	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4MP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.240	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4MP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.240	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4MP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	1.000	UGG	122.6
BNA'S IN SOIL BY GC/MS	LM18	4MP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.240	UGG	122.6
BNA'S IN SOIL BY GC/MS	LM18	4MP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.240	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4MP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.240	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.410	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.410	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	132.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.410	UGG	132.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.410	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.410	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	4NP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	7.000	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	4NP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	1.400	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	4NP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ABHC	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ABHC	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ABHC	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	152.4
BNA'S IN SOIL BY GC/MS	LM18	ABHC	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.270	UGG	152.4
BNA'S IN SOIL BY GC/MS	LM18	ABHC	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ABHC	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.330	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	3.000	UGG	131.5
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.620	UGG	131.5
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.330	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	139.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.036	UGG	139.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.033	UGG	143.3

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.033	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.059	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.059	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.300	UGG	134.3
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.059	UGG	134.3
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.059	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.059	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	1.000	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.200	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.033	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	3.000	UGG	131.5
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.620	UGG	131.5
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.800	UGG	129.9
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.170	UGG	129.9
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.250	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.250	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	1.000	UGG	120.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.250	UGG	120.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.250	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.250	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.210	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.210	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	1.000	UGG	130.6
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.210	UGG	130.6
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.210	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.210	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	152.4
BNA'S IN SOIL BY GC/MS	LM18	BBHC	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.270	UGG	152.4
BNA'S IN SOIL BY GC/MS	LM18	BBHC	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBZP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBZP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBZP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.800	UGG	129.9
BNA'S IN SOIL BY GC/MS	LM18	BBZP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.170	UGG	129.9
BNA'S IN SOIL BY GC/MS	LM18	BBZP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBZP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	3.000	UGG	131.5
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.620	UGG	131.5
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.850	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.850	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	4.000	UGG	129.9
BNA'S IN SOIL BY GC/MS	LM18	BENZID	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.850	UGG	129.9
BNA'S IN SOIL BY GC/MS	LM18	BENZID	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.850	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.850	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	6.100	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	6.100	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	30.000	UGG	132.4
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	6.100	UGG	132.4
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	6.100	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	6.100	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.250	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.250	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	1.000	UGG	120.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.250	UGG	120.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.250	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.250	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.066	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.066	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.300	UGG	127.9
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.066	UGG	127.9
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.066	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.066	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.190	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.190	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	10.000	UGG	192.5
BNA'S IN SOIL BY GC/MS	LM18	BZALC	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.190	UGG	192.5
BNA'S IN SOIL BY GC/MS	LM18	BZALC	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.190	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.190	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.033	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.120	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.120	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.600	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	CHRY	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.120	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	CHRY	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.120	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.120	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.033	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	6.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	6.200	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	30.000	UGG	131.5
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	6.200	UGG	131.5
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	6.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	6.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.150	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.150	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.800	UGG	136.8
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.150	UGG	136.8
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.150	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.150	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.210	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.210	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	1.000	UGG	130.6
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.210	UGG	130.6
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.210	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.210	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	152.4
BNA'S IN SOIL BY GC/MS	LM18	DBHC	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.270	UGG	152.4
BNA'S IN SOIL BY GC/MS	LM18	DBHC	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.035	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.035	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	140.4
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.035	UGG	140.4
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.035	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.035	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.240	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.240	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	1.000	UGG	122.6
BNA'S IN SOIL BY GC/MS	LM18	DEP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.240	UGG	122.6
BNA'S IN SOIL BY GC/MS	LM18	DEP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.240	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.240	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.310	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.310	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	146.3
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.310	UGG	146.3
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.310	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.310	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	DMP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.800	UGG	129.9
BNA'S IN SOIL BY GC/MS	LM18	DMP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.170	UGG	129.9
BNA'S IN SOIL BY GC/MS	LM18	DMP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.170	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.061	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.061	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.300	UGG	132.4
BNA'S IN SOIL BY GC/MS	LM18	DNBP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.061	UGG	132.4
BNA'S IN SOIL BY GC/MS	LM18	DNBP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.061	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.061	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.190	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.190	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	10.000	UGG	192.5
BNA'S IN SOIL BY GC/MS	LM18	DNOP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.190	UGG	192.5
BNA'S IN SOIL BY GC/MS	LM18	DNOP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.190	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.190	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.450	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.450	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	126.5
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.450	UGG	126.5
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.450	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.450	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.530	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.530	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	116.2
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.530	UGG	116.2
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.530	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.530	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.530	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.530	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	116.2
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.530	UGG	116.2
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.530	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.530	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	3.000	UGG	131.5

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.620	UGG	131.5
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.620	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FANT	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.068	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FANT	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.068	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FANT	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.300	UGG	102.3
BNA'S IN SOIL BY GC/MS	LM18	FANT	BD310515	ZNA	12-JUN-1992	27-JUN-1992		0.097	UGG	102.3
BNA'S IN SOIL BY GC/MS	LM18	FANT	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.068	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FANT	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.068	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.033	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.330	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.230	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.230	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	1.000	UGG	125.2
BNA'S IN SOIL BY GC/MS	LM18	HCBD	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.230	UGG	125.2
BNA'S IN SOIL BY GC/MS	LM18	HCBD	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.230	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.230	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.130	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.130	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.500	UGG	117.5
BNA'S IN SOIL BY GC/MS	LM18	HPCL	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.130	UGG	117.5
BNA'S IN SOIL BY GC/MS	LM18	HPCL	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.130	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.130	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.330	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.330	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.290	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.290	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	1.000	UGG	110.1
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.290	UGG	110.1
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.290	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.290	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.033	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	152.4
BNA'S IN SOIL BY GC/MS	LM18	LIN	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.270	UGG	152.4
BNA'S IN SOIL BY GC/MS	LM18	LIN	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.330	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.330	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.037	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.037	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	137.6
BNA'S IN SOIL BY GC/MS	LM18	NAP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.037	UGG	137.6
BNA'S IN SOIL BY GC/MS	LM18	NAP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.037	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.037	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.045	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.045	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	126.5
BNA'S IN SOIL BY GC/MS	LM18	NB	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.045	UGG	126.5
BNA'S IN SOIL BY GC/MS	LM18	NB	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.045	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.045	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.500	UGG	112.5
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.140	UGG	112.5

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.140	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	1.000	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.200	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.200	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.190	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.190	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	10.000	UGG	192.5
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.190	UGG	192.5
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.190	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.190	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	5.000	UGG	112.5
BNA'S IN SOIL BY GC/MS	LM18	PCB016	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	1.400	UGG	112.5
BNA'S IN SOIL BY GC/MS	LM18	PCB016	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	5.000	UGG	112.5
BNA'S IN SOIL BY GC/MS	LM18	PCB221	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	1.400	UGG	112.5
BNA'S IN SOIL BY GC/MS	LM18	PCB221	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	5.000	UGG	112.5
BNA'S IN SOIL BY GC/MS	LM18	PCB232	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	1.400	UGG	112.5
BNA'S IN SOIL BY GC/MS	LM18	PCB232	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	5.000	UGG	112.5
BNA'S IN SOIL BY GC/MS	LM18	PCB242	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	1.400	UGG	112.5
BNA'S IN SOIL BY GC/MS	LM18	PCB242	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	1.400	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	2.000	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	PCB248	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	10.000	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	PCB248	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	2.000	UGG	133.3
BNA'S IN SOIL BY GC/MS	LM18	PCB248	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	2.000	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB254	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	2.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB254	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	2.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB254	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	10.000	UGG	125.2
BNA'S IN SOIL BY GC/MS	LM18	PCB254	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	2.300	UGG	125.2
BNA'S IN SOIL BY GC/MS	LM18	PCB254	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	2.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB254	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	2.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	2.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	2.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	20.000	UGG	154.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	2.600	UGG	154.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	2.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	2.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	1.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	1.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	6.000	UGG	128.8
BNA'S IN SOIL BY GC/MS	LM18	PCP	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	1.300	UGG	128.8
BNA'S IN SOIL BY GC/MS	LM18	PCP	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	1.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	1.300	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	BD300108	YLX	11-JUN-1992	27-JUN-1992		0.099	UGG	100.0
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.033	UGG	100.0
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.033	UGG	143.3
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.110	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.110	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.600	UGG	138.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.110	UGG	138.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.110	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.110	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	152.4
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.270	UGG	152.4
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.270	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.270	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.310	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.310	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	146.3
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.310	UGG	146.3
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.310	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.310	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.310	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	0.310	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	2.000	UGG	146.3
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	0.310	UGG	146.3
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.310	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.310	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	BD300108	YLX	11-JUN-1992	27-JUN-1992		0.080	UGG	83.2
BNA'S IN SOIL BY GC/MS	LM18	PYR	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	0.033	UGG	83.2
BNA'S IN SOIL BY GC/MS	LM18	PYR	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	0.200	UGG	92.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	BD310515	ZNA	12-JUN-1992	27-JUN-1992		0.074	UGG	92.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	0.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	BX300108	ZNA	11-JUN-1992	26-JUN-1992	<	2.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	BD300108	YLX	11-JUN-1992	27-JUN-1992	<	2.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	BX310515	YLX	12-JUN-1992	27-JUN-1992	<	20.000	UGG	154.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	BD310515	ZNA	12-JUN-1992	27-JUN-1992	<	2.600	UGG	154.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	BDG60340	YLV	10-JUN-1992	23-JUN-1992	<	2.600	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	BXG60340	YLV	10-JUN-1992	23-JUN-1992	<	2.600	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.005	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.005	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.002	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.010	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.100	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.007	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.006	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.009	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.007	UGG	.0

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		minimum								113.2	
		maximum								113.2	
METALS IN WATER BY ICAP	SS10	CA	D-1-1	YOG	07-APR-1992	23-APR-1992	10000.000	10600.000	UGL	106.0	.9
METALS IN WATER BY ICAP	SS10	CA	D-1-1	YOG	07-APR-1992	23-APR-1992	10000.000	10500.000	UGL	105.0	.9
		**********								----------	
		avg								105.5	
		minimum								105.0	
		maximum								106.0	
METALS IN WATER BY ICAP	SS10	CD	D-1-1	YOG	07-APR-1992	23-APR-1992	50.000	46.700	UGL	93.4	1.3
METALS IN WATER BY ICAP	SS10	CD	D-1-1	YOG	07-APR-1992	23-APR-1992	50.000	46.100	UGL	92.2	1.3
		**********								----------	
		avg								92.8	
		minimum								92.2	
		maximum								93.4	
METALS IN WATER BY ICAP	SS10	CO	D-1-1	YOG	07-APR-1992	23-APR-1992	500.000	552.000	UGL	110.4	1.3
METALS IN WATER BY ICAP	SS10	CO	D-1-1	YOG	07-APR-1992	23-APR-1992	500.000	545.000	UGL	109.0	1.3
		**********								----------	
		avg								109.7	
		minimum								109.0	
		maximum								110.4	
METALS IN WATER BY ICAP	SS10	CR	D-1-1	YOG	07-APR-1992	23-APR-1992	200.000	195.000	UGL	97.5	1.0
METALS IN WATER BY ICAP	SS10	CR	D-1-1	YOG	07-APR-1992	23-APR-1992	200.000	193.000	UGL	96.5	1.0
		**********								----------	
		avg								97.0	
		minimum								96.5	
		maximum								97.5	
METALS IN WATER BY ICAP	SS10	CU	D-1-1	YOG	07-APR-1992	23-APR-1992	250.000	246.000	UGL	98.4	.8
METALS IN WATER BY ICAP	SS10	CU	D-1-1	YOG	07-APR-1992	23-APR-1992	250.000	244.000	UGL	97.6	.8
		**********								----------	
		avg								98.0	
		minimum								97.6	
		maximum								98.4	
METALS IN WATER BY ICAP	SS10	FE	D-1-1	YOG	07-APR-1992	23-APR-1992	1000.000	1100.000	UGL	110.0	1.8
METALS IN WATER BY ICAP	SS10	FE	D-1-1	YOG	07-APR-1992	23-APR-1992	1000.000	1080.000	UGL	108.0	1.8
		**********								----------	
		avg								109.0	
		minimum								108.0	
		maximum								110.0	

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN WATER BY ICAP	SS10	K	D-1-1	YOG	07-APR-1992	23-APR-1992	10000.000	11300.000	UGL	113.0	.0
METALS IN WATER BY ICAP	SS10	K	D-1-1	YOG	07-APR-1992	23-APR-1992	10000.000	11300.000	UGL	113.0	.0
		**********									
		avg								113.0	
		minimum								113.0	
		maximum								113.0	
METALS IN WATER BY ICAP	SS10	MG	D-1-1	YOG	07-APR-1992	23-APR-1992	10000.000	10200.000	UGL	102.0	2.0
METALS IN WATER BY ICAP	SS10	MG	D-1-1	YOG	07-APR-1992	23-APR-1992	10000.000	10000.000	UGL	100.0	2.0
		**********									
		avg								101.0	
		minimum								100.0	
		maximum								102.0	
METALS IN WATER BY ICAP	SS10	MN	D-1-1	YOG	07-APR-1992	23-APR-1992	500.000	508.000	UGL	101.6	1.8
METALS IN WATER BY ICAP	SS10	MN	D-1-1	YOG	07-APR-1992	23-APR-1992	500.000	499.000	UGL	99.8	1.8
		**********									
		avg								100.7	
		minimum								99.8	
		maximum								101.6	
METALS IN WATER BY ICAP	SS10	NA	D-1-1	YOG	07-APR-1992	23-APR-1992	10000.000	10400.000	UGL	104.0	1.9
METALS IN WATER BY ICAP	SS10	NA	D-1-1	YOG	07-APR-1992	23-APR-1992	10000.000	10200.000	UGL	102.0	1.9
		**********									
		avg								103.0	
		minimum								102.0	
		maximum								104.0	
METALS IN WATER BY ICAP	SS10	NI	D-1-1	YOG	07-APR-1992	23-APR-1992	500.000	552.000	UGL	110.4	.5
METALS IN WATER BY ICAP	SS10	NI	D-1-1	YOG	07-APR-1992	23-APR-1992	500.000	549.000	UGL	109.8	.5
		**********									
		avg								110.1	
		minimum								109.8	
		maximum								110.4	
METALS IN WATER BY ICAP	SS10	V	D-1-1	YOG	07-APR-1992	23-APR-1992	500.000	513.000	UGL	102.6	1.2
METALS IN WATER BY ICAP	SS10	V	D-1-1	YOG	07-APR-1992	23-APR-1992	500.000	507.000	UGL	101.4	1.2
		**********									
		avg								102.0	
		minimum								101.4	
		maximum								102.6	
METALS IN WATER BY ICAP	SS10	ZN	D-1-1	YOG	07-APR-1992	23-APR-1992	500.000	508.000	UGL	101.6	1.0

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN WATER BY ICAP	SS10	ZN	D-1-1	YOG	07-APR-1992	23-APR-1992	500.000	503.000	UGL	100.6	1.0
		**********									
		avg								101.1	
		minimum								100.6	
		maximum								101.6	
NO2, NO3 IN WATER	TF22	NIT	D-1-2	XXH	07-APR-1992	09-APR-1992	150.000	150.000	UGL	100.0	.0
NO2, NO3 IN WATER	TF22	NIT	D-1-2	XXH	07-APR-1992	09-APR-1992	150.000	150.000	UGL	100.0	.0
		**********									
		avg								100.0	
		minimum								100.0	
		maximum								100.0	
N2KJEL IN WATER	TF26	N2KJEL	D-1-2	SKM	07-APR-1992	22-APR-1992	4000.000	3900.000	UGL	97.5	.0
N2KJEL IN WATER	TF26	N2KJEL	D-1-2	SKM	07-APR-1992	22-APR-1992	4000.000	3900.000	UGL	97.5	.0
		**********									
		avg								97.5	
		minimum								97.5	
		maximum								97.5	
TOT. PO4 IN WATER	TF27	PO4	D-1-1	RDZ	07-APR-1992	24-APR-1992	385.000	386.000	UGL	100.3	2.6
TOT. PO4 IN WATER	TF27	PO4	D-1-1	RDZ	07-APR-1992	24-APR-1992	385.000	376.000	UGL	97.7	2.6
		**********									
		avg								99.0	
		minimum								97.7	
		maximum								100.3	
SO4 IN WATER	TT10	CL	D-1-1	XIR	07-APR-1992	13-APR-1992	25000.000	29000.000	UGL	116.0	.0
SO4 IN WATER	TT10	CL	D-1-1	XIR	07-APR-1992	13-APR-1992	25000.000	29000.000	UGL	116.0	.0
		**********									
		avg								116.0	
		minimum								116.0	
		maximum								116.0	
SO4 IN WATER	TT10	SO4	D-1-1	XIR	07-APR-1992	13-APR-1992	250000.000	260000.000	UGL	104.0	.0
SO4 IN WATER	TT10	SO4	D-1-1	XIR	07-APR-1992	13-APR-1992	250000.000	260000.000	UGL	104.0	.0
		**********									
		avg								104.0	
		minimum								104.0	
		maximum								104.0	

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.100	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.004	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	CS2	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.004	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	HEXANE	BD310515	YSW	12-JUN-1992	23-JUN-1992		0.031	UGG	38.5
VOC'S IN SOIL BY GC/MS	LM19	HEXANE	BX310515	YSW	12-JUN-1992	23-JUN-1992		0.021	UGG	38.5
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BXG60340	YSR	10-JUN-1992	18-JUN-1992		0.002	UGG	66.7
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.001	UGG	66.7
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.070	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	MEK	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.070	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.001	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BDG61112	ZTF	25-JUN-1992	02-JUL-1992		0.004	UGG	120.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.001	UGG	120.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BX300108	YSS	11-JUN-1992	20-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BX300108	YSS	11-JUN-1992	20-JUN-1992		0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BD300108	YSY	11-JUN-1992	24-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BD310515	YSW	12-JUN-1992	23-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BX310515	YSW	12-JUN-1992	23-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BDG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BXG60340	YSR	10-JUN-1992	18-JUN-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	<	0.002	UGG	.0

Table F13
Sample Duplicate Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BXG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.002	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BDG61112	ZTF	25-JUN-1992	02-JUL-1992	<	0.002	UGG	.0

QA/QC MS/MSD RESULTS

TABLE F8
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
	00	TOC	BXG30426	ZWY	29-JUN-1992	11-JUL-1992	1310.000	1330.000	UGG	101.5	25.6
	00	TOC	BXG30426	ZWY	29-JUN-1992	11-JUL-1992	830.000	1090.000	UGG	131.3	25.6
		**********								----------	
		avg								116.4	
		minimum								101.5	
		maximum								131.3	
	00	TPHC	BX440410	AGM	07-JUL-1992	28-JUL-1992	1160.000	1190.000	UGG	102.6	.0
	00	TPHC	BX440410	AGM	07-JUL-1992	28-JUL-1992	1160.000	1190.000	UGG	102.6	.0
	00	TPHC	BX520105	AGS	30-JUN-1992	22-JUL-1992	1170.000	1150.000	UGG	98.3	1.8
	00	TPHC	BX520105	AGS	30-JUN-1992	22-JUL-1992	1170.000	1130.000	UGG	96.6	1.8
	00	TPHC	BX520405	AGB	30-JUN-1992	27-JUL-1992	1180.000	1160.000	UGG	98.3	.0
	00	TPHC	BX520405	AGB	30-JUN-1992	27-JUL-1992	1180.000	1160.000	UGG	98.3	.0
		**********								----------	
		avg								99.4	
		minimum								96.6	
		maximum								102.6	
	99	ALK	SBK92112	ASL	29-JUL-1992	12-AUG-1992	44600.000	45000.000	UGL	100.9	2.2
	99	ALK	SBK92112	ASL	29-JUL-1992	12-AUG-1992	44600.000	44000.000	UGL	98.7	2.2
		**********								----------	
		avg								99.8	
		minimum								98.7	
		maximum								100.9	
	JB01	HG	BX440510	ZQO	07-JUL-1992	21-JUL-1992	0.495	0.554	UGG	111.9	17.3
	JB01	HG	BX440510	ZQO	07-JUL-1992	21-JUL-1992	0.507	0.477	UGG	94.1	17.3
	JB01	HG	BX520405	ZQM	30-JUN-1992	23-JUL-1992	0.510	0.481	UGG	94.3	.2
	JB01	HG	BX520405	ZQM	30-JUN-1992	23-JUL-1992	0.494	0.467	UGG	94.5	.2
	JB01	HG	BXG30400	ZQF	30-JUN-1992	13-JUL-1992	0.515	0.706	UGG	137.1	27.7
	JB01	HG	BXG30400	ZQF	30-JUN-1992	13-JUL-1992	0.515	0.534	UGG	103.7	27.7
	JB01	HG	BXG30600	ZQM	06-JUL-1992	23-JUL-1992	0.537	0.550	UGG	102.4	3.9
	JB01	HG	BXG30600	ZQM	06-JUL-1992	23-JUL-1992	0.541	0.533	UGG	98.5	3.9
		**********								----------	
		avg								104.6	
		minimum								94.1	
		maximum								137.1	
SE IN SOIL BY GFAA	JD15	SE	BX440310	ZSJ	08-JUL-1992	05-AUG-1992	4.760	5.110	UGG	107.4	3.0
SE IN SOIL BY GFAA	JD15	SE	BX440310	ZSJ	08-JUL-1992	05-AUG-1992	4.770	4.970	UGG	104.2	3.0
SE IN SOIL BY GFAA	JD15	SE	BX440410	ZSL	07-JUL-1992	05-AUG-1992	4.160	4.350	UGG	104.6	.4

TABLE F8
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
SE IN SOIL BY GFAA	JD15	SE	BX440410	ZSL	07-JUL-1992	05-AUG-1992	4.100	4.270	UGG	104.1	.4
SE IN SOIL BY GFAA	JD15	SE	BX520405	ZSJ	30-JUN-1992	05-AUG-1992	3.930	4.500	UGG	114.5	.0
SE IN SOIL BY GFAA	JD15	SE	BX520405	ZSJ	30-JUN-1992	05-AUG-1992	3.920	4.490	UGG	114.5	.0
		**********									
		avg								108.2	
		minimum								104.1	
		maximum								114.5	
PB IN SOIL BY GFAA	JD17	PB	BX440310	ZXD	08-JUL-1992	05-AUG-1992	4.770	6.300	UGG	132.1	2.5
PB IN SOIL BY GFAA	JD17	PB	BX440310	ZXD	08-JUL-1992	05-AUG-1992	4.760	6.130	UGG	128.8	2.5
PB IN SOIL BY GFAA	JD17	PB	BX440410	ZXF	07-JUL-1992	06-AUG-1992	4.160	5.350	UGG	128.6	25.7
PB IN SOIL BY GFAA	JD17	PB	BX440410	ZXF	07-JUL-1992	06-AUG-1992	4.100	4.070	UGG	99.3	25.7
PB IN SOIL BY GFAA	JD17	PB	BX520405	ZXD	30-JUN-1992	05-AUG-1992	3.930	4.750	UGG	120.9	1.4
PB IN SOIL BY GFAA	JD17	PB	BX520405	ZXD	30-JUN-1992	05-AUG-1992	3.920	4.670	UGG	119.1	1.4
		**********									
		avg								121.5	
		minimum								99.3	
		maximum								132.1	
AS IN SOIL BY GFAA	JD19	AS	BX440310	ZIT	08-JUL-1992	05-AUG-1992	4.760	10.000	UGG	210.1	73.2
AS IN SOIL BY GFAA	JD19	AS	BX440310	ZIT	08-JUL-1992	05-AUG-1992	4.770	4.650	UGG	97.5	73.2
AS IN SOIL BY GFAA	JD19	AS	BX440410	ZIX	07-JUL-1992	06-AUG-1992	4.160	5.700	UGG	137.0	124.8
AS IN SOIL BY GFAA	JD19	AS	BX440410	ZIX	07-JUL-1992	06-AUG-1992	4.100	1.300	UGG	31.7	124.8
AS IN SOIL BY GFAA	JD19	AS	BX520405	ZIT	30-JUN-1992	05-AUG-1992	3.920	4.000	UGG	102.0	22.5
AS IN SOIL BY GFAA	JD19	AS	BX520405	ZIT	30-JUN-1992	05-AUG-1992	3.930	3.200	UGG	81.4	22.5
		**********									
		avg								110.0	
		minimum								31.7	
		maximum								210.1	
TL IN SOIL BY GFAA	JD24	TL	BX440310	ZLD	08-JUL-1992	05-AUG-1992	4.770	5.240	UGG	109.9	1.3
TL IN SOIL BY GFAA	JD24	TL	BX440310	ZLD	08-JUL-1992	05-AUG-1992	4.760	5.160	UGG	108.4	1.3
TL IN SOIL BY GFAA	JD24	TL	BX440410	ZLE	07-JUL-1992	06-AUG-1992	4.160	4.600	UGG	110.6	.5
TL IN SOIL BY GFAA	JD24	TL	BX440410	ZLE	07-JUL-1992	06-AUG-1992	4.100	4.510	UGG	110.0	.5
TL IN SOIL BY GFAA	JD24	TL	BX520405	ZLD	30-JUN-1992	05-AUG-1992	3.930	4.410	UGG	112.2	2.7
TL IN SOIL BY GFAA	JD24	TL	BX520405	ZLD	30-JUN-1992	05-AUG-1992	3.920	4.280	UGG	109.2	2.7
		**********									
		avg								110.0	
		minimum								108.4	
		maximum								112.2	

TABLE F8
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
SB IN SOIL BY GFAA	JD25	SB	BX440310	ZMD	08-JUL-1992	05-AUG-1992	10.000	11.500	UGG	115.0	1.4
SB IN SOIL BY GFAA	JD25	SB	BX440310	ZMD	08-JUL-1992	05-AUG-1992	9.520	10.800	UGG	113.4	1.4
SB IN SOIL BY GFAA	JD25	SB	BX440410	ZME	07-JUL-1992	06-AUG-1992	8.230	9.330	UGG	113.4	.5
SB IN SOIL BY GFAA	JD25	SB	BX440410	ZME	07-JUL-1992	06-AUG-1992	8.100	9.140	UGG	112.8	.5
SB IN SOIL BY GFAA	JD25	SB	BX520405	ZMD	30-JUN-1992	05-AUG-1992	8.220	9.170	UGG	111.6	.6
SB IN SOIL BY GFAA	JD25	SB	BX520405	ZMD	30-JUN-1992	05-AUG-1992	8.150	9.150	UGG	112.3	.6
		**********								----------	
		avg								113.1	
		minimum								111.6	
		maximum								115.0	
METALS IN SOIL BY ICAP	JS16	AG	BX440310	ZJN	08-JUL-1992	21-JUL-1992	9.270	8.650	UGG	93.3	3.3
METALS IN SOIL BY ICAP	JS16	AG	BX440310	ZJN	08-JUL-1992	21-JUL-1992	9.380	8.470	UGG	90.3	3.3
METALS IN SOIL BY ICAP	JS16	AG	BX440410	ZJP	07-JUL-1992	23-JUL-1992	8.330	7.640	UGG	91.7	1.2
METALS IN SOIL BY ICAP	JS16	AG	BX440410	ZJP	07-JUL-1992	23-JUL-1992	7.990	7.240	UGG	90.6	1.2
METALS IN SOIL BY ICAP	JS16	AG	BX520210	ZJG	30-JUN-1992	08-JUL-1992	8.660	8.320	UGG	96.1	1.7
METALS IN SOIL BY ICAP	JS16	AG	BX520210	ZJG	30-JUN-1992	08-JUL-1992	8.690	8.210	UGG	94.5	1.7
METALS IN SOIL BY ICAP	JS16	AG	BX520405	ZJN	30-JUN-1992	21-JUL-1992	8.360	7.670	UGG	91.7	1.5
METALS IN SOIL BY ICAP	JS16	AG	BX520405	ZJN	30-JUN-1992	21-JUL-1992	7.880	7.340	UGG	93.1	1.5
		**********								----------	
		avg								92.7	
		minimum								90.3	
		maximum								96.1	
METALS IN SOIL BY ICAP	JS16	BE	BX440310	ZJN	08-JUL-1992	21-JUL-1992	58.000	60.000	UGG	103.4	1.4
METALS IN SOIL BY ICAP	JS16	BE	BX440310	ZJN	08-JUL-1992	21-JUL-1992	58.600	59.800	UGG	102.0	1.4
METALS IN SOIL BY ICAP	JS16	BE	BX440410	ZJP	07-JUL-1992	23-JUL-1992	52.100	53.600	UGG	102.9	1.2
METALS IN SOIL BY ICAP	JS16	BE	BX440410	ZJP	07-JUL-1992	23-JUL-1992	49.900	50.700	UGG	101.6	1.2
METALS IN SOIL BY ICAP	JS16	BE	BX520210	ZJG	30-JUN-1992	08-JUL-1992	54.300	55.400	UGG	102.0	.2
METALS IN SOIL BY ICAP	JS16	BE	BX520210	ZJG	30-JUN-1992	08-JUL-1992	54.200	55.400	UGG	102.2	.2
METALS IN SOIL BY ICAP	JS16	BE	BX520405	ZJN	30-JUN-1992	21-JUL-1992	52.300	54.200	UGG	103.6	1.0
METALS IN SOIL BY ICAP	JS16	BE	BX520405	ZJN	30-JUN-1992	21-JUL-1992	49.200	51.500	UGG	104.7	1.0
		**********								----------	
		avg								102.8	
		minimum								101.6	
		maximum								104.7	
METALS IN SOIL BY ICAP	JS16	CD	BX440310	ZJN	08-JUL-1992	21-JUL-1992	58.000	61.000	UGG	105.2	2.0
METALS IN SOIL BY ICAP	JS16	CD	BX440310	ZJN	08-JUL-1992	21-JUL-1992	58.600	60.400	UGG	103.1	2.0
METALS IN SOIL BY ICAP	JS16	CD	BX440410	ZJP	07-JUL-1992	23-JUL-1992	52.100	53.600	UGG	102.9	1.1
METALS IN SOIL BY ICAP	JS16	CD	BX440410	ZJP	07-JUL-1992	23-JUL-1992	49.900	50.800	UGG	101.8	1.1
METALS IN SOIL BY ICAP	JS16	CD	BX520210	ZJG	30-JUN-1992	08-JUL-1992	54.300	55.800	UGG	102.8	.2

TABLE F8
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN SOIL BY ICAP	JS16	CD	BX520210	ZJG	30-JUN-1992	08-JUL-1992	54.200	55.800	UGG	103.0	.2
METALS IN SOIL BY ICAP	JS16	CD	BX520405	ZJN	30-JUN-1992	21-JUL-1992	52.300	54.400	UGG	104.0	1.4
METALS IN SOIL BY ICAP	JS16	CD	BX520405	ZJN	30-JUN-1992	21-JUL-1992	49.200	51.900	UGG	105.5	1.4
		**********								----------	
		avg								103.5	
		minimum								101.8	
		maximum								105.5	
METALS IN SOIL BY ICAP	JS16	CR	BX440310	ZJN	08-JUL-1992	21-JUL-1992	117.000	123.000	UGG	105.1	1.6
METALS IN SOIL BY ICAP	JS16	CR	BX440310	ZJN	08-JUL-1992	21-JUL-1992	116.000	120.000	UGG	103.4	1.6
METALS IN SOIL BY ICAP	JS16	CR	BX440410	ZJP	07-JUL-1992	23-JUL-1992	104.000	113.000	UGG	108.7	1.4
METALS IN SOIL BY ICAP	JS16	CR	BX440410	ZJP	07-JUL-1992	23-JUL-1992	99.900	107.000	UGG	107.1	1.4
METALS IN SOIL BY ICAP	JS16	CR	BX520210	ZJG	30-JUN-1992	08-JUL-1992	108.000	116.000	UGG	107.4	1.8
METALS IN SOIL BY ICAP	JS16	CR	BX520210	ZJG	30-JUN-1992	08-JUL-1992	109.000	115.000	UGG	105.5	1.8
METALS IN SOIL BY ICAP	JS16	CR	BX520405	ZJN	30-JUN-1992	21-JUL-1992	105.000	114.000	UGG	108.6	2.8
METALS IN SOIL BY ICAP	JS16	CR	BX520405	ZJN	30-JUN-1992	21-JUL-1992	98.500	110.000	UGG	111.7	2.8
		**********								----------	
		avg								107.2	
		minimum								103.4	
		maximum								111.7	
METALS IN SOIL BY ICAP	JS16	CU	BX440310	ZJN	08-JUL-1992	21-JUL-1992	58.600	56.700	UGG	96.8	.1
METALS IN SOIL BY ICAP	JS16	CU	BX440310	ZJN	08-JUL-1992	21-JUL-1992	58.000	56.200	UGG	96.9	.1
METALS IN SOIL BY ICAP	JS16	CU	BX440410	ZJP	07-JUL-1992	23-JUL-1992	52.100	54.800	UGG	105.2	3.3
METALS IN SOIL BY ICAP	JS16	CU	BX440410	ZJP	07-JUL-1992	23-JUL-1992	49.900	50.800	UGG	101.8	3.3
METALS IN SOIL BY ICAP	JS16	CU	BX520210	ZJG	30-JUN-1992	08-JUL-1992	54.300	53.600	UGG	98.7	1.1
METALS IN SOIL BY ICAP	JS16	CU	BX520210	ZJG	30-JUN-1992	08-JUL-1992	54.200	52.900	UGG	97.6	1.1
METALS IN SOIL BY ICAP	JS16	CU	BX520405	ZJN	30-JUN-1992	21-JUL-1992	52.300	52.700	UGG	100.8	3.4
METALS IN SOIL BY ICAP	JS16	CU	BX520405	ZJN	30-JUN-1992	21-JUL-1992	49.200	51.300	UGG	104.3	3.4
		**********								----------	
		avg								100.2	
		minimum								96.8	
		maximum								105.2	
METALS IN SOIL BY ICAP	JS16	NI	BX440310	ZJN	08-JUL-1992	21-JUL-1992	58.600	61.300	UGG	104.6	1.8
METALS IN SOIL BY ICAP	JS16	NI	BX440310	ZJN	08-JUL-1992	21-JUL-1992	58.000	59.600	UGG	102.8	1.8
METALS IN SOIL BY ICAP	JS16	NI	BX440410	ZJP	07-JUL-1992	23-JUL-1992	52.100	56.600	UGG	108.6	2.3
METALS IN SOIL BY ICAP	JS16	NI	BX440410	ZJP	07-JUL-1992	23-JUL-1992	49.900	53.000	UGG	106.2	2.3
METALS IN SOIL BY ICAP	JS16	NI	BX520210	ZJG	30-JUN-1992	08-JUL-1992	54.300	56.400	UGG	103.9	.2
METALS IN SOIL BY ICAP	JS16	NI	BX520210	ZJG	30-JUN-1992	08-JUL-1992	54.200	56.200	UGG	103.7	.2
METALS IN SOIL BY ICAP	JS16	NI	BX520405	ZJN	30-JUN-1992	21-JUL-1992	52.300	57.400	UGG	109.8	4.0
METALS IN SOIL BY ICAP	JS16	NI	BX520405	ZJN	30-JUN-1992	21-JUL-1992	49.200	56.200	UGG	114.2	4.0
		**********								----------	
		avg								106.7	

TABLE F8
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		minimum								102.8	
		maximum								114.2	
METALS IN SOIL BY ICAP	JS16	ZN	BX440310	ZJN	08-JUL-1992	21-JUL-1992	117.000	123.000	UGG	105.1	.9
METALS IN SOIL BY ICAP	JS16	ZN	BX440310	ZJN	08-JUL-1992	21-JUL-1992	116.000	123.000	UGG	106.0	.9
METALS IN SOIL BY ICAP	JS16	ZN	BX440410	ZJP	07-JUL-1992	23-JUL-1992	104.000	112.000	UGG	107.7	.5
METALS IN SOIL BY ICAP	JS16	ZN	BX440410	ZJP	07-JUL-1992	23-JUL-1992	99.900	107.000	UGG	107.1	.5
METALS IN SOIL BY ICAP	JS16	ZN	BX520210	ZJG	30-JUN-1992	08-JUL-1992	108.000	116.000	UGG	107.4	2.7
METALS IN SOIL BY ICAP	JS16	ZN	BX520210	ZJG	30-JUN-1992	08-JUL-1992	109.000	114.000	UGG	104.6	2.7
METALS IN SOIL BY ICAP	JS16	ZN	BX520405	ZJN	30-JUN-1992	21-JUL-1992	105.000	112.000	UGG	106.7	4.6
METALS IN SOIL BY ICAP	JS16	ZN	BX520405	ZJN	30-JUN-1992	21-JUL-1992	98.500	110.000	UGG	111.7	4.6
		**********								----------	
		avg								107.0	
		minimum								104.6	
		maximum								111.7	
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.500	4.330	UGG	123.7	3.0
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.500	4.200	UGG	120.0	3.0
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.500	3.950	UGG	112.9	.0
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.500	3.950	UGG	112.9	.0
		**********								----------	
		avg								117.4	
		minimum								112.9	
		maximum								123.7	
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.500	5.000	UGG	142.9	3.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.500	4.850	UGG	138.6	3.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.500	4.430	UGG	126.6	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.500	4.430	UGG	126.6	.0
		**********								----------	
		avg								133.6	
		minimum								126.6	
		maximum								142.9	
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	6.700	8.680	UGG	129.6	18.3
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	6.700	7.470	UGG	111.5	18.3
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	6.700	7.250	UGG	108.2	18.3
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	6.700	6.040	UGG	90.1	7.6
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	6.700	5.820	UGG	86.9	7.6
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	6.700	5.600	UGG	83.6	7.6
		**********								----------	
		avg								101.6	
		minimum								83.6	

TABLE F8
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		maximum								129.6	
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.500	3.930	UGG	112.3	2.8
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.500	3.820	UGG	109.1	2.8
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.500	3.380	UGG	96.6	18.1
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.500	2.820	UGG	80.6	18.1
		**********								----------	
		avg								99.6	
		minimum								80.6	
		maximum								112.3	
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	7.000	9.740	UGG	139.1	7.6
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	7.000	9.030	UGG	129.0	7.6
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	7.000	7.090	UGG	101.3	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	7.000	7.090	UGG	101.3	.0
		**********								----------	
		avg								117.7	
		minimum								101.3	
		maximum								139.1	
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.300	3.650	UGG	110.6	6.2
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.300	3.540	UGG	107.3	6.2
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.300	3.430	UGG	103.9	6.2
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.300	3.320	UGG	100.6	6.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.300	3.210	UGG	97.3	6.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.300	3.100	UGG	93.9	6.9
		**********								----------	
		avg								102.3	
		minimum								93.9	
		maximum								110.6	
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	6.700	8.330	UGG	124.3	9.9
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	6.700	8.330	UGG	124.3	9.9
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	6.700	7.530	UGG	112.4	9.9
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	6.700	7.930	UGG	118.4	7.1
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	6.700	7.530	UGG	112.4	7.1
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	6.700	7.390	UGG	110.3	7.1
		**********								----------	
		avg								117.0	
		minimum								110.3	
		maximum								124.3	
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BX520405	ZNM	30-JUN-1992	24-JUL-1992	7.000	8.230	UGG	117.6	2.8
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BX520405	ZNM	30-JUN-1992	24-JUL-1992	7.000	8.000	UGG	114.3	2.8

TABLE F8
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BX520810	ZNL	01-JUL-1992	28-JUL-1992	7.000	5.910	UGG	84.4	.0
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BX520810	ZNL	01-JUL-1992	28-JUL-1992	7.000	5.910	UGG	84.4	.0
		**********								----------	
		avg								100.2	
		minimum								84.4	
		maximum								117.6	
BNA'S IN SOIL BY GC/MS	LM18	4NP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	7.000	8.330	UGG	119.0	10.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	7.000	7.540	UGG	107.7	10.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	7.000	7.000	UGG	100.0	.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	7.000	7.000	UGG	100.0	.0
		**********								----------	
		avg								106.7	
		minimum								100.0	
		maximum								119.0	
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.500	4.200	UGG	120.0	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.500	4.200	UGG	120.0	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.500	3.840	UGG	109.7	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.500	3.840	UGG	109.7	.0
		**********								----------	
		avg								114.9	
		minimum								109.7	
		maximum								120.0	
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.300	3.850	UGG	116.7	3.1
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.300	3.850	UGG	116.7	3.1
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.300	3.730	UGG	113.0	3.1
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.300	3.500	UGG	106.1	3.5
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.300	3.500	UGG	106.1	3.5
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.300	3.380	UGG	102.4	3.5
		**********								----------	
		avg								110.2	
		minimum								102.4	
		maximum								116.7	
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.500	3.470	UGG	99.1	7.5
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.500	3.220	UGG	92.0	7.5
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.500	4.350	UGG	124.3	15.3
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.500	3.730	UGG	106.6	15.3
		**********								----------	
		avg								105.5	
		minimum								92.0	
		maximum								124.3	

TABLE F8
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
BNA'S IN SOIL BY GC/MS	LM18	PCP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	7.000	11.000	UGG	157.1	11.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	BX520405	ZNM	30-JUN-1992	24-JUL-1992	7.000	9.850	UGG	140.7	11.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	7.000	6.500	UGG	92.9	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	BX520810	ZNL	01-JUL-1992	28-JUL-1992	7.000	6.500	UGG	92.9	.0
		***********								----------	
		avg								120.9	
		minimum								92.9	
		maximum								157.1	
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX520405	ZNM	30-JUN-1992	24-JUL-1992	6.700	7.890	UGG	117.8	16.9
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX520405	ZNM	30-JUN-1992	24-JUL-1992	6.700	7.160	UGG	106.9	16.9
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX520405	ZNM	30-JUN-1992	24-JUL-1992	6.700	6.670	UGG	99.6	16.9
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX520810	ZNL	01-JUL-1992	28-JUL-1992	6.700	7.400	UGG	110.4	1.6
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX520810	ZNL	01-JUL-1992	28-JUL-1992	6.700	7.280	UGG	108.7	1.6
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX520810	ZNL	01-JUL-1992	28-JUL-1992	6.700	7.280	UGG	108.7	1.6
		***********								----------	
		avg								108.7	
		minimum								99.6	
		maximum								117.8	
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BX520405	ZNM	30-JUN-1992	24-JUL-1992	7.000	8.170	UGG	116.7	6.6
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BX520405	ZNM	30-JUN-1992	24-JUL-1992	7.000	7.650	UGG	109.3	6.6
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BX520810	ZNL	01-JUL-1992	28-JUL-1992	7.000	6.510	UGG	93.0	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BX520810	ZNL	01-JUL-1992	28-JUL-1992	7.000	6.510	UGG	93.0	.0
		***********								----------	
		avg								103.0	
		minimum								93.0	
		maximum								116.7	
BNA'S IN SOIL BY GC/MS	LM18	PYR	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.500	3.240	UGG	92.6	.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.500	3.240	UGG	92.6	.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.500	5.620	UGG	160.6	25.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.500	4.370	UGG	124.9	25.0
		***********								----------	
		avg								117.6	
		minimum								92.6	
		maximum								160.6	
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.300	2.900	UGG	87.9	22.2
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.300	2.340	UGG	70.9	22.2
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX520405	ZNM	30-JUN-1992	24-JUL-1992	3.300	2.340	UGG	70.9	22.2
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.300	3.550	UGG	107.6	14.5
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.300	3.080	UGG	93.3	14.5

TABLE F8
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX520810	ZNL	01-JUL-1992	28-JUL-1992	3.300	3.080	UGG	93.3	14.5
		***********									
		avg								87.3	
		minimum								70.9	
		maximum								107.6	
HG IN WATER BY CVAA	SB01	HG	WXG301XX	YVP	23-JUN-1992	15-JUL-1992	5.000	4.520	UGL	90.4	.0
HG IN WATER BY CVAA	SB01	HG	WXG301XX	YVP	23-JUN-1992	15-JUL-1992	5.000	4.520	UGL	90.4	.0
		***********									
		avg								90.4	
		minimum								90.4	
		maximum								90.4	
TL IN WATER BY GFAA	SD09	TL	SBK92112	ZKL	29-JUL-1992	02-SEP-1992	10.000	11.300	UGL	113.0	2.7
TL IN WATER BY GFAA	SD09	TL	SBK92112	ZKL	29-JUL-1992	02-SEP-1992	10.000	11.000	UGL	110.0	2.7
		***********									
		avg								111.5	
		minimum								110.0	
		maximum								113.0	
PB IN WATER BY GFAA	SD20	PB	SBK92112	ZUM	29-JUL-1992	03-SEP-1992	40.000	47.700	UGL	119.3	11.1
PB IN WATER BY GFAA	SD20	PB	SBK92112	ZUM	29-JUL-1992	03-SEP-1992	40.000	42.700	UGL	106.8	11.1
		***********									
		avg								113.0	
		minimum								106.8	
		maximum								119.3	
SE IN WATER BY GFAA	SD21	SE	SBK92112	ZGS	29-JUL-1992	10-SEP-1992	37.500	40.100	UGL	106.9	1.8
SE IN WATER BY GFAA	SD21	SE	SBK92112	ZGS	29-JUL-1992	10-SEP-1992	37.500	39.400	UGL	105.1	1.8
		***********									
		avg								106.0	
		minimum								105.1	
		maximum								106.9	
AS IN WATER BY GFAA	SD22	AS	SBK92112	AAH	29-JUL-1992	07-SEP-1992	37.500	37.700	UGL	100.5	.3
AS IN WATER BY GFAA	SD22	AS	SBK92112	AAH	29-JUL-1992	07-SEP-1992	37.500	37.600	UGL	100.3	.3
		***********									
		avg								100.4	
		minimum								100.3	

TABLE F8
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		maximum								100.5	
METALS IN WATER BY ICAP	SS10	AG	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	50.000	49.000	UGL	98.0	1.4
METALS IN WATER BY ICAP	SS10	AG	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	50.000	48.300	UGL	96.6	1.4
		**********									
		avg								97.3	
		minimum								96.6	
		maximum								98.0	
METALS IN WATER BY ICAP	SS10	AL	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	2000.000	1920.000	UGL	96.0	1.6
METALS IN WATER BY ICAP	SS10	AL	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	2000.000	1890.000	UGL	94.5	1.6
		**********									
		avg								95.3	
		minimum								94.5	
		maximum								96.0	
METALS IN WATER BY ICAP	SS10	BA	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	2000.000	1750.000	UGL	87.5	1.1
METALS IN WATER BY ICAP	SS10	BA	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	2000.000	1730.000	UGL	86.5	1.1
		**********									
		avg								87.0	
		minimum								86.5	
		maximum								87.5	
METALS IN WATER BY ICAP	SS10	BE	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	50.000	53.600	UGL	107.2	2.1
METALS IN WATER BY ICAP	SS10	BE	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	50.000	52.500	UGL	105.0	2.1
		**********									
		avg								106.1	
		minimum								105.0	
		maximum								107.2	
METALS IN WATER BY ICAP	SS10	CA	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	10000.000	10300.000	UGL	103.0	2.0
METALS IN WATER BY ICAP	SS10	CA	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	10000.000	10100.000	UGL	101.0	2.0
		**********									
		avg								102.0	
		minimum								101.0	
		maximum								103.0	
METALS IN WATER BY ICAP	SS10	CD	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	50.000	49.200	UGL	98.4	2.9
METALS IN WATER BY ICAP	SS10	CD	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	50.000	47.800	UGL	95.6	2.9
		**********									
		avg								97.0	
		minimum								95.6	
		maximum								98.4	

TABLE F8
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN WATER BY ICAP	SS10	CO	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	500.000	554.000	UGL	110.8	3.3
METALS IN WATER BY ICAP	SS10	CO	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	500.000	536.000	UGL	107.2	3.3
		**********								----------	
		avg								109.0	
		minimum								107.2	
		maximum								110.8	
METALS IN WATER BY ICAP	SS10	CR	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	200.000	191.000	UGL	95.5	2.1
METALS IN WATER BY ICAP	SS10	CR	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	200.000	187.000	UGL	93.5	2.1
		**********								----------	
		avg								94.5	
		minimum								93.5	
		maximum								95.5	
METALS IN WATER BY ICAP	SS10	CU	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	250.000	245.000	UGL	98.0	2.1
METALS IN WATER BY ICAP	SS10	CU	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	250.000	240.000	UGL	96.0	2.1
		**********								----------	
		avg								97.0	
		minimum								96.0	
		maximum								98.0	
METALS IN WATER BY ICAP	SS10	FE	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	1000.000	1020.000	UGL	102.0	4.9
METALS IN WATER BY ICAP	SS10	FE	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	1000.000	971.000	UGL	97.1	4.9
		**********								----------	
		avg								99.6	
		minimum								97.1	
		maximum								102.0	
METALS IN WATER BY ICAP	SS10	K	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	10000.000	10900.000	UGL	109.0	3.7
METALS IN WATER BY ICAP	SS10	K	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	10000.000	10500.000	UGL	105.0	3.7
		**********								----------	
		avg								107.0	
		minimum								105.0	
		maximum								109.0	
METALS IN WATER BY ICAP	SS10	MG	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	10000.000	9760.000	UGL	97.6	1.7
METALS IN WATER BY ICAP	SS10	MG	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	10000.000	9600.000	UGL	96.0	1.7
		**********								----------	
		avg								96.8	
		minimum								96.0	
		maximum								97.6	
METALS IN WATER BY ICAP	SS10	MN	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	500.000	491.000	UGL	98.2	1.2

TABLE F8
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN WATER BY ICAP	SS10	MN	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	500.000	485.000	UGL	97.0	1.2
		**********									
		avg								97.6	
		minimum								97.0	
		maximum								98.2	
METALS IN WATER BY ICAP	SS10	NA	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	10000.000	9960.000	UGL	99.6	1.0
METALS IN WATER BY ICAP	SS10	NA	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	10000.000	9860.000	UGL	98.6	1.0
		**********									
		avg								99.1	
		minimum								98.6	
		maximum								99.6	
METALS IN WATER BY ICAP	SS10	NI	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	500.000	557.000	UGL	111.4	1.6
METALS IN WATER BY ICAP	SS10	NI	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	500.000	548.000	UGL	109.6	1.6
		**********									
		avg								110.5	
		minimum								109.6	
		maximum								111.4	
METALS IN WATER BY ICAP	SS10	V	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	500.000	504.000	UGL	100.8	1.2
METALS IN WATER BY ICAP	SS10	V	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	500.000	498.000	UGL	99.6	1.2
		**********									
		avg								100.2	
		minimum								99.6	
		maximum								100.8	
METALS IN WATER BY ICAP	SS10	ZN	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	500.000	512.000	UGL	102.4	2.6
METALS IN WATER BY ICAP	SS10	ZN	SBK92112	ZZJ	29-JUL-1992	19-AUG-1992	500.000	499.000	UGL	99.8	2.6
		**********									
		avg								101.1	
		minimum								99.8	
		maximum								102.4	
BNA'S IN WATER BY GC/MS	UM18	246TBP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	100.000	42.100	UGL	42.1	105.6
BNA'S IN WATER BY GC/MS	UM18	246TBP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	100.000	13.000	UGL	13.0	105.6
		**********									
		avg								27.6	
		minimum								13.0	
		maximum								42.1	
BNA'S IN WATER BY GC/MS	UM18	2FBP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	50.000	39.300	UGL	78.6	18.9
BNA'S IN WATER BY GC/MS	UM18	2FBP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	50.000	32.500	UGL	65.0	18.9

TABLE F8
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		**********									
		avg								71.8	
		minimum								65.0	
		maximum								78.6	
BNA'S IN WATER BY GC/MS	UM18	2FP	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	100.000	82.200	UGL	82.2	131.5
BNA'S IN WATER BY GC/MS	UM18	2FP	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	100.000	17.000	UGL	17.0	131.5
		**********									
		avg								49.6	
		minimum								17.0	
		maximum								82.2	
BNA'S IN WATER BY GC/MS	UM18	NBD5	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	50.000	40.200	UGL	80.4	9.1
BNA'S IN WATER BY GC/MS	UM18	NBD5	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	50.000	36.700	UGL	73.4	9.1
		**********									
		avg								76.9	
		minimum								73.4	
		maximum								80.4	
BNA'S IN WATER BY GC/MS	UM18	PHEND6	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	100.000	78.000	UGL	78.0	73.7
BNA'S IN WATER BY GC/MS	UM18	PHEND6	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	100.000	36.000	UGL	36.0	73.7
		**********									
		avg								57.0	
		minimum								36.0	
		maximum								78.0	
BNA'S IN WATER BY GC/MS	UM18	TRPD14	MXG303X1	ZRP	29-JUL-1992	19-AUG-1992	50.000	49.000	UGL	98.0	7.2
BNA'S IN WATER BY GC/MS	UM18	TRPD14	MXG303X1	ZRP	28-JUL-1992	19-AUG-1992	50.000	45.600	UGL	91.2	7.2
		**********									
		avg								94.6	
		minimum								91.2	
		maximum								98.0	
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	50.000	56.800	UGL	113.6	.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	50.000	56.800	UGL	113.6	.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	SBK92107	ZPG	09-JUL-1992	14-JUL-1992	50.000	54.000	UGL	108.0	1.9
VOC'S IN WATER BY GC/MS	UM20	12DCD4	SBK92107	ZPG	07-JUL-1992	14-JUL-1992	50.000	53.000	UGL	106.0	1.9
		**********									
		avg								110.3	
		minimum								106.0	
		maximum								113.6	
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	50.000	45.000	UGL	90.0	4.1

TABLE F8
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 3
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	50.000	43.200	UGL	86.4	4.1
VOC'S IN WATER BY GC/MS	UM20	4BFB	SBK92107	ZPG	09-JUL-1992	14-JUL-1992	50.000	44.000	UGL	88.0	2.3
VOC'S IN WATER BY GC/MS	UM20	4BFB	SBK92107	ZPG	07-JUL-1992	14-JUL-1992	50.000	43.000	UGL	86.0	2.3
		***********								----------	
		avg								87.6	
		minimum								86.0	
		maximum								90.0	
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG303X1	ZPR	29-JUL-1992	03-AUG-1992	50.000	46.200	UGL	92.4	4.2
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG303X1	ZPR	28-JUL-1992	03-AUG-1992	50.000	44.300	UGL	88.6	4.2
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	SBK92107	ZPG	09-JUL-1992	14-JUL-1992	50.000	45.000	UGL	90.0	2.2
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	SBK92107	ZPG	07-JUL-1992	14-JUL-1992	50.000	44.000	UGL	88.0	2.2
		***********								----------	
		avg								89.8	
		minimum								88.0	
		maximum								92.4	

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
	00	ALK	WX0902XX	AGZ	16-JUN-1992	30-JUN-1992	44600.000	48000.000	UGL	107.6	.0
	00	ALK	WX0902XX	AGZ	16-JUN-1992	30-JUN-1992	44600.000	48000.000	UGL	107.6	.0
		**********									
		avg								107.6	
		minimum								107.6	
		maximum								107.6	
	00	HARD	MXG501X1	ALE	14-JUL-1992	28-JUL-1992	40000.000	42000.000	UGL	105.0	4.9
	00	HARD	MXG501X1	ALE	14-JUL-1992	28-JUL-1992	40000.000	40000.000	UGL	100.0	4.9
	00	HARD	MXG503X1	ALD	13-JUL-1992	27-JUL-1992	40000.000	42000.000	UGL	105.0	4.9
	00	HARD	MXG503X1	ALD	13-JUL-1992	27-JUL-1992	40000.000	40000.000	UGL	100.0	4.9
	00	HARD	WX0901XX	ZON	16-JUN-1992	30-JUN-1992	20000.000	41200.000	UGL	206.0	4.0
	00	HARD	WX0901XX	ZON	16-JUN-1992	30-JUN-1992	20000.000	39600.000	UGL	198.0	4.0
		**********									
		avg								135.7	
		minimum								100.0	
		maximum								206.0	
	00	TOC	SX210200	ALH	09-JUL-1992	04-AUG-1992	1400.000	4490.000	UGG	320.7	191.3
	00	TOC	SX210200	ALH	09-JUL-1992	04-AUG-1992	1400.000	100.000	UGG	7.1	191.3
		**********									
		avg								163.9	
		minimum								7.1	
		maximum								320.7	
	00	TPHC	EX090104	AGT	07-JUL-1992	30-JUL-1992	1180.000	1230.000	UGG	104.2	4.1
	00	TPHC	EX090104	AGT	07-JUL-1992	30-JUL-1992	1180.000	1180.000	UGG	100.0	4.1
		**********									
		avg								102.1	
		minimum								100.0	
		maximum								104.2	
	99	ALK	MDMW13X1	AGI	20-JUL-1992	29-JUL-1992	112.000	113000.000	UGL	100892.9	.0
	99	ALK	MDMW13X1	AGI	20-JUL-1992	29-JUL-1992	112.000	113000.000	UGL	100892.9	.0
	99	ALK	MXMW08X1	AGH	14-JUL-1992	25-JUL-1992	44600.000	37000.000	UGL	83.0	2.7
	99	ALK	MXMW08X1	AGH	14-JUL-1992	25-JUL-1992	44600.000	36000.000	UGL	80.7	2.7
	99	ALK	MXMW1AX1	AGL	21-JUL-1992	31-JUL-1992	44600.000	45000.000	UGL	100.9	2.2
	99	ALK	MXMW1AX1	AGL	21-JUL-1992	31-JUL-1992	44600.000	44000.000	UGL	98.7	2.2
		**********									
		avg								33691.5	
		minimum								80.7	
		maximum								100892.9	

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
	JB01	HG	ED090208	ZQO	07-JUL-1992	21-JUL-1992	0.564	0.555	UGG	98.4	3.4
	JB01	HG	ED090208	ZQO	07-JUL-1992	21-JUL-1992	0.578	0.550	UGG	95.2	3.4
		**********								----------	
		avg								96.8	
		minimum								95.2	
		maximum								98.4	
SE IN SOIL BY GFAA	JD15	SE	DDG50500	ZSA	18-JUN-1992	17-JUL-1992	5.890	4.560	UGG	77.4	8.4
SE IN SOIL BY GFAA	JD15	SE	DDG50500	ZSA	18-JUN-1992	17-JUL-1992	5.860	4.170	UGG	71.2	8.4
SE IN SOIL BY GFAA	JD15	SE	EX090104	ZSL	07-JUL-1992	05-AUG-1992	4.110	3.640	UGG	88.6	14.5
SE IN SOIL BY GFAA	JD15	SE	EX090104	ZSL	07-JUL-1992	05-AUG-1992	4.100	3.140	UGG	76.6	14.5
		**********								----------	
		avg								78.4	
		minimum								71.2	
		maximum								88.6	
PB IN SOIL BY GFAA	JD17	PB	DDG50500	ZAT	18-JUN-1992	17-JUL-1992	5.890	43.000	UGG	730.1	81.5
PB IN SOIL BY GFAA	JD17	PB	DDG50500	ZAT	18-JUN-1992	17-JUL-1992	5.860	18.000	UGG	307.2	81.5
PB IN SOIL BY GFAA	JD17	PB	EX090104	ZXF	07-JUL-1992	06-AUG-1992	4.110	120.000	UGG	2919.7	122.0
PB IN SOIL BY GFAA	JD17	PB	EX090104	ZXF	07-JUL-1992	06-AUG-1992	4.100	29.000	UGG	707.3	122.0
		**********								----------	
		avg								1166.1	
		minimum								307.2	
		maximum								2919.7	
AS IN SOIL BY GFAA	JD19	AS	DDG50500	ZIK	18-JUN-1992	28-JUL-1992	5.860	5.780	UGG	98.6	.9
AS IN SOIL BY GFAA	JD19	AS	DDG50500	ZIK	18-JUN-1992	28-JUL-1992	5.890	5.760	UGG	97.8	.9
AS IN SOIL BY GFAA	JD19	AS	EX090104	ZIX	07-JUL-1992	06-AUG-1992	4.110	8.000	UGG	194.6	55.8
AS IN SOIL BY GFAA	JD19	AS	EX090104	ZIX	07-JUL-1992	06-AUG-1992	4.100	4.500	UGG	109.8	55.8
		**********								----------	
		avg								125.2	
		minimum								97.8	
		maximum								194.6	
TL IN SOIL BY GFAA	JD24	TL	DDG50500	ZLC	18-JUN-1992	20-JUL-1992	5.860	6.210	UGG	106.0	1.3
TL IN SOIL BY GFAA	JD24	TL	DDG50500	ZLC	18-JUN-1992	20-JUL-1992	5.890	6.160	UGG	104.6	1.3
TL IN SOIL BY GFAA	JD24	TL	EX090104	ZLE	07-JUL-1992	06-AUG-1992	4.100	4.270	UGG	104.1	2.6
TL IN SOIL BY GFAA	JD24	TL	EX090104	ZLE	07-JUL-1992	06-AUG-1992	4.110	4.170	UGG	101.5	2.6
		**********								----------	

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		avg								104.0	
		minimum								101.5	
		maximum								106.0	
SB IN SOIL BY GFAA	JD25	SB	DDG50500	ZMC	18-JUN-1992	24-JUL-1992	11.600	10.200	UGG	87.9	.6
SB IN SOIL BY GFAA	JD25	SB	DDG50500	ZMC	18-JUN-1992	24-JUL-1992	10.900	9.640	UGG	88.4	.6
SB IN SOIL BY GFAA	JD25	SB	EX090104	ZME	07-JUL-1992	06-AUG-1992	8.180	9.610	UGG	117.5	5.7
SB IN SOIL BY GFAA	JD25	SB	EX090104	ZME	07-JUL-1992	06-AUG-1992	8.230	9.130	UGG	110.9	5.7
		**********								----------	
		avg								101.2	
		minimum								87.9	
		maximum								117.5	
METALS IN SOIL BY ICAP	JS16	AG	EX090104	ZJP	07-JUL-1992	23-JUL-1992	8.300	7.600	UGG	91.6	3.1
METALS IN SOIL BY ICAP	JS16	AG	EX090104	ZJP	07-JUL-1992	23-JUL-1992	8.380	7.440	UGG	88.8	3.1
		**********								----------	
		avg								90.2	
		minimum								88.8	
		maximum								91.6	
METALS IN SOIL BY ICAP	JS16	BE	EX090104	ZJP	07-JUL-1992	23-JUL-1992	52.400	54.200	UGG	103.4	.2
METALS IN SOIL BY ICAP	JS16	BE	EX090104	ZJP	07-JUL-1992	23-JUL-1992	51.900	53.800	UGG	103.7	.2
		**********								----------	
		avg								103.5	
		minimum								103.4	
		maximum								103.7	
METALS IN SOIL BY ICAP	JS16	CD	EX090104	ZJP	07-JUL-1992	23-JUL-1992	51.900	53.700	UGG	103.5	1.9
METALS IN SOIL BY ICAP	JS16	CD	EX090104	ZJP	07-JUL-1992	23-JUL-1992	52.400	53.200	UGG	101.5	1.9
		**********								----------	
		avg								102.5	
		minimum								101.5	
		maximum								103.5	
METALS IN SOIL BY ICAP	JS16	CR	EX090104	ZJP	07-JUL-1992	23-JUL-1992	104.000	111.000	UGG	106.7	1.9
METALS IN SOIL BY ICAP	JS16	CR	EX090104	ZJP	07-JUL-1992	23-JUL-1992	105.000	110.000	UGG	104.8	1.9
		**********								----------	
		avg								105.7	
		minimum								104.8	
		maximum								106.7	
METALS IN SOIL BY ICAP	JS16	CU	EX090104	ZJP	07-JUL-1992	23-JUL-1992	51.900	83.400	UGG	160.7	32.6

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN SOIL BY ICAP	JS16	CU	EX090104	ZJP	07-JUL-1992	23-JUL-1992	52.400	60.600	UGG	115.6	32.6
		**********									
		avg								138.2	
		minimum								115.6	
		maximum								160.7	
METALS IN SOIL BY ICAP	JS16	NI	EX090104	ZJP	07-JUL-1992	23-JUL-1992	52.400	54.400	UGG	103.8	1.0
METALS IN SOIL BY ICAP	JS16	NI	EX090104	ZJP	07-JUL-1992	23-JUL-1992	51.900	54.400	UGG	104.8	1.0
		**********									
		avg								104.3	
		minimum								103.8	
		maximum								104.8	
METALS IN SOIL BY ICAP	JS16	ZN	EX090104	ZJP	07-JUL-1992	23-JUL-1992	104.000	52.500	UGG	50.5	12.4
METALS IN SOIL BY ICAP	JS16	ZN	EX090104	ZJP	07-JUL-1992	23-JUL-1992	105.000	46.800	UGG	44.6	12.4
		**********									
		avg								47.5	
		minimum								44.6	
		maximum								50.5	
BNA'S IN SOIL BY GC/MS	LM18	246TBP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	6.700	0.380	UGG	5.7	.0
BNA'S IN SOIL BY GC/MS	LM18	246TBP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	6.700	0.380	UGG	5.7	.0
		**********									
		avg								5.7	
		minimum								5.7	
		maximum								5.7	
BNA'S IN SOIL BY GC/MS	LM18	2FBP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	3.300	3.210	UGG	97.3	7.1
BNA'S IN SOIL BY GC/MS	LM18	2FBP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	3.300	2.990	UGG	90.6	7.1
		**********									
		avg								93.9	
		minimum								90.6	
		maximum								97.3	
BNA'S IN SOIL BY GC/MS	LM18	2FP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	6.700	4.700	UGG	70.1	5.7
BNA'S IN SOIL BY GC/MS	LM18	2FP	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	6.700	4.440	UGG	66.3	5.7
		**********									
		avg								68.2	
		minimum								66.3	
		maximum								70.1	
BNA'S IN SOIL BY GC/MS	LM18	NBD5	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	3.300	1.750	UGG	53.0	31.0
BNA'S IN SOIL BY GC/MS	LM18	NBD5	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	3.300	1.280	UGG	38.8	31.0

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		**********									
		avg								45.9	
		minimum								38.8	
		maximum								53.0	
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	6.700	3.880	UGG	57.9	78.1
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	6.700	1.700	UGG	25.4	78.1
		**********									
		avg								41.6	
		minimum								25.4	
		maximum								57.9	
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	3.300	2.990	UGG	90.6	3.1
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	21S-92-0	ZNU	09-JUL-1992	30-JUL-1992	3.300	2.900	UGG	87.9	3.1
		**********									
		avg								89.2	
		minimum								87.9	
		maximum								90.6	
HG IN WATER BY CVAA	SB01	HG	MXMW07X1	YVW	22-JUL-1992	05-AUG-1992	5.000	4.890	UGL	97.8	.0
HG IN WATER BY CVAA	SB01	HG	MXMW07X1	YVW	22-JUL-1992	05-AUG-1992	5.000	4.890	UGL	97.8	.0
HG IN WATER BY CVAA	SB01	HG	MXMW08X1	YVS	14-JUL-1992	23-JUL-1992	5.000	4.930	UGL	98.6	1.2
HG IN WATER BY CVAA	SB01	HG	MXMW08X1	YVS	14-JUL-1992	23-JUL-1992	5.000	4.870	UGL	97.4	1.2
HG IN WATER BY CVAA	SB01	HG	MXMW14X1	YVW	20-JUL-1992	05-AUG-1992	5.000	4.930	UGL	98.6	.0
HG IN WATER BY CVAA	SB01	HG	MXMW14X1	YVW	20-JUL-1992	05-AUG-1992	5.000	4.930	UGL	98.6	.0
HG IN WATER BY CVAA	SB01	HG	WXG501XX	YVM	17-JUN-1992	07-JUL-1992	5.000	5.030	UGL	100.6	.6
HG IN WATER BY CVAA	SB01	HG	WXG501XX	YVM	17-JUN-1992	07-JUL-1992	5.000	5.000	UGL	100.0	.6
		**********									
		avg								98.7	
		minimum								97.4	
		maximum								100.6	
TL IN WATER BY GFAA	SD09	TL	MDMW13X1	ZKH	20-JUL-1992	11-AUG-1992	10.000	14.500	UGL	145.0	4.2
TL IN WATER BY GFAA	SD09	TL	MDMW13X1	ZKH	20-JUL-1992	11-AUG-1992	10.000	13.900	UGL	139.0	4.2
TL IN WATER BY GFAA	SD09	TL	MXMW1AX1	ZKH	21-JUL-1992	11-AUG-1992	10.000	15.800	UGL	158.0	.6
TL IN WATER BY GFAA	SD09	TL	MXMW1AX1	ZKH	21-JUL-1992	11-AUG-1992	10.000	15.700	UGL	157.0	.6
TL IN WATER BY GFAA	SD09	TL	SBK92110	ZKE	09-JUL-1992	06-AUG-1992	10.000	14.700	UGL	147.0	13.0
TL IN WATER BY GFAA	SD09	TL	SBK92110	ZKE	09-JUL-1992	06-AUG-1992	10.000	12.900	UGL	129.0	13.0
TL IN WATER BY GFAA	SD09	TL	WXG509XX	ZKC	24-JUN-1992	23-JUL-1992	10.000	10.100	UGL	101.0	3.8
TL IN WATER BY GFAA	SD09	TL	WXG509XX	ZKC	24-JUN-1992	23-JUL-1992	10.000	9.720	UGL	97.2	3.8
		**********									
		avg								134.2	

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		minimum								97.2	
		maximum								158.0	
PB IN WATER BY GFAA	SD20	PB	MDMW13X1	ZUH	20-JUL-1992	07-AUG-1992	40.000	46.000	UGL	115.0	11.5
PB IN WATER BY GFAA	SD20	PB	MDMW13X1	ZUH	20-JUL-1992	07-AUG-1992	40.000	41.000	UGL	102.5	11.5
PB IN WATER BY GFAA	SD20	PB	MXMW1AX1	ZUH	21-JUL-1992	07-AUG-1992	40.000	46.200	UGL	115.5	2.0
PB IN WATER BY GFAA	SD20	PB	MXMW1AX1	ZUH	21-JUL-1992	07-AUG-1992	40.000	45.300	UGL	113.3	2.0
PB IN WATER BY GFAA	SD20	PB	SBK92110	ZUD	09-JUL-1992	12-AUG-1992	40.000	46.000	UGL	115.0	2.2
PB IN WATER BY GFAA	SD20	PB	SBK92110	ZUD	09-JUL-1992	12-AUG-1992	40.000	45.000	UGL	112.5	2.2
PB IN WATER BY GFAA	SD20	PB	WXG509XX	ZUA	24-JUN-1992	25-JUL-1992	40.000	36.400	UGL	91.0	.3
PB IN WATER BY GFAA	SD20	PB	WXG509XX	ZUA	24-JUN-1992	25-JUL-1992	40.000	36.300	UGL	90.8	.3
		**********								----------	
		avg								106.9	
		minimum								90.8	
		maximum								115.5	
SE IN WATER BY GFAA	SD21	SE	MDMW13X1	ZGN	20-JUL-1992	11-AUG-1992	37.500	39.600	UGL	105.6	1.8
SE IN WATER BY GFAA	SD21	SE	MDMW13X1	ZGN	20-JUL-1992	11-AUG-1992	37.500	38.900	UGL	103.7	1.8
SE IN WATER BY GFAA	SD21	SE	MXMW1AX1	ZGN	21-JUL-1992	11-AUG-1992	37.500	40.500	UGL	108.0	2.5
SE IN WATER BY GFAA	SD21	SE	MXMW1AX1	ZGN	21-JUL-1992	11-AUG-1992	37.500	39.500	UGL	105.3	2.5
SE IN WATER BY GFAA	SD21	SE	SBK92110	ZGJ	09-JUL-1992	06-AUG-1992	37.500	41.600	UGL	110.9	4.4
SE IN WATER BY GFAA	SD21	SE	SBK92110	ZGJ	09-JUL-1992	06-AUG-1992	37.500	39.800	UGL	106.1	4.4
SE IN WATER BY GFAA	SD21	SE	WXG509XX	ZGG	24-JUN-1992	25-JUL-1992	37.500	40.900	UGL	109.1	.7
SE IN WATER BY GFAA	SD21	SE	WXG509XX	ZGG	24-JUN-1992	25-JUL-1992	37.500	40.600	UGL	108.3	.7
		**********								----------	
		avg								107.1	
		minimum								103.7	
		maximum								110.9	
AS IN WATER BY GFAA	SD22	AS	MDMW13X1	AAC	20-JUL-1992	12-AUG-1992	37.500	39.600	UGL	105.6	4.1
AS IN WATER BY GFAA	SD22	AS	MDMW13X1	AAC	20-JUL-1992	12-AUG-1992	37.500	38.000	UGL	101.3	4.1
AS IN WATER BY GFAA	SD22	AS	MXMW1AX1	AAC	21-JUL-1992	12-AUG-1992	37.500	42.300	UGL	112.8	3.6
AS IN WATER BY GFAA	SD22	AS	MXMW1AX1	AAC	21-JUL-1992	12-AUG-1992	37.500	40.800	UGL	108.8	3.6
AS IN WATER BY GFAA	SD22	AS	SBK92110	YIY	09-JUL-1992	07-AUG-1992	37.500	42.000	UGL	112.0	2.9
AS IN WATER BY GFAA	SD22	AS	SBK92110	YIY	09-JUL-1992	07-AUG-1992	37.500	40.800	UGL	108.8	2.9
AS IN WATER BY GFAA	SD22	AS	WXG509XX	YIV	24-JUN-1992	28-JUL-1992	37.500	48.100	UGL	128.3	6.9
AS IN WATER BY GFAA	SD22	AS	WXG509XX	YIV	24-JUN-1992	28-JUL-1992	37.500	44.900	UGL	119.7	6.9
		**********								----------	
		avg								112.2	
		minimum								101.3	
		maximum								128.3	

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
SB IN WATER BY GFAA	SD28	SB	MXMW07X1	YWF	22-JUL-1992	11-AUG-1992	80.000	78.500	UGL	98.1	2.2
SB IN WATER BY GFAA	SD28	SB	MXMW07X1	YWF	22-JUL-1992	11-AUG-1992	80.000	76.800	UGL	96.0	2.2
SB IN WATER BY GFAA	SD28	SB	MXMW08X1	YWE	14-JUL-1992	10-AUG-1992	80.000	83.200	UGL	104.0	5.9
SB IN WATER BY GFAA	SD28	SB	MXMW08X1	YWE	14-JUL-1992	10-AUG-1992	80.000	78.400	UGL	98.0	5.9
SB IN WATER BY GFAA	SD28	SB	MXMW14X1	YWF	20-JUL-1992	11-AUG-1992	80.000	77.100	UGL	96.4	3.3
SB IN WATER BY GFAA	SD28	SB	MXMW14X1	YWF	20-JUL-1992	11-AUG-1992	80.000	74.600	UGL	93.3	3.3
SB IN WATER BY GFAA	SD28	SB	WXG508XX	YWB	22-JUN-1992	24-JUL-1992	80.000	71.300	UGL	89.1	3.6
SB IN WATER BY GFAA	SD28	SB	WXG508XX	YWB	22-JUN-1992	24-JUL-1992	80.000	68.800	UGL	86.0	3.6
SB IN WATER BY GFAA	SD28	SB	WXG509XX	YWC	24-JUN-1992	27-JUL-1992	80.000	70.300	UGL	87.9	1.3
SB IN WATER BY GFAA	SD28	SB	WXG509XX	YWC	24-JUN-1992	27-JUL-1992	80.000	69.400	UGL	86.8	1.3
		**********								----------	
		avg								93.6	
		minimum								86.0	
		maximum								104.0	
METALS IN WATER BY ICAP	SS10	AG	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	50.000	50.700	UGL	101.4	5.5
METALS IN WATER BY ICAP	SS10	AG	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	50.000	48.000	UGL	96.0	5.5
METALS IN WATER BY ICAP	SS10	AG	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	50.000	46.700	UGL	93.4	2.4
METALS IN WATER BY ICAP	SS10	AG	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	50.000	45.600	UGL	91.2	2.4
METALS IN WATER BY ICAP	SS10	AG	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	50.000	49.800	UGL	99.6	9.9
METALS IN WATER BY ICAP	SS10	AG	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	50.000	45.100	UGL	90.2	9.9
METALS IN WATER BY ICAP	SS10	AG	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	50.000	48.600	UGL	97.2	5.7
METALS IN WATER BY ICAP	SS10	AG	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	50.000	45.900	UGL	91.8	5.7
		**********								----------	
		avg								95.1	
		minimum								90.2	
		maximum								101.4	
METALS IN WATER BY ICAP	SS10	AL	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	2000.000	934.000	UGL	46.7	147.5
METALS IN WATER BY ICAP	SS10	AL	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	2000.000	141.000	UGL	7.1	147.5
METALS IN WATER BY ICAP	SS10	AL	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	2000.000	141.000	UGL	7.1	.0
METALS IN WATER BY ICAP	SS10	AL	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	2000.000	141.000	UGL	7.1	.0
METALS IN WATER BY ICAP	SS10	AL	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	2000.000	2020.000	UGL	101.0	4.0
METALS IN WATER BY ICAP	SS10	AL	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	2000.000	1940.000	UGL	97.0	4.0
METALS IN WATER BY ICAP	SS10	AL	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	2000.000	2030.000	UGL	101.5	5.6
METALS IN WATER BY ICAP	SS10	AL	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	2000.000	1920.000	UGL	96.0	5.6
		**********								----------	
		avg								57.9	
		minimum								7.1	
		maximum								101.5	

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN WATER BY ICAP	SS10	BA	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	2000.000	1820.000	UGL	91.0	2.2
METALS IN WATER BY ICAP	SS10	BA	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	2000.000	1780.000	UGL	89.0	2.2
METALS IN WATER BY ICAP	SS10	BA	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	2000.000	1750.000	UGL	87.5	1.7
METALS IN WATER BY ICAP	SS10	BA	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	2000.000	1720.000	UGL	86.0	1.7
METALS IN WATER BY ICAP	SS10	BA	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	2000.000	1840.000	UGL	92.0	2.8
METALS IN WATER BY ICAP	SS10	BA	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	2000.000	1790.000	UGL	89.5	2.8
METALS IN WATER BY ICAP	SS10	BA	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	2000.000	1810.000	UGL	90.5	2.8
METALS IN WATER BY ICAP	SS10	BA	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	2000.000	1760.000	UGL	88.0	2.8
		**********								----------	
		avg								89.2	
		minimum								86.0	
		maximum								92.0	
METALS IN WATER BY ICAP	SS10	BE	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	50.000	54.300	UGL	108.6	5.1
METALS IN WATER BY ICAP	SS10	BE	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	50.000	51.600	UGL	103.2	5.1
METALS IN WATER BY ICAP	SS10	BE	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	50.000	54.400	UGL	108.8	.0
METALS IN WATER BY ICAP	SS10	BE	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	50.000	54.400	UGL	108.8	.0
METALS IN WATER BY ICAP	SS10	BE	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	50.000	54.300	UGL	108.6	2.2
METALS IN WATER BY ICAP	SS10	BE	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	50.000	53.100	UGL	106.2	2.2
METALS IN WATER BY ICAP	SS10	BE	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	50.000	55.200	UGL	110.4	12.3
METALS IN WATER BY ICAP	SS10	BE	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	50.000	48.800	UGL	97.6	12.3
		**********								----------	
		avg								106.5	
		minimum								97.6	
		maximum								110.4	
METALS IN WATER BY ICAP	SS10	CA	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	10000.000	10500.000	UGL	105.0	3.9
METALS IN WATER BY ICAP	SS10	CA	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	10000.000	10100.000	UGL	101.0	3.9
METALS IN WATER BY ICAP	SS10	CA	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	10000.000	10700.000	UGL	107.0	14.6
METALS IN WATER BY ICAP	SS10	CA	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	10000.000	9240.000	UGL	92.4	14.6
METALS IN WATER BY ICAP	SS10	CA	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	10000.000	10900.000	UGL	109.0	6.6
METALS IN WATER BY ICAP	SS10	CA	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	10000.000	10200.000	UGL	102.0	6.6
METALS IN WATER BY ICAP	SS10	CA	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	10000.000	11200.000	UGL	112.0	8.4
METALS IN WATER BY ICAP	SS10	CA	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	10000.000	10300.000	UGL	103.0	8.4
		**********								----------	
		avg								103.9	
		minimum								92.4	
		maximum								112.0	
METALS IN WATER BY ICAP	SS10	CD	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	50.000	48.700	UGL	97.4	5.9
METALS IN WATER BY ICAP	SS10	CD	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	50.000	45.900	UGL	91.8	5.9
METALS IN WATER BY ICAP	SS10	CD	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	50.000	47.600	UGL	95.2	5.6
METALS IN WATER BY ICAP	SS10	CD	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	50.000	45.000	UGL	90.0	5.6
METALS IN WATER BY ICAP	SS10	CD	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	50.000	51.000	UGL	102.0	7.5

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN WATER BY ICAP	SS10	CD	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	50.000	47.300	UGL	94.6	7.5
METALS IN WATER BY ICAP	SS10	CD	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	50.000	48.900	UGL	97.8	6.5
METALS IN WATER BY ICAP	SS10	CD	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	50.000	45.800	UGL	91.6	6.5
		**********								----------	
		avg								95.1	
		minimum								90.0	
		maximum								102.0	
METALS IN WATER BY ICAP	SS10	CO	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	500.000	563.000	UGL	112.6	4.9
METALS IN WATER BY ICAP	SS10	CO	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	500.000	536.000	UGL	107.2	4.9
METALS IN WATER BY ICAP	SS10	CO	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	500.000	527.000	UGL	105.4	2.3
METALS IN WATER BY ICAP	SS10	CO	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	500.000	515.000	UGL	103.0	2.3
METALS IN WATER BY ICAP	SS10	CO	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	500.000	573.000	UGL	114.6	5.9
METALS IN WATER BY ICAP	SS10	CO	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	500.000	540.000	UGL	108.0	5.9
METALS IN WATER BY ICAP	SS10	CO	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	500.000	547.000	UGL	109.4	3.3
METALS IN WATER BY ICAP	SS10	CO	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	500.000	529.000	UGL	105.8	3.3
		**********								----------	
		avg								108.3	
		minimum								103.0	
		maximum								114.6	
METALS IN WATER BY ICAP	SS10	CR	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	200.000	189.000	UGL	94.5	2.1
METALS IN WATER BY ICAP	SS10	CR	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	200.000	185.000	UGL	92.5	2.1
METALS IN WATER BY ICAP	SS10	CR	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	200.000	131.000	UGL	65.5	9.6
METALS IN WATER BY ICAP	SS10	CR	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	200.000	119.000	UGL	59.5	9.6
METALS IN WATER BY ICAP	SS10	CR	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	200.000	194.000	UGL	97.0	4.7
METALS IN WATER BY ICAP	SS10	CR	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	200.000	185.000	UGL	92.5	4.7
METALS IN WATER BY ICAP	SS10	CR	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	200.000	195.000	UGL	97.5	3.7
METALS IN WATER BY ICAP	SS10	CR	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	200.000	188.000	UGL	94.0	3.7
		**********								----------	
		avg								86.6	
		minimum								59.5	
		maximum								97.5	
METALS IN WATER BY ICAP	SS10	CU	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	250.000	247.000	UGL	98.8	2.5
METALS IN WATER BY ICAP	SS10	CU	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	250.000	241.000	UGL	96.4	2.5
METALS IN WATER BY ICAP	SS10	CU	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	250.000	241.000	UGL	96.4	2.1
METALS IN WATER BY ICAP	SS10	CU	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	250.000	236.000	UGL	94.4	2.1
METALS IN WATER BY ICAP	SS10	CU	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	250.000	250.000	UGL	100.0	6.6
METALS IN WATER BY ICAP	SS10	CU	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	250.000	234.000	UGL	93.6	6.6
METALS IN WATER BY ICAP	SS10	CU	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	250.000	247.000	UGL	98.8	3.7
METALS IN WATER BY ICAP	SS10	CU	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	250.000	238.000	UGL	95.2	3.7
		**********								----------	
		avg								96.7	

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		minimum								93.6	
		maximum								100.0	
METALS IN WATER BY ICAP	SS10	FE	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	1000.000	38.800	UGL	3.9	.0
METALS IN WATER BY ICAP	SS10	FE	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	1000.000	38.800	UGL	3.9	.0
METALS IN WATER BY ICAP	SS10	FE	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	1000.000	38.800	UGL	3.9	.0
METALS IN WATER BY ICAP	SS10	FE	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	1000.000	38.800	UGL	3.9	.0
METALS IN WATER BY ICAP	SS10	FE	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	1000.000	1060.000	UGL	106.0	3.8
METALS IN WATER BY ICAP	SS10	FE	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	1000.000	1020.000	UGL	102.0	3.8
METALS IN WATER BY ICAP	SS10	FE	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	1000.000	1330.000	UGL	133.0	20.7
METALS IN WATER BY ICAP	SS10	FE	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	1000.000	1080.000	UGL	108.0	20.7
		**********								----------	
		avg								58.1	
		minimum								3.9	
		maximum								133.0	
METALS IN WATER BY ICAP	SS10	K	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	10000.000	10900.000	UGL	109.0	3.7
METALS IN WATER BY ICAP	SS10	K	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	10000.000	10500.000	UGL	105.0	3.7
METALS IN WATER BY ICAP	SS10	K	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	10000.000	10000.000	UGL	100.0	.8
METALS IN WATER BY ICAP	SS10	K	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	10000.000	9920.000	UGL	99.2	.8
METALS IN WATER BY ICAP	SS10	K	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	10000.000	11500.000	UGL	115.0	8.1
METALS IN WATER BY ICAP	SS10	K	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	10000.000	10600.000	UGL	106.0	8.1
METALS IN WATER BY ICAP	SS10	K	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	10000.000	11500.000	UGL	115.0	9.1
METALS IN WATER BY ICAP	SS10	K	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	10000.000	10500.000	UGL	105.0	9.1
		**********								----------	
		avg								106.8	
		minimum								99.2	
		maximum								115.0	
METALS IN WATER BY ICAP	SS10	MG	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	10000.000	9480.000	UGL	94.8	.6
METALS IN WATER BY ICAP	SS10	MG	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	10000.000	9420.000	UGL	94.2	.6
METALS IN WATER BY ICAP	SS10	MG	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	10000.000	5270.000	UGL	52.7	1.5
METALS IN WATER BY ICAP	SS10	MG	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	10000.000	5190.000	UGL	51.9	1.5
METALS IN WATER BY ICAP	SS10	MG	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	10000.000	10100.000	UGL	101.0	3.6
METALS IN WATER BY ICAP	SS10	MG	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	10000.000	9740.000	UGL	97.4	3.6
METALS IN WATER BY ICAP	SS10	MG	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	10000.000	10400.000	UGL	104.0	6.8
METALS IN WATER BY ICAP	SS10	MG	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	10000.000	9720.000	UGL	97.2	6.8
		**********								----------	
		avg								86.7	
		minimum								51.9	
		maximum								104.0	
METALS IN WATER BY ICAP	SS10	MN	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	500.000	494.000	UGL	98.8	2.0
METALS IN WATER BY ICAP	SS10	MN	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	500.000	484.000	UGL	96.8	2.0

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN WATER BY ICAP	SS10	MN	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	500.000	478.000	UGL	95.6	8.3
METALS IN WATER BY ICAP	SS10	MN	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	500.000	440.000	UGL	88.0	8.3
METALS IN WATER BY ICAP	SS10	MN	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	500.000	509.000	UGL	101.8	3.6
METALS IN WATER BY ICAP	SS10	MN	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	500.000	491.000	UGL	98.2	3.6
METALS IN WATER BY ICAP	SS10	MN	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	500.000	507.000	UGL	101.4	3.8
METALS IN WATER BY ICAP	SS10	MN	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	500.000	488.000	UGL	97.6	3.8
		**********								----------	
		avg								97.3	
		minimum								88.0	
		maximum								101.8	
METALS IN WATER BY ICAP	SS10	NA	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	10000.000	10700.000	UGL	107.0	2.8
METALS IN WATER BY ICAP	SS10	NA	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	10000.000	10400.000	UGL	104.0	2.8
METALS IN WATER BY ICAP	SS10	NA	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	10000.000	10300.000	UGL	103.0	2.0
METALS IN WATER BY ICAP	SS10	NA	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	10000.000	10100.000	UGL	101.0	2.0
METALS IN WATER BY ICAP	SS10	NA	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	10000.000	10500.000	UGL	105.0	2.9
METALS IN WATER BY ICAP	SS10	NA	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	10000.000	10200.000	UGL	102.0	2.9
METALS IN WATER BY ICAP	SS10	NA	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	10000.000	10600.000	UGL	106.0	4.8
METALS IN WATER BY ICAP	SS10	NA	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	10000.000	10100.000	UGL	101.0	4.8
		**********								----------	
		avg								103.6	
		minimum								101.0	
		maximum								107.0	
METALS IN WATER BY ICAP	SS10	NI	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	500.000	569.000	UGL	113.8	5.2
METALS IN WATER BY ICAP	SS10	NI	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	500.000	540.000	UGL	108.0	5.2
METALS IN WATER BY ICAP	SS10	NI	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	500.000	521.000	UGL	104.2	1.0
METALS IN WATER BY ICAP	SS10	NI	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	500.000	516.000	UGL	103.2	1.0
METALS IN WATER BY ICAP	SS10	NI	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	500.000	569.000	UGL	113.8	3.4
METALS IN WATER BY ICAP	SS10	NI	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	500.000	550.000	UGL	110.0	3.4
METALS IN WATER BY ICAP	SS10	NI	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	500.000	557.000	UGL	111.4	3.5
METALS IN WATER BY ICAP	SS10	NI	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	500.000	538.000	UGL	107.6	3.5
		**********								----------	
		avg								109.0	
		minimum								103.2	
		maximum								113.8	
METALS IN WATER BY ICAP	SS10	V	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	500.000	523.000	UGL	104.6	4.1
METALS IN WATER BY ICAP	SS10	V	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	500.000	502.000	UGL	100.4	4.1
METALS IN WATER BY ICAP	SS10	V	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	500.000	486.000	UGL	97.2	.8
METALS IN WATER BY ICAP	SS10	V	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	500.000	482.000	UGL	96.4	.8
METALS IN WATER BY ICAP	SS10	V	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	500.000	524.000	UGL	104.8	3.7
METALS IN WATER BY ICAP	SS10	V	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	500.000	505.000	UGL	101.0	3.7
METALS IN WATER BY ICAP	SS10	V	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	500.000	515.000	UGL	103.0	2.8

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN WATER BY ICAP	SS10	V	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	500.000	501.000	UGL	100.2	2.8
		**********									
		avg								101.0	
		minimum								96.4	
		maximum								104.8	
METALS IN WATER BY ICAP	SS10	ZN	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	500.000	506.000	UGL	101.2	3.2
METALS IN WATER BY ICAP	SS10	ZN	MDMW13X1	ZZC	20-JUL-1992	30-JUL-1992	500.000	490.000	UGL	98.0	3.2
METALS IN WATER BY ICAP	SS10	ZN	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	500.000	470.000	UGL	94.0	1.3
METALS IN WATER BY ICAP	SS10	ZN	MXMW07X1	ZZC	22-JUL-1992	30-JUL-1992	500.000	464.000	UGL	92.8	1.3
METALS IN WATER BY ICAP	SS10	ZN	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	500.000	519.000	UGL	103.8	2.5
METALS IN WATER BY ICAP	SS10	ZN	SBK92111	YOZ	14-JUL-1992	21-JUL-1992	500.000	506.000	UGL	101.2	2.5
METALS IN WATER BY ICAP	SS10	ZN	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	500.000	503.000	UGL	100.6	4.3
METALS IN WATER BY ICAP	SS10	ZN	WX0901XX	YOU	16-JUN-1992	30-JUN-1992	500.000	482.000	UGL	96.4	4.3
		**********									
		avg								98.5	
		minimum								92.8	
		maximum								103.8	
NO2, NO3 IN WATER	TF22	NIT	MDMW13X1	XXP	20-JUL-1992	06-AUG-1992	150.000	130.000	UGL	86.7	.0
NO2, NO3 IN WATER	TF22	NIT	MDMW13X1	XXP	20-JUL-1992	06-AUG-1992	150.000	130.000	UGL	86.7	.0
NO2, NO3 IN WATER	TF22	NIT	MXMW01X1	XXP	15-JUL-1992	06-AUG-1992	150.000	140.000	UGL	93.3	.0
NO2, NO3 IN WATER	TF22	NIT	MXMW01X1	XXP	15-JUL-1992	06-AUG-1992	150.000	140.000	UGL	93.3	.0
NO2, NO3 IN WATER	TF22	NIT	MXMW09X1	XXP	15-JUL-1992	06-AUG-1992	150.000	130.000	UGL	86.7	.0
NO2, NO3 IN WATER	TF22	NIT	MXMW09X1	XXP	15-JUL-1992	06-AUG-1992	150.000	130.000	UGL	86.7	.0
NO2, NO3 IN WATER	TF22	NIT	WX0903XX	XXN	16-JUN-1992	01-JUL-1992	150.000	130.000	UGL	86.7	.0
NO2, NO3 IN WATER	TF22	NIT	WX0903XX	XXN	16-JUN-1992	01-JUL-1992	150.000	130.000	UGL	86.7	.0
NO2, NO3 IN WATER	TF22	NIT	WXG507XX	XXN	18-JUN-1992	01-JUL-1992	150.000	140.000	UGL	93.3	.0
NO2, NO3 IN WATER	TF22	NIT	WXG507XX	XXN	18-JUN-1992	01-JUL-1992	150.000	140.000	UGL	93.3	.0
		**********									
		avg								89.3	
		minimum								86.7	
		maximum								93.3	
N2KJEL IN WATER	TF26	N2KJEL	MXMW01X1	SKO	15-JUL-1992	03-AUG-1992	4000.000	3810.000	UGL	95.3	.0
N2KJEL IN WATER	TF26	N2KJEL	MXMW01X1	SKO	15-JUL-1992	03-AUG-1992	4000.000	3810.000	UGL	95.3	.0
N2KJEL IN WATER	TF26	N2KJEL	MXMW08X1	SKO	14-JUL-1992	03-AUG-1992	4000.000	3710.000	UGL	92.8	2.5
N2KJEL IN WATER	TF26	N2KJEL	MXMW08X1	SKO	14-JUL-1992	03-AUG-1992	4000.000	3620.000	UGL	90.5	2.5
N2KJEL IN WATER	TF26	N2KJEL	WXG507XX	SKN	18-JUN-1992	08-JUL-1992	4000.000	4000.000	UGL	100.0	.0
N2KJEL IN WATER	TF26	N2KJEL	WXG507XX	SKN	18-JUN-1992	08-JUL-1992	4000.000	4000.000	UGL	100.0	.0
		**********									
		avg								95.6	

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		minimum								90.5	
		maximum								100.0	
TOT. PO4 IN WATER	TF27	PO4	MXMW02X1	ZCE	22-JUL-1992	11-AUG-1992	385.000	396.000	UGL	102.9	.0
TOT. PO4 IN WATER	TF27	PO4	MXMW02X1	ZCE	22-JUL-1992	11-AUG-1992	385.000	396.000	UGL	102.9	.0
TOT. PO4 IN WATER	TF27	PO4	MXMW08X1	ZCD	14-JUL-1992	22-JUL-1992	385.000	400.000	UGL	103.9	.0
TOT. PO4 IN WATER	TF27	PO4	MXMW08X1	ZCD	14-JUL-1992	22-JUL-1992	385.000	400.000	UGL	103.9	.0
TOT. PO4 IN WATER	TF27	PO4	WXG501XX	ZCB	17-JUN-1992	24-JUN-1992	385.000	386.000	UGL	100.3	2.6
TOT. PO4 IN WATER	TF27	PO4	WXG501XX	ZCB	17-JUN-1992	24-JUN-1992	385.000	376.000	UGL	97.7	2.6
		**********								----------	
		avg								101.9	
		minimum								97.7	
		maximum								103.9	
SO4 IN WATER	TT10	CL	MDMW13X1	AKA	20-JUL-1992	04-AUG-1992	25000.000	29000.000	UGL	116.0	.0
SO4 IN WATER	TT10	CL	MDMW13X1	AKA	20-JUL-1992	04-AUG-1992	25000.000	29000.000	UGL	116.0	.0
SO4 IN WATER	TT10	CL	MXMW08X1	XIY	14-JUL-1992	21-JUL-1992	25000.000	29000.000	UGL	116.0	.0
SO4 IN WATER	TT10	CL	MXMW08X1	XIY	14-JUL-1992	21-JUL-1992	25000.000	29000.000	UGL	116.0	.0
SO4 IN WATER	TT10	CL	MXMW12X1	AKA	21-JUL-1992	04-AUG-1992	25000.000	29000.000	UGL	116.0	.0
SO4 IN WATER	TT10	CL	MXMW12X1	AKA	21-JUL-1992	04-AUG-1992	25000.000	29000.000	UGL	116.0	.0
SO4 IN WATER	TT10	CL	WXG507XX	XIW	18-JUN-1992	07-JUL-1992	25000.000	29000.000	UGL	116.0	.0
SO4 IN WATER	TT10	CL	WXG507XX	XIW	18-JUN-1992	07-JUL-1992	25000.000	29000.000	UGL	116.0	.0
		**********								----------	
		avg								116.0	
		minimum								116.0	
		maximum								116.0	
SO4 IN WATER	TT10	SO4	MDMW13X1	AKA	20-JUL-1992	04-AUG-1992	250000.000	260000.000	UGL	104.0	.0
SO4 IN WATER	TT10	SO4	MDMW13X1	AKA	20-JUL-1992	04-AUG-1992	250000.000	260000.000	UGL	104.0	.0
SO4 IN WATER	TT10	SO4	MXMW08X1	XIY	14-JUL-1992	21-JUL-1992	250000.000	260000.000	UGL	104.0	.0
SO4 IN WATER	TT10	SO4	MXMW08X1	XIY	14-JUL-1992	21-JUL-1992	250000.000	260000.000	UGL	104.0	.0
SO4 IN WATER	TT10	SO4	MXMW12X1	AKA	21-JUL-1992	04-AUG-1992	250000.000	260000.000	UGL	104.0	.0
SO4 IN WATER	TT10	SO4	MXMW12X1	AKA	21-JUL-1992	04-AUG-1992	250000.000	260000.000	UGL	104.0	.0
SO4 IN WATER	TT10	SO4	WXG507XX	XIW	18-JUN-1992	07-JUL-1992	250000.000	260000.000	UGL	104.0	.0
SO4 IN WATER	TT10	SO4	WXG507XX	XIW	18-JUN-1992	07-JUL-1992	250000.000	260000.000	UGL	104.0	.0
		**********								----------	
		avg								104.0	
		minimum								104.0	
		maximum								104.0	
EXPLOSIVES IN WATER	UW32	135TNB	MXMW08X1	YXX	14-JUL-1992	26-JUL-1992	9.580	7.940	UGL	82.9	4.9

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
EXPLOSIVES IN WATER	UW32	135TNB	MXMW08X1	YXX	14-JUL-1992	26-JUL-1992	9.580	7.560	UGL	78.9	4.9
EXPLOSIVES IN WATER	UW32	135TNB	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	9.120	4.130	UGL	45.3	2.0
EXPLOSIVES IN WATER	UW32	135TNB	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	9.120	4.050	UGL	44.4	2.0
		**********								----------	
		avg								62.9	
		minimum								44.4	
		maximum								82.9	
EXPLOSIVES IN WATER	UW32	246TNT	MXMW08X1	YXX	14-JUL-1992	26-JUL-1992	12.100	12.200	UGL	100.8	5.0
EXPLOSIVES IN WATER	UW32	246TNT	MXMW08X1	YXX	14-JUL-1992	26-JUL-1992	12.100	11.600	UGL	95.9	5.0
EXPLOSIVES IN WATER	UW32	246TNT	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	12.100	8.280	UGL	68.4	.0
EXPLOSIVES IN WATER	UW32	246TNT	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	12.100	8.280	UGL	68.4	.0
		**********								----------	
		avg								83.4	
		minimum								68.4	
		maximum								100.8	
EXPLOSIVES IN WATER	UW32	24DNT	MXMW08X1	YXX	14-JUL-1992	26-JUL-1992	1.230	1.230	UGL	100.0	3.3
EXPLOSIVES IN WATER	UW32	24DNT	MXMW08X1	YXX	14-JUL-1992	26-JUL-1992	1.230	1.190	UGL	96.7	3.3
EXPLOSIVES IN WATER	UW32	24DNT	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	1.150	1.210	UGL	105.2	6.8
EXPLOSIVES IN WATER	UW32	24DNT	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	1.150	1.130	UGL	98.3	6.8
		**********								----------	
		avg								100.1	
		minimum								96.7	
		maximum								105.2	
EXPLOSIVES IN WATER	UW32	34DNT	MXMW08X1	YXX	14-JUL-1992	26-JUL-1992	4.940	5.330	UGL	107.9	18.9
EXPLOSIVES IN WATER	UW32	34DNT	MXMW08X1	YXX	14-JUL-1992	26-JUL-1992	4.940	4.530	UGL	91.7	18.9
EXPLOSIVES IN WATER	UW32	34DNT	MXMW08X1	YXX	14-JUL-1992	26-JUL-1992	4.940	4.430	UGL	89.7	18.9
EXPLOSIVES IN WATER	UW32	34DNT	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	4.940	4.800	UGL	97.2	31.0
EXPLOSIVES IN WATER	UW32	34DNT	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	4.940	3.860	UGL	78.1	31.0
EXPLOSIVES IN WATER	UW32	34DNT	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	4.940	3.540	UGL	71.7	31.0
		**********								----------	
		avg								89.4	
		minimum								71.7	
		maximum								107.9	
EXPLOSIVES IN WATER	UW32	NB	MXMW08X1	YXX	14-JUL-1992	26-JUL-1992	12.000	10.800	UGL	90.0	.9
EXPLOSIVES IN WATER	UW32	NB	MXMW08X1	YXX	14-JUL-1992	26-JUL-1992	12.000	10.700	UGL	89.2	.9
EXPLOSIVES IN WATER	UW32	NB	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	12.000	11.200	UGL	93.3	1.8
EXPLOSIVES IN WATER	UW32	NB	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	12.000	11.000	UGL	91.7	1.8
		**********								----------	
		avg								91.0	
		minimum								89.2	

TABLE F10
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 5
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		maximum								93.3	
EXPLOSIVES IN WATER	UW32	RDX	MXMW08X1	YXX	14-JUL-1992	26-JUL-1992	24.400	22.200	UGL	91.0	3.7
EXPLOSIVES IN WATER	UW32	RDX	MXMW08X1	YXX	14-JUL-1992	26-JUL-1992	24.400	21.400	UGL	87.7	3.7
EXPLOSIVES IN WATER	UW32	RDX	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	24.400	22.000	UGL	90.2	3.7
EXPLOSIVES IN WATER	UW32	RDX	WXG507XX	YXP	18-JUN-1992	01-JUL-1992	24.400	21.200	UGL	86.9	3.7
		***********								----------	
		avg								88.9	
		minimum								86.9	
		maximum								91.0	

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
	00	ALK	WXG601XX	AGZ	22-JUN-1992	30-JUN-1992	44600.000	45000.000	UGL	100.9	2.2
	00	ALK	WXG601XX	AGZ	22-JUN-1992	30-JUN-1992	44600.000	44000.000	UGL	98.7	2.2
	00	ALK	WXG604XX	AGZ	19-JUN-1992	30-JUN-1992	44600.000	45000.000	UGL	100.9	2.2
	00	ALK	WXG604XX	AGZ	19-JUN-1992	30-JUN-1992	44600.000	44000.000	UGL	98.7	2.2
		**********								----------	
		avg								99.8	
		minimum								98.7	
		maximum								100.9	
	00	TOC	BXG60655	ZWK	17-JUN-1992	06-JUL-1992	956.000	874.000	UGG	91.4	5.6
	00	TOC	BXG60655	ZWK	17-JUN-1992	06-JUL-1992	756.000	731.000	UGG	96.7	5.6
	00	TOC	BXG60855	ZWK	22-JUN-1992	06-JUL-1992	1620.000	2080.000	UGG	128.4	48.1
	00	TOC	BXG60855	ZWK	22-JUN-1992	06-JUL-1992	1400.000	1100.000	UGG	78.6	48.1
	00	TOC	SBK92103	ZWH	25-JUN-1992	09-JUL-1992	20000.000	17800.000	UGL	89.0	4.6
	00	TOC	SBK92103	ZWH	25-JUN-1992	09-JUL-1992	20000.000	17000.000	UGL	85.0	4.6
		**********								----------	
		avg								94.8	
		minimum								78.6	
		maximum								128.4	
	00	TPHC	BX300610	ALO	10-JUN-1992	18-JUN-1992	1190.000	1190.000	UGG	100.0	.0
	00	TPHC	BX300610	ALO	10-JUN-1992	18-JUN-1992	1190.000	1190.000	UGG	100.0	.0
	00	TPHC	BX310308	ZOU	11-JUN-1992	29-JUN-1992	1180.000	1170.000	UGG	99.2	2.6
	00	TPHC	BX310308	ZOU	11-JUN-1992	29-JUN-1992	1180.000	1140.000	UGG	96.6	2.6
	00	TPHC	BX500408	AGC	25-JUN-1992	22-JUL-1992	1160.000	1140.000	UGG	98.3	.9
	00	TPHC	BX500408	AGC	25-JUN-1992	22-JUL-1992	1160.000	1130.000	UGG	97.4	.9
	00	TPHC	BX500700	ZWS	24-JUN-1992	20-JUL-1992	1170.000	1190.000	UGG	101.7	.0
	00	TPHC	BX500700	ZWS	24-JUN-1992	20-JUL-1992	1160.000	1180.000	UGG	101.7	.0
	00	TPHC	BXG60200	ZWB	11-JUN-1992	19-JUN-1992	1170.000	1170.000	UGG	100.0	2.6
	00	TPHC	BXG60200	ZWB	11-JUN-1992	19-JUN-1992	1170.000	1140.000	UGG	97.4	2.6
	00	TPHC	DXG60400	ZOX	19-JUN-1992	09-JUL-1992	3400.000	4270.000	UGG	125.6	10.2
	00	TPHC	DXG60400	ZOX	19-JUN-1992	09-JUL-1992	3070.000	4270.000	UGG	139.1	10.2
	00	TPHC	MXG611X1	AYT	27-JUL-1992	12-AUG-1992	4400.000	3570.000	UGL	81.1	13.6
	00	TPHC	MXG611X1	AYT	27-JUL-1992	12-AUG-1992	4450.000	3150.000	UGL	70.8	13.6
		**********								----------	
		avg								100.6	
		minimum								70.8	
		maximum								139.1	
	99	ALK	MXG607X1	ALX	27-JUL-1992	04-AUG-1992	44.600	45000.000	UGL	100896.9	2.2
	99	ALK	MXG607X1	ALX	27-JUL-1992	04-AUG-1992	44.600	44000.000	UGL	98654.7	2.2
	99	ALK	MXG611X1	ASJ	27-JUL-1992	09-AUG-1992	44600.000	45000.000	UGL	100.9	2.2
	99	ALK	MXG611X1	ASJ	27-JUL-1992	09-AUG-1992	44600.000	44000.000	UGL	98.7	2.2

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		**********									
		avg								49937.8	
		minimum								98.7	
		maximum								100896.9	
	JB01	HG	BX300708	YHX	10-JUN-1992	03-JUL-1992	0.536	0.528	UGG	98.5	.8
	JB01	HG	BX300708	YHX	10-JUN-1992	03-JUL-1992	0.536	0.524	UGG	97.8	.8
	JB01	HG	BX310308	YHY	11-JUN-1992	03-JUL-1992	0.518	0.593	UGG	114.5	1.7
	JB01	HG	BX310308	YHY	11-JUN-1992	03-JUL-1992	0.520	0.585	UGG	112.5	1.7
	JB01	HG	BX310560	YHY	15-JUN-1992	03-JUL-1992	0.507	0.594	UGG	117.2	2.2
	JB01	HG	BX310560	YHY	15-JUN-1992	03-JUL-1992	0.513	0.588	UGG	114.6	2.2
	JB01	HG	BXG60200	YHX	11-JUN-1992	03-JUL-1992	0.512	0.528	UGG	103.1	4.4
	JB01	HG	BXG60200	YHX	11-JUN-1992	03-JUL-1992	0.515	0.508	UGG	98.6	4.4
		**********									
		avg								107.1	
		minimum								97.8	
		maximum								117.2	
SE IN SOIL BY GFAA	JD15	SE	BX310308	YQS	11-JUN-1992	02-JUL-1992	4.150	5.220	UGG	125.8	4.6
SE IN SOIL BY GFAA	JD15	SE	BX310308	YQS	11-JUN-1992	02-JUL-1992	4.120	4.950	UGG	120.1	4.6
SE IN SOIL BY GFAA	JD15	SE	BX310560	YQS	15-JUN-1992	02-JUL-1992	4.110	5.250	UGG	127.7	2.5
SE IN SOIL BY GFAA	JD15	SE	BX310560	YQS	15-JUN-1992	02-JUL-1992	4.100	5.110	UGG	124.6	2.5
SE IN SOIL BY GFAA	JD15	SE	BXG60200	YQR	11-JUN-1992	30-JUN-1992	4.120	4.790	UGG	116.3	.8
SE IN SOIL BY GFAA	JD15	SE	BXG60200	YQR	11-JUN-1992	30-JUN-1992	4.110	4.740	UGG	115.3	.8
SE IN SOIL BY GFAA	JD15	SE	BXG60325	YQR	09-JUN-1992	30-JUN-1992	4.430	4.250	UGG	95.9	2.2
SE IN SOIL BY GFAA	JD15	SE	BXG60325	YQR	09-JUN-1992	30-JUN-1992	4.410	4.140	UGG	93.9	2.2
SE IN SOIL BY GFAA	JD15	SE	DXG60400	ZSA	19-JUN-1992	17-JUL-1992	6.210	3.080	UGG	49.6	8.0
SE IN SOIL BY GFAA	JD15	SE	DXG60400	ZSA	19-JUN-1992	17-JUL-1992	6.250	2.860	UGG	45.8	8.0
		**********									
		avg								101.5	
		minimum								45.8	
		maximum								127.7	
PB IN SOIL BY GFAA	JD17	PB	BX310308	ZAL	11-JUN-1992	08-JUL-1992	4.150	4.670	UGG	112.5	.6
PB IN SOIL BY GFAA	JD17	PB	BX310308	ZAL	11-JUN-1992	08-JUL-1992	4.120	4.610	UGG	111.9	.6
PB IN SOIL BY GFAA	JD17	PB	BX310560	ZAL	15-JUN-1992	08-JUL-1992	4.100	4.290	UGG	104.6	19.1
PB IN SOIL BY GFAA	JD17	PB	BX310560	ZAL	15-JUN-1992	08-JUL-1992	4.110	3.550	UGG	86.4	19.1
PB IN SOIL BY GFAA	JD17	PB	BX500408	ZAU	25-JUN-1992	23-JUL-1992	4.080	3.200	UGG	78.4	6.7
PB IN SOIL BY GFAA	JD17	PB	BX500408	ZAU	25-JUN-1992	23-JUL-1992	4.090	3.000	UGG	73.3	6.7
PB IN SOIL BY GFAA	JD17	PB	BX500915	ZAV	23-JUN-1992	24-JUL-1992	4.720	5.900	UGG	125.0	7.4
PB IN SOIL BY GFAA	JD17	PB	BX500915	ZAV	23-JUN-1992	24-JUL-1992	4.650	5.400	UGG	116.1	7.4

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
PB IN SOIL BY GFAA	JD17	PB	BXG60200	ZAK	11-JUN-1992	15-JUL-1992	4.050	6.700	UGG	165.4	7.2
PB IN SOIL BY GFAA	JD17	PB	BXG60200	ZAK	11-JUN-1992	15-JUL-1992	4.000	6.160	UGG	154.0	7.2
PB IN SOIL BY GFAA	JD17	PB	BXG60325	ZAK	09-JUN-1992	15-JUL-1992	4.420	5.890	UGG	133.3	19.9
PB IN SOIL BY GFAA	JD17	PB	BXG60325	ZAK	09-JUN-1992	15-JUL-1992	4.260	4.650	UGG	109.2	19.9
PB IN SOIL BY GFAA	JD17	PB	BXG60855	ZAU	22-JUN-1992	23-JUL-1992	4.840	4.580	UGG	94.6	.1
PB IN SOIL BY GFAA	JD17	PB	BXG60855	ZAU	22-JUN-1992	23-JUL-1992	4.750	4.500	UGG	94.7	.1
PB IN SOIL BY GFAA	JD17	PB	DXG60400	ZAT	19-JUN-1992	17-JUL-1992	6.210	5.700	UGG	91.8	38.1
PB IN SOIL BY GFAA	JD17	PB	DXG60400	ZAT	19-JUN-1992	17-JUL-1992	6.250	3.900	UGG	62.4	38.1
		**********									
		avg								107.1	
		minimum								62.4	
		maximum								165.4	
AS IN SOIL BY GFAA	JD19	AS	BX310308	ZIB	11-JUN-1992	01-JUL-1992	4.120	4.560	UGG	110.7	57.9
AS IN SOIL BY GFAA	JD19	AS	BX310308	ZIB	11-JUN-1992	01-JUL-1992	4.150	2.530	UGG	61.0	57.9
AS IN SOIL BY GFAA	JD19	AS	BX310560	ZIB	15-JUN-1992	01-JUL-1992	4.100	6.400	UGG	156.1	53.7
AS IN SOIL BY GFAA	JD19	AS	BX310560	ZIB	15-JUN-1992	01-JUL-1992	4.110	3.700	UGG	90.0	53.7
AS IN SOIL BY GFAA	JD19	AS	BXG60200	ZIA	11-JUN-1992	29-JUN-1992	4.120	8.600	UGG	208.7	12.1
AS IN SOIL BY GFAA	JD19	AS	BXG60200	ZIA	11-JUN-1992	29-JUN-1992	4.110	7.600	UGG	184.9	12.1
AS IN SOIL BY GFAA	JD19	AS	BXG60325	ZIA	09-JUN-1992	29-JUN-1992	4.430	4.100	UGG	92.6	10.1
AS IN SOIL BY GFAA	JD19	AS	BXG60325	ZIA	09-JUN-1992	29-JUN-1992	4.410	3.690	UGG	83.7	10.1
AS IN SOIL BY GFAA	JD19	AS	DXG60400	ZIK	19-JUN-1992	28-JUL-1992	6.210	5.670	UGG	91.3	15.6
AS IN SOIL BY GFAA	JD19	AS	DXG60400	ZIK	19-JUN-1992	28-JUL-1992	6.250	4.880	UGG	78.1	15.6
		**********									
		avg								115.7	
		minimum								61.0	
		maximum								208.7	
TL IN SOIL BY GFAA	JD24	TL	DXG60400	ZLC	19-JUN-1992	20-JUL-1992	6.210	6.520	UGG	105.0	1.6
TL IN SOIL BY GFAA	JD24	TL	DXG60400	ZLC	19-JUN-1992	20-JUL-1992	6.250	6.460	UGG	103.4	1.6
		**********									
		avg								104.2	
		minimum								103.4	
		maximum								105.0	
SB IN SOIL BY GFAA	JD25	SB	BX300510	ZMA	10-JUN-1992	09-JUL-1992	8.490	6.140	UGG	72.3	.9
SB IN SOIL BY GFAA	JD25	SB	BX300510	ZMA	10-JUN-1992	09-JUL-1992	8.470	6.070	UGG	71.7	.9
SB IN SOIL BY GFAA	JD25	SB	BXG60200	ZMA	11-JUN-1992	09-JUL-1992	8.210	6.160	UGG	75.0	1.9
SB IN SOIL BY GFAA	JD25	SB	BXG60200	ZMA	11-JUN-1992	09-JUL-1992	8.220	6.050	UGG	73.6	1.9
SB IN SOIL BY GFAA	JD25	SB	DXG60400	ZMC	19-JUN-1992	24-JUL-1992	12.300	9.670	UGG	78.6	9.2
SB IN SOIL BY GFAA	JD25	SB	DXG60400	ZMC	19-JUN-1992	24-JUL-1992	12.100	8.680	UGG	71.7	9.2

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		***********								----------	
		avg								73.8	
		minimum								71.7	
		maximum								78.6	
METALS IN SOIL BY ICAP	JS16	AG	BX300604	YGY	10-JUN-1992	25-JUN-1992	8.420	8.080	UGG	96.0	.1
METALS IN SOIL BY ICAP	JS16	AG	BX300604	YGY	10-JUN-1992	25-JUN-1992	8.400	8.070	UGG	96.1	.1
METALS IN SOIL BY ICAP	JS16	AG	BX310304	YGZ	11-JUN-1992	27-JUN-1992	7.900	7.120	UGG	90.1	1.8
METALS IN SOIL BY ICAP	JS16	AG	BX310304	YGZ	11-JUN-1992	27-JUN-1992	7.910	7.000	UGG	88.5	1.8
METALS IN SOIL BY ICAP	JS16	AG	BX310560	YGZ	15-JUN-1992	27-JUN-1992	8.290	7.710	UGG	93.0	.5
METALS IN SOIL BY ICAP	JS16	AG	BX310560	YGZ	15-JUN-1992	27-JUN-1992	7.990	7.470	UGG	93.5	.5
METALS IN SOIL BY ICAP	JS16	AG	BXG60200	YGY	11-JUN-1992	25-JUN-1992	8.200	8.000	UGG	97.6	2.6
METALS IN SOIL BY ICAP	JS16	AG	BXG60200	YGY	11-JUN-1992	25-JUN-1992	8.160	7.760	UGG	95.1	2.6
METALS IN SOIL BY ICAP	JS16	AG	DXG60400	ZJG	19-JUN-1992	08-JUL-1992	12.500	12.000	UGG	96.0	4.3
METALS IN SOIL BY ICAP	JS16	AG	DXG60400	ZJG	19-JUN-1992	08-JUL-1992	12.500	11.500	UGG	92.0	4.3
		***********								----------	
		avg								93.8	
		minimum								88.5	
		maximum								97.6	
METALS IN SOIL BY ICAP	JS16	BE	BX300604	YGY	10-JUN-1992	25-JUN-1992	52.600	55.200	UGG	104.9	.5
METALS IN SOIL BY ICAP	JS16	BE	BX300604	YGY	10-JUN-1992	25-JUN-1992	52.500	54.800	UGG	104.4	.5
METALS IN SOIL BY ICAP	JS16	BE	BX310304	YGZ	11-JUN-1992	27-JUN-1992	49.400	51.000	UGG	103.2	1.8
METALS IN SOIL BY ICAP	JS16	BE	BX310304	YGZ	11-JUN-1992	27-JUN-1992	49.400	50.100	UGG	101.4	1.8
METALS IN SOIL BY ICAP	JS16	BE	BX310560	YGZ	15-JUN-1992	27-JUN-1992	51.800	54.000	UGG	104.2	.1
METALS IN SOIL BY ICAP	JS16	BE	BX310560	YGZ	15-JUN-1992	27-JUN-1992	50.000	52.200	UGG	104.4	.1
METALS IN SOIL BY ICAP	JS16	BE	BXG60200	YGY	11-JUN-1992	25-JUN-1992	51.200	53.800	UGG	105.1	1.3
METALS IN SOIL BY ICAP	JS16	BE	BXG60200	YGY	11-JUN-1992	25-JUN-1992	51.000	52.900	UGG	103.7	1.3
METALS IN SOIL BY ICAP	JS16	BE	DXG60400	ZJG	19-JUN-1992	08-JUL-1992	77.900	81.400	UGG	104.5	.9
METALS IN SOIL BY ICAP	JS16	BE	DXG60400	ZJG	19-JUN-1992	08-JUL-1992	77.900	80.700	UGG	103.6	.9
		***********								----------	
		avg								104.0	
		minimum								101.4	
		maximum								105.1	
METALS IN SOIL BY ICAP	JS16	CD	BX300604	YGY	10-JUN-1992	25-JUN-1992	52.600	55.500	UGG	105.5	.2
METALS IN SOIL BY ICAP	JS16	CD	BX300604	YGY	10-JUN-1992	25-JUN-1992	52.500	55.500	UGG	105.7	.2
METALS IN SOIL BY ICAP	JS16	CD	BX310304	YGZ	11-JUN-1992	27-JUN-1992	49.400	51.300	UGG	103.8	2.8
METALS IN SOIL BY ICAP	JS16	CD	BX310304	YGZ	11-JUN-1992	27-JUN-1992	49.400	49.900	UGG	101.0	2.8
METALS IN SOIL BY ICAP	JS16	CD	BX310560	YGZ	15-JUN-1992	27-JUN-1992	51.800	53.400	UGG	103.1	.9
METALS IN SOIL BY ICAP	JS16	CD	BX310560	YGZ	15-JUN-1992	27-JUN-1992	50.000	52.000	UGG	104.0	.9
METALS IN SOIL BY ICAP	JS16	CD	BXG60200	YGY	11-JUN-1992	25-JUN-1992	51.200	53.700	UGG	104.9	1.7
METALS IN SOIL BY ICAP	JS16	CD	BXG60200	YGY	11-JUN-1992	25-JUN-1992	51.000	52.600	UGG	103.1	1.7

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN SOIL BY ICAP	JS16	CD	DXG60400	ZJG	19-JUN-1992	08-JUL-1992	77.900	96.200	UGG	123.5	11.5
METALS IN SOIL BY ICAP	JS16	CD	DXG60400	ZJG	19-JUN-1992	08-JUL-1992	77.900	85.700	UGG	110.0	11.5
		**********								----------	
		avg								106.5	
		minimum								101.0	
		maximum								123.5	
METALS IN SOIL BY ICAP	JS16	CR	BX300604	YGY	10-JUN-1992	25-JUN-1992	105.000	116.000	UGG	110.5	.9
METALS IN SOIL BY ICAP	JS16	CR	BX300604	YGY	10-JUN-1992	25-JUN-1992	105.000	115.000	UGG	109.5	.9
METALS IN SOIL BY ICAP	JS16	CR	BX310304	YGZ	11-JUN-1992	27-JUN-1992	98.800	108.000	UGG	109.3	3.9
METALS IN SOIL BY ICAP	JS16	CR	BX310304	YGZ	11-JUN-1992	27-JUN-1992	98.900	104.000	UGG	105.2	3.9
METALS IN SOIL BY ICAP	JS16	CR	BX310560	YGZ	15-JUN-1992	27-JUN-1992	104.000	113.000	UGG	108.7	.4
METALS IN SOIL BY ICAP	JS16	CR	BX310560	YGZ	15-JUN-1992	27-JUN-1992	99.900	109.000	UGG	109.1	.4
METALS IN SOIL BY ICAP	JS16	CR	BXG60200	YGY	11-JUN-1992	25-JUN-1992	102.000	116.000	UGG	113.7	3.5
METALS IN SOIL BY ICAP	JS16	CR	BXG60200	YGY	11-JUN-1992	25-JUN-1992	102.000	112.000	UGG	109.8	3.5
METALS IN SOIL BY ICAP	JS16	CR	DXG60400	ZJG	19-JUN-1992	08-JUL-1992	156.000	168.000	UGG	107.7	3.6
METALS IN SOIL BY ICAP	JS16	CR	DXG60400	ZJG	19-JUN-1992	08-JUL-1992	156.000	162.000	UGG	103.8	3.6
		**********								----------	
		avg								108.7	
		minimum								103.8	
		maximum								113.7	
METALS IN SOIL BY ICAP	JS16	CU	BX300604	YGY	10-JUN-1992	25-JUN-1992	52.600	54.100	UGG	102.9	.9
METALS IN SOIL BY ICAP	JS16	CU	BX300604	YGY	10-JUN-1992	25-JUN-1992	52.500	53.500	UGG	101.9	.9
METALS IN SOIL BY ICAP	JS16	CU	BX310304	YGZ	11-JUN-1992	27-JUN-1992	49.400	48.600	UGG	98.4	3.1
METALS IN SOIL BY ICAP	JS16	CU	BX310304	YGZ	11-JUN-1992	27-JUN-1992	49.400	47.100	UGG	95.3	3.1
METALS IN SOIL BY ICAP	JS16	CU	BX310560	YGZ	15-JUN-1992	27-JUN-1992	51.800	52.500	UGG	101.4	1.0
METALS IN SOIL BY ICAP	JS16	CU	BX310560	YGZ	15-JUN-1992	27-JUN-1992	50.000	51.200	UGG	102.4	1.0
METALS IN SOIL BY ICAP	JS16	CU	BXG60200	YGY	11-JUN-1992	25-JUN-1992	51.000	52.900	UGG	103.7	.8
METALS IN SOIL BY ICAP	JS16	CU	BXG60200	YGY	11-JUN-1992	25-JUN-1992	51.200	52.700	UGG	102.9	.8
METALS IN SOIL BY ICAP	JS16	CU	DXG60400	ZJG	19-JUN-1992	08-JUL-1992	77.900	92.600	UGG	118.9	15.2
METALS IN SOIL BY ICAP	JS16	CU	DXG60400	ZJG	19-JUN-1992	08-JUL-1992	77.900	79.500	UGG	102.1	15.2
		**********								----------	
		avg								103.0	
		minimum								95.3	
		maximum								118.9	
METALS IN SOIL BY ICAP	JS16	NI	BX300604	YGY	10-JUN-1992	25-JUN-1992	52.600	58.800	UGG	111.8	4.5
METALS IN SOIL BY ICAP	JS16	NI	BX300604	YGY	10-JUN-1992	25-JUN-1992	52.500	56.100	UGG	106.9	4.5
METALS IN SOIL BY ICAP	JS16	NI	BX310304	YGZ	11-JUN-1992	27-JUN-1992	49.400	53.000	UGG	107.3	2.9
METALS IN SOIL BY ICAP	JS16	NI	BX310304	YGZ	11-JUN-1992	27-JUN-1992	49.400	51.500	UGG	104.3	2.9
METALS IN SOIL BY ICAP	JS16	NI	BX310560	YGZ	15-JUN-1992	27-JUN-1992	51.800	55.100	UGG	106.4	1.9
METALS IN SOIL BY ICAP	JS16	NI	BX310560	YGZ	15-JUN-1992	27-JUN-1992	50.000	54.200	UGG	108.4	1.9
METALS IN SOIL BY ICAP	JS16	NI	BXG60200	YGY	11-JUN-1992	25-JUN-1992	51.000	57.100	UGG	112.0	4.9

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN SOIL BY ICAP	JS16	NI	BXG60200	YGY	11-JUN-1992	25-JUN-1992	51.200	54.600	UGG	106.6	4.9
METALS IN SOIL BY ICAP	JS16	NI	DXG60400	ZJG	19-JUN-1992	08-JUL-1992	77.900	85.300	UGG	109.5	3.1
METALS IN SOIL BY ICAP	JS16	NI	DXG60400	ZJG	19-JUN-1992	08-JUL-1992	77.900	82.700	UGG	106.2	3.1
		**********								----------	
		avg								107.9	
		minimum								104.3	
		maximum								112.0	
METALS IN SOIL BY ICAP	JS16	ZN	BX300604	YGY	10-JUN-1992	25-JUN-1992	105.000	118.000	UGG	112.4	2.6
METALS IN SOIL BY ICAP	JS16	ZN	BX300604	YGY	10-JUN-1992	25-JUN-1992	105.000	115.000	UGG	109.5	2.6
METALS IN SOIL BY ICAP	JS16	ZN	BX310304	YGZ	11-JUN-1992	27-JUN-1992	98.800	104.000	UGG	105.3	1.1
METALS IN SOIL BY ICAP	JS16	ZN	BX310304	YGZ	11-JUN-1992	27-JUN-1992	98.900	103.000	UGG	104.1	1.1
METALS IN SOIL BY ICAP	JS16	ZN	BX310560	YGZ	15-JUN-1992	27-JUN-1992	104.000	112.000	UGG	107.7	1.3
METALS IN SOIL BY ICAP	JS16	ZN	BX310560	YGZ	15-JUN-1992	27-JUN-1992	99.900	109.000	UGG	109.1	1.3
METALS IN SOIL BY ICAP	JS16	ZN	BXG60200	YGY	11-JUN-1992	25-JUN-1992	102.000	112.000	UGG	109.8	5.5
METALS IN SOIL BY ICAP	JS16	ZN	BXG60200	YGY	11-JUN-1992	25-JUN-1992	102.000	106.000	UGG	103.9	5.5
METALS IN SOIL BY ICAP	JS16	ZN	DXG60400	ZJG	19-JUN-1992	08-JUL-1992	156.000	190.000	UGG	121.8	.5
METALS IN SOIL BY ICAP	JS16	ZN	DXG60400	ZJG	19-JUN-1992	08-JUL-1992	156.000	189.000	UGG	121.2	.5
		**********								----------	
		avg								110.5	
		minimum								103.9	
		maximum								121.8	
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.058	0.064	UGG	110.3	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.058	0.064	UGG	110.3	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.051	0.056	UGG	109.8	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.051	0.056	UGG	109.8	.0
		**********								----------	
		avg								110.1	
		minimum								109.8	
		maximum								110.3	
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.050	0.059	UGG	118.0	8.9
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.050	0.056	UGG	112.0	8.9
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.050	0.054	UGG	108.0	8.9
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.050	0.051	UGG	102.0	2.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.050	0.051	UGG	102.0	2.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.050	0.050	UGG	100.0	2.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	0.050	0.058	UGG	116.0	9.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	0.050	0.053	UGG	106.0	9.0
		**********								----------	
		avg								108.0	
		minimum								100.0	

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		maximum								118.0	
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.050	0.061	UGG	122.0	6.9
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.050	0.057	UGG	114.0	6.9
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.050	0.057	UGG	114.0	6.9
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.050	0.055	UGG	110.0	1.8
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.050	0.055	UGG	110.0	1.8
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.050	0.054	UGG	108.0	1.8
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	0.050	0.061	UGG	122.0	15.9
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	0.050	0.052	UGG	104.0	15.9
		**********								----------	
		avg								113.0	
		minimum								104.0	
		maximum								122.0	
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.058	0.062	UGG	106.9	1.6
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.058	0.061	UGG	105.2	1.6
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.051	0.055	UGG	107.8	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.051	0.055	UGG	107.8	.0
		**********								----------	
		avg								106.9	
		minimum								105.2	
		maximum								107.8	
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.058	0.059	UGG	101.7	1.7
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.058	0.058	UGG	100.0	1.7
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.051	0.055	UGG	107.8	1.8
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.051	0.054	UGG	105.9	1.8
		**********								----------	
		avg								103.9	
		minimum								100.0	
		maximum								107.8	
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.050	0.054	UGG	108.0	1.9
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.050	0.054	UGG	108.0	1.9
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.050	0.053	UGG	106.0	1.9
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.050	0.051	UGG	102.0	2.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.050	0.050	UGG	100.0	2.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.050	0.050	UGG	100.0	2.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BXG60760	ZTF	24-JUN-1992	02-JUL-1992	0.050	0.062	UGG	124.0	15.7
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BXG60760	ZTB	24-JUN-1992	30-JUN-1992	0.050	0.053	UGG	106.0	15.7
		**********								----------	
		avg								106.8	
		minimum								100.0	

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		maximum								124.0	
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.058	0.063	UGG	108.6	1.6
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.058	0.062	UGG	106.9	1.6
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.051	0.055	UGG	107.8	3.7
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.051	0.053	UGG	103.9	3.7
		**********								----------	
		avg								106.8	
		minimum								103.9	
		maximum								108.6	
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.058	0.054	UGG	93.1	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BX500805	ZTB	23-JUN-1992	30-JUN-1992	0.058	0.054	UGG	93.1	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.051	0.049	UGG	96.1	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BXG60740	ZTD	24-JUN-1992	01-JUL-1992	0.051	0.049	UGG	96.1	.0
		**********								----------	
		avg								94.6	
		minimum								93.1	
		maximum								96.1	
HG IN WATER BY CVAA	SB01	HG	MXG611X1	YVX	27-JUL-1992	05-AUG-1992	5.000	4.540	UGL	90.8	1.8
HG IN WATER BY CVAA	SB01	HG	MXG611X1	YVX	27-JUL-1992	05-AUG-1992	5.000	4.460	UGL	89.2	1.8
		**********								----------	
		avg								90.0	
		minimum								89.2	
		maximum								90.8	
TL IN WATER BY GFAA	SD09	TL	MXG611X1	ZKI	27-JUL-1992	13-AUG-1992	10.000	12.800	UGL	128.0	1.6
TL IN WATER BY GFAA	SD09	TL	MXG611X1	ZKI	27-JUL-1992	13-AUG-1992	10.000	12.600	UGL	126.0	1.6
		**********								----------	
		avg								127.0	
		minimum								126.0	
		maximum								128.0	
PB IN WATER BY GFAA	SD20	PB	MXG611X1	ZUI	27-JUL-1992	10-AUG-1992	40.000	42.700	UGL	106.8	.2
PB IN WATER BY GFAA	SD20	PB	MXG611X1	ZUI	27-JUL-1992	10-AUG-1992	40.000	42.600	UGL	106.5	.2
		**********								----------	
		avg								106.6	
		minimum								106.5	
		maximum								106.8	

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
SE IN WATER BY GFAA	SD21	SE	MXG611X1	ZGO	27-JUL-1992	08-AUG-1992	37.500	35.300	UGL	94.1	3.2
SE IN WATER BY GFAA	SD21	SE	MXG611X1	ZGO	27-JUL-1992	08-AUG-1992	37.500	34.200	UGL	91.2	3.2
		**********								----------	
		avg								92.7	
		minimum								91.2	
		maximum								94.1	
AS IN WATER BY GFAA	SD22	AS	MXG611X1	AAD	27-JUL-1992	08-AUG-1992	37.500	48.700	UGL	129.9	.4
AS IN WATER BY GFAA	SD22	AS	MXG611X1	AAD	27-JUL-1992	08-AUG-1992	37.500	48.500	UGL	129.3	.4
		**********								----------	
		avg								129.6	
		minimum								129.3	
		maximum								129.9	
SB IN WATER BY GFAA	SD28	SB	MXG611X1	YWG	27-JUL-1992	12-SEP-1992	80.000	133.000	UGL	166.3	.8
SB IN WATER BY GFAA	SD28	SB	MXG611X1	YWG	27-JUL-1992	12-SEP-1992	80.000	132.000	UGL	165.0	.8
		**********								----------	
		avg								165.6	
		minimum								165.0	
		maximum								166.3	
METALS IN WATER BY ICAP	SS10	AG	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	50.000	52.400	UGL	104.8	7.3
METALS IN WATER BY ICAP	SS10	AG	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	50.000	48.700	UGL	97.4	7.3
METALS IN WATER BY ICAP	SS10	AG	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	50.000	46.300	UGL	92.6	.9
METALS IN WATER BY ICAP	SS10	AG	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	50.000	45.900	UGL	91.8	.9
		**********								----------	
		avg								96.7	
		minimum								91.8	
		maximum								104.8	
METALS IN WATER BY ICAP	SS10	AL	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	2000.000	2180.000	UGL	109.0	3.7
METALS IN WATER BY ICAP	SS10	AL	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	2000.000	2100.000	UGL	105.0	3.7
METALS IN WATER BY ICAP	SS10	AL	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	2000.000	2030.000	UGL	101.5	1.5
METALS IN WATER BY ICAP	SS10	AL	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	2000.000	2000.000	UGL	100.0	1.5
		**********								----------	
		avg								103.9	
		minimum								100.0	
		maximum								109.0	
METALS IN WATER BY ICAP	SS10	BA	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	2000.000	1860.000	UGL	93.0	1.6

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN WATER BY ICAP	SS10	BA	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	2000.000	1830.000	UGL	91.5	1.6
METALS IN WATER BY ICAP	SS10	BA	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	2000.000	1810.000	UGL	90.5	.6
METALS IN WATER BY ICAP	SS10	BA	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	2000.000	1800.000	UGL	90.0	.6
		**********									
		avg								91.3	
		minimum								90.0	
		maximum								93.0	
METALS IN WATER BY ICAP	SS10	BE	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	50.000	55.400	UGL	110.8	.0
METALS IN WATER BY ICAP	SS10	BE	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	50.000	55.400	UGL	110.8	.0
METALS IN WATER BY ICAP	SS10	BE	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	50.000	53.000	UGL	106.0	.0
METALS IN WATER BY ICAP	SS10	BE	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	50.000	53.000	UGL	106.0	.0
		**********									
		avg								108.4	
		minimum								106.0	
		maximum								110.8	
METALS IN WATER BY ICAP	SS10	CA	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	10000.000	11100.000	UGL	111.0	4.6
METALS IN WATER BY ICAP	SS10	CA	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	10000.000	10600.000	UGL	106.0	4.6
METALS IN WATER BY ICAP	SS10	CA	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	10000.000	9930.000	UGL	99.3	.6
METALS IN WATER BY ICAP	SS10	CA	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	10000.000	9870.000	UGL	98.7	.6
		**********									
		avg								103.8	
		minimum								98.7	
		maximum								111.0	
METALS IN WATER BY ICAP	SS10	CD	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	50.000	49.000	UGL	98.0	3.5
METALS IN WATER BY ICAP	SS10	CD	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	50.000	47.300	UGL	94.6	3.5
METALS IN WATER BY ICAP	SS10	CD	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	50.000	45.800	UGL	91.6	3.3
METALS IN WATER BY ICAP	SS10	CD	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	50.000	44.300	UGL	88.6	3.3
		**********									
		avg								93.2	
		minimum								88.6	
		maximum								98.0	
METALS IN WATER BY ICAP	SS10	CO	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	500.000	562.000	UGL	112.4	3.6
METALS IN WATER BY ICAP	SS10	CO	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	500.000	542.000	UGL	108.4	3.6
METALS IN WATER BY ICAP	SS10	CO	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	500.000	560.000	UGL	112.0	1.3
METALS IN WATER BY ICAP	SS10	CO	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	500.000	553.000	UGL	110.6	1.3
		**********									
		avg								110.9	
		minimum								108.4	
		maximum								112.4	

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN WATER BY ICAP	SS10	CR	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	200.000	192.000	UGL	96.0	2.1
METALS IN WATER BY ICAP	SS10	CR	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	200.000	188.000	UGL	94.0	2.1
METALS IN WATER BY ICAP	SS10	CR	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	200.000	196.000	UGL	98.0	1.0
METALS IN WATER BY ICAP	SS10	CR	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	200.000	194.000	UGL	97.0	1.0
		**********								----------	
		avg								96.3	
		minimum								94.0	
		maximum								98.0	
METALS IN WATER BY ICAP	SS10	CU	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	250.000	246.000	UGL	98.4	2.1
METALS IN WATER BY ICAP	SS10	CU	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	250.000	241.000	UGL	96.4	2.1
METALS IN WATER BY ICAP	SS10	CU	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	250.000	252.000	UGL	100.8	.4
METALS IN WATER BY ICAP	SS10	CU	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	250.000	251.000	UGL	100.4	.4
		**********								----------	
		avg								99.0	
		minimum								96.4	
		maximum								100.8	
METALS IN WATER BY ICAP	SS10	FE	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	1000.000	1190.000	UGL	119.0	13.5
METALS IN WATER BY ICAP	SS10	FE	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	1000.000	1040.000	UGL	104.0	13.5
METALS IN WATER BY ICAP	SS10	FE	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	1000.000	1050.000	UGL	105.0	1.0
METALS IN WATER BY ICAP	SS10	FE	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	1000.000	1040.000	UGL	104.0	1.0
		**********								----------	
		avg								108.0	
		minimum								104.0	
		maximum								119.0	
METALS IN WATER BY ICAP	SS10	K	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	10000.000	11600.000	UGL	116.0	5.3
METALS IN WATER BY ICAP	SS10	K	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	10000.000	11000.000	UGL	110.0	5.3
METALS IN WATER BY ICAP	SS10	K	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	10000.000	11300.000	UGL	113.0	.0
METALS IN WATER BY ICAP	SS10	K	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	10000.000	11300.000	UGL	113.0	.0
		**********								----------	
		avg								113.0	
		minimum								110.0	
		maximum								116.0	
METALS IN WATER BY ICAP	SS10	MG	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	10000.000	10300.000	UGL	103.0	3.0
METALS IN WATER BY ICAP	SS10	MG	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	10000.000	10000.000	UGL	100.0	3.0
METALS IN WATER BY ICAP	SS10	MG	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	10000.000	10100.000	UGL	101.0	1.1
METALS IN WATER BY ICAP	SS10	MG	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	10000.000	9990.000	UGL	99.9	1.1
		**********								----------	
		avg								101.0	
		minimum								99.9	
		maximum								103.0	

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN WATER BY ICAP	SS10	MN	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	500.000	525.000	UGL	105.0	3.5
METALS IN WATER BY ICAP	SS10	MN	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	500.000	507.000	UGL	101.4	3.5
METALS IN WATER BY ICAP	SS10	MN	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	500.000	507.000	UGL	101.4	.4
METALS IN WATER BY ICAP	SS10	MN	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	500.000	505.000	UGL	101.0	.4
		**********								----------	
		avg								102.2	
		minimum								101.0	
		maximum								105.0	
METALS IN WATER BY ICAP	SS10	NA	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	10000.000	10700.000	UGL	107.0	.9
METALS IN WATER BY ICAP	SS10	NA	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	10000.000	10600.000	UGL	106.0	.9
METALS IN WATER BY ICAP	SS10	NA	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	10000.000	10000.000	UGL	100.0	3.8
METALS IN WATER BY ICAP	SS10	NA	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	10000.000	9630.000	UGL	96.3	3.8
		**********								----------	
		avg								102.3	
		minimum								96.3	
		maximum								107.0	
METALS IN WATER BY ICAP	SS10	NI	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	500.000	570.000	UGL	114.0	3.6
METALS IN WATER BY ICAP	SS10	NI	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	500.000	550.000	UGL	110.0	3.6
METALS IN WATER BY ICAP	SS10	NI	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	500.000	577.000	UGL	115.4	.5
METALS IN WATER BY ICAP	SS10	NI	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	500.000	574.000	UGL	114.8	.5
		**********								----------	
		avg								113.6	
		minimum								110.0	
		maximum								115.4	
METALS IN WATER BY ICAP	SS10	V	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	500.000	537.000	UGL	107.4	2.8
METALS IN WATER BY ICAP	SS10	V	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	500.000	522.000	UGL	104.4	2.8
METALS IN WATER BY ICAP	SS10	V	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	500.000	529.000	UGL	105.8	.8
METALS IN WATER BY ICAP	SS10	V	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	500.000	525.000	UGL	105.0	.8
		**********								----------	
		avg								105.7	
		minimum								104.4	
		maximum								107.4	
METALS IN WATER BY ICAP	SS10	ZN	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	500.000	508.000	UGL	101.6	4.6
METALS IN WATER BY ICAP	SS10	ZN	MXG611X1	ZZE	27-JUL-1992	05-AUG-1992	500.000	485.000	UGL	97.0	4.6
METALS IN WATER BY ICAP	SS10	ZN	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	500.000	506.000	UGL	101.2	.4
METALS IN WATER BY ICAP	SS10	ZN	WXG602XX	YOW	24-JUN-1992	10-JUL-1992	500.000	504.000	UGL	100.8	.4
		**********								----------	
		avg								100.2	
		minimum								97.0	

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		maximum								101.6	
NO2, NO3 IN WATER	TF22	NIT	MXG611X1	XXQ	27-JUL-1992	12-AUG-1992	150.000	160.000	UGL	106.7	.0
NO2, NO3 IN WATER	TF22	NIT	MXG611X1	XXQ	27-JUL-1992	12-AUG-1992	150.000	160.000	UGL	106.7	.0
		**********									
		avg								106.7	
		minimum								106.7	
		maximum								106.7	
SO4 IN WATER	TT10	CL	MXG611X1	AKC	27-JUL-1992	17-AUG-1992	25000.000	29000.000	UGL	116.0	.0
SO4 IN WATER	TT10	CL	MXG611X1	AKC	27-JUL-1992	17-AUG-1992	25000.000	29000.000	UGL	116.0	.0
SO4 IN WATER	TT10	CL	SBK92101	XIW	19-JUN-1992	07-JUL-1992	25000.000	29000.000	UGL	116.0	.0
SO4 IN WATER	TT10	CL	SBK92101	XIW	19-JUN-1992	07-JUL-1992	25000.000	29000.000	UGL	116.0	.0
		**********									
		avg								116.0	
		minimum								116.0	
		maximum								116.0	
SO4 IN WATER	TT10	SO4	MXG611X1	AKC	27-JUL-1992	17-AUG-1992	250000.000	260000.000	UGL	104.0	.0
SO4 IN WATER	TT10	SO4	MXG611X1	AKC	27-JUL-1992	17-AUG-1992	250000.000	260000.000	UGL	104.0	.0
SO4 IN WATER	TT10	SO4	SBK92101	XIW	19-JUN-1992	07-JUL-1992	250000.000	260000.000	UGL	104.0	.0
SO4 IN WATER	TT10	SO4	SBK92101	XIW	19-JUN-1992	07-JUL-1992	250000.000	260000.000	UGL	104.0	.0
		**********									
		avg								104.0	
		minimum								104.0	
		maximum								104.0	

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
	00	ALK	D-1-2	YUL	07-APR-1992	21-APR-1992	44600.000	41000.000	UGL	91.9	2.5
	00	ALK	D-1-2	YUL	07-APR-1992	21-APR-1992	44600.000	40000.000	UGL	89.7	2.5
		**********									
		avg								90.8	
		minimum								89.7	
		maximum								91.9	
	00	TOC	D-1-1	YYB	07-APR-1992	16-APR-1992	20000.000	20000.000	UGL	100.0	6.2
	00	TOC	D-1-1	YYB	07-APR-1992	16-APR-1992	20000.000	18800.000	UGL	94.0	6.2
		**********									
		avg								97.0	
		minimum								94.0	
		maximum								100.0	
	99	NO2	D-1-2	XXI	07-APR-1992	09-APR-1992	150.000	154.000	UGL	102.7	.0
	99	NO2	D-1-2	XXI	07-APR-1992	09-APR-1992	150.000	154.000	UGL	102.7	.0
		**********									
		avg								102.7	
		minimum								102.7	
		maximum								102.7	
TL IN WATER BY GFAA	SD09	TL	D-1-2	XOS	07-APR-1992	23-APR-1992	10.000	10.200	UGL	102.0	1.0
TL IN WATER BY GFAA	SD09	TL	D-1-2	XOS	07-APR-1992	23-APR-1992	10.000	10.100	UGL	101.0	1.0
		**********									
		avg								101.5	
		minimum								101.0	
		maximum								102.0	
PB IN WATER BY GFAA	SD20	PB	D-1-2	XWM	07-APR-1992	22-APR-1992	40.000	42.200	UGL	105.5	12.3
PB IN WATER BY GFAA	SD20	PB	D-1-2	XWM	07-APR-1992	22-APR-1992	40.000	37.300	UGL	93.3	12.3
		**********									
		avg								99.4	
		minimum								93.3	
		maximum								105.5	
SE IN WATER BY GFAA	SD21	SE	D-1-2	XTS	07-APR-1992	22-APR-1992	37.500	40.400	UGL	107.7	1.2
SE IN WATER BY GFAA	SD21	SE	D-1-2	XTS	07-APR-1992	22-APR-1992	37.500	39.900	UGL	106.4	1.2
		**********									
		avg								107.1	
		minimum								106.4	

TABLE F12
MS/MSD Quality Control Report
Installation: Fort Devens, MA (DV)
Group: 6
MATRIX SPIKES/MATRIX SPIKE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Sample Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		maximum								107.7	
AS IN WATER BY GFAA	SD22	AS	D-1-2	YIH	07-APR-1992	22-APR-1992	37.500	42.600	UGL	113.6	1.7
AS IN WATER BY GFAA	SD22	AS	D-1-2	YIH	07-APR-1992	22-APR-1992	37.500	41.900	UGL	111.7	1.7
		**********								----------	
		avg								112.7	
		minimum								111.7	
		maximum								113.6	
SB IN WATER BY GFAA	SD28	SB	D-1-2	YWA	07-APR-1992	22-APR-1992	80.000	73.700	UGL	92.1	2.5
SB IN WATER BY GFAA	SD28	SB	D-1-2	YWA	07-APR-1992	22-APR-1992	80.000	71.900	UGL	89.9	2.5
		**********								----------	
		avg								91.0	
		minimum								89.9	
		maximum								92.1	
METALS IN WATER BY ICAP	SS10	AG	D-1-1	YOG	07-APR-1992	23-APR-1992	50.000	51.000	UGL	102.0	.8
METALS IN WATER BY ICAP	SS10	AG	D-1-1	YOG	07-APR-1992	23-APR-1992	50.000	50.600	UGL	101.2	.8
		**********								----------	
		avg								101.6	
		minimum								101.2	
		maximum								102.0	
METALS IN WATER BY ICAP	SS10	AL	D-1-1	YOG	07-APR-1992	23-APR-1992	2000.000	1990.000	UGL	99.5	1.5
METALS IN WATER BY ICAP	SS10	AL	D-1-1	YOG	07-APR-1992	23-APR-1992	2000.000	1960.000	UGL	98.0	1.5
		**********								----------	
		avg								98.8	
		minimum								98.0	
		maximum								99.5	
METALS IN WATER BY ICAP	SS10	BA	D-1-1	YOG	07-APR-1992	23-APR-1992	2000.000	1820.000	UGL	91.0	1.7
METALS IN WATER BY ICAP	SS10	BA	D-1-1	YOG	07-APR-1992	23-APR-1992	2000.000	1790.000	UGL	89.5	1.7
		**********								----------	
		avg								90.3	
		minimum								89.5	
		maximum								91.0	
METALS IN WATER BY ICAP	SS10	BE	D-1-1	YOG	07-APR-1992	23-APR-1992	50.000	56.600	UGL	113.2	.0
METALS IN WATER BY ICAP	SS10	BE	D-1-1	YOG	07-APR-1992	23-APR-1992	50.000	56.600	UGL	113.2	.0
		**********								----------	
		avg								113.2	

APPENDIX FS (SUPPLEMENTAL SITE INVESTIGATION)

DATA QUALITY REPORT

1.0 ANALYTICAL METHODS

Aqueous and soil samples collected for the Supplemental Site Investigation (SSI) at Group 3,5, and 6 Study Areas were analyzed in an USAEC-certified laboratory for Fort Devens Project Analyte List (PAL) analytes. The Fort Devens PAL is presented in Appendix E. Laboratory analyses for the PAL organics and inorganics are considered approximately equivalent to USEPA analytical support Level III quality data. All laboratory analyses were completed using the 1990 USATHAMA QA Plan. All data used in this report came directly from the USAEC's IRDMIS system. Samples discussed below pertain only to those collected for the Group 3,5 and 6 SSI sampling effort.

A list of USAEC-certified methods which were used for analysis of field samples is provided in Volume I, Section 3, Table 3-1 of this report. The table includes a description of the methods used as well as equivalent EPA methods, where they exist. The method numbers (i.e., method JS16) are specific to the project and to the particular laboratory doing the analyses. Certified reporting limits (CRLs) are established for each analyte and presented in Appendix E.

2.0 QUALITY CONTROL BLANK RESULTS

2.1 INTRODUCTION

A quality control review was completed for method blanks, rinsate blanks, and trip blanks associated with the SSI. This discussion is intended to provide an evaluation of data quality based on method blank and field quality control data. Frequency tables were generated for all quality control blanks generated during the SSI. The tables present results by analytical method and were used to identify any target analytes that appeared in blanks. The rate at which these analytes were found with respect to the total number of blanks, and the concentration range reported, are the key components of the frequency tables. Analytes which are not listed on the tables were not detected at the concentration above the CRL.

2.2 METHOD BLANKS

Laboratory quality control blanks that were included in the Group 3, 5 and 6 SSI sampling effort consisted of method blanks. Method blanks were analyzed to determine if compound analytes were introduced at the laboratory during the processing of field samples. Previously analyzed deionized water was used to prepare method blanks at the laboratory. Method blanks were analyzed following the same procedures used to analyze field samples. A method blank was analyzed in each analytical batch and tracked by lot number in the USAECs IDMIS. Table FS-1 summarizes analytical data for all method blanks analyzed for the Group 3, 5 & 6 SSI. Table FS-2 summarizes analytes detected above CRL, the frequency of detection, and the minimum and maximum detected concentration in the method blanks.

Inorganics

Two soil method blanks were analyzed to determine if there was laboratory contamination of PAL inorganics. Four soil method blanks were analyzed for lead contamination. Lead was the only PAL element detected in any of these blanks. It was detected at concentrations of 0.582 to 0.755 $\mu g/g$ in three of four

method blanks. Concentrations of this magnitude for lead are representative of concentrations in the soil used for the blanks.

Two aqueous method blanks were analyzed in conjunction with aqueous inorganic samples. No target inorganic analytes were detected above respective CRLs in associated method blanks. This indicated that there was no contamination of PAL inorganics from the laboratory.

SVOCs

USAEC method LM18 was used to analyze soil method blanks for semivolatile organic compound (SVOC) contamination. Di-ethylphthalate was the only target compound detected above CRL. It was detected in 1 of 2 method blanks. Phthalate esters have been defined by the USEPA as common laboratory contaminants (USEPA, 1991).

USAEC method UM18 was used to analyze aqueous method blanks for SVOC contamination. Bis(2-ethylhexyl)phthalate (BEHP) was the only target SVOC detected. It was detected in two of 5 method blanks at concentrations ranging from 5.1 to 6.2 μg/L. BEHP has been defined by the USEPA as a common laboratory contaminant.

Overall, the method blank data indicate that there was little SVOC contamination attributed to laboratory activities.

VOCs

USAEC method LM19 was used to analyze soil method blanks for VOC contamination. Trifluorochloromethane was the most commonly detected volatile organic compound (VOC). It was detected in 2 of 7 soil method blanks. Trifluorochloromethane is frequently used as a solvent in commercial laboratories. Trifluorochloromethane has been defined as a common laboratory contaminant by the USEPA (USEPA, 1991) Toluene was the only other target VOC detected. It was detected in 1 of 7 method blanks at 0.00086 μg/g.

USAEC method UM20 was used to analyze nine aqueous method blanks for VOC contamination. Two target VOCs, acetone and chloroform, were detected above CRL. Acetone was detected at 18 μg/L in one of nine method blanks.

Acetone is considered a common laboratory contaminant (USEPA, 1991). Chloroform was detected in one blank out of nine at a concentration of 0.73 μg/L. Chloroform is often present in chlorinated drinking water supplies. Concentrations of acetone and chloroform in field samples similar to those measured in method blanks may be attributed to laboratory contamination.

In general, the method blank data indicated that there was little VOC contamination attributable to laboratory activities.

PCBs

One method blank was analyzed for polychorinated biphenyl (PCB) contamination. No target compounds were detected above CRL for any PCB compounds.

Other Methods

Three soil method blanks were analyzed for concentrations of total organic carbon (TOC). TOC concentrations for all three blanks were below the CRL of 360 μg/g.

Four soil method blanks were analyzed for total petroleum hydrocarbon (TPHC) contamination. TPHC concentrations for all four method blanks were below the CRL of 28.5 μg/g.

Aqueous method blanks were also analyzed for the following analytes: alkalinity, bicarbonate ion, hardness, TPHC, and total suspended solids (TSS).

Two method blanks were analyzed for concentrations of alkalinity. Alkalinity was not detected above the CRL of 5000 μg/L in any of the method blanks.

Three method blanks were analyzed for bicarbonate ion. Bicarbonate was not detected above the CRL of 6100 μg/L in any of the method blanks.

One method blank was analyzed for hardness. Hardness was not detected above the CRL of 1000 μg/L in this blank.

Three aqueous method blanks were analyzed for concentrations of TPHC. TPHC was not detected above the CRL of 171 $\mu g/L$ in any of the associated method blanks.

Three aqueous method blanks were analyzed for concentrations of TSS. TSS were not detected above the CRL of 4000 $\mu g/L$ in the associated method blanks.

2.3 FIELD QUALITY CONTROL

2.3.1 Trip Blanks

Trip blanks were prepared by the USAEC-certified laboratory and shipped to the ABB-ES field office at Fort Devens. The water used for the trip blanks was previously analyzed by the laboratory. One pair of trip blanks were shipped back to the laboratory with every shipment that contained soil or water samples that were identified for VOC analysis. The purpose of the trip blanks was to determine whether cross contamination by VOCs was occurring during shipment of samples. Eleven trip blanks were analyzed during the Group 3,5, and 6 SSI. Trip blank data are summarized on Table FS-3. Table FS-4 summarizes analytes detected above the CRL, the frequency of detection, and the minimum and maximum detected concentration in the method blanks.

The following target compounds were detected above associated CRLs in trip blanks analyzed for Group 3, 5 & 6 SSI: trifluorochloromethane, methylene chloride, chloroform, and toluene. Methylene chloride was the most common contaminant detected. It was detected in 3 of 14 trip blanks in concentrations ranging from 2.8 to 13 $\mu g/L$. Methylene chloride is a solvent widely used by commercial laboratories. The presence of methylene chloride in trip blanks may be attributed to laboratory contamination rather than cross contamination between samples.

Trifluorochloromethane, chloroform and toluene were detected in trip blanks at lower frequencies than methylene chloride. All three of these compounds were detected in method blanks at concentrations similar to those reported for the trip blanks. The presence of these compounds in the trip blanks are also attributed to laboratory contamination.

2.3.2 Rinsate Blanks

Rinsate blanks were collected from field equipment by pouring laboratory prepared deionized water over sampling equipment (i.e., split spoons) and into sample containers. The purpose of collecting rinse blanks was to determine whether or not decontamination procedures effectively removed contamination from previous sample locations. A summary of all rinse blank results is found in Table FS-5. Detections of analytes above associated CRLs, the frequency of detection, and the minimum and maximum concentrations are presented in Table FS-6.

Inorganics

Six rinsate blanks were analyzed for inorganics. The following elements were detected in one or more rinsate blank: cobalt, chromium, copper, iron, potassium, and manganese. The concentrations at which these elements were detected is included in Table FS-5. None of these elements were detected in associated method blanks. The source of contaminations may be carry-over from previous sample locations.

SVOCs

Two rinsate blanks were analyzed for SVOCs. Bis(2-ethylhexyl)phthalate, dodecanoic acid, and 2-ethyl-1-hexanol were all detected in one or more rinse blanks. Bis(2-ethylhexyl)phthalate is defined by the USEPA as a common laboratory contaminant.

Dodecanoic acid and 2-ethyl-1-hexanol are non-target SVOCs which were detected in the rinse blanks.

VOCs

Four equipment rinse blanks were analyzed for VOCs. The following VOCs were detected in one or more rinse blanks: 1,1,1-trichloroethene, 1,2-dichloroethane, acetone, methylene chloride, chloroform, and toluene. Methylene chloride and acetone are defined by the USEPA as common laboratory contaminants. Toluene and chloroform were detected in method blanks at concentrations similar to those

reported for rinse blanks. This indicates that these compounds were likely introduced from the laboratory.

Detections of 1,1,1-trichloroethene and 1,2-dichloroethane represent introduced contamination. There were no detections of either compound in the method blank data. This indicated that the source of contamination for 1,1,1-trichloroethene and 1,2-dichloroethane was not the laboratory. Concentrations of these compounds reported in field samples at similar concentration to those reported in the rinse blanks may represent carry-over contamination from sampling equipment.

PCBs

Two rinse blanks were analyzed for PCBs with no reported detections above associated CRLs.

3.0 MATRIX SPIKE AND DUPLICATE QUALITY CONTROL

3.1 INTRODUCTION

Matrix Spikes

Matrix spikes and matrix spike duplicates (MS/MSDs) were collected at a rate of one per 20 environmental samples. MS/MSD samples were collected for the following parameters: inorganics, PCBs, TPH, hardness, alkalinity, bicarbonate, nitrate/nitrite, and sulfate. All MS/MSD sample results have been tabulated and are presented in Tables FS-7 and FS-8. Data have been segregated by method to show recovery trends and to assess the accuracy of particular analyses. Matrix spikes have been paired with corresponding matrix spike duplicates to make recovery comparisons. The relative percent differences (RPDs) between recoveries of the matrix spikes and matrix spike duplicates have been calculated and are included in the table. The relative percent difference was used to measure the analytical precision of the results.

The criteria used for interpreting MS/MSD data are from the analytical USEPA CLP protocols and the POP for Fort Devens, Volume III. The EPA CLP requirement for inorganic recoveries is 100% + or - 25%, for PCBs advisory limits are 60 to 150%. A discussion of the results is found in Section 3.2.

Duplicates

Field duplicate samples were collected at the same rate as the MS/MSD samples. The sample ID differentiates duplicates from other samples by using a "D" as the second character in the identification code. The purpose of analyzing duplicate samples was to measure the precision of the analytical results. Duplicate analysis also measured the precision and effects of sampling techniques. Precision of these processes was measured by the calculation of the relative percent difference (RPD) for all runs of a particular method. The RPD was calculated as the difference between the maximum and minimum results divided by the average of all results. Duplicate data and the RPD between field duplicates is presented in Tables FS-9 and FS-10.

USEPA Region 1 guidelines were used to assess the RPDs of duplicate results. These guidelines specify an RPD of no greater than 30% for water samples and an RPD of no greater than 50% for soils. Interpretations of these results are contained in Section 3.3.

3.2 GROUP 3, 5 & 6 SSI MATRIX SPIKES

Inorganics

Four MS/MSD soil inorganic samples were analyzed to determine matrix effects. The following elements had recoveries outside of USEPA Region I limits for inorganics: aluminum, antimony, arsenic, iron, lead, manganese, mercury, selenium, silver, and zinc. Seventy-five percent of lead recoveries were outside of USEPA Region I CLP recovery criteria. Fifty percent of iron recoveries were outside recovery limits.

One MS/MSD aqueous inorganic sample was analyzed to determine matrix effects. All recoveries were within USEPA Region I recovery criteria of 30%.

PCBs

One MS/MSD soil sample, BX440805 was analyzed for PCBs. The recoveries of all PCB compounds were within USEPA Region I CLP advisory of 60 to 150% for this sample.

Other Methods

Two MS/MSD soil samples were analyzed for TPHC. All recoveries were within USEPA Region I CLP recovery criteria of 75 - 125%.

One aqueous MS/MSD sample was analyzed for the following analyses: hardness, alkalinity, bicarbonate, nitrate/nitrite, and sulfate. All recoveries were within USEPA Region I CLP criteria of 75 - 125%.

3.3 GROUP 3, 5 & 6 SSI DUPLICATES

Inorganics

Four soil duplicate samples, SD210600, BD381210, BD381805, and BD440905 were analyzed for inorganics. For BD440905, all inorganic RPD values met USEPA Region I criteria. BD381210 had a single target analyte that failed to meet criteria. The element which did not meet USEPA RPD criteria for BD381210 was lead. The RPD for lead was 51% which just barely exceeds the USEPA Region I criteria for inorganics in soil. The duplicate sample SD210600 had 14 of 22 target elements failing to meet USEPA Region I criteria. These elements are summarized in Table FS-10. The discrepancy in duplicate concentrations indicates that this sample had a high degree of heterogeneity of these elements throughout the matrix.

Two sample duplicate pairs, MDG308X2 and MDG613X1, were analyzed for inorganics. For MDG308X2 the following analytes exceeded criteria: lead, aluminum, copper, iron, and potassium. For MDG613X1 only lead failed to meet USEPA Region I criteria. All elements for which the RPDs of reported concentrations exceeded USEPA Region I criteria are summarized in Table FS-9.

SVOCs

One soil duplicate sample, BD440905 was analyzed by USAEC method LM18 for SVOCs. The RPDs of concentrations of the target compounds fluoranthene, phenanthrene, and pyrene exceeded USEPA Region I guidelines. RPD values for these SVOCs were 114.5%, 88.1%, and 113.7%, respectively. Because of the poor precision of these concentrations, sample results for fluoranthene, phenanthrene, and pyrene should be considered estimated.

A single duplicate pair, MDG613X1 was analyzed for SVOCs by USAEC method UM18. All RPD values calculated were within USEPA Region I criteria.

VOCs

One soil duplicate sample, BDG61205 was analyzed by USAEC method LM19 for VOCs. The RPDs of all VOCs were within USEPA Region I criteria except tetrachloroethylene. The RPD for tetrachloroethylene was 110.2%. This

indicates poor precision of the tetrachloroethylene results for this sample. Sample concentrations of this compound should be considered estimated for BDG61205.

A single duplicate pair, MDG613X1 was analyzed for VOCs by USAEC method UM20. All RPD values calculated were within USEPA Region I criteria of 30%.

Other Methods

Two soil duplicate samples, BD440905 and SD210600, were analyzed for TPHC. RPD values were within criteria.

Nitrate/Nitrite - Two duplicate samples, MDG308X2 and MDG613X1, were analyzed for nitrate/nitrite. The RPD values were below 30% for both samples.

Sulfate - Two duplicate samples, MDG308X2 and MDG613X1, were analyzed for sulfate. The RPD values for both samples were less than 30% indicating good precision of these results.

Hardness - A single duplicate pair, MDG613X1 was analyzed for hardness. The associated RPD value was calculated to be 190.7%. This indicates disagreement of the results for hardness. Hardness values for MDG613X1 should be considered estimated.

TPHC - A single duplicate pair, MDG613X1 was analyzed for TPHC. The RPD of these TPHC concentrations for this sample were less than 30%.

TSS - Two duplicate samples, MDG308X2 and MDG613X1, were analyzed for TSS. The RPD value for MDG613X1 was 40.9%.

Alkalinity - A single duplicate pair, MDG308X2 was analyzed for alkalinity. The RPD of alkalinity concentrations for MDG308X2 was less than 30%.

Bicarbonate - Two duplicate samples, MDG308X2 and MDG613X1, were analyzed for bicarbonate ion concentrations. The RPD value for MDG613X1 was 67%. This indicates a lack of agreement for bicarbonate ion concentrations for this sample.

4.0 SURROGATE RECOVERY SUMMARY

4.1 INTRODUCTION

Surrogates are compounds chemically similar to target compounds which were spiked into all samples to determine the accuracy of the method. Potential matrix effects can also be identified by the analysis of surrogate recoveries. SVOC surrogate recoveries are presented in Table FS-11. VOC surrogate recoveries were tabulated and are presented in Table FS-12. Assessments of surrogate recoveries were based on limits specified in the Fort Devens POP, Volume III. Interpretation of these results are contained in Section 4.2.

4.2 SURROGATE SUMMARY

SVOCs

Surrogate recoveries for SVOC analyses are summarized on Table FS-11. Recovery criteria and percentage of analyses for soil samples within criteria are shown in the table below.

Surrogate Standards	Recovery Criteria	% Within Criteria	Average Recovery
2-Fluorophenol	25-121	43	115.9
Phenol-D6	24-113	56	100.2
2,4,6-Tribromophenol	19-122	96	91.4
Nitrobenzene-D5	23-120	96	89.4
2-Fluorobiphenyl	3-115	96	87.1
Terphenyl-D14	8-137	96	67.0

Recoveries were extremely low for all surrogates associated with SX440300. Recoveries ranged from 0.6 to 10 percent. This would indicate a low bias for any SVOC results associated with sample SX440300. Surrogate recoveries of 2-fluorophenol were within USEPA Region I criteria for 43% of the samples. Surrogate recoveries of phenol-D6 were within criteria for 56% of the samples analyzed. Recoveries of these surrogates for all samples with the exception of SX440300, exceeded the upper range of criteria. Surrogate data for 2-fluorophenol and phenol-D6 indicate a high bias for all SVOC results.

Recovery criteria and the percentage of aqueous analyses within criteria are summarized in the table below. For surrogates 2-fluorophenol and phenol-D6 all surrogate recoveries failing USEPA Region I criteria were above the upper range of criteria.

In general the SVOC surrogate data indicate that there were no matrix effects. The surrogate data also indicate that there was good accuracy for the aqueous SVOC method.

Surrogate Standards	Recovery Criteria	% Within Criteria	Average Recovery
2-Fluorophenol	21-100	21	109.1
Phenol-D6	10-94	78	92.3
2,4,6-Tribromophenol	10-123	100	68.2
Nitrobenzene-D5	35-114	100	86.7
2-Fluorobiphenyl	43-116	100	80.7
Terphenyl-D14	33-141	100	85.1

VOCs

Surrogate recoveries for soil VOC analyses are summarized on Table FS-12. Recovery criteria for soil samples are as follows: 1,2-dichloroethane-D4 70-121, 4-bromofluorobenzene 74-121, and toluene-D8 81-117. The average surrogate

recovery for 1,2-dichloroethane-D4 was 95.3 percent. Thirty-two out of thirty-three (97%) surrogate recoveries were within this criteria. The average surrogate recovery for 4-bromofluorobenzene was 104.4 percent. Thirty-two out of thirty-three (97%) surrogate recoveries were within criteria. The average surrogate recovery for toluene-D8 was 94.3 percent. Thirty-two out of thirty-three (97%) surrogate recoveries were within criteria.

Surrogate recoveries for aqueous VOC analyses are summarized in Table FS-11. Surrogate recovery criteria are as follows: 1,2-dichloroethane-D4 76-114, 4-bromofluorobenzene 86-115, and toluene-D8 88-110. The average recovery for 1,2-dichloroethane-D4 was 113.4 percent. Seventy-two percent of the recoveries were within criteria. All recoveries that were outside of criteria were above recovery limits. The average recovery for 4-bromofluorobenzene was 89.5 percent. Ninety-three percent of the recoveries met criteria. The average recovery for toluene-D8 was 92.0 percent. All recoveries were within criteria.

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
	00	HARD	FDPA		05-JUL-93	05-JUL-93	<	1000	UGL
		TOC	FDBA		22-JUN-93	22-JUN-93	<	100	UGG
		TPHC	FDCA		15-JUN-93	17-JUN-93	<	28.5	UGG
		TPHC	FDGA		22-JUN-93	23-JUN-93	<	28.5	UGG
		TPHC	FDHA		28-JUN-93	29-JUN-93	<	28.5	UGG
		TPHC	FDUA		08-JUL-93	09-JUL-93	<	171	UGL
		TPHC	ITHA		13-OCT-93	13-OCT-93	<	171	UGL
		TPHC	ITLA		20-OCT-93	21-OCT-93	<	171	UGL
		TSS	FDXA		29-JUN-93	29-JUN-93	<	4000	UGL
		TSS	IQUA		27-SEP-93	27-SEP-93	<	4000	UGL
		TSS	IQVA		29-SEP-93	29-SEP-93	<	4000	UGL
TOC IN SOIL	9060	TOC	ZECG		08-FEB-95	08-FEB-95	<	360	UGG
TOC IN SOIL		TOC	ZEJE		06-SEP-94	06-SEP-94	<	360	UGG
TPH	9071	TPHC	ZEKE		07-SEP-94	08-SEP-94	<	28	UGG
	99	ALK	FDVA		06-JUL-93	06-JUL-93	<	5000	UGL
		ALK	IJYA		27-SEP-93	27-SEP-93		5	UGL
		HCO3	FDVA		06-JUL-93	06-JUL-93	<	6100	UGL
		HCO3	FVYA		22-JUL-93	22-JUL-93	<	6100	UGL
		HCO3	IJYA		27-SEP-93	27-SEP-93		6.1	UGL
HG IN SOIL BY GFAA	JB01	HG	EBUA		14-JUN-93	14-JUN-93	<	.05	UGG
HG IN SOIL BY GFAA		HG	EBYA		01-JUL-93	01-JUL-93	<	.05	UGG
SE IN SOIL BY GFAA	JD15	SE	EDFA		10-JUN-93	15-JUN-93	<	.25	UGG
SE IN SOIL BY GFAA		SE	EDGA		28-JUN-93	06-JUL-93	<	.25	UGG
PB IN SOIL BY GFAA	JD17	PB	CUWA		17-JUN-93	21-JUN-93		.426	UGG
PB IN SOIL BY GFAA		PB	CUXA		10-JUN-93	14-JUN-93		.582	UGG
PB IN SOIL BY GFAA		PB	CUYA		07-JUL-93	08-JUL-93	<	.177	UGG
PB IN SOIL BY GFAA		PB	CUZA		28-JUN-93	07-JUL-93		.755	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
AS IN SOIL BY GFAA	JD19	AS	ELKA		10-JUN-93	14-JUN-93	<	.25	UGG
AS IN SOIL BY GFAA		AS	ELOA		28-JUN-93	13-JUL-93	<	.25	UGG
TL IN SOIL BY GFAA	JD24	TL	ZLX		10-JUN-93	15-JUN-93	<	.5	UGG
TL IN SOIL BY GFAA		TL	ZLY		28-JUN-93	01-JUL-93	<	.5	UGG
SB IN SOIL BY GFAA	JD25	SB	ZMV		10-JUN-93	15-JUN-93	<	1.09	UGG
SB IN SOIL BY GFAA		SB	ZMW		09-JUL-93	21-JUL-93	<	1.09	UGG
METALS IN SOIL BY ICAP	JS16	AG	EXBA		15-JUN-93	18-JUN-93	<	.589	UGG
METALS IN SOIL BY ICAP		AG	EXCA		29-JUN-93	30-JUN-93	<	.589	UGG
METALS IN SOIL BY ICAP		AL	EXBA		15-JUN-93	18-JUN-93	<	2.35	UGG
METALS IN SOIL BY ICAP		AL	EXCA		29-JUN-93	30-JUN-93	<	2.35	UGG
METALS IN SOIL BY ICAP		BA	EXBA		15-JUN-93	18-JUN-93	<	5.18	UGG
METALS IN SOIL BY ICAP		BA	EXCA		29-JUN-93	30-JUN-93	<	5.18	UGG
METALS IN SOIL BY ICAP		BE	EXBA		15-JUN-93	18-JUN-93	<	.5	UGG
METALS IN SOIL BY ICAP		BE	EXCA		29-JUN-93	30-JUN-93	<	.5	UGG
METALS IN SOIL BY ICAP		CA	EXBA		15-JUN-93	18-JUN-93	<	100	UGG
METALS IN SOIL BY ICAP		CA	EXCA		29-JUN-93	30-JUN-93	<	100	UGG
METALS IN SOIL BY ICAP		CD	EXBA		15-JUN-93	18-JUN-93	<	.7	UGG
METALS IN SOIL BY ICAP		CD	EXCA		29-JUN-93	30-JUN-93	<	.7	UGG
METALS IN SOIL BY ICAP		CO	EXBA		15-JUN-93	18-JUN-93	<	1.42	UGG
METALS IN SOIL BY ICAP		CO	EXCA		29-JUN-93	30-JUN-93	<	1.42	UGG
METALS IN SOIL BY ICAP		CR	EXBA		15-JUN-93	18-JUN-93	<	4.05	UGG
METALS IN SOIL BY ICAP		CR	EXCA		29-JUN-93	30-JUN-93	<	4.05	UGG
METALS IN SOIL BY ICAP		CU	EXBA		15-JUN-93	18-JUN-93	<	.965	UGG
METALS IN SOIL BY ICAP		CU	EXCA		29-JUN-93	30-JUN-93	<	.965	UGG
METALS IN SOIL BY ICAP		FE	EXBA		15-JUN-93	18-JUN-93	<	3.68	UGG
METALS IN SOIL BY ICAP		FE	EXCA		29-JUN-93	30-JUN-93	<	3.68	UGG
METALS IN SOIL BY ICAP		K	EXBA		15-JUN-93	18-JUN-93	<	100	UGG
METALS IN SOIL BY ICAP		K	EXCA		29-JUN-93	30-JUN-93	<	100	UGG
METALS IN SOIL BY ICAP		MG	EXBA		15-JUN-93	18-JUN-93	<	100	UGG
METALS IN SOIL BY ICAP		MG	EXCA		29-JUN-93	30-JUN-93	<	100	UGG
METALS IN SOIL BY ICAP		MN	EXBA		15-JUN-93	18-JUN-93	<	2.05	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
METALS IN SOIL BY ICAP	JS16	MN	EXCA		29-JUN-93	30-JUN-93	<	2.05	UGG
METALS IN SOIL BY ICAP		NA	EXBA		15-JUN-93	18-JUN-93	<	100	UGG
METALS IN SOIL BY ICAP		NA	EXCA		29-JUN-93	30-JUN-93	<	100	UGG
METALS IN SOIL BY ICAP		NI	EXBA		15-JUN-93	18-JUN-93	<	1.71	UGG
METALS IN SOIL BY ICAP		NI	EXCA		29-JUN-93	30-JUN-93	<	1.71	UGG
METALS IN SOIL BY ICAP		V	EXBA		15-JUN-93	18-JUN-93	<	3.39	UGG
METALS IN SOIL BY ICAP		V	EXCA		29-JUN-93	30-JUN-93	<	3.39	UGG
METALS IN SOIL BY ICAP		ZN	EXBA		15-JUN-93	18-JUN-93	<	8.03	UGG
METALS IN SOIL BY ICAP		ZN	EXCA		29-JUN-93	30-JUN-93	<	8.03	UGG
	LH16	PCB016	DHFA		15-JUN-93	18-JUN-93	<	.067	UGG
		PCB221	DHFA		15-JUN-93	18-JUN-93	<	.082	UGG
		PCB232	DHFA		15-JUN-93	18-JUN-93	<	.082	UGG
		PCB242	DHFA		15-JUN-93	18-JUN-93	<	.082	UGG
		PCB248	DHFA		15-JUN-93	18-JUN-93	<	.082	UGG
		PCB254	DHFA		15-JUN-93	18-JUN-93	<	.082	UGG
		PCB260	DHFA		15-JUN-93	18-JUN-93	<	.08	UGG
BNA'S IN SOIL BY GC/MS	LM18	124TCB	EAPA		15-JUN-93	18-JUN-93	<	.04	UGG
BNA'S IN SOIL BY GC/MS		124TCB	EATA		21-JUN-93	24-JUN-93	<	.04	UGG
BNA'S IN SOIL BY GC/MS		12DCLB	EAPA		15-JUN-93	18-JUN-93	<	.11	UGG
BNA'S IN SOIL BY GC/MS		12DCLB	EATA		21-JUN-93	24-JUN-93	<	.11	UGG
BNA'S IN SOIL BY GC/MS		12DPH	EAPA		15-JUN-93	18-JUN-93	<	.14	UGG
BNA'S IN SOIL BY GC/MS		12DPH	EATA		21-JUN-93	24-JUN-93	<	.14	UGG
BNA'S IN SOIL BY GC/MS		13DCLB	EAPA		15-JUN-93	18-JUN-93	<	.13	UGG
BNA'S IN SOIL BY GC/MS		13DCLB	EATA		21-JUN-93	24-JUN-93	<	.13	UGG
BNA'S IN SOIL BY GC/MS		14DCLB	EAPA		15-JUN-93	18-JUN-93	<	.098	UGG
BNA'S IN SOIL BY GC/MS		14DCLB	EATA		21-JUN-93	24-JUN-93	<	.098	UGG
BNA'S IN SOIL BY GC/MS		245TCP	EAPA		15-JUN-93	18-JUN-93	<	.1	UGG
BNA'S IN SOIL BY GC/MS		245TCP	EATA		21-JUN-93	24-JUN-93	<	.1	UGG
BNA'S IN SOIL BY GC/MS		246TCP	EAPA		15-JUN-93	18-JUN-93	<	.17	UGG
BNA'S IN SOIL BY GC/MS		246TCP	EATA		21-JUN-93	24-JUN-93	<	.17	UGG
BNA'S IN SOIL BY GC/MS		24DCLP	EAPA		15-JUN-93	18-JUN-93	<	.18	UGG
BNA'S IN SOIL BY GC/MS		24DCLP	EATA		21-JUN-93	24-JUN-93	<	.18	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	EAPA		15-JUN-93	18-JUN-93	<	.69	UGG
BNA'S IN SOIL BY GC/MS		24DMPN	EATA		21-JUN-93	24-JUN-93	<	.69	UGG
BNA'S IN SOIL BY GC/MS		24DNP	EAPA		15-JUN-93	18-JUN-93	<	1.2	UGG
BNA'S IN SOIL BY GC/MS		24DNP	EATA		21-JUN-93	24-JUN-93	<	1.2	UGG
BNA'S IN SOIL BY GC/MS		24DNT	EAPA		15-JUN-93	18-JUN-93	<	.14	UGG
BNA'S IN SOIL BY GC/MS		24DNT	EATA		21-JUN-93	24-JUN-93	<	.14	UGG
BNA'S IN SOIL BY GC/MS		26DNT	EAPA		15-JUN-93	18-JUN-93	<	.085	UGG
BNA'S IN SOIL BY GC/MS		26DNT	EATA		21-JUN-93	24-JUN-93	<	.085	UGG
BNA'S IN SOIL BY GC/MS		2CLP	EAPA		15-JUN-93	18-JUN-93	<	.06	UGG
BNA'S IN SOIL BY GC/MS		2CLP	EATA		21-JUN-93	24-JUN-93	<	.06	UGG
BNA'S IN SOIL BY GC/MS		2CNAP	EAPA		15-JUN-93	18-JUN-93	<	.036	UGG
BNA'S IN SOIL BY GC/MS		2CNAP	EATA		21-JUN-93	24-JUN-93	<	.036	UGG
BNA'S IN SOIL BY GC/MS		2MNAP	EAPA		15-JUN-93	18-JUN-93	<	.049	UGG
BNA'S IN SOIL BY GC/MS		2MNAP	EATA		21-JUN-93	24-JUN-93	<	.049	UGG
BNA'S IN SOIL BY GC/MS		2MP	EAPA		15-JUN-93	18-JUN-93	<	.029	UGG
BNA'S IN SOIL BY GC/MS		2MP	EATA		21-JUN-93	24-JUN-93	<	.029	UGG
BNA'S IN SOIL BY GC/MS		2NANIL	EAPA		15-JUN-93	18-JUN-93	<	.062	UGG
BNA'S IN SOIL BY GC/MS		2NANIL	EATA		21-JUN-93	24-JUN-93	<	.062	UGG
BNA'S IN SOIL BY GC/MS		2NP	EAPA		15-JUN-93	18-JUN-93	<	.14	UGG
BNA'S IN SOIL BY GC/MS		2NP	EATA		21-JUN-93	24-JUN-93	<	.14	UGG
BNA'S IN SOIL BY GC/MS		33DCBD	EAPA		15-JUN-93	18-JUN-93	<	6.3	UGG
BNA'S IN SOIL BY GC/MS		33DCBD	EATA		21-JUN-93	24-JUN-93	<	6.3	UGG
BNA'S IN SOIL BY GC/MS		3NANIL	EAPA		15-JUN-93	18-JUN-93	<	.45	UGG
BNA'S IN SOIL BY GC/MS		3NANIL	EATA		21-JUN-93	24-JUN-93	<	.45	UGG
BNA'S IN SOIL BY GC/MS		46DN2C	EAPA		15-JUN-93	18-JUN-93	<	.55	UGG
BNA'S IN SOIL BY GC/MS		46DN2C	EATA		21-JUN-93	24-JUN-93	<	.55	UGG
BNA'S IN SOIL BY GC/MS		4BRPPE	EAPA		15-JUN-93	18-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		4BRPPE	EATA		21-JUN-93	24-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		4CANIL	EAPA		15-JUN-93	18-JUN-93	<	.81	UGG
BNA'S IN SOIL BY GC/MS		4CANIL	EATA		21-JUN-93	24-JUN-93	<	.81	UGG
BNA'S IN SOIL BY GC/MS		4CL3C	EAPA		15-JUN-93	18-JUN-93	<	.095	UGG
BNA'S IN SOIL BY GC/MS		4CL3C	EATA		21-JUN-93	24-JUN-93	<	.095	UGG
BNA'S IN SOIL BY GC/MS		4CLPPE	EAPA		15-JUN-93	18-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		4CLPPE	EATA		21-JUN-93	24-JUN-93	<	.033	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN SOIL BY GC/MS	LM18	4MP	EAPA		15-JUN-93	18-JUN-93	<	.24	UGG
BNA'S IN SOIL BY GC/MS		4MP	EATA		21-JUN-93	24-JUN-93	<	.24	UGG
BNA'S IN SOIL BY GC/MS		4NANIL	EAPA		15-JUN-93	18-JUN-93	<	.41	UGG
BNA'S IN SOIL BY GC/MS		4NANIL	EATA		21-JUN-93	24-JUN-93	<	.41	UGG
BNA'S IN SOIL BY GC/MS		4NP	EAPA		15-JUN-93	18-JUN-93	<	1.4	UGG
BNA'S IN SOIL BY GC/MS		4NP	EATA		21-JUN-93	24-JUN-93	<	1.4	UGG
BNA'S IN SOIL BY GC/MS		ABHC	EAPA		15-JUN-93	18-JUN-93	<	.27	UGG
BNA'S IN SOIL BY GC/MS		ABHC	EATA		21-JUN-93	24-JUN-93	<	.27	UGG
BNA'S IN SOIL BY GC/MS		ACLDAN	EAPA		15-JUN-93	18-JUN-93	<	.33	UGG
BNA'S IN SOIL BY GC/MS		ACLDAN	EATA		21-JUN-93	24-JUN-93	<	.33	UGG
BNA'S IN SOIL BY GC/MS		AENSLF	EAPA		15-JUN-93	18-JUN-93	<	.62	UGG
BNA'S IN SOIL BY GC/MS		AENSLF	EATA		21-JUN-93	24-JUN-93	<	.62	UGG
BNA'S IN SOIL BY GC/MS		ALDRN	EAPA		15-JUN-93	18-JUN-93	<	.33	UGG
BNA'S IN SOIL BY GC/MS		ALDRN	EATA		21-JUN-93	24-JUN-93	<	.33	UGG
BNA'S IN SOIL BY GC/MS		ANAPNE	EAPA		15-JUN-93	18-JUN-93	<	.036	UGG
BNA'S IN SOIL BY GC/MS		ANAPNE	EATA		21-JUN-93	24-JUN-93	<	.036	UGG
BNA'S IN SOIL BY GC/MS		ANAPYL	EAPA		15-JUN-93	18-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		ANAPYL	EATA		21-JUN-93	24-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		ANTRC	EAPA		15-JUN-93	18-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		ANTRC	EATA		21-JUN-93	24-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		B2CEXM	EAPA		15-JUN-93	18-JUN-93	<	.059	UGG
BNA'S IN SOIL BY GC/MS		B2CEXM	EATA		21-JUN-93	24-JUN-93	<	.059	UGG
BNA'S IN SOIL BY GC/MS		B2CIPE	EAPA		15-JUN-93	18-JUN-93	<	.2	UGG
BNA'S IN SOIL BY GC/MS		B2CIPE	EATA		21-JUN-93	24-JUN-93	<	.2	UGG
BNA'S IN SOIL BY GC/MS		B2CLEE	EAPA		15-JUN-93	18-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		B2CLEE	EATA		21-JUN-93	24-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		B2EHP	EAPA		15-JUN-93	18-JUN-93	<	.62	UGG
BNA'S IN SOIL BY GC/MS		B2EHP	EATA		21-JUN-93	24-JUN-93	<	.62	UGG
BNA'S IN SOIL BY GC/MS		BAANTR	EAPA		15-JUN-93	18-JUN-93	<	.17	UGG
BNA'S IN SOIL BY GC/MS		BAANTR	EATA		21-JUN-93	24-JUN-93	<	.17	UGG
BNA'S IN SOIL BY GC/MS		BAPYR	EAPA		15-JUN-93	18-JUN-93	<	.25	UGG
BNA'S IN SOIL BY GC/MS		BAPYR	EATA		21-JUN-93	24-JUN-93	<	.25	UGG
BNA'S IN SOIL BY GC/MS		BBFANT	EAPA		15-JUN-93	18-JUN-93	<	.21	UGG
BNA'S IN SOIL BY GC/MS		BBFANT	EATA		21-JUN-93	24-JUN-93	<	.21	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN SOIL BY GC/MS	LM18	BBHC	EAPA		15-JUN-93	18-JUN-93	<	.27	UGG
BNA'S IN SOIL BY GC/MS		BBHC	EATA		21-JUN-93	24-JUN-93	<	.27	UGG
BNA'S IN SOIL BY GC/MS		BBZP	EAPA		15-JUN-93	18-JUN-93	<	.17	UGG
BNA'S IN SOIL BY GC/MS		BBZP	EATA		21-JUN-93	24-JUN-93	<	.17	UGG
BNA'S IN SOIL BY GC/MS		BENSLF	EAPA		15-JUN-93	18-JUN-93	<	.62	UGG
BNA'S IN SOIL BY GC/MS		BENSLF	EATA		21-JUN-93	24-JUN-93	<	.62	UGG
BNA'S IN SOIL BY GC/MS		BENZID	EAPA		15-JUN-93	18-JUN-93	<	.85	UGG
BNA'S IN SOIL BY GC/MS		BENZID	EATA		21-JUN-93	24-JUN-93	<	.85	UGG
BNA'S IN SOIL BY GC/MS		BENZOA	EAPA		15-JUN-93	18-JUN-93	<	6.1	UGG
BNA'S IN SOIL BY GC/MS		BENZOA	EATA		21-JUN-93	24-JUN-93	<	6.1	UGG
BNA'S IN SOIL BY GC/MS		BGHIPY	EAPA		15-JUN-93	18-JUN-93	<	.25	UGG
BNA'S IN SOIL BY GC/MS		BGHIPY	EATA		21-JUN-93	24-JUN-93	<	.25	UGG
BNA'S IN SOIL BY GC/MS		BKFANT	EAPA		15-JUN-93	18-JUN-93	<	.066	UGG
BNA'S IN SOIL BY GC/MS		BKFANT	EATA		21-JUN-93	24-JUN-93	<	.066	UGG
BNA'S IN SOIL BY GC/MS		BZALC	EAPA		15-JUN-93	18-JUN-93	<	.19	UGG
BNA'S IN SOIL BY GC/MS		BZALC	EATA		21-JUN-93	24-JUN-93	<	.19	UGG
BNA'S IN SOIL BY GC/MS		CARBAZ	EAPA		15-JUN-93	18-JUN-93	<	.1	UGG
BNA'S IN SOIL BY GC/MS		CARBAZ	EATA		21-JUN-93	24-JUN-93	<	.1	UGG
BNA'S IN SOIL BY GC/MS		CHRY	EAPA		15-JUN-93	18-JUN-93	<	.12	UGG
BNA'S IN SOIL BY GC/MS		CHRY	EATA		21-JUN-93	24-JUN-93	<	.12	UGG
BNA'S IN SOIL BY GC/MS		CL6BZ	EAPA		15-JUN-93	18-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		CL6BZ	EATA		21-JUN-93	24-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		CL6CP	EAPA		15-JUN-93	18-JUN-93	<	6.2	UGG
BNA'S IN SOIL BY GC/MS		CL6CP	EATA		21-JUN-93	24-JUN-93	<	6.2	UGG
BNA'S IN SOIL BY GC/MS		CL6ET	EAPA		15-JUN-93	18-JUN-93	<	.15	UGG
BNA'S IN SOIL BY GC/MS		CL6ET	EATA		21-JUN-93	24-JUN-93	<	.15	UGG
BNA'S IN SOIL BY GC/MS		DBAHA	EAPA		15-JUN-93	18-JUN-93	<	.21	UGG
BNA'S IN SOIL BY GC/MS		DBAHA	EATA		21-JUN-93	24-JUN-93	<	.21	UGG
BNA'S IN SOIL BY GC/MS		DBHC	EAPA		15-JUN-93	18-JUN-93	<	.27	UGG
BNA'S IN SOIL BY GC/MS		DBHC	EATA		21-JUN-93	24-JUN-93	<	.27	UGG
BNA'S IN SOIL BY GC/MS		DBZFUR	EAPA		15-JUN-93	18-JUN-93	<	.035	UGG
BNA'S IN SOIL BY GC/MS		DBZFUR	EATA		21-JUN-93	24-JUN-93	<	.035	UGG
BNA'S IN SOIL BY GC/MS		DEP	EAPA		15-JUN-93	18-JUN-93	<	.24	UGG
BNA'S IN SOIL BY GC/MS		DEP	EATA		21-JUN-93	24-JUN-93		.27	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	EAPA		15-JUN-93	18-JUN-93	<	.31	UGG
BNA'S IN SOIL BY GC/MS		DLDRN	EATA		21-JUN-93	24-JUN-93	<	.31	UGG
BNA'S IN SOIL BY GC/MS		DMP	EAPA		15-JUN-93	18-JUN-93	<	.17	UGG
BNA'S IN SOIL BY GC/MS		DMP	EATA		21-JUN-93	24-JUN-93	<	.17	UGG
BNA'S IN SOIL BY GC/MS		DNBP	EAPA		15-JUN-93	18-JUN-93	<	.061	UGG
BNA'S IN SOIL BY GC/MS		DNBP	EATA		21-JUN-93	24-JUN-93	<	.061	UGG
BNA'S IN SOIL BY GC/MS		DNOP	EAPA		15-JUN-93	18-JUN-93	<	.19	UGG
BNA'S IN SOIL BY GC/MS		DNOP	EATA		21-JUN-93	24-JUN-93	<	.19	UGG
BNA'S IN SOIL BY GC/MS		ENDRN	EAPA		15-JUN-93	18-JUN-93	<	.45	UGG
BNA'S IN SOIL BY GC/MS		ENDRN	EATA		21-JUN-93	24-JUN-93	<	.45	UGG
BNA'S IN SOIL BY GC/MS		ENDRNA	EAPA		15-JUN-93	18-JUN-93	<	.53	UGG
BNA'S IN SOIL BY GC/MS		ENDRNA	EATA		21-JUN-93	24-JUN-93	<	.53	UGG
BNA'S IN SOIL BY GC/MS		ENDRNK	EAPA		15-JUN-93	18-JUN-93	<	.53	UGG
BNA'S IN SOIL BY GC/MS		ENDRNK	EATA		21-JUN-93	24-JUN-93	<	.53	UGG
BNA'S IN SOIL BY GC/MS		ESFSO4	EAPA		15-JUN-93	18-JUN-93	<	.62	UGG
BNA'S IN SOIL BY GC/MS		ESFSO4	EATA		21-JUN-93	24-JUN-93	<	.62	UGG
BNA'S IN SOIL BY GC/MS		FANT	EAPA		15-JUN-93	18-JUN-93	<	.068	UGG
BNA'S IN SOIL BY GC/MS		FANT	EATA		21-JUN-93	24-JUN-93	<	.068	UGG
BNA'S IN SOIL BY GC/MS		FLRENE	EAPA		15-JUN-93	18-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		FLRENE	EATA		21-JUN-93	24-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		GCLDAN	EAPA		15-JUN-93	18-JUN-93	<	.33	UGG
BNA'S IN SOIL BY GC/MS		GCLDAN	EATA		21-JUN-93	24-JUN-93	<	.33	UGG
BNA'S IN SOIL BY GC/MS		HCBD	EAPA		15-JUN-93	18-JUN-93	<	.23	UGG
BNA'S IN SOIL BY GC/MS		HCBD	EATA		21-JUN-93	24-JUN-93	<	.23	UGG
BNA'S IN SOIL BY GC/MS		HPCL	EAPA		15-JUN-93	18-JUN-93	<	.13	UGG
BNA'S IN SOIL BY GC/MS		HPCL	EATA		21-JUN-93	24-JUN-93	<	.13	UGG
BNA'S IN SOIL BY GC/MS		HPCLE	EAPA		15-JUN-93	18-JUN-93	<	.33	UGG
BNA'S IN SOIL BY GC/MS		HPCLE	EATA		21-JUN-93	24-JUN-93	<	.33	UGG
BNA'S IN SOIL BY GC/MS		ICDPYR	EAPA		15-JUN-93	18-JUN-93	<	.29	UGG
BNA'S IN SOIL BY GC/MS		ICDPYR	EATA		21-JUN-93	24-JUN-93	<	.29	UGG
BNA'S IN SOIL BY GC/MS		ISOPHR	EAPA		15-JUN-93	18-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		ISOPHR	EATA		21-JUN-93	24-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		LIN	EAPA		15-JUN-93	18-JUN-93	<	.27	UGG
BNA'S IN SOIL BY GC/MS		LIN	EATA		21-JUN-93	24-JUN-93	<	.27	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	EAPA		15-JUN-93	18-JUN-93	<	.33	UGG
BNA'S IN SOIL BY GC/MS		MEXCLR	EATA		21-JUN-93	24-JUN-93	<	.33	UGG
BNA'S IN SOIL BY GC/MS		NAP	EAPA		15-JUN-93	18-JUN-93	<	.037	UGG
BNA'S IN SOIL BY GC/MS		NAP	EATA		21-JUN-93	24-JUN-93	<	.037	UGG
BNA'S IN SOIL BY GC/MS		NB	EAPA		15-JUN-93	18-JUN-93	<	.045	UGG
BNA'S IN SOIL BY GC/MS		NB	EATA		21-JUN-93	24-JUN-93	<	.045	UGG
BNA'S IN SOIL BY GC/MS		NNDMEA	EAPA		15-JUN-93	18-JUN-93	<	.14	UGG
BNA'S IN SOIL BY GC/MS		NNDMEA	EATA		21-JUN-93	24-JUN-93	<	.14	UGG
BNA'S IN SOIL BY GC/MS		NNDNPA	EAPA		15-JUN-93	18-JUN-93	<	.2	UGG
BNA'S IN SOIL BY GC/MS		NNDNPA	EATA		21-JUN-93	24-JUN-93	<	.2	UGG
BNA'S IN SOIL BY GC/MS		NNDPA	EAPA		15-JUN-93	18-JUN-93	<	.19	UGG
BNA'S IN SOIL BY GC/MS		NNDPA	EATA		21-JUN-93	24-JUN-93	<	.19	UGG
BNA'S IN SOIL BY GC/MS		PCB016	EAPA		15-JUN-93	18-JUN-93	<	1.4	UGG
BNA'S IN SOIL BY GC/MS		PCB016	EATA		21-JUN-93	24-JUN-93	<	1.4	UGG
BNA'S IN SOIL BY GC/MS		PCB221	EAPA		15-JUN-93	18-JUN-93	<	1.4	UGG
BNA'S IN SOIL BY GC/MS		PCB221	EATA		21-JUN-93	24-JUN-93	<	1.4	UGG
BNA'S IN SOIL BY GC/MS		PCB232	EAPA		15-JUN-93	18-JUN-93	<	1.4	UGG
BNA'S IN SOIL BY GC/MS		PCB232	EATA		21-JUN-93	24-JUN-93	<	1.4	UGG
BNA'S IN SOIL BY GC/MS		PCB242	EAPA		15-JUN-93	18-JUN-93	<	1.4	UGG
BNA'S IN SOIL BY GC/MS		PCB242	EATA		21-JUN-93	24-JUN-93	<	1.4	UGG
BNA'S IN SOIL BY GC/MS		PCB248	EAPA		15-JUN-93	18-JUN-93	<	2	UGG
BNA'S IN SOIL BY GC/MS		PCB248	EATA		21-JUN-93	24-JUN-93	<	2	UGG
BNA'S IN SOIL BY GC/MS		PCB254	EAPA		15-JUN-93	18-JUN-93	<	2.3	UGG
BNA'S IN SOIL BY GC/MS		PCB254	EATA		21-JUN-93	24-JUN-93	<	2.3	UGG
BNA'S IN SOIL BY GC/MS		PCB260	EAPA		15-JUN-93	18-JUN-93	<	2.6	UGG
BNA'S IN SOIL BY GC/MS		PCB260	EATA		21-JUN-93	24-JUN-93	<	2.6	UGG
BNA'S IN SOIL BY GC/MS		PCP	EAPA		15-JUN-93	18-JUN-93	<	1.3	UGG
BNA'S IN SOIL BY GC/MS		PCP	EATA		21-JUN-93	24-JUN-93	<	1.3	UGG
BNA'S IN SOIL BY GC/MS		PHANTR	EAPA		15-JUN-93	18-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		PHANTR	EATA		21-JUN-93	24-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		PHENOL	EAPA		15-JUN-93	18-JUN-93	<	.11	UGG
BNA'S IN SOIL BY GC/MS		PHENOL	EATA		21-JUN-93	24-JUN-93	<	.11	UGG
BNA'S IN SOIL BY GC/MS		PPDDD	EAPA		15-JUN-93	18-JUN-93	<	.27	UGG
BNA'S IN SOIL BY GC/MS		PPDDD	EATA		21-JUN-93	24-JUN-93	<	.27	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	EAPA		15-JUN-93	18-JUN-93	<	.31	UGG
BNA'S IN SOIL BY GC/MS		PPDDE	EATA		21-JUN-93	24-JUN-93	<	.31	UGG
BNA'S IN SOIL BY GC/MS		PPDDT	EAPA		15-JUN-93	18-JUN-93	<	.31	UGG
BNA'S IN SOIL BY GC/MS		PPDDT	EATA		21-JUN-93	24-JUN-93	<	.31	UGG
BNA'S IN SOIL BY GC/MS		PYR	EAPA		15-JUN-93	18-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		PYR	EATA		21-JUN-93	24-JUN-93	<	.033	UGG
BNA'S IN SOIL BY GC/MS		TXPHEN	EAPA		15-JUN-93	18-JUN-93	<	2.6	UGG
BNA'S IN SOIL BY GC/MS		TXPHEN	EATA		21-JUN-93	24-JUN-93	<	2.6	UGG
VOC'S IN SOIL BY GC/MS	LM19	111TCE	EMJA		10-JUN-93	10-JUN-93	<	.004	UGG
VOC'S IN SOIL BY GC/MS		111TCE	EMKA		11-JUN-93	11-JUN-93	<	.004	UGG
VOC'S IN SOIL BY GC/MS		111TCE	EMMA		15-JUN-93	15-JUN-93	<	.004	UGG
VOC'S IN SOIL BY GC/MS		111TCE	EMNA		15-JUN-93	15-JUN-93	<	.2	UGG
VOC'S IN SOIL BY GC/MS		111TCE	EMOA		16-JUN-93	16-JUN-93	<	.2	UGG
VOC'S IN SOIL BY GC/MS		111TCE	YGTB		23-AUG-94	23-AUG-94	<	.0044	UGG
VOC'S IN SOIL BY GC/MS		111TCE	YGWB		27-AUG-94	27-AUG-94	<	.0044	UGG
VOC'S IN SOIL BY GC/MS		112TCE	EMJA		10-JUN-93	10-JUN-93	<	.005	UGG
VOC'S IN SOIL BY GC/MS		112TCE	EMKA		11-JUN-93	11-JUN-93	<	.005	UGG
VOC'S IN SOIL BY GC/MS		112TCE	EMMA		15-JUN-93	15-JUN-93	<	.005	UGG
VOC'S IN SOIL BY GC/MS		112TCE	EMNA		15-JUN-93	15-JUN-93	<	.3	UGG
VOC'S IN SOIL BY GC/MS		112TCE	EMOA		16-JUN-93	16-JUN-93	<	.3	UGG
VOC'S IN SOIL BY GC/MS		112TCE	YGTB		23-AUG-94	23-AUG-94	<	.0054	UGG
VOC'S IN SOIL BY GC/MS		112TCE	YGWB		27-AUG-94	27-AUG-94	<	.0054	UGG
VOC'S IN SOIL BY GC/MS		11DCE	EMJA		10-JUN-93	10-JUN-93	<	.004	UGG
VOC'S IN SOIL BY GC/MS		11DCE	EMKA		11-JUN-93	11-JUN-93	<	.004	UGG
VOC'S IN SOIL BY GC/MS		11DCE	EMMA		15-JUN-93	15-JUN-93	<	.004	UGG
VOC'S IN SOIL BY GC/MS		11DCE	EMNA		15-JUN-93	15-JUN-93	<	.2	UGG
VOC'S IN SOIL BY GC/MS		11DCE	EMOA		16-JUN-93	16-JUN-93	<	.2	UGG
VOC'S IN SOIL BY GC/MS		11DCE	YGTB		23-AUG-94	23-AUG-94	<	.0039	UGG
VOC'S IN SOIL BY GC/MS		11DCE	YGWB		27-AUG-94	27-AUG-94	<	.0039	UGG
VOC'S IN SOIL BY GC/MS		11DCLE	EMJA		10-JUN-93	10-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		11DCLE	EMKA		11-JUN-93	11-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		11DCLE	EMMA		15-JUN-93	15-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		11DCLE	EMNA		15-JUN-93	15-JUN-93	<	.1	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	EMOA		16-JUN-93	16-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		11DCLE	YGTB		23-AUG-94	23-AUG-94	<	.0023	UGG
VOC'S IN SOIL BY GC/MS		11DCLE	YGWB		27-AUG-94	27-AUG-94	<	.0023	UGG
VOC'S IN SOIL BY GC/MS		12DCE	EMJA		10-JUN-93	10-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		12DCE	EMKA		11-JUN-93	11-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		12DCE	EMMA		15-JUN-93	15-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		12DCE	EMNA		15-JUN-93	15-JUN-93	<	.2	UGG
VOC'S IN SOIL BY GC/MS		12DCE	EMOA		16-JUN-93	16-JUN-93	<	.2	UGG
VOC'S IN SOIL BY GC/MS		12DCE	YGTB		23-AUG-94	23-AUG-94	<	.003	UGG
VOC'S IN SOIL BY GC/MS		12DCE	YGWB		27-AUG-94	27-AUG-94	<	.003	UGG
VOC'S IN SOIL BY GC/MS		12DCLE	EMJA		10-JUN-93	10-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		12DCLE	EMKA		11-JUN-93	11-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		12DCLE	EMMA		15-JUN-93	15-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		12DCLE	EMNA		15-JUN-93	15-JUN-93	<	.07	UGG
VOC'S IN SOIL BY GC/MS		12DCLE	EMOA		16-JUN-93	16-JUN-93	<	.07	UGG
VOC'S IN SOIL BY GC/MS		12DCLE	YGTB		23-AUG-94	23-AUG-94	<	.0017	UGG
VOC'S IN SOIL BY GC/MS		12DCLE	YGWB		27-AUG-94	27-AUG-94	<	.0017	UGG
VOC'S IN SOIL BY GC/MS		12DCLP	EMJA		10-JUN-93	10-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		12DCLP	EMKA		11-JUN-93	11-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		12DCLP	EMMA		15-JUN-93	15-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		12DCLP	EMNA		15-JUN-93	15-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		12DCLP	EMOA		16-JUN-93	16-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		12DCLP	YGTB		23-AUG-94	23-AUG-94	<	.0029	UGG
VOC'S IN SOIL BY GC/MS		12DCLP	YGWB		27-AUG-94	27-AUG-94	<	.0029	UGG
VOC'S IN SOIL BY GC/MS		2CLEVE	EMJA		10-JUN-93	10-JUN-93	<	.01	UGG
VOC'S IN SOIL BY GC/MS		2CLEVE	EMKA		11-JUN-93	11-JUN-93	<	.01	UGG
VOC'S IN SOIL BY GC/MS		2CLEVE	EMMA		15-JUN-93	15-JUN-93	<	.01	UGG
VOC'S IN SOIL BY GC/MS		2CLEVE	EMNA		15-JUN-93	15-JUN-93	<	.5	UGG
VOC'S IN SOIL BY GC/MS		2CLEVE	EMOA		16-JUN-93	16-JUN-93	<	.5	UGG
VOC'S IN SOIL BY GC/MS		2CLEVE	YGTB		23-AUG-94	23-AUG-94	<	.01	UGG
VOC'S IN SOIL BY GC/MS		2CLEVE	YGWB		27-AUG-94	27-AUG-94	<	.01	UGG
VOC'S IN SOIL BY GC/MS		ACET	EMJA		10-JUN-93	10-JUN-93	<	.017	UGG
VOC'S IN SOIL BY GC/MS		ACET	EMKA		11-JUN-93	11-JUN-93	<	.017	UGG
VOC'S IN SOIL BY GC/MS		ACET	EMMA		15-JUN-93	15-JUN-93	<	.017	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN SOIL BY GC/MS	LM19	ACET	EMNA		15-JUN-93	15-JUN-93	<	.8	UGG
VOC'S IN SOIL BY GC/MS		ACET	EMOA		16-JUN-93	16-JUN-93	<	.8	UGG
VOC'S IN SOIL BY GC/MS		ACET	YGTB		23-AUG-94	23-AUG-94	<	.017	UGG
VOC'S IN SOIL BY GC/MS		ACET	YGWB		27-AUG-94	27-AUG-94	<	.017	UGG
VOC'S IN SOIL BY GC/MS		ACROLN	EMJA		10-JUN-93	10-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		ACROLN	EMKA		11-JUN-93	11-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		ACROLN	EMMA		15-JUN-93	15-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		ACROLN	EMNA		15-JUN-93	15-JUN-93	<	5	UGG
VOC'S IN SOIL BY GC/MS		ACROLN	EMOA		16-JUN-93	16-JUN-93	<	5	UGG
VOC'S IN SOIL BY GC/MS		ACROLN	YGTB		23-AUG-94	23-AUG-94	<	.1	UGG
VOC'S IN SOIL BY GC/MS		ACROLN	YGWB		27-AUG-94	27-AUG-94	<	.1	UGG
VOC'S IN SOIL BY GC/MS		ACRYLO	EMJA		10-JUN-93	10-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		ACRYLO	EMKA		11-JUN-93	11-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		ACRYLO	EMMA		15-JUN-93	15-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		ACRYLO	EMNA		15-JUN-93	15-JUN-93	<	5	UGG
VOC'S IN SOIL BY GC/MS		ACRYLO	EMOA		16-JUN-93	16-JUN-93	<	5	UGG
VOC'S IN SOIL BY GC/MS		ACRYLO	YGTB		23-AUG-94	23-AUG-94	<	.1	UGG
VOC'S IN SOIL BY GC/MS		ACRYLO	YGWB		27-AUG-94	27-AUG-94	<	.1	UGG
VOC'S IN SOIL BY GC/MS		BRDCLM	EMJA		10-JUN-93	10-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		BRDCLM	EMKA		11-JUN-93	11-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		BRDCLM	EMMA		15-JUN-93	15-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		BRDCLM	EMNA		15-JUN-93	15-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		BRDCLM	EMOA		16-JUN-93	16-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		BRDCLM	YGTB		23-AUG-94	23-AUG-94	<	.0029	UGG
VOC'S IN SOIL BY GC/MS		BRDCLM	YGWB		27-AUG-94	27-AUG-94	<	.0029	UGG
VOC'S IN SOIL BY GC/MS		C13DCP	EMJA		10-JUN-93	10-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		C13DCP	EMKA		11-JUN-93	11-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		C13DCP	EMMA		15-JUN-93	15-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		C13DCP	EMNA		15-JUN-93	15-JUN-93	<	.2	UGG
VOC'S IN SOIL BY GC/MS		C13DCP	EMOA		16-JUN-93	16-JUN-93	<	.2	UGG
VOC'S IN SOIL BY GC/MS		C13DCP	YGTB		23-AUG-94	23-AUG-94	<	.0032	UGG
VOC'S IN SOIL BY GC/MS		C13DCP	YGWB		27-AUG-94	27-AUG-94	<	.0032	UGG
VOC'S IN SOIL BY GC/MS		C2AVE	EMJA		10-JUN-93	10-JUN-93	<	.032	UGG
VOC'S IN SOIL BY GC/MS		C2AVE	EMKA		11-JUN-93	11-JUN-93	<	.032	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	EMMA		15-JUN-93	15-JUN-93	<	.032	UGG
VOC'S IN SOIL BY GC/MS		C2AVE	EMNA		15-JUN-93	15-JUN-93	<	2	UGG
VOC'S IN SOIL BY GC/MS		C2AVE	EMOA		16-JUN-93	16-JUN-93	<	2	UGG
VOC'S IN SOIL BY GC/MS		C2AVE	YGTB		23-AUG-94	23-AUG-94	<	.032	UGG
VOC'S IN SOIL BY GC/MS		C2AVE	YGWB		27-AUG-94	27-AUG-94	<	.032	UGG
VOC'S IN SOIL BY GC/MS		C2H3CL	EMJA		10-JUN-93	10-JUN-93	<	.006	UGG
VOC'S IN SOIL BY GC/MS		C2H3CL	EMKA		11-JUN-93	11-JUN-93	<	.006	UGG
VOC'S IN SOIL BY GC/MS		C2H3CL	EMMA		15-JUN-93	15-JUN-93	<	.006	UGG
VOC'S IN SOIL BY GC/MS		C2H3CL	EMNA		15-JUN-93	15-JUN-93	<	.3	UGG
VOC'S IN SOIL BY GC/MS		C2H3CL	EMOA		16-JUN-93	16-JUN-93	<	.3	UGG
VOC'S IN SOIL BY GC/MS		C2H3CL	YGTB		23-AUG-94	23-AUG-94	<	.0062	UGG
VOC'S IN SOIL BY GC/MS		C2H3CL	YGWB		27-AUG-94	27-AUG-94	<	.0062	UGG
VOC'S IN SOIL BY GC/MS		C2H5CL	EMJA		10-JUN-93	10-JUN-93	<	.012	UGG
VOC'S IN SOIL BY GC/MS		C2H5CL	EMKA		11-JUN-93	11-JUN-93	<	.012	UGG
VOC'S IN SOIL BY GC/MS		C2H5CL	EMMA		15-JUN-93	15-JUN-93	<	.012	UGG
VOC'S IN SOIL BY GC/MS		C2H5CL	EMNA		15-JUN-93	15-JUN-93	<	.6	UGG
VOC'S IN SOIL BY GC/MS		C2H5CL	EMOA		16-JUN-93	16-JUN-93	<	.6	UGG
VOC'S IN SOIL BY GC/MS		C2H5CL	YGTB		23-AUG-94	23-AUG-94	<	.012	UGG
VOC'S IN SOIL BY GC/MS		C2H5CL	YGWB		27-AUG-94	27-AUG-94	<	.012	UGG
VOC'S IN SOIL BY GC/MS		C6H6	EMJA		10-JUN-93	10-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		C6H6	EMKA		11-JUN-93	11-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		C6H6	EMMA		15-JUN-93	15-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		C6H6	EMNA		15-JUN-93	15-JUN-93	<	.08	UGG
VOC'S IN SOIL BY GC/MS		C6H6	EMOA		16-JUN-93	16-JUN-93	<	.08	UGG
VOC'S IN SOIL BY GC/MS		C6H6	YGTB		23-AUG-94	23-AUG-94	<	.0015	UGG
VOC'S IN SOIL BY GC/MS		C6H6	YGWB		27-AUG-94	27-AUG-94	<	.0015	UGG
VOC'S IN SOIL BY GC/MS		CCL3F	EMJA		10-JUN-93	10-JUN-93	<	.006	UGG
VOC'S IN SOIL BY GC/MS		CCL3F	EMKA		11-JUN-93	11-JUN-93	<	.006	UGG
VOC'S IN SOIL BY GC/MS		CCL3F	EMMA		15-JUN-93	15-JUN-93	<	.006	UGG
VOC'S IN SOIL BY GC/MS		CCL3F	EMNA		15-JUN-93	15-JUN-93	<	.3	UGG
VOC'S IN SOIL BY GC/MS		CCL3F	EMOA		16-JUN-93	16-JUN-93	<	.3	UGG
VOC'S IN SOIL BY GC/MS		CCL3F	YGTB		23-AUG-94	23-AUG-94		.017	UGG
VOC'S IN SOIL BY GC/MS		CCL3F	YGWB		27-AUG-94	27-AUG-94		.03	UGG
VOC'S IN SOIL BY GC/MS		CCL4	EMJA		10-JUN-93	10-JUN-93	<	.007	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN SOIL BY GC/MS	LM19	CCL4	EMKA		11-JUN-93	11-JUN-93	<	.007	UGG
VOC'S IN SOIL BY GC/MS		CCL4	EMMA		15-JUN-93	15-JUN-93	<	.007	UGG
VOC'S IN SOIL BY GC/MS		CCL4	EMNA		15-JUN-93	15-JUN-93	<	.4	UGG
VOC'S IN SOIL BY GC/MS		CCL4	EMOA		16-JUN-93	16-JUN-93	<	.4	UGG
VOC'S IN SOIL BY GC/MS		CCL4	YGTB		23-AUG-94	23-AUG-94	<	.007	UGG
VOC'S IN SOIL BY GC/MS		CCL4	YGWB		27-AUG-94	27-AUG-94	<	.007	UGG
VOC'S IN SOIL BY GC/MS		CH2CL2	EMJA		10-JUN-93	10-JUN-93	<	.012	UGG
VOC'S IN SOIL BY GC/MS		CH2CL2	EMKA		11-JUN-93	11-JUN-93	<	.012	UGG
VOC'S IN SOIL BY GC/MS		CH2CL2	EMMA		15-JUN-93	15-JUN-93	<	.012	UGG
VOC'S IN SOIL BY GC/MS		CH2CL2	EMNA		15-JUN-93	15-JUN-93	<	.6	UGG
VOC'S IN SOIL BY GC/MS		CH2CL2	EMOA		16-JUN-93	16-JUN-93	<	.6	UGG
VOC'S IN SOIL BY GC/MS		CH2CL2	YGTB		23-AUG-94	23-AUG-94	<	.012	UGG
VOC'S IN SOIL BY GC/MS		CH2CL2	YGWB		27-AUG-94	27-AUG-94	<	.012	UGG
VOC'S IN SOIL BY GC/MS		CH3BR	EMJA		10-JUN-93	10-JUN-93	<	.006	UGG
VOC'S IN SOIL BY GC/MS		CH3BR	EMKA		11-JUN-93	11-JUN-93	<	.006	UGG
VOC'S IN SOIL BY GC/MS		CH3BR	EMMA		15-JUN-93	15-JUN-93	<	.006	UGG
VOC'S IN SOIL BY GC/MS		CH3BR	EMNA		15-JUN-93	15-JUN-93	<	.3	UGG
VOC'S IN SOIL BY GC/MS		CH3BR	EMOA		16-JUN-93	16-JUN-93	<	.3	UGG
VOC'S IN SOIL BY GC/MS		CH3BR	YGTB		23-AUG-94	23-AUG-94	<	.0057	UGG
VOC'S IN SOIL BY GC/MS		CH3BR	YGWB		27-AUG-94	27-AUG-94	<	.0057	UGG
VOC'S IN SOIL BY GC/MS		CH3CL	EMJA		10-JUN-93	10-JUN-93	<	.009	UGG
VOC'S IN SOIL BY GC/MS		CH3CL	EMKA		11-JUN-93	11-JUN-93	<	.009	UGG
VOC'S IN SOIL BY GC/MS		CH3CL	EMMA		15-JUN-93	15-JUN-93	<	.009	UGG
VOC'S IN SOIL BY GC/MS		CH3CL	EMNA		15-JUN-93	15-JUN-93	<	.4	UGG
VOC'S IN SOIL BY GC/MS		CH3CL	EMOA		16-JUN-93	16-JUN-93	<	.4	UGG
VOC'S IN SOIL BY GC/MS		CH3CL	YGTB		23-AUG-94	23-AUG-94	<	.0088	UGG
VOC'S IN SOIL BY GC/MS		CH3CL	YGWB		27-AUG-94	27-AUG-94	<	.0088	UGG
VOC'S IN SOIL BY GC/MS		CHBR3	EMJA		10-JUN-93	10-JUN-93	<	.007	UGG
VOC'S IN SOIL BY GC/MS		CHBR3	EMKA		11-JUN-93	11-JUN-93	<	.007	UGG
VOC'S IN SOIL BY GC/MS		CHBR3	EMMA		15-JUN-93	15-JUN-93	<	.007	UGG
VOC'S IN SOIL BY GC/MS		CHBR3	EMNA		15-JUN-93	15-JUN-93	<	.3	UGG
VOC'S IN SOIL BY GC/MS		CHBR3	EMOA		16-JUN-93	16-JUN-93	<	.3	UGG
VOC'S IN SOIL BY GC/MS		CHBR3	YGTB		23-AUG-94	23-AUG-94	<	.0069	UGG
VOC'S IN SOIL BY GC/MS		CHBR3	YGWB		27-AUG-94	27-AUG-94	<	.0069	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	EMJA		10-JUN-93	10-JUN-93	<	.001	UGG
VOC'S IN SOIL BY GC/MS		CHCL3	EMKA		11-JUN-93	11-JUN-93	<	.001	UGG
VOC'S IN SOIL BY GC/MS		CHCL3	EMMA		15-JUN-93	15-JUN-93	<	.001	UGG
VOC'S IN SOIL BY GC/MS		CHCL3	EMNA		15-JUN-93	15-JUN-93	<	.04	UGG
VOC'S IN SOIL BY GC/MS		CHCL3	EMOA		16-JUN-93	16-JUN-93	<	.04	UGG
VOC'S IN SOIL BY GC/MS		CHCL3	YGTB		23-AUG-94	23-AUG-94	<	.00087	UGG
VOC'S IN SOIL BY GC/MS		CHCL3	YGWB		27-AUG-94	27-AUG-94	<	.00087	UGG
VOC'S IN SOIL BY GC/MS		CL2BZ	EMJA		10-JUN-93	10-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		CL2BZ	EMKA		11-JUN-93	11-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		CL2BZ	EMMA		15-JUN-93	15-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		CL2BZ	EMNA		15-JUN-93	15-JUN-93	<	5	UGG
VOC'S IN SOIL BY GC/MS		CL2BZ	EMOA		16-JUN-93	16-JUN-93	<	5	UGG
VOC'S IN SOIL BY GC/MS		CL2BZ	YGTB		23-AUG-94	23-AUG-94	<	.1	UGG
VOC'S IN SOIL BY GC/MS		CL2BZ	YGWB		27-AUG-94	27-AUG-94	<	.1	UGG
VOC'S IN SOIL BY GC/MS		CLC6H5	EMJA		10-JUN-93	10-JUN-93	<	.001	UGG
VOC'S IN SOIL BY GC/MS		CLC6H5	EMKA		11-JUN-93	11-JUN-93	<	.001	UGG
VOC'S IN SOIL BY GC/MS		CLC6H5	EMMA		15-JUN-93	15-JUN-93	<	.001	UGG
VOC'S IN SOIL BY GC/MS		CLC6H5	EMNA		15-JUN-93	15-JUN-93	<	.04	UGG
VOC'S IN SOIL BY GC/MS		CLC6H5	EMOA		16-JUN-93	16-JUN-93	<	.04	UGG
VOC'S IN SOIL BY GC/MS		CLC6H5	YGTB		23-AUG-94	23-AUG-94	<	.00086	UGG
VOC'S IN SOIL BY GC/MS		CLC6H5	YGWB		27-AUG-94	27-AUG-94	<	.00086	UGG
VOC'S IN SOIL BY GC/MS		CS2	EMJA		10-JUN-93	10-JUN-93	<	.004	UGG
VOC'S IN SOIL BY GC/MS		CS2	EMKA		11-JUN-93	11-JUN-93	<	.004	UGG
VOC'S IN SOIL BY GC/MS		CS2	EMMA		15-JUN-93	15-JUN-93	<	.004	UGG
VOC'S IN SOIL BY GC/MS		CS2	EMNA		15-JUN-93	15-JUN-93	<	.2	UGG
VOC'S IN SOIL BY GC/MS		CS2	EMOA		16-JUN-93	16-JUN-93	<	.2	UGG
VOC'S IN SOIL BY GC/MS		CS2	YGTB		23-AUG-94	23-AUG-94	<	.0044	UGG
VOC'S IN SOIL BY GC/MS		CS2	YGWB		27-AUG-94	27-AUG-94	<	.0044	UGG
VOC'S IN SOIL BY GC/MS		DBRCLM	EMJA		10-JUN-93	10-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		DBRCLM	EMKA		11-JUN-93	11-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		DBRCLM	EMMA		15-JUN-93	15-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		DBRCLM	EMNA		15-JUN-93	15-JUN-93	<	.2	UGG
VOC'S IN SOIL BY GC/MS		DBRCLM	EMOA		16-JUN-93	16-JUN-93	<	.2	UGG
VOC'S IN SOIL BY GC/MS		DBRCLM	YGTB		23-AUG-94	23-AUG-94	<	.0031	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	YGWB		27-AUG-94	27-AUG-94	<	.0031	UGG
VOC'S IN SOIL BY GC/MS		ETC6H5	EMJA		10-JUN-93	10-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		ETC6H5	EMKA		11-JUN-93	11-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		ETC6H5	EMMA		15-JUN-93	15-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		ETC6H5	EMNA		15-JUN-93	15-JUN-93	<	.07	UGG
VOC'S IN SOIL BY GC/MS		ETC6H5	EMOA		16-JUN-93	16-JUN-93	<	.07	UGG
VOC'S IN SOIL BY GC/MS		ETC6H5	YGTB		23-AUG-94	23-AUG-94	<	.0017	UGG
VOC'S IN SOIL BY GC/MS		ETC6H5	YGWB		27-AUG-94	27-AUG-94	<	.0017	UGG
VOC'S IN SOIL BY GC/MS		MEC6H5	EMJA		10-JUN-93	10-JUN-93	<	.001	UGG
VOC'S IN SOIL BY GC/MS		MEC6H5	EMKA		11-JUN-93	11-JUN-93	<	.001	UGG
VOC'S IN SOIL BY GC/MS		MEC6H5	EMMA		15-JUN-93	15-JUN-93	<	.001	UGG
VOC'S IN SOIL BY GC/MS		MEC6H5	EMNA		15-JUN-93	15-JUN-93	<	.04	UGG
VOC'S IN SOIL BY GC/MS		MEC6H5	EMOA		16-JUN-93	16-JUN-93	<	.04	UGG
VOC'S IN SOIL BY GC/MS		MEC6H5	YGTB		23-AUG-94	23-AUG-94		.00086	UGG
VOC'S IN SOIL BY GC/MS		MEC6H5	YGWB		27-AUG-94	27-AUG-94	<	.00078	UGG
VOC'S IN SOIL BY GC/MS		MEK	EMJA		10-JUN-93	10-JUN-93	<	.07	UGG
VOC'S IN SOIL BY GC/MS		MEK	EMKA		11-JUN-93	11-JUN-93	<	.07	UGG
VOC'S IN SOIL BY GC/MS		MEK	EMMA		15-JUN-93	15-JUN-93	<	.07	UGG
VOC'S IN SOIL BY GC/MS		MEK	EMNA		15-JUN-93	15-JUN-93	<	4	UGG
VOC'S IN SOIL BY GC/MS		MEK	EMOA		16-JUN-93	16-JUN-93	<	4	UGG
VOC'S IN SOIL BY GC/MS		MEK	YGTB		23-AUG-94	23-AUG-94	<	.07	UGG
VOC'S IN SOIL BY GC/MS		MEK	YGWB		27-AUG-94	27-AUG-94	<	.07	UGG
VOC'S IN SOIL BY GC/MS		MIBK	EMJA		10-JUN-93	10-JUN-93	<	.027	UGG
VOC'S IN SOIL BY GC/MS		MIBK	EMKA		11-JUN-93	11-JUN-93	<	.027	UGG
VOC'S IN SOIL BY GC/MS		MIBK	EMMA		15-JUN-93	15-JUN-93	<	.027	UGG
VOC'S IN SOIL BY GC/MS		MIBK	EMNA		15-JUN-93	15-JUN-93	<	1	UGG
VOC'S IN SOIL BY GC/MS		MIBK	EMOA		16-JUN-93	16-JUN-93	<	1	UGG
VOC'S IN SOIL BY GC/MS		MIBK	YGTB		23-AUG-94	23-AUG-94	<	.027	UGG
VOC'S IN SOIL BY GC/MS		MIBK	YGWB		27-AUG-94	27-AUG-94	<	.027	UGG
VOC'S IN SOIL BY GC/MS		MNBK	EMJA		10-JUN-93	10-JUN-93	<	.032	UGG
VOC'S IN SOIL BY GC/MS		MNBK	EMKA		11-JUN-93	11-JUN-93	<	.032	UGG
VOC'S IN SOIL BY GC/MS		MNBK	EMMA		15-JUN-93	15-JUN-93	<	.032	UGG
VOC'S IN SOIL BY GC/MS		MNBK	EMNA		15-JUN-93	15-JUN-93	<	2	UGG
VOC'S IN SOIL BY GC/MS		MNBK	EMOA		16-JUN-93	16-JUN-93	<	2	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN SOIL BY GC/MS	LM19	MNBK	YGTB		23-AUG-94	23-AUG-94	<	.032	UGG
VOC'S IN SOIL BY GC/MS		MNBK	YGWB		27-AUG-94	27-AUG-94	<	.032	UGG
VOC'S IN SOIL BY GC/MS		STYR	EMJA		10-JUN-93	10-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		STYR	EMKA		11-JUN-93	11-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		STYR	EMMA		15-JUN-93	15-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		STYR	EMNA		15-JUN-93	15-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		STYR	EMOA		16-JUN-93	16-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		STYR	YGTB		23-AUG-94	23-AUG-94	<	.0026	UGG
VOC'S IN SOIL BY GC/MS		STYR	YGWB		27-AUG-94	27-AUG-94	<	.0026	UGG
VOC'S IN SOIL BY GC/MS		T13DCP	EMJA		10-JUN-93	10-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		T13DCP	EMKA		11-JUN-93	11-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		T13DCP	EMMA		15-JUN-93	15-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		T13DCP	EMNA		15-JUN-93	15-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		T13DCP	EMOA		16-JUN-93	16-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		T13DCP	YGTB		23-AUG-94	23-AUG-94	<	.0028	UGG
VOC'S IN SOIL BY GC/MS		T13DCP	YGWB		27-AUG-94	27-AUG-94	<	.0028	UGG
VOC'S IN SOIL BY GC/MS		TCLEA	EMJA		10-JUN-93	10-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		TCLEA	EMKA		11-JUN-93	11-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		TCLEA	EMMA		15-JUN-93	15-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		TCLEA	EMNA		15-JUN-93	15-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		TCLEA	EMOA		16-JUN-93	16-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		TCLEA	YGTB		23-AUG-94	23-AUG-94	<	.0024	UGG
VOC'S IN SOIL BY GC/MS		TCLEA	YGWB		27-AUG-94	27-AUG-94	<	.0024	UGG
VOC'S IN SOIL BY GC/MS		TCLEE	EMJA		10-JUN-93	10-JUN-93	<	.001	UGG
VOC'S IN SOIL BY GC/MS		TCLEE	EMKA		11-JUN-93	11-JUN-93	<	.001	UGG
VOC'S IN SOIL BY GC/MS		TCLEE	EMMA		15-JUN-93	15-JUN-93	<	.001	UGG
VOC'S IN SOIL BY GC/MS		TCLEE	EMNA		15-JUN-93	15-JUN-93	<	.04	UGG
VOC'S IN SOIL BY GC/MS		TCLEE	EMOA		16-JUN-93	16-JUN-93	<	.04	UGG
VOC'S IN SOIL BY GC/MS		TCLEE	YGTB		23-AUG-94	23-AUG-94	<	.00081	UGG
VOC'S IN SOIL BY GC/MS		TCLEE	YGWB		27-AUG-94	27-AUG-94	<	.00081	UGG
VOC'S IN SOIL BY GC/MS		TRCLE	EMJA		10-JUN-93	10-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		TRCLE	EMKA		11-JUN-93	11-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		TRCLE	EMMA		15-JUN-93	15-JUN-93	<	.003	UGG
VOC'S IN SOIL BY GC/MS		TRCLE	EMNA		15-JUN-93	15-JUN-93	<	.1	UGG

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	EMOA		16-JUN-93	16-JUN-93	<	.1	UGG
VOC'S IN SOIL BY GC/MS		TRCLE	YGTB		23-AUG-94	23-AUG-94	<	.0028	UGG
VOC'S IN SOIL BY GC/MS		TRCLE	YGWB		27-AUG-94	27-AUG-94	<	.0028	UGG
VOC'S IN SOIL BY GC/MS		XYLEN	EMJA		10-JUN-93	10-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		XYLEN	EMKA		11-JUN-93	11-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		XYLEN	EMMA		15-JUN-93	15-JUN-93	<	.002	UGG
VOC'S IN SOIL BY GC/MS		XYLEN	EMNA		15-JUN-93	15-JUN-93	<	.08	UGG
VOC'S IN SOIL BY GC/MS		XYLEN	EMOA		16-JUN-93	16-JUN-93	<	.08	UGG
VOC'S IN SOIL BY GC/MS		XYLEN	YGTB		23-AUG-94	23-AUG-94	<	.0015	UGG
VOC'S IN SOIL BY GC/MS		XYLEN	YGWB		27-AUG-94	27-AUG-94	<	.0015	UGG
HG IN WATER BY CVAA	SB01	HG	FQBA		16-JUL-93	16-JUL-93	<	.243	UGL
HG IN WATER BY CVAA		HG	IEDA		12-OCT-93	12-OCT-93	<	.243	UGL
TL IN WATER BY GFAA	SD09	TL	DNTA		20-JUL-93	28-JUL-93	<	6.99	UGL
TL IN WATER BY GFAA		TL	GWQA		20-OCT-93	02-NOV-93	<	6.99	UGL
PB IN WATER BY GFAA	SD20	PB	EWGA		20-JUL-93	28-JUL-93	<	1.26	UGL
PB IN WATER BY GFAA		PB	INFA		09-NOV-93	09-NOV-93	<	1.26	UGL
PB IN WATER BY GFAA		PB	INGA		20-OCT-93	05-NOV-93	<	1.26	UGL
SE IN WATER BY GFAA	SD21	SE	EFOA		20-JUL-93	29-JUL-93	<	3.02	UGL
SE IN WATER BY GFAA		SE	HNMA		20-OCT-93	04-NOV-93	<	3.02	UGL
AS IN WATER BY GFAA	SD22	AS	ESJA		20-JUL-93	29-JUL-93	<	2.54	UGL
AS IN WATER BY GFAA		AS	HOKA		20-OCT-93	05-NOV-93	<	2.54	UGL
SB IN WATER BY GFAA	SD28	SB	FRAA		20-JUL-93	30-JUL-93	<	3.03	UGL
SB IN WATER BY GFAA		SB	FRTA		19-OCT-93	05-NOV-93	<	3.03	UGL
METALS IN WATER BY ICAP	SS10	AG	EVHA		15-JUL-93	20-JUL-93	<	4.6	UGL
METALS IN WATER BY ICAP		AG	HXIA		12-OCT-93	15-OCT-93	<	4.6	UGL
METALS IN WATER BY ICAP		AL	EVHA		15-JUL-93	20-JUL-93	<	141	UGL
METALS IN WATER BY ICAP		AL	HXIA		12-OCT-93	15-OCT-93	<	141	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
METALS IN WATER BY ICAP	SS10	BA	EVHA		15-JUL-93	20-JUL-93	<	5	UGL
METALS IN WATER BY ICAP		BA	HXIA		12-OCT-93	15-OCT-93	<	5	UGL
METALS IN WATER BY ICAP		BE	EVHA		15-JUL-93	20-JUL-93	<	5	UGL
METALS IN WATER BY ICAP		BE	HXIA		12-OCT-93	15-OCT-93	<	5	UGL
METALS IN WATER BY ICAP		CA	EVHA		15-JUL-93	20-JUL-93	<	500	UGL
METALS IN WATER BY ICAP		CA	HXIA		12-OCT-93	15-OCT-93	<	500	UGL
METALS IN WATER BY ICAP		CA	HXOA		12-NOV-93	14-NOV-93	<	500	UGL
METALS IN WATER BY ICAP		CD	EVHA		15-JUL-93	20-JUL-93	<	4.01	UGL
METALS IN WATER BY ICAP		CD	HXIA		12-OCT-93	15-OCT-93	<	4.01	UGL
METALS IN WATER BY ICAP		CO	EVHA		15-JUL-93	20-JUL-93	<	25	UGL
METALS IN WATER BY ICAP		CO	HXIA		12-OCT-93	15-OCT-93	<	25	UGL
METALS IN WATER BY ICAP		CR	EVHA		15-JUL-93	20-JUL-93	<	6.02	UGL
METALS IN WATER BY ICAP		CR	HXIA		12-OCT-93	15-OCT-93	<	6.02	UGL
METALS IN WATER BY ICAP		CU	EVHA		15-JUL-93	20-JUL-93	<	8.09	UGL
METALS IN WATER BY ICAP		CU	HXIA		12-OCT-93	15-OCT-93	<	8.09	UGL
METALS IN WATER BY ICAP		FE	EVHA		15-JUL-93	20-JUL-93	<	38.8	UGL
METALS IN WATER BY ICAP		FE	HXIA		12-OCT-93	15-OCT-93	<	38.8	UGL
METALS IN WATER BY ICAP		K	EVHA		15-JUL-93	20-JUL-93	<	375	UGL
METALS IN WATER BY ICAP		K	HXIA		12-OCT-93	15-OCT-93	<	375	UGL
METALS IN WATER BY ICAP		K	HXOA		12-NOV-93	14-NOV-93	<	375	UGL
METALS IN WATER BY ICAP		MG	EVHA		15-JUL-93	20-JUL-93	<	500	UGL
METALS IN WATER BY ICAP		MG	HXIA		12-OCT-93	15-OCT-93	<	500	UGL
METALS IN WATER BY ICAP		MG	HXOA		12-NOV-93	14-NOV-93	<	500	UGL
METALS IN WATER BY ICAP		MN	EVHA		15-JUL-93	20-JUL-93	<	2.75	UGL
METALS IN WATER BY ICAP		MN	HXIA		12-OCT-93	15-OCT-93	<	2.75	UGL
METALS IN WATER BY ICAP		NA	EVHA		15-JUL-93	20-JUL-93	<	500	UGL
METALS IN WATER BY ICAP		NA	HXIA		12-OCT-93	15-OCT-93	<	500	UGL
METALS IN WATER BY ICAP		NI	EVHA		15-JUL-93	20-JUL-93	<	34.3	UGL
METALS IN WATER BY ICAP		NI	HXIA		12-OCT-93	15-OCT-93	<	34.3	UGL
METALS IN WATER BY ICAP		V	EVHA		15-JUL-93	20-JUL-93	<	11	UGL
METALS IN WATER BY ICAP		V	HXIA		12-OCT-93	15-OCT-93	<	11	UGL
METALS IN WATER BY ICAP		ZN	EVHA		15-JUL-93	20-JUL-93	<	21.1	UGL
METALS IN WATER BY ICAP		ZN	HXIA		12-OCT-93	15-OCT-93	<	21.1	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
NO2, NO3 IN WATER	TF22	NIT	EQDA		14-JUL-93	14-JUL-93	<	10	UGL
NO2, NO3 IN WATER		NIT	EQRA		04-OCT-93	04-OCT-93	<	10	UGL
SO4 IN WATER	TT10	CL	DEOA		14-JUL-93	14-JUL-93	<	2120	UGL
SO4 IN WATER		CL	IOAA		28-SEP-93	28-SEP-93	<	2120	UGL
SO4 IN WATER		F	IOAA		28-SEP-93	28-SEP-93	<	1230	UGL
SO4 IN WATER		SO4	DEOA		14-JUL-93	14-JUL-93	<	10000	UGL
SO4 IN WATER		SO4	IOAA		28-SEP-93	28-SEP-93	<	10000	UGL
BNA'S IN WATER BY GC/MS	UM18	124TCB	ETKA		01-JUL-93	07-JUL-93	<	1.8	UGL
BNA'S IN WATER BY GC/MS		124TCB	ETNA		02-JUL-93	14-JUL-93	<	1.8	UGL
BNA'S IN WATER BY GC/MS		124TCB	IFDA		27-SEP-93	18-OCT-93	<	1.8	UGL
BNA'S IN WATER BY GC/MS		124TCB	IFEA		28-SEP-93	15-OCT-93	<	1.8	UGL
BNA'S IN WATER BY GC/MS		124TCB	IFGA		01-OCT-93	12-OCT-93	<	1.8	UGL
BNA'S IN WATER BY GC/MS		12DCLB	ETKA		01-JUL-93	07-JUL-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		12DCLB	ETNA		02-JUL-93	14-JUL-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		12DCLB	IFDA		27-SEP-93	18-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		12DCLB	IFEA		28-SEP-93	15-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		12DCLB	IFGA		01-OCT-93	12-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		12DPH	ETKA		01-JUL-93	07-JUL-93	<	2	UGL
BNA'S IN WATER BY GC/MS		12DPH	ETNA		02-JUL-93	14-JUL-93	<	2	UGL
BNA'S IN WATER BY GC/MS		12DPH	IFDA		27-SEP-93	18-OCT-93	<	2	UGL
BNA'S IN WATER BY GC/MS		12DPH	IFEA		28-SEP-93	15-OCT-93	<	2	UGL
BNA'S IN WATER BY GC/MS		12DPH	IFGA		01-OCT-93	12-OCT-93	<	2	UGL
BNA'S IN WATER BY GC/MS		13DCLB	ETKA		01-JUL-93	07-JUL-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		13DCLB	ETNA		02-JUL-93	14-JUL-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		13DCLB	IFDA		27-SEP-93	18-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		13DCLB	IFEA		28-SEP-93	15-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		13DCLB	IFGA		01-OCT-93	12-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		14DCLB	ETKA		01-JUL-93	07-JUL-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		14DCLB	ETNA		02-JUL-93	14-JUL-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		14DCLB	IFDA		27-SEP-93	18-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		14DCLB	IFEA		28-SEP-93	15-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		14DCLB	IFGA		01-OCT-93	12-OCT-93	<	1.7	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN WATER BY GC/MS	UM18	245TCP	ETKA		01-JUL-93	07-JUL-93	<	5.2	UGL
BNA'S IN WATER BY GC/MS		245TCP	ETNA		02-JUL-93	14-JUL-93	<	5.2	UGL
BNA'S IN WATER BY GC/MS		245TCP	IFDA		27-SEP-93	18-OCT-93	<	5.2	UGL
BNA'S IN WATER BY GC/MS		245TCP	IFEA		28-SEP-93	15-OCT-93	<	5.2	UGL
BNA'S IN WATER BY GC/MS		245TCP	IFGA		01-OCT-93	12-OCT-93	<	5.2	UGL
BNA'S IN WATER BY GC/MS		246TCP	ETKA		01-JUL-93	07-JUL-93	<	4.2	UGL
BNA'S IN WATER BY GC/MS		246TCP	ETNA		02-JUL-93	14-JUL-93	<	4.2	UGL
BNA'S IN WATER BY GC/MS		246TCP	IFDA		27-SEP-93	18-OCT-93	<	4.2	UGL
BNA'S IN WATER BY GC/MS		246TCP	IFEA		28-SEP-93	15-OCT-93	<	4.2	UGL
BNA'S IN WATER BY GC/MS		246TCP	IFGA		01-OCT-93	12-OCT-93	<	4.2	UGL
BNA'S IN WATER BY GC/MS		24DCLP	ETKA		01-JUL-93	07-JUL-93	<	2.9	UGL
BNA'S IN WATER BY GC/MS		24DCLP	ETNA		02-JUL-93	14-JUL-93	<	2.9	UGL
BNA'S IN WATER BY GC/MS		24DCLP	IFDA		27-SEP-93	18-OCT-93	<	2.9	UGL
BNA'S IN WATER BY GC/MS		24DCLP	IFEA		28-SEP-93	15-OCT-93	<	2.9	UGL
BNA'S IN WATER BY GC/MS		24DCLP	IFGA		01-OCT-93	12-OCT-93	<	2.9	UGL
BNA'S IN WATER BY GC/MS		24DMPN	ETKA		01-JUL-93	07-JUL-93	<	5.8	UGL
BNA'S IN WATER BY GC/MS		24DMPN	ETNA		02-JUL-93	14-JUL-93	<	5.8	UGL
BNA'S IN WATER BY GC/MS		24DMPN	IFDA		27-SEP-93	18-OCT-93	<	5.8	UGL
BNA'S IN WATER BY GC/MS		24DMPN	IFEA		28-SEP-93	15-OCT-93	<	5.8	UGL
BNA'S IN WATER BY GC/MS		24DMPN	IFGA		01-OCT-93	12-OCT-93	<	5.8	UGL
BNA'S IN WATER BY GC/MS		24DNP	ETKA		01-JUL-93	07-JUL-93	<	21	UGL
BNA'S IN WATER BY GC/MS		24DNP	ETNA		02-JUL-93	14-JUL-93	<	21	UGL
BNA'S IN WATER BY GC/MS		24DNP	IFDA		27-SEP-93	18-OCT-93	<	21	UGL
BNA'S IN WATER BY GC/MS		24DNP	IFEA		28-SEP-93	15-OCT-93	<	21	UGL
BNA'S IN WATER BY GC/MS		24DNP	IFGA		01-OCT-93	12-OCT-93	<	21	UGL
BNA'S IN WATER BY GC/MS		24DNT	ETKA		01-JUL-93	07-JUL-93	<	4.5	UGL
BNA'S IN WATER BY GC/MS		24DNT	ETNA		02-JUL-93	14-JUL-93	<	4.5	UGL
BNA'S IN WATER BY GC/MS		24DNT	IFDA		27-SEP-93	18-OCT-93	<	4.5	UGL
BNA'S IN WATER BY GC/MS		24DNT	IFEA		28-SEP-93	15-OCT-93	<	4.5	UGL
BNA'S IN WATER BY GC/MS		24DNT	IFGA		01-OCT-93	12-OCT-93	<	4.5	UGL
BNA'S IN WATER BY GC/MS		26DNT	ETKA		01-JUL-93	07-JUL-93	<	.79	UGL
BNA'S IN WATER BY GC/MS		26DNT	ETNA		02-JUL-93	14-JUL-93	<	.79	UGL
BNA'S IN WATER BY GC/MS		26DNT	IFDA		27-SEP-93	18-OCT-93	<	.79	UGL
BNA'S IN WATER BY GC/MS		26DNT	IFEA		28-SEP-93	15-OCT-93	<	.79	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN WATER BY GC/MS	UM18	26DNT	IFGA		01-OCT-93	12-OCT-93	<	.79	UGL
BNA'S IN WATER BY GC/MS		2CLP	ETKA		01-JUL-93	07-JUL-93	<	.99	UGL
BNA'S IN WATER BY GC/MS		2CLP	ETNA		02-JUL-93	14-JUL-93	<	.99	UGL
BNA'S IN WATER BY GC/MS		2CLP	IFDA		27-SEP-93	18-OCT-93	<	.99	UGL
BNA'S IN WATER BY GC/MS		2CLP	IFEA		28-SEP-93	15-OCT-93	<	.99	UGL
BNA'S IN WATER BY GC/MS		2CLP	IFGA		01-OCT-93	12-OCT-93	<	.99	UGL
BNA'S IN WATER BY GC/MS		2CNAP	ETKA		01-JUL-93	07-JUL-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		2CNAP	ETNA		02-JUL-93	14-JUL-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		2CNAP	IFDA		27-SEP-93	18-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		2CNAP	IFEA		28-SEP-93	15-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		2CNAP	IFGA		01-OCT-93	12-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		2MNAP	ETKA		01-JUL-93	07-JUL-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		2MNAP	ETNA		02-JUL-93	14-JUL-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		2MNAP	IFDA		27-SEP-93	18-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		2MNAP	IFEA		28-SEP-93	15-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		2MNAP	IFGA		01-OCT-93	12-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		2MP	ETKA		01-JUL-93	07-JUL-93	<	3.9	UGL
BNA'S IN WATER BY GC/MS		2MP	ETNA		02-JUL-93	14-JUL-93	<	3.9	UGL
BNA'S IN WATER BY GC/MS		2MP	IFDA		27-SEP-93	18-OCT-93	<	3.9	UGL
BNA'S IN WATER BY GC/MS		2MP	IFEA		28-SEP-93	15-OCT-93	<	3.9	UGL
BNA'S IN WATER BY GC/MS		2MP	IFGA		01-OCT-93	12-OCT-93	<	3.9	UGL
BNA'S IN WATER BY GC/MS		2NANIL	ETKA		01-JUL-93	07-JUL-93	<	4.3	UGL
BNA'S IN WATER BY GC/MS		2NANIL	ETNA		02-JUL-93	14-JUL-93	<	4.3	UGL
BNA'S IN WATER BY GC/MS		2NANIL	IFDA		27-SEP-93	18-OCT-93	<	4.3	UGL
BNA'S IN WATER BY GC/MS		2NANIL	IFEA		28-SEP-93	15-OCT-93	<	4.3	UGL
BNA'S IN WATER BY GC/MS		2NANIL	IFGA		01-OCT-93	12-OCT-93	<	4.3	UGL
BNA'S IN WATER BY GC/MS		2NP	ETKA		01-JUL-93	07-JUL-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		2NP	ETNA		02-JUL-93	14-JUL-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		2NP	IFDA		27-SEP-93	18-OCT-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		2NP	IFEA		28-SEP-93	15-OCT-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		2NP	IFGA		01-OCT-93	12-OCT-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		33DCBD	ETKA		01-JUL-93	07-JUL-93	<	12	UGL
BNA'S IN WATER BY GC/MS		33DCBD	ETNA		02-JUL-93	14-JUL-93	<	12	UGL
BNA'S IN WATER BY GC/MS		33DCBD	IFDA		27-SEP-93	18-OCT-93	<	12	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN WATER BY GC/MS	UM18	33DCBD	IFEA		28-SEP-93	15-OCT-93	<	12	UGL
BNA'S IN WATER BY GC/MS		33DCBD	IFGA		01-OCT-93	12-OCT-93	<	12	UGL
BNA'S IN WATER BY GC/MS		3NANIL	ETKA		01-JUL-93	07-JUL-93	<	4.9	UGL
BNA'S IN WATER BY GC/MS		3NANIL	ETNA		02-JUL-93	14-JUL-93	<	4.9	UGL
BNA'S IN WATER BY GC/MS		3NANIL	IFDA		27-SEP-93	18-OCT-93	<	4.9	UGL
BNA'S IN WATER BY GC/MS		3NANIL	IFEA		28-SEP-93	15-OCT-93	<	4.9	UGL
BNA'S IN WATER BY GC/MS		3NANIL	IFGA		01-OCT-93	12-OCT-93	<	4.9	UGL
BNA'S IN WATER BY GC/MS		46DN2C	ETKA		01-JUL-93	07-JUL-93	<	17	UGL
BNA'S IN WATER BY GC/MS		46DN2C	ETNA		02-JUL-93	14-JUL-93	<	17	UGL
BNA'S IN WATER BY GC/MS		46DN2C	IFDA		27-SEP-93	18-OCT-93	<	17	UGL
BNA'S IN WATER BY GC/MS		46DN2C	IFEA		28-SEP-93	15-OCT-93	<	17	UGL
BNA'S IN WATER BY GC/MS		46DN2C	IFGA		01-OCT-93	12-OCT-93	<	17	UGL
BNA'S IN WATER BY GC/MS		4BRPPE	ETKA		01-JUL-93	07-JUL-93	<	4.2	UGL
BNA'S IN WATER BY GC/MS		4BRPPE	ETNA		02-JUL-93	14-JUL-93	<	4.2	UGL
BNA'S IN WATER BY GC/MS		4BRPPE	IFDA		27-SEP-93	18-OCT-93	<	4.2	UGL
BNA'S IN WATER BY GC/MS		4BRPPE	IFEA		28-SEP-93	15-OCT-93	<	4.2	UGL
BNA'S IN WATER BY GC/MS		4BRPPE	IFGA		01-OCT-93	12-OCT-93	<	4.2	UGL
BNA'S IN WATER BY GC/MS		4CANIL	ETKA		01-JUL-93	07-JUL-93	<	7.3	UGL
BNA'S IN WATER BY GC/MS		4CANIL	ETNA		02-JUL-93	14-JUL-93	<	7.3	UGL
BNA'S IN WATER BY GC/MS		4CANIL	IFDA		27-SEP-93	18-OCT-93	<	7.3	UGL
BNA'S IN WATER BY GC/MS		4CANIL	IFEA		28-SEP-93	15-OCT-93	<	7.3	UGL
BNA'S IN WATER BY GC/MS		4CANIL	IFGA		01-OCT-93	12-OCT-93	<	7.3	UGL
BNA'S IN WATER BY GC/MS		4CL3C	ETKA		01-JUL-93	07-JUL-93	<	4	UGL
BNA'S IN WATER BY GC/MS		4CL3C	ETNA		02-JUL-93	14-JUL-93	<	4	UGL
BNA'S IN WATER BY GC/MS		4CL3C	IFDA		27-SEP-93	18-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		4CL3C	IFEA		28-SEP-93	15-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		4CL3C	IFGA		01-OCT-93	12-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		4CLPPE	ETKA		01-JUL-93	07-JUL-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		4CLPPE	ETNA		02-JUL-93	14-JUL-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		4CLPPE	IFDA		27-SEP-93	18-OCT-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		4CLPPE	IFEA		28-SEP-93	15-OCT-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		4CLPPE	IFGA		01-OCT-93	12-OCT-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		4MP	ETKA		01-JUL-93	07-JUL-93	<	.52	UGL
BNA'S IN WATER BY GC/MS		4MP	ETNA		02-JUL-93	14-JUL-93	<	.52	UGL

Table FS-1
Chemical Quality Control Report
Installation: *Fort Devens, MA (DV)*
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN WATER BY GC/MS	UM18	4MP	IFDA		27-SEP-93	18-OCT-93	<	.52	UGL
BNA'S IN WATER BY GC/MS		4MP	IFEA		28-SEP-93	15-OCT-93	<	.52	UGL
BNA'S IN WATER BY GC/MS		4MP	IFGA		01-OCT-93	12-OCT-93	<	.52	UGL
BNA'S IN WATER BY GC/MS		4NANIL	ETKA		01-JUL-93	07-JUL-93	<	5.2	UGL
BNA'S IN WATER BY GC/MS		4NANIL	ETNA		02-JUL-93	14-JUL-93	<	5.2	UGL
BNA'S IN WATER BY GC/MS		4NANIL	IFDA		27-SEP-93	18-OCT-93	<	5.2	UGL
BNA'S IN WATER BY GC/MS		4NANIL	IFEA		28-SEP-93	15-OCT-93	<	5.2	UGL
BNA'S IN WATER BY GC/MS		4NANIL	IFGA		01-OCT-93	12-OCT-93	<	5.2	UGL
BNA'S IN WATER BY GC/MS		4NP	ETKA		01-JUL-93	07-JUL-93	<	12	UGL
BNA'S IN WATER BY GC/MS		4NP	ETNA		02-JUL-93	14-JUL-93	<	12	UGL
BNA'S IN WATER BY GC/MS		4NP	IFDA		27-SEP-93	18-OCT-93	<	12	UGL
BNA'S IN WATER BY GC/MS		4NP	IFEA		28-SEP-93	15-OCT-93	<	12	UGL
BNA'S IN WATER BY GC/MS		4NP	IFGA		01-OCT-93	12-OCT-93	<	12	UGL
BNA'S IN WATER BY GC/MS		ABHC	ETKA		01-JUL-93	07-JUL-93	<	4	UGL
BNA'S IN WATER BY GC/MS		ABHC	ETNA		02-JUL-93	14-JUL-93	<	4	UGL
BNA'S IN WATER BY GC/MS		ABHC	IFDA		27-SEP-93	18-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		ABHC	IFEA		28-SEP-93	15-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		ABHC	IFGA		01-OCT-93	12-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		ACLDAN	ETKA		01-JUL-93	07-JUL-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		ACLDAN	ETNA		02-JUL-93	14-JUL-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		ACLDAN	IFDA		27-SEP-93	18-OCT-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		ACLDAN	IFEA		28-SEP-93	15-OCT-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		ACLDAN	IFGA		01-OCT-93	12-OCT-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		AENSLF	ETKA		01-JUL-93	07-JUL-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		AENSLF	ETNA		02-JUL-93	14-JUL-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		AENSLF	IFDA		27-SEP-93	18-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		AENSLF	IFEA		28-SEP-93	15-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		AENSLF	IFGA		01-OCT-93	12-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		ALDRN	ETKA		01-JUL-93	07-JUL-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		ALDRN	ETNA		02-JUL-93	14-JUL-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		ALDRN	IFDA		27-SEP-93	18-OCT-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		ALDRN	IFEA		28-SEP-93	15-OCT-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		ALDRN	IFGA		01-OCT-93	12-OCT-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		ANAPNE	ETKA		01-JUL-93	07-JUL-93	<	1.7	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN WATER BY GC/MS	UM18	ANAPNE	ETNA		02-JUL-93	14-JUL-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		ANAPNE	IFDA		27-SEP-93	18-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		ANAPNE	IFEA		28-SEP-93	15-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		ANAPNE	IFGA		01-OCT-93	12-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		ANAPYL	ETKA		01-JUL-93	07-JUL-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		ANAPYL	ETNA		02-JUL-93	14-JUL-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		ANAPYL	IFDA		27-SEP-93	18-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		ANAPYL	IFEA		28-SEP-93	15-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		ANAPYL	IFGA		01-OCT-93	12-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		ANTRC	ETKA		01-JUL-93	07-JUL-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		ANTRC	ETNA		02-JUL-93	14-JUL-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		ANTRC	IFDA		27-SEP-93	18-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		ANTRC	IFEA		28-SEP-93	15-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		ANTRC	IFGA		01-OCT-93	12-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		B2CEXM	ETKA		01-JUL-93	07-JUL-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		B2CEXM	ETNA		02-JUL-93	14-JUL-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		B2CEXM	IFDA		27-SEP-93	18-OCT-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		B2CEXM	IFEA		28-SEP-93	15-OCT-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		B2CEXM	IFGA		01-OCT-93	12-OCT-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		B2CIPE	ETKA		01-JUL-93	07-JUL-93	<	5.3	UGL
BNA'S IN WATER BY GC/MS		B2CIPE	ETNA		02-JUL-93	14-JUL-93	<	5.3	UGL
BNA'S IN WATER BY GC/MS		B2CIPE	IFDA		27-SEP-93	18-OCT-93	<	5.3	UGL
BNA'S IN WATER BY GC/MS		B2CIPE	IFEA		28-SEP-93	15-OCT-93	<	5.3	UGL
BNA'S IN WATER BY GC/MS		B2CIPE	IFGA		01-OCT-93	12-OCT-93	<	5.3	UGL
BNA'S IN WATER BY GC/MS		B2CLEE	ETKA		01-JUL-93	07-JUL-93	<	1.9	UGL
BNA'S IN WATER BY GC/MS		B2CLEE	ETNA		02-JUL-93	14-JUL-93	<	1.9	UGL
BNA'S IN WATER BY GC/MS		B2CLEE	IFDA		27-SEP-93	18-OCT-93	<	1.9	UGL
BNA'S IN WATER BY GC/MS		B2CLEE	IFEA		28-SEP-93	15-OCT-93	<	1.9	UGL
BNA'S IN WATER BY GC/MS		B2CLEE	IFGA		01-OCT-93	12-OCT-93	<	1.9	UGL
BNA'S IN WATER BY GC/MS		B2EHP	ETKA		01-JUL-93	07-JUL-93		5.1	UGL
BNA'S IN WATER BY GC/MS		B2EHP	ETNA		02-JUL-93	14-JUL-93		6.2	UGL
BNA'S IN WATER BY GC/MS		B2EHP	IFDA		27-SEP-93	18-OCT-93	<	4.8	UGL
BNA'S IN WATER BY GC/MS		B2EHP	IFEA		28-SEP-93	15-OCT-93	<	4.8	UGL
BNA'S IN WATER BY GC/MS		B2EHP	IFGA		01-OCT-93	12-OCT-93	<	4.8	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN WATER BY GC/MS	UM18	BAANTR	ETKA		01-JUL-93	07-JUL-93	<	1.6	UGL
BNA'S IN WATER BY GC/MS		BAANTR	ETNA		02-JUL-93	14-JUL-93	<	1.6	UGL
BNA'S IN WATER BY GC/MS		BAANTR	IFDA		27-SEP-93	18-OCT-93	<	1.6	UGL
BNA'S IN WATER BY GC/MS		BAANTR	IFEA		28-SEP-93	15-OCT-93	<	1.6	UGL
BNA'S IN WATER BY GC/MS		BAANTR	IFGA		01-OCT-93	12-OCT-93	<	1.6	UGL
BNA'S IN WATER BY GC/MS		BAPYR	ETKA		01-JUL-93	07-JUL-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		BAPYR	ETNA		02-JUL-93	14-JUL-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		BAPYR	IFDA		27-SEP-93	18-OCT-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		BAPYR	IFEA		28-SEP-93	15-OCT-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		BAPYR	IFGA		01-OCT-93	12-OCT-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		BBFANT	ETKA		01-JUL-93	07-JUL-93	<	5.4	UGL
BNA'S IN WATER BY GC/MS		BBFANT	ETNA		02-JUL-93	14-JUL-93	<	5.4	UGL
BNA'S IN WATER BY GC/MS		BBFANT	IFDA		27-SEP-93	18-OCT-93	<	5.4	UGL
BNA'S IN WATER BY GC/MS		BBFANT	IFEA		28-SEP-93	15-OCT-93	<	5.4	UGL
BNA'S IN WATER BY GC/MS		BBFANT	IFGA		01-OCT-93	12-OCT-93	<	5.4	UGL
BNA'S IN WATER BY GC/MS		BBHC	ETKA		01-JUL-93	07-JUL-93	<	4	UGL
BNA'S IN WATER BY GC/MS		BBHC	ETNA		02-JUL-93	14-JUL-93	<	4	UGL
BNA'S IN WATER BY GC/MS		BBHC	IFDA		27-SEP-93	18-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		BBHC	IFEA		28-SEP-93	15-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		BBHC	IFGA		01-OCT-93	12-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		BBZP	ETKA		01-JUL-93	07-JUL-93	<	3.4	UGL
BNA'S IN WATER BY GC/MS		BBZP	ETNA		02-JUL-93	14-JUL-93	<	3.4	UGL
BNA'S IN WATER BY GC/MS		BBZP	IFDA		27-SEP-93	18-OCT-93	<	3.4	UGL
BNA'S IN WATER BY GC/MS		BBZP	IFEA		28-SEP-93	15-OCT-93	<	3.4	UGL
BNA'S IN WATER BY GC/MS		BBZP	IFGA		01-OCT-93	12-OCT-93	<	3.4	UGL
BNA'S IN WATER BY GC/MS		BENSLF	ETKA		01-JUL-93	07-JUL-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		BENSLF	ETNA		02-JUL-93	14-JUL-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		BENSLF	IFDA		27-SEP-93	18-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		BENSLF	IFEA		28-SEP-93	15-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		BENSLF	IFGA		01-OCT-93	12-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		BENZID	ETKA		01-JUL-93	07-JUL-93	<	10	UGL
BNA'S IN WATER BY GC/MS		BENZID	ETNA		02-JUL-93	14-JUL-93	<	10	UGL
BNA'S IN WATER BY GC/MS		BENZID	IFDA		27-SEP-93	18-OCT-93	<	10	UGL
BNA'S IN WATER BY GC/MS		BENZID	IFEA		28-SEP-93	15-OCT-93	<	10	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN WATER BY GC/MS	UM18	BENZID	IFGA		01-OCT-93	12-OCT-93	<	10	UGL
BNA'S IN WATER BY GC/MS		BENZOA	ETKA		01-JUL-93	07-JUL-93	<	13	UGL
BNA'S IN WATER BY GC/MS		BENZOA	ETNA		02-JUL-93	14-JUL-93	<	13	UGL
BNA'S IN WATER BY GC/MS		BENZOA	IFDA		27-SEP-93	18-OCT-93	<	13	UGL
BNA'S IN WATER BY GC/MS		BENZOA	IFEA		28-SEP-93	15-OCT-93	<	13	UGL
BNA'S IN WATER BY GC/MS		BENZOA	IFGA		01-OCT-93	12-OCT-93	<	13	UGL
BNA'S IN WATER BY GC/MS		BGHIPY	ETKA		01-JUL-93	07-JUL-93	<	6.1	UGL
BNA'S IN WATER BY GC/MS		BGHIPY	ETNA		02-JUL-93	14-JUL-93	<	6.1	UGL
BNA'S IN WATER BY GC/MS		BGHIPY	IFDA		27-SEP-93	18-OCT-93	<	6.1	UGL
BNA'S IN WATER BY GC/MS		BGHIPY	IFEA		28-SEP-93	15-OCT-93	<	6.1	UGL
BNA'S IN WATER BY GC/MS		BGHIPY	IFGA		01-OCT-93	12-OCT-93	<	6.1	UGL
BNA'S IN WATER BY GC/MS		BKFANT	ETKA		01-JUL-93	07-JUL-93	<	.87	UGL
BNA'S IN WATER BY GC/MS		BKFANT	ETNA		02-JUL-93	14-JUL-93	<	.87	UGL
BNA'S IN WATER BY GC/MS		BKFANT	IFDA		27-SEP-93	18-OCT-93	<	.87	UGL
BNA'S IN WATER BY GC/MS		BKFANT	IFEA		28-SEP-93	15-OCT-93	<	.87	UGL
BNA'S IN WATER BY GC/MS		BKFANT	IFGA		01-OCT-93	12-OCT-93	<	.87	UGL
BNA'S IN WATER BY GC/MS		BZALC	ETKA		01-JUL-93	07-JUL-93	<	.72	UGL
BNA'S IN WATER BY GC/MS		BZALC	ETNA		02-JUL-93	14-JUL-93	<	.72	UGL
BNA'S IN WATER BY GC/MS		BZALC	IFDA		27-SEP-93	18-OCT-93	<	.72	UGL
BNA'S IN WATER BY GC/MS		BZALC	IFEA		28-SEP-93	15-OCT-93	<	.72	UGL
BNA'S IN WATER BY GC/MS		BZALC	IFGA		01-OCT-93	12-OCT-93	<	.72	UGL
BNA'S IN WATER BY GC/MS		CARBAZ	ETKA		01-JUL-93	07-JUL-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		CARBAZ	ETNA		02-JUL-93	14-JUL-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		CARBAZ	IFDA		27-SEP-93	18-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		CARBAZ	IFEA		28-SEP-93	15-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		CARBAZ	IFGA		01-OCT-93	12-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		CHRY	ETKA		01-JUL-93	07-JUL-93	<	2.4	UGL
BNA'S IN WATER BY GC/MS		CHRY	ETNA		02-JUL-93	14-JUL-93	<	2.4	UGL
BNA'S IN WATER BY GC/MS		CHRY	IFDA		27-SEP-93	18-OCT-93	<	2.4	UGL
BNA'S IN WATER BY GC/MS		CHRY	IFEA		28-SEP-93	15-OCT-93	<	2.4	UGL
BNA'S IN WATER BY GC/MS		CHRY	IFGA		01-OCT-93	12-OCT-93	<	2.4	UGL
BNA'S IN WATER BY GC/MS		CL6BZ	ETKA		01-JUL-93	07-JUL-93	<	1.6	UGL
BNA'S IN WATER BY GC/MS		CL6BZ	ETNA		02-JUL-93	14-JUL-93	<	1.6	UGL
BNA'S IN WATER BY GC/MS		CL6BZ	IFDA		27-SEP-93	18-OCT-93	<	1.6	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN WATER BY GC/MS	UM18	CL6BZ	IFEA		28-SEP-93	15-OCT-93	<	1.6	UGL
BNA'S IN WATER BY GC/MS		CL6BZ	IFGA		01-OCT-93	12-OCT-93	<	1.6	UGL
BNA'S IN WATER BY GC/MS		CL6CP	ETKA		01-JUL-93	07-JUL-93	<	8.6	UGL
BNA'S IN WATER BY GC/MS		CL6CP	ETNA		02-JUL-93	14-JUL-93	<	8.6	UGL
BNA'S IN WATER BY GC/MS		CL6CP	IFDA		27-SEP-93	18-OCT-93	<	8.6	UGL
BNA'S IN WATER BY GC/MS		CL6CP	IFEA		28-SEP-93	15-OCT-93	<	8.6	UGL
BNA'S IN WATER BY GC/MS		CL6CP	IFGA		01-OCT-93	12-OCT-93	<	8.6	UGL
BNA'S IN WATER BY GC/MS		CL6ET	ETKA		01-JUL-93	07-JUL-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		CL6ET	ETNA		02-JUL-93	14-JUL-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		CL6ET	IFDA		27-SEP-93	18-OCT-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		CL6ET	IFEA		28-SEP-93	15-OCT-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		CL6ET	IFGA		01-OCT-93	12-OCT-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		DBAHA	ETKA		01-JUL-93	07-JUL-93	<	6.5	UGL
BNA'S IN WATER BY GC/MS		DBAHA	ETNA		02-JUL-93	14-JUL-93	<	6.5	UGL
BNA'S IN WATER BY GC/MS		DBAHA	IFDA		27-SEP-93	18-OCT-93	<	6.5	UGL
BNA'S IN WATER BY GC/MS		DBAHA	IFEA		28-SEP-93	15-OCT-93	<	6.5	UGL
BNA'S IN WATER BY GC/MS		DBAHA	IFGA		01-OCT-93	12-OCT-93	<	6.5	UGL
BNA'S IN WATER BY GC/MS		DBHC	ETKA		01-JUL-93	07-JUL-93	<	4	UGL
BNA'S IN WATER BY GC/MS		DBHC	ETNA		02-JUL-93	14-JUL-93	<	4	UGL
BNA'S IN WATER BY GC/MS		DBHC	IFDA		27-SEP-93	18-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		DBHC	IFEA		28-SEP-93	15-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		DBHC	IFGA		01-OCT-93	12-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		DBZFUR	ETKA		01-JUL-93	07-JUL-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		DBZFUR	ETNA		02-JUL-93	14-JUL-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		DBZFUR	IFDA		27-SEP-93	18-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		DBZFUR	IFEA		28-SEP-93	15-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		DBZFUR	IFGA		01-OCT-93	12-OCT-93	<	1.7	UGL
BNA'S IN WATER BY GC/MS		DEP	ETKA		01-JUL-93	07-JUL-93	<	2	UGL
BNA'S IN WATER BY GC/MS		DEP	ETNA		02-JUL-93	14-JUL-93	<	2	UGL
BNA'S IN WATER BY GC/MS		DEP	IFDA		27-SEP-93	18-OCT-93	<	2	UGL
BNA'S IN WATER BY GC/MS		DEP	IFEA		28-SEP-93	15-OCT-93	<	2	UGL
BNA'S IN WATER BY GC/MS		DEP	IFGA		01-OCT-93	12-OCT-93	<	2	UGL
BNA'S IN WATER BY GC/MS		DLDRN	ETKA		01-JUL-93	07-JUL-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		DLDRN	ETNA		02-JUL-93	14-JUL-93	<	4.7	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN WATER BY GC/MS	UM18	DLDRN	IFDA		27-SEP-93	18-OCT-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		DLDRN	IFEA		28-SEP-93	15-OCT-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		DLDRN	IFGA		01-OCT-93	12-OCT-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		DMP	ETKA		01-JUL-93	07-JUL-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		DMP	ETNA		02-JUL-93	14-JUL-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		DMP	IFDA		27-SEP-93	18-OCT-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		DMP	IFEA		28-SEP-93	15-OCT-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		DMP	IFGA		01-OCT-93	12-OCT-93	<	1.5	UGL
BNA'S IN WATER BY GC/MS		DNBP	ETKA		01-JUL-93	07-JUL-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		DNBP	ETNA		02-JUL-93	14-JUL-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		DNBP	IFDA		27-SEP-93	18-OCT-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		DNBP	IFEA		28-SEP-93	15-OCT-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		DNBP	IFGA		01-OCT-93	12-OCT-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		DNOP	ETKA		01-JUL-93	07-JUL-93	<	15	UGL
BNA'S IN WATER BY GC/MS		DNOP	ETNA		02-JUL-93	14-JUL-93	<	15	UGL
BNA'S IN WATER BY GC/MS		DNOP	IFDA		27-SEP-93	18-OCT-93	<	15	UGL
BNA'S IN WATER BY GC/MS		DNOP	IFEA		28-SEP-93	15-OCT-93	<	15	UGL
BNA'S IN WATER BY GC/MS		DNOP	IFGA		01-OCT-93	12-OCT-93	<	15	UGL
BNA'S IN WATER BY GC/MS		ENDRN	ETKA		01-JUL-93	07-JUL-93	<	7.6	UGL
BNA'S IN WATER BY GC/MS		ENDRN	ETNA		02-JUL-93	14-JUL-93	<	7.6	UGL
BNA'S IN WATER BY GC/MS		ENDRN	IFDA		27-SEP-93	18-OCT-93	<	7.6	UGL
BNA'S IN WATER BY GC/MS		ENDRN	IFEA		28-SEP-93	15-OCT-93	<	7.6	UGL
BNA'S IN WATER BY GC/MS		ENDRN	IFGA		01-OCT-93	12-OCT-93	<	7.6	UGL
BNA'S IN WATER BY GC/MS		ENDRNA	ETKA		01-JUL-93	07-JUL-93	<	8	UGL
BNA'S IN WATER BY GC/MS		ENDRNA	ETNA		02-JUL-93	14-JUL-93	<	8	UGL
BNA'S IN WATER BY GC/MS		ENDRNA	IFDA		27-SEP-93	18-OCT-93	<	8	UGL
BNA'S IN WATER BY GC/MS		ENDRNA	IFEA		28-SEP-93	15-OCT-93	<	8	UGL
BNA'S IN WATER BY GC/MS		ENDRNA	IFGA		01-OCT-93	12-OCT-93	<	8	UGL
BNA'S IN WATER BY GC/MS		ENDRNK	ETKA		01-JUL-93	07-JUL-93	<	8	UGL
BNA'S IN WATER BY GC/MS		ENDRNK	ETNA		02-JUL-93	14-JUL-93	<	8	UGL
BNA'S IN WATER BY GC/MS		ENDRNK	IFDA		27-SEP-93	18-OCT-93	<	8	UGL
BNA'S IN WATER BY GC/MS		ENDRNK	IFEA		28-SEP-93	15-OCT-93	<	8	UGL
BNA'S IN WATER BY GC/MS		ENDRNK	IFGA		01-OCT-93	12-OCT-93	<	8	UGL
BNA'S IN WATER BY GC/MS		ESFSO4	ETKA		01-JUL-93	07-JUL-93	<	9.2	UGL

Table FS-1
Chemical Quality Control Report
Installation: *Fort Devens*, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN WATER BY GC/MS	UM18	ESFSO4	ETNA		02-JUL-93	14-JUL-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		ESFSO4	IFDA		27-SEP-93	18-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		ESFSO4	IFEA		28-SEP-93	15-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		ESFSO4	IFGA		01-OCT-93	12-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		FANT	ETKA		01-JUL-93	07-JUL-93	<	3.3	UGL
BNA'S IN WATER BY GC/MS		FANT	ETNA		02-JUL-93	14-JUL-93	<	3.3	UGL
BNA'S IN WATER BY GC/MS		FANT	IFDA		27-SEP-93	18-OCT-93	<	3.3	UGL
BNA'S IN WATER BY GC/MS		FANT	IFEA		28-SEP-93	15-OCT-93	<	3.3	UGL
BNA'S IN WATER BY GC/MS		FANT	IFGA		01-OCT-93	12-OCT-93	<	3.3	UGL
BNA'S IN WATER BY GC/MS		FLRENE	ETKA		01-JUL-93	07-JUL-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		FLRENE	ETNA		02-JUL-93	14-JUL-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		FLRENE	IFDA		27-SEP-93	18-OCT-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		FLRENE	IFEA		28-SEP-93	15-OCT-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		FLRENE	IFGA		01-OCT-93	12-OCT-93	<	3.7	UGL
BNA'S IN WATER BY GC/MS		GCLDAN	ETKA		01-JUL-93	07-JUL-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		GCLDAN	ETNA		02-JUL-93	14-JUL-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		GCLDAN	IFDA		27-SEP-93	18-OCT-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		GCLDAN	IFEA		28-SEP-93	15-OCT-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		GCLDAN	IFGA		01-OCT-93	12-OCT-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		HCBD	ETKA		01-JUL-93	07-JUL-93	<	3.4	UGL
BNA'S IN WATER BY GC/MS		HCBD	ETNA		02-JUL-93	14-JUL-93	<	3.4	UGL
BNA'S IN WATER BY GC/MS		HCBD	IFDA		27-SEP-93	18-OCT-93	<	3.4	UGL
BNA'S IN WATER BY GC/MS		HCBD	IFEA		28-SEP-93	15-OCT-93	<	3.4	UGL
BNA'S IN WATER BY GC/MS		HCBD	IFGA		01-OCT-93	12-OCT-93	<	3.4	UGL
BNA'S IN WATER BY GC/MS		HPCL	ETKA		01-JUL-93	07-JUL-93	<	2	UGL
BNA'S IN WATER BY GC/MS		HPCL	ETNA		02-JUL-93	14-JUL-93	<	2	UGL
BNA'S IN WATER BY GC/MS		HPCL	IFDA		27-SEP-93	18-OCT-93	<	2	UGL
BNA'S IN WATER BY GC/MS		HPCL	IFEA		28-SEP-93	15-OCT-93	<	2	UGL
BNA'S IN WATER BY GC/MS		HPCL	IFGA		01-OCT-93	12-OCT-93	<	2	UGL
BNA'S IN WATER BY GC/MS		HPCLE	ETKA		01-JUL-93	07-JUL-93	<	5	UGL
BNA'S IN WATER BY GC/MS		HPCLE	ETNA		02-JUL-93	14-JUL-93	<	5	UGL
BNA'S IN WATER BY GC/MS		HPCLE	IFDA		27-SEP-93	18-OCT-93	<	5	UGL
BNA'S IN WATER BY GC/MS		HPCLE	IFEA		28-SEP-93	15-OCT-93	<	5	UGL
BNA'S IN WATER BY GC/MS		HPCLE	IFGA		01-OCT-93	12-OCT-93	<	5	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN WATER BY GC/MS	UM18	ICDPYR	ETKA		01-JUL-93	07-JUL-93	<	8.6	UGL
BNA'S IN WATER BY GC/MS		ICDPYR	ETNA		02-JUL-93	14-JUL-93	<	8.6	UGL
BNA'S IN WATER BY GC/MS		ICDPYR	IFDA		27-SEP-93	18-OCT-93	<	8.6	UGL
BNA'S IN WATER BY GC/MS		ICDPYR	IFEA		28-SEP-93	15-OCT-93	<	8.6	UGL
BNA'S IN WATER BY GC/MS		ICDPYR	IFGA		01-OCT-93	12-OCT-93	<	8.6	UGL
BNA'S IN WATER BY GC/MS		ISOPHR	ETKA		01-JUL-93	07-JUL-93	<	4.8	UGL
BNA'S IN WATER BY GC/MS		ISOPHR	ETNA		02-JUL-93	14-JUL-93	<	4.8	UGL
BNA'S IN WATER BY GC/MS		ISOPHR	IFDA		27-SEP-93	18-OCT-93	<	4.8	UGL
BNA'S IN WATER BY GC/MS		ISOPHR	IFEA		28-SEP-93	15-OCT-93	<	4.8	UGL
BNA'S IN WATER BY GC/MS		ISOPHR	IFGA		01-OCT-93	12-OCT-93	<	4.8	UGL
BNA'S IN WATER BY GC/MS		LIN	ETKA		01-JUL-93	07-JUL-93	<	4	UGL
BNA'S IN WATER BY GC/MS		LIN	ETNA		02-JUL-93	14-JUL-93	<	4	UGL
BNA'S IN WATER BY GC/MS		LIN	IFDA		27-SEP-93	18-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		LIN	IFEA		28-SEP-93	15-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		LIN	IFGA		01-OCT-93	12-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		MEXCLR	ETKA		01-JUL-93	07-JUL-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		MEXCLR	ETNA		02-JUL-93	14-JUL-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		MEXCLR	IFDA		27-SEP-93	18-OCT-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		MEXCLR	IFEA		28-SEP-93	15-OCT-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		MEXCLR	IFGA		01-OCT-93	12-OCT-93	<	5.1	UGL
BNA'S IN WATER BY GC/MS		NAP	ETKA		01-JUL-93	07-JUL-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		NAP	ETNA		02-JUL-93	14-JUL-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		NAP	IFDA		27-SEP-93	18-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		NAP	IFEA		28-SEP-93	15-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		NAP	IFGA		01-OCT-93	12-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		NB	ETKA		01-JUL-93	07-JUL-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		NB	ETNA		02-JUL-93	14-JUL-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		NB	IFDA		27-SEP-93	18-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		NB	IFEA		28-SEP-93	15-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		NB	IFGA		01-OCT-93	12-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		NNDMEA	ETKA		01-JUL-93	07-JUL-93	<	2	UGL
BNA'S IN WATER BY GC/MS		NNDMEA	ETNA		02-JUL-93	14-JUL-93	<	2	UGL
BNA'S IN WATER BY GC/MS		NNDMEA	IFDA		27-SEP-93	18-OCT-93	<	2	UGL
BNA'S IN WATER BY GC/MS		NNDMEA	IFEA		28-SEP-93	15-OCT-93	<	2	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN WATER BY GC/MS	UM18	NNDMEA	IFGA		01-OCT-93	12-OCT-93	<	2	UGL
BNA'S IN WATER BY GC/MS		NNDNPA	ETKA		01-JUL-93	07-JUL-93	<	4.4	UGL
BNA'S IN WATER BY GC/MS		NNDNPA	ETNA		02-JUL-93	14-JUL-93	<	4.4	UGL
BNA'S IN WATER BY GC/MS		NNDNPA	IFDA		27-SEP-93	18-OCT-93	<	4.4	UGL
BNA'S IN WATER BY GC/MS		NNDNPA	IFEA		28-SEP-93	15-OCT-93	<	4.4	UGL
BNA'S IN WATER BY GC/MS		NNDNPA	IFGA		01-OCT-93	12-OCT-93	<	4.4	UGL
BNA'S IN WATER BY GC/MS		NNDPA	ETKA		01-JUL-93	07-JUL-93	<	3	UGL
BNA'S IN WATER BY GC/MS		NNDPA	ETNA		02-JUL-93	14-JUL-93	<	3	UGL
BNA'S IN WATER BY GC/MS		NNDPA	IFDA		27-SEP-93	18-OCT-93	<	3	UGL
BNA'S IN WATER BY GC/MS		NNDPA	IFEA		28-SEP-93	15-OCT-93	<	3	UGL
BNA'S IN WATER BY GC/MS		NNDPA	IFGA		01-OCT-93	12-OCT-93	<	3	UGL
BNA'S IN WATER BY GC/MS		PCB016	ETKA		01-JUL-93	07-JUL-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB016	ETNA		02-JUL-93	14-JUL-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB016	IFDA		27-SEP-93	18-OCT-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB016	IFEA		28-SEP-93	15-OCT-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB016	IFGA		01-OCT-93	12-OCT-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB221	ETKA		01-JUL-93	07-JUL-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB221	ETNA		02-JUL-93	14-JUL-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB221	IFDA		27-SEP-93	18-OCT-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB221	IFEA		28-SEP-93	15-OCT-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB221	IFGA		01-OCT-93	12-OCT-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB232	ETKA		01-JUL-93	07-JUL-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB232	ETNA		02-JUL-93	14-JUL-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB232	IFDA		27-SEP-93	18-OCT-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB232	IFEA		28-SEP-93	15-OCT-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB232	IFGA		01-OCT-93	12-OCT-93	<	21	UGL
BNA'S IN WATER BY GC/MS		PCB242	ETKA		01-JUL-93	07-JUL-93	<	30	UGL
BNA'S IN WATER BY GC/MS		PCB242	ETNA		02-JUL-93	14-JUL-93	<	30	UGL
BNA'S IN WATER BY GC/MS		PCB242	IFDA		27-SEP-93	18-OCT-93	<	30	UGL
BNA'S IN WATER BY GC/MS		PCB242	IFEA		28-SEP-93	15-OCT-93	<	30	UGL
BNA'S IN WATER BY GC/MS		PCB242	IFGA		01-OCT-93	12-OCT-93	<	30	UGL
BNA'S IN WATER BY GC/MS		PCB248	ETKA		01-JUL-93	07-JUL-93	<	30	UGL
BNA'S IN WATER BY GC/MS		PCB248	ETNA		02-JUL-93	14-JUL-93	<	30	UGL
BNA'S IN WATER BY GC/MS		PCB248	IFDA		27-SEP-93	18-OCT-93	<	30	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN WATER BY GC/MS	UM18	PCB248	IFEA		28-SEP-93	15-OCT-93	<	30	UGL
BNA'S IN WATER BY GC/MS		PCB248	IFGA		01-OCT-93	12-OCT-93	<	30	UGL
BNA'S IN WATER BY GC/MS		PCB254	ETKA		01-JUL-93	07-JUL-93	<	36	UGL
BNA'S IN WATER BY GC/MS		PCB254	ETNA		02-JUL-93	14-JUL-93	<	36	UGL
BNA'S IN WATER BY GC/MS		PCB254	IFDA		27-SEP-93	18-OCT-93	<	36	UGL
BNA'S IN WATER BY GC/MS		PCB254	IFEA		28-SEP-93	15-OCT-93	<	36	UGL
BNA'S IN WATER BY GC/MS		PCB254	IFGA		01-OCT-93	12-OCT-93	<	36	UGL
BNA'S IN WATER BY GC/MS		PCB260	ETKA		01-JUL-93	07-JUL-93	<	36	UGL
BNA'S IN WATER BY GC/MS		PCB260	ETNA		02-JUL-93	14-JUL-93	<	36	UGL
BNA'S IN WATER BY GC/MS		PCB260	IFDA		27-SEP-93	18-OCT-93	<	36	UGL
BNA'S IN WATER BY GC/MS		PCB260	IFEA		28-SEP-93	15-OCT-93	<	36	UGL
BNA'S IN WATER BY GC/MS		PCB260	IFGA		01-OCT-93	12-OCT-93	<	36	UGL
BNA'S IN WATER BY GC/MS		PCP	ETKA		01-JUL-93	07-JUL-93	<	18	UGL
BNA'S IN WATER BY GC/MS		PCP	ETNA		02-JUL-93	14-JUL-93	<	18	UGL
BNA'S IN WATER BY GC/MS		PCP	IFDA		27-SEP-93	18-OCT-93	<	18	UGL
BNA'S IN WATER BY GC/MS		PCP	IFEA		28-SEP-93	15-OCT-93	<	18	UGL
BNA'S IN WATER BY GC/MS		PCP	IFGA		01-OCT-93	12-OCT-93	<	18	UGL
BNA'S IN WATER BY GC/MS		PHANTR	ETKA		01-JUL-93	07-JUL-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		PHANTR	ETNA		02-JUL-93	14-JUL-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		PHANTR	IFDA		27-SEP-93	18-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		PHANTR	IFEA		28-SEP-93	15-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		PHANTR	IFGA		01-OCT-93	12-OCT-93	<	.5	UGL
BNA'S IN WATER BY GC/MS		PHENOL	ETKA		01-JUL-93	07-JUL-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		PHENOL	ETNA		02-JUL-93	14-JUL-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		PHENOL	IFDA		27-SEP-93	18-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		PHENOL	IFEA		28-SEP-93	15-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		PHENOL	IFGA		01-OCT-93	12-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		PPDDD	ETKA		01-JUL-93	07-JUL-93	<	4	UGL
BNA'S IN WATER BY GC/MS		PPDDD	ETNA		02-JUL-93	14-JUL-93	<	4	UGL
BNA'S IN WATER BY GC/MS		PPDDD	IFDA		27-SEP-93	18-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		PPDDD	IFEA		28-SEP-93	15-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		PPDDD	IFGA		01-OCT-93	12-OCT-93	<	4	UGL
BNA'S IN WATER BY GC/MS		PPDDE	ETKA		01-JUL-93	07-JUL-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		PPDDE	ETNA		02-JUL-93	14-JUL-93	<	4.7	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
BNA'S IN WATER BY GC/MS	UM18	PPDDE	IFDA		27-SEP-93	18-OCT-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		PPDDE	IFEA		28-SEP-93	15-OCT-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		PPDDE	IFGA		01-OCT-93	12-OCT-93	<	4.7	UGL
BNA'S IN WATER BY GC/MS		PPDDT	ETKA		01-JUL-93	07-JUL-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		PPDDT	ETNA		02-JUL-93	14-JUL-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		PPDDT	IFDA		27-SEP-93	18-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		PPDDT	IFEA		28-SEP-93	15-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		PPDDT	IFGA		01-OCT-93	12-OCT-93	<	9.2	UGL
BNA'S IN WATER BY GC/MS		PYR	ETKA		01-JUL-93	07-JUL-93	<	2.8	UGL
BNA'S IN WATER BY GC/MS		PYR	ETNA		02-JUL-93	14-JUL-93	<	2.8	UGL
BNA'S IN WATER BY GC/MS		PYR	IFDA		27-SEP-93	18-OCT-93	<	2.8	UGL
BNA'S IN WATER BY GC/MS		PYR	IFEA		28-SEP-93	15-OCT-93	<	2.8	UGL
BNA'S IN WATER BY GC/MS		PYR	IFGA		01-OCT-93	12-OCT-93	<	2.8	UGL
BNA'S IN WATER BY GC/MS		TXPHEN	ETKA		01-JUL-93	07-JUL-93	<	36	UGL
BNA'S IN WATER BY GC/MS		TXPHEN	ETNA		02-JUL-93	14-JUL-93	<	36	UGL
BNA'S IN WATER BY GC/MS		TXPHEN	IFDA		27-SEP-93	18-OCT-93	<	36	UGL
BNA'S IN WATER BY GC/MS		TXPHEN	IFEA		28-SEP-93	15-OCT-93	<	36	UGL
BNA'S IN WATER BY GC/MS		TXPHEN	IFGA		01-OCT-93	12-OCT-93	<	36	UGL
VOC'S IN WATER BY GC/MS	UM20	111TCE	FGEA		28-JUN-93	28-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		111TCE	FGGA		30-JUN-93	30-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		111TCE	ICFA		27-SEP-93	27-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		111TCE	ICGA		28-SEP-93	28-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		111TCE	XDRG		08-FEB-95	08-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		111TCE	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		111TCE	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		111TCE	XDVE		10-OCT-94	10-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		111TCE	XDWE		12-OCT-94	12-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		112TCE	FGEA		28-JUN-93	28-JUN-93	<	1.2	UGL
VOC'S IN WATER BY GC/MS		112TCE	FGGA		30-JUN-93	30-JUN-93	<	1.2	UGL
VOC'S IN WATER BY GC/MS		112TCE	ICFA		27-SEP-93	27-SEP-93	<	1.2	UGL
VOC'S IN WATER BY GC/MS		112TCE	ICGA		28-SEP-93	28-SEP-93	<	1.2	UGL
VOC'S IN WATER BY GC/MS		112TCE	XDRG		08-FEB-95	08-FEB-95	<	1.2	UGL
VOC'S IN WATER BY GC/MS		112TCE	XDSG		10-FEB-95	10-FEB-95	<	1.2	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN WATER BY GC/MS	UM20	112TCE	XDSG		10-FEB-95	10-FEB-95	<	1.2	UGL
VOC'S IN WATER BY GC/MS		112TCE	XDVE		10-OCT-94	10-OCT-94	<	1.2	UGL
VOC'S IN WATER BY GC/MS		112TCE	XDWE		12-OCT-94	12-OCT-94	<	1.2	UGL
VOC'S IN WATER BY GC/MS		11DCE	FGEA		28-JUN-93	28-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		11DCE	FGGA		30-JUN-93	30-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		11DCE	ICFA		27-SEP-93	27-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		11DCE	ICGA		28-SEP-93	28-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		11DCE	XDRG		08-FEB-95	08-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		11DCE	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		11DCE	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		11DCE	XDVE		10-OCT-94	10-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		11DCE	XDWE		12-OCT-94	12-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		11DCLE	FGEA		28-JUN-93	28-JUN-93	<	.68	UGL
VOC'S IN WATER BY GC/MS		11DCLE	FGGA		30-JUN-93	30-JUN-93	<	.68	UGL
VOC'S IN WATER BY GC/MS		11DCLE	ICFA		27-SEP-93	27-SEP-93	<	.68	UGL
VOC'S IN WATER BY GC/MS		11DCLE	ICGA		28-SEP-93	28-SEP-93	<	.68	UGL
VOC'S IN WATER BY GC/MS		11DCLE	XDRG		08-FEB-95	08-FEB-95	<	.68	UGL
VOC'S IN WATER BY GC/MS		11DCLE	XDSG		10-FEB-95	10-FEB-95	<	.68	UGL
VOC'S IN WATER BY GC/MS		11DCLE	XDSG		10-FEB-95	10-FEB-95	<	.68	UGL
VOC'S IN WATER BY GC/MS		11DCLE	XDVE		10-OCT-94	10-OCT-94	<	.68	UGL
VOC'S IN WATER BY GC/MS		11DCLE	XDWE		12-OCT-94	12-OCT-94	<	.68	UGL
VOC'S IN WATER BY GC/MS		12DCE	FGEA		28-JUN-93	28-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCE	FGGA		30-JUN-93	30-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCE	ICFA		27-SEP-93	27-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCE	ICGA		28-SEP-93	28-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCE	XDRG		08-FEB-95	08-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCE	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCE	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCE	XDVE		10-OCT-94	10-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCE	XDWE		12-OCT-94	12-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLE	FGEA		28-JUN-93	28-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLE	FGGA		30-JUN-93	30-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLE	ICFA		27-SEP-93	27-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLE	ICGA		28-SEP-93	28-SEP-93	<	.5	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN WATER BY GC/MS	UM20	12DCLE	XDRG		08-FEB-95	08-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLE	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLE	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLE	XDVE		10-OCT-94	10-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLE	XDWE		12-OCT-94	12-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLP	FGEA		28-JUN-93	28-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLP	FGGA		30-JUN-93	30-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLP	ICFA		27-SEP-93	27-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLP	ICGA		28-SEP-93	28-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLP	XDRG		08-FEB-95	08-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLP	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLP	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLP	XDVE		10-OCT-94	10-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		12DCLP	XDWE		12-OCT-94	12-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		2CLEVE	FGEA		28-JUN-93	28-JUN-93	<	.71	UGL
VOC'S IN WATER BY GC/MS		2CLEVE	FGGA		30-JUN-93	30-JUN-93	<	.71	UGL
VOC'S IN WATER BY GC/MS		2CLEVE	ICFA		27-SEP-93	27-SEP-93	<	.71	UGL
VOC'S IN WATER BY GC/MS		2CLEVE	ICGA		28-SEP-93	28-SEP-93	<	.71	UGL
VOC'S IN WATER BY GC/MS		2CLEVE	XDRG		08-FEB-95	08-FEB-95	<	.71	UGL
VOC'S IN WATER BY GC/MS		2CLEVE	XDSG		10-FEB-95	10-FEB-95	<	.71	UGL
VOC'S IN WATER BY GC/MS		2CLEVE	XDSG		10-FEB-95	10-FEB-95	<	.71	UGL
VOC'S IN WATER BY GC/MS		2CLEVE	XDVE		10-OCT-94	10-OCT-94	<	.71	UGL
VOC'S IN WATER BY GC/MS		2CLEVE	XDWE		12-OCT-94	12-OCT-94	<	.71	UGL
VOC'S IN WATER BY GC/MS		ACET	FGEA		28-JUN-93	28-JUN-93	<	13	UGL
VOC'S IN WATER BY GC/MS		ACET	FGGA		30-JUN-93	30-JUN-93	<	13	UGL
VOC'S IN WATER BY GC/MS		ACET	ICFA		27-SEP-93	27-SEP-93		18	UGL
VOC'S IN WATER BY GC/MS		ACET	ICGA		28-SEP-93	28-SEP-93	<	13	UGL
VOC'S IN WATER BY GC/MS		ACET	XDRG		08-FEB-95	08-FEB-95	<	13	UGL
VOC'S IN WATER BY GC/MS		ACET	XDSG		10-FEB-95	10-FEB-95	<	13	UGL
VOC'S IN WATER BY GC/MS		ACET	XDSG		10-FEB-95	10-FEB-95	<	13	UGL
VOC'S IN WATER BY GC/MS		ACET	XDVE		10-OCT-94	10-OCT-94	<	13	UGL
VOC'S IN WATER BY GC/MS		ACET	XDWE		12-OCT-94	12-OCT-94	<	13	UGL
VOC'S IN WATER BY GC/MS		ACROLN	FGEA		28-JUN-93	28-JUN-93	<	100	UGL
VOC'S IN WATER BY GC/MS		ACROLN	FGGA		30-JUN-93	30-JUN-93	<	100	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN WATER BY GC/MS	UM20	ACROLN	ICFA		27-SEP-93	27-SEP-93	<	100	UGL
VOC'S IN WATER BY GC/MS		ACROLN	ICGA		28-SEP-93	28-SEP-93	<	100	UGL
VOC'S IN WATER BY GC/MS		ACROLN	XDRG		08-FEB-95	08-FEB-95	<	100	UGL
VOC'S IN WATER BY GC/MS		ACROLN	XDSG		10-FEB-95	10-FEB-95	<	100	UGL
VOC'S IN WATER BY GC/MS		ACROLN	XDSG		10-FEB-95	10-FEB-95	<	100	UGL
VOC'S IN WATER BY GC/MS		ACROLN	XDVE		10-OCT-94	10-OCT-94	<	100	UGL
VOC'S IN WATER BY GC/MS		ACROLN	XDWE		12-OCT-94	12-OCT-94	<	100	UGL
VOC'S IN WATER BY GC/MS		ACRYLO	FGEA		28-JUN-93	28-JUN-93	<	100	UGL
VOC'S IN WATER BY GC/MS		ACRYLO	FGGA		30-JUN-93	30-JUN-93	<	100	UGL
VOC'S IN WATER BY GC/MS		ACRYLO	ICFA		27-SEP-93	27-SEP-93	<	100	UGL
VOC'S IN WATER BY GC/MS		ACRYLO	ICGA		28-SEP-93	28-SEP-93	<	100	UGL
VOC'S IN WATER BY GC/MS		ACRYLO	XDRG		08-FEB-95	08-FEB-95	<	100	UGL
VOC'S IN WATER BY GC/MS		ACRYLO	XDSG		10-FEB-95	10-FEB-95	<	100	UGL
VOC'S IN WATER BY GC/MS		ACRYLO	XDSG		10-FEB-95	10-FEB-95	<	100	UGL
VOC'S IN WATER BY GC/MS		ACRYLO	XDVE		10-OCT-94	10-OCT-94	<	100	UGL
VOC'S IN WATER BY GC/MS		ACRYLO	XDWE		12-OCT-94	12-OCT-94	<	100	UGL
VOC'S IN WATER BY GC/MS		BRDCLM	FGEA		28-JUN-93	28-JUN-93	<	.59	UGL
VOC'S IN WATER BY GC/MS		BRDCLM	FGGA		30-JUN-93	30-JUN-93	<	.59	UGL
VOC'S IN WATER BY GC/MS		BRDCLM	ICFA		27-SEP-93	27-SEP-93	<	.59	UGL
VOC'S IN WATER BY GC/MS		BRDCLM	ICGA		28-SEP-93	28-SEP-93	<	.59	UGL
VOC'S IN WATER BY GC/MS		BRDCLM	XDRG		08-FEB-95	08-FEB-95	<	.59	UGL
VOC'S IN WATER BY GC/MS		BRDCLM	XDSG		10-FEB-95	10-FEB-95	<	.59	UGL
VOC'S IN WATER BY GC/MS		BRDCLM	XDSG		10-FEB-95	10-FEB-95	<	.59	UGL
VOC'S IN WATER BY GC/MS		BRDCLM	XDVE		10-OCT-94	10-OCT-94	<	.59	UGL
VOC'S IN WATER BY GC/MS		BRDCLM	XDWE		12-OCT-94	12-OCT-94	<	.59	UGL
VOC'S IN WATER BY GC/MS		C13DCP	FGEA		28-JUN-93	28-JUN-93	<	.58	UGL
VOC'S IN WATER BY GC/MS		C13DCP	FGGA		30-JUN-93	30-JUN-93	<	.58	UGL
VOC'S IN WATER BY GC/MS		C13DCP	ICFA		27-SEP-93	27-SEP-93	<	.58	UGL
VOC'S IN WATER BY GC/MS		C13DCP	ICGA		28-SEP-93	28-SEP-93	<	.58	UGL
VOC'S IN WATER BY GC/MS		C13DCP	XDRG		08-FEB-95	08-FEB-95	<	.58	UGL
VOC'S IN WATER BY GC/MS		C13DCP	XDSG		10-FEB-95	10-FEB-95	<	.58	UGL
VOC'S IN WATER BY GC/MS		C13DCP	XDSG		10-FEB-95	10-FEB-95	<	.58	UGL
VOC'S IN WATER BY GC/MS		C13DCP	XDVE		10-OCT-94	10-OCT-94	<	.58	UGL
VOC'S IN WATER BY GC/MS		C13DCP	XDWE		12-OCT-94	12-OCT-94	<	.58	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN WATER BY GC/MS	UM20	C2AVE	FGEA		28-JUN-93	28-JUN-93	<	8.3	UGL
VOC'S IN WATER BY GC/MS		C2AVE	FGGA		30-JUN-93	30-JUN-93	<	8.3	UGL
VOC'S IN WATER BY GC/MS		C2AVE	ICFA		27-SEP-93	27-SEP-93	<	8.3	UGL
VOC'S IN WATER BY GC/MS		C2AVE	ICGA		28-SEP-93	28-SEP-93	<	8.3	UGL
VOC'S IN WATER BY GC/MS		C2AVE	XDRG		08-FEB-95	08-FEB-95	<	8.3	UGL
VOC'S IN WATER BY GC/MS		C2AVE	XDSG		10-FEB-95	10-FEB-95	<	8.3	UGL
VOC'S IN WATER BY GC/MS		C2AVE	XDSG		10-FEB-95	10-FEB-95	<	8.3	UGL
VOC'S IN WATER BY GC/MS		C2AVE	XDVE		10-OCT-94	10-OCT-94	<	8.3	UGL
VOC'S IN WATER BY GC/MS		C2AVE	XDWE		12-OCT-94	12-OCT-94	<	8.3	UGL
VOC'S IN WATER BY GC/MS		C2H3CL	FGEA		28-JUN-93	28-JUN-93	<	2.6	UGL
VOC'S IN WATER BY GC/MS		C2H3CL	FGGA		30-JUN-93	30-JUN-93	<	2.6	UGL
VOC'S IN WATER BY GC/MS		C2H3CL	ICFA		27-SEP-93	27-SEP-93	<	2.6	UGL
VOC'S IN WATER BY GC/MS		C2H3CL	ICGA		28-SEP-93	28-SEP-93	<	2.6	UGL
VOC'S IN WATER BY GC/MS		C2H3CL	XDRG		08-FEB-95	08-FEB-95	<	2.6	UGL
VOC'S IN WATER BY GC/MS		C2H3CL	XDSG		10-FEB-95	10-FEB-95	<	2.6	UGL
VOC'S IN WATER BY GC/MS		C2H3CL	XDSG		10-FEB-95	10-FEB-95	<	2.6	UGL
VOC'S IN WATER BY GC/MS		C2H3CL	XDVE		10-OCT-94	10-OCT-94	<	2.6	UGL
VOC'S IN WATER BY GC/MS		C2H3CL	XDWE		12-OCT-94	12-OCT-94	<	2.6	UGL
VOC'S IN WATER BY GC/MS		C2H5CL	FGEA		28-JUN-93	28-JUN-93	<	1.9	UGL
VOC'S IN WATER BY GC/MS		C2H5CL	FGGA		30-JUN-93	30-JUN-93	<	1.9	UGL
VOC'S IN WATER BY GC/MS		C2H5CL	ICFA		27-SEP-93	27-SEP-93	<	1.9	UGL
VOC'S IN WATER BY GC/MS		C2H5CL	ICGA		28-SEP-93	28-SEP-93	<	1.9	UGL
VOC'S IN WATER BY GC/MS		C2H5CL	XDRG		08-FEB-95	08-FEB-95	<	1.9	UGL
VOC'S IN WATER BY GC/MS		C2H5CL	XDSG		10-FEB-95	10-FEB-95	<	1.9	UGL
VOC'S IN WATER BY GC/MS		C2H5CL	XDSG		10-FEB-95	10-FEB-95	<	1.9	UGL
VOC'S IN WATER BY GC/MS		C2H5CL	XDVE		10-OCT-94	10-OCT-94	<	1.9	UGL
VOC'S IN WATER BY GC/MS		C2H5CL	XDWE		12-OCT-94	12-OCT-94	<	1.9	UGL
VOC'S IN WATER BY GC/MS		C6H6	FGEA		28-JUN-93	28-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		C6H6	FGGA		30-JUN-93	30-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		C6H6	ICFA		27-SEP-93	27-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		C6H6	ICGA		28-SEP-93	28-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		C6H6	XDRG		08-FEB-95	08-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		C6H6	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		C6H6	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN WATER BY GC/MS	UM20	C6H6	XDVE		10-OCT-94	10-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		C6H6	XDWE		12-OCT-94	12-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		CCL3F	FGEA		28-JUN-93	28-JUN-93	<	1.4	UGL
VOC'S IN WATER BY GC/MS		CCL3F	FGGA		30-JUN-93	30-JUN-93	<	1.4	UGL
VOC'S IN WATER BY GC/MS		CCL3F	ICFA		27-SEP-93	27-SEP-93	<	1.4	UGL
VOC'S IN WATER BY GC/MS		CCL3F	ICGA		28-SEP-93	28-SEP-93	<	1.4	UGL
VOC'S IN WATER BY GC/MS		CCL3F	XDRG		08-FEB-95	08-FEB-95	<	1.4	UGL
VOC'S IN WATER BY GC/MS		CCL3F	XDSG		10-FEB-95	10-FEB-95	<	1.4	UGL
VOC'S IN WATER BY GC/MS		CCL3F	XDSG		10-FEB-95	10-FEB-95	<	1.4	UGL
VOC'S IN WATER BY GC/MS		CCL3F	XDVE		10-OCT-94	10-OCT-94	<	1.4	UGL
VOC'S IN WATER BY GC/MS		CCL3F	XDWE		12-OCT-94	12-OCT-94	<	1.4	UGL
VOC'S IN WATER BY GC/MS		CCL4	FGEA		28-JUN-93	28-JUN-93	<	.58	UGL
VOC'S IN WATER BY GC/MS		CCL4	FGGA		30-JUN-93	30-JUN-93	<	.58	UGL
VOC'S IN WATER BY GC/MS		CCL4	ICFA		27-SEP-93	27-SEP-93	<	.58	UGL
VOC'S IN WATER BY GC/MS		CCL4	ICGA		28-SEP-93	28-SEP-93	<	.58	UGL
VOC'S IN WATER BY GC/MS		CCL4	XDRG		08-FEB-95	08-FEB-95	<	.58	UGL
VOC'S IN WATER BY GC/MS		CCL4	XDSG		10-FEB-95	10-FEB-95	<	.58	UGL
VOC'S IN WATER BY GC/MS		CCL4	XDSG		10-FEB-95	10-FEB-95	<	.58	UGL
VOC'S IN WATER BY GC/MS		CCL4	XDVE		10-OCT-94	10-OCT-94	<	.58	UGL
VOC'S IN WATER BY GC/MS		CCL4	XDWE		12-OCT-94	12-OCT-94	<	.58	UGL
VOC'S IN WATER BY GC/MS		CH2CL2	FGEA		28-JUN-93	28-JUN-93	<	2.3	UGL
VOC'S IN WATER BY GC/MS		CH2CL2	FGGA		30-JUN-93	30-JUN-93	<	2.3	UGL
VOC'S IN WATER BY GC/MS		CH2CL2	ICFA		27-SEP-93	27-SEP-93	<	2.3	UGL
VOC'S IN WATER BY GC/MS		CH2CL2	ICGA		28-SEP-93	28-SEP-93	<	2.3	UGL
VOC'S IN WATER BY GC/MS		CH2CL2	XDRG		08-FEB-95	08-FEB-95	<	2.3	UGL
VOC'S IN WATER BY GC/MS		CH2CL2	XDSG		10-FEB-95	10-FEB-95	<	2.3	UGL
VOC'S IN WATER BY GC/MS		CH2CL2	XDSG		10-FEB-95	10-FEB-95	<	2.3	UGL
VOC'S IN WATER BY GC/MS		CH2CL2	XDVE		10-OCT-94	10-OCT-94	<	2.3	UGL
VOC'S IN WATER BY GC/MS		CH2CL2	XDWE		12-OCT-94	12-OCT-94	<	2.3	UGL
VOC'S IN WATER BY GC/MS		CH3BR	FGEA		28-JUN-93	28-JUN-93	<	5.8	UGL
VOC'S IN WATER BY GC/MS		CH3BR	FGGA		30-JUN-93	30-JUN-93	<	5.8	UGL
VOC'S IN WATER BY GC/MS		CH3BR	ICFA		27-SEP-93	27-SEP-93	<	5.8	UGL
VOC'S IN WATER BY GC/MS		CH3BR	ICGA		28-SEP-93	28-SEP-93	<	5.8	UGL
VOC'S IN WATER BY GC/MS		CH3BR	XDRG		08-FEB-95	08-FEB-95	<	5.8	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN WATER BY GC/MS	UM20	CH3BR	XDSG		10-FEB-95	10-FEB-95	<	5.8	UGL
VOC'S IN WATER BY GC/MS		CH3BR	XDSG		10-FEB-95	10-FEB-95	<	5.8	UGL
VOC'S IN WATER BY GC/MS		CH3BR	XDVE		10-OCT-94	10-OCT-94	<	5.8	UGL
VOC'S IN WATER BY GC/MS		CH3BR	XDWE		12-OCT-94	12-OCT-94	<	5.8	UGL
VOC'S IN WATER BY GC/MS		CH3CL	FGEA		28-JUN-93	28-JUN-93	<	3.2	UGL
VOC'S IN WATER BY GC/MS		CH3CL	FGGA		30-JUN-93	30-JUN-93	<	3.2	UGL
VOC'S IN WATER BY GC/MS		CH3CL	ICFA		27-SEP-93	27-SEP-93	<	3.2	UGL
VOC'S IN WATER BY GC/MS		CH3CL	ICGA		28-SEP-93	28-SEP-93	<	3.2	UGL
VOC'S IN WATER BY GC/MS		CH3CL	XDRG		08-FEB-95	08-FEB-95	<	3.2	UGL
VOC'S IN WATER BY GC/MS		CH3CL	XDSG		10-FEB-95	10-FEB-95	<	3.2	UGL
VOC'S IN WATER BY GC/MS		CH3CL	XDSG		10-FEB-95	10-FEB-95	<	3.2	UGL
VOC'S IN WATER BY GC/MS		CH3CL	XDVE		10-OCT-94	10-OCT-94	<	3.2	UGL
VOC'S IN WATER BY GC/MS		CH3CL	XDWE		12-OCT-94	12-OCT-94	<	3.2	UGL
VOC'S IN WATER BY GC/MS		CHBR3	FGEA		28-JUN-93	28-JUN-93	<	2.6	UGL
VOC'S IN WATER BY GC/MS		CHBR3	FGGA		30-JUN-93	30-JUN-93	<	2.6	UGL
VOC'S IN WATER BY GC/MS		CHBR3	ICFA		27-SEP-93	27-SEP-93	<	2.6	UGL
VOC'S IN WATER BY GC/MS		CHBR3	ICGA		28-SEP-93	28-SEP-93	<	2.6	UGL
VOC'S IN WATER BY GC/MS		CHBR3	XDRG		08-FEB-95	08-FEB-95	<	2.6	UGL
VOC'S IN WATER BY GC/MS		CHBR3	XDSG		10-FEB-95	10-FEB-95	<	2.6	UGL
VOC'S IN WATER BY GC/MS		CHBR3	XDSG		10-FEB-95	10-FEB-95	<	2.6	UGL
VOC'S IN WATER BY GC/MS		CHBR3	XDVE		10-OCT-94	10-OCT-94	<	2.6	UGL
VOC'S IN WATER BY GC/MS		CHBR3	XDWE		12-OCT-94	12-OCT-94	<	2.6	UGL
VOC'S IN WATER BY GC/MS		CHCL3	FGEA		28-JUN-93	28-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		CHCL3	FGGA		30-JUN-93	30-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		CHCL3	ICFA		27-SEP-93	27-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		CHCL3	ICGA		28-SEP-93	28-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		CHCL3	XDRG		08-FEB-95	08-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		CHCL3	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		CHCL3	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		CHCL3	XDVE		10-OCT-94	10-OCT-94		.73	UGL
VOC'S IN WATER BY GC/MS		CHCL3	XDWE		12-OCT-94	12-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		CL2BZ	FGEA		28-JUN-93	28-JUN-93	<	10	UGL
VOC'S IN WATER BY GC/MS		CL2BZ	FGGA		30-JUN-93	30-JUN-93	<	10	UGL
VOC'S IN WATER BY GC/MS		CL2BZ	ICFA		27-SEP-93	27-SEP-93	<	10	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN WATER BY GC/MS	UM20	CL2BZ	ICGA		28-SEP-93	28-SEP-93	<	10	UGL
VOC'S IN WATER BY GC/MS		CL2BZ	XDRG		08-FEB-95	08-FEB-95	<	10	UGL
VOC'S IN WATER BY GC/MS		CL2BZ	XDSG		10-FEB-95	10-FEB-95	<	10	UGL
VOC'S IN WATER BY GC/MS		CL2BZ	XDSG		10-FEB-95	10-FEB-95	<	10	UGL
VOC'S IN WATER BY GC/MS		CL2BZ	XDVE		10-OCT-94	10-OCT-94	<	10	UGL
VOC'S IN WATER BY GC/MS		CL2BZ	XDWE		12-OCT-94	12-OCT-94	<	10	UGL
VOC'S IN WATER BY GC/MS		CLC6H5	FGEA		28-JUN-93	28-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		CLC6H5	FGGA		30-JUN-93	30-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		CLC6H5	ICFA		27-SEP-93	27-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		CLC6H5	ICGA		28-SEP-93	28-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		CLC6H5	XDRG		08-FEB-95	08-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		CLC6H5	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		CLC6H5	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		CLC6H5	XDVE		10-OCT-94	10-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		CLC6H5	XDWE		12-OCT-94	12-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		CS2	FGEA		28-JUN-93	28-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		CS2	FGGA		30-JUN-93	30-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		CS2	ICFA		27-SEP-93	27-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		CS2	ICGA		28-SEP-93	28-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		CS2	XDRG		08-FEB-95	08-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		CS2	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		CS2	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		CS2	XDVE		10-OCT-94	10-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		CS2	XDWE		12-OCT-94	12-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		DBRCLM	FGEA		28-JUN-93	28-JUN-93	<	.67	UGL
VOC'S IN WATER BY GC/MS		DBRCLM	FGGA		30-JUN-93	30-JUN-93	<	.67	UGL
VOC'S IN WATER BY GC/MS		DBRCLM	ICFA		27-SEP-93	27-SEP-93	<	.67	UGL
VOC'S IN WATER BY GC/MS		DBRCLM	ICGA		28-SEP-93	28-SEP-93	<	.67	UGL
VOC'S IN WATER BY GC/MS		DBRCLM	XDRG		08-FEB-95	08-FEB-95	<	.67	UGL
VOC'S IN WATER BY GC/MS		DBRCLM	XDSG		10-FEB-95	10-FEB-95	<	.67	UGL
VOC'S IN WATER BY GC/MS		DBRCLM	XDSG		10-FEB-95	10-FEB-95	<	.67	UGL
VOC'S IN WATER BY GC/MS		DBRCLM	XDVE		10-OCT-94	10-OCT-94	<	.67	UGL
VOC'S IN WATER BY GC/MS		DBRCLM	XDWE		12-OCT-94	12-OCT-94	<	.67	UGL
VOC'S IN WATER BY GC/MS		ETC6H5	FGEA		28-JUN-93	28-JUN-93	<	.5	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN WATER BY GC/MS	UM20	ETC6H5	FGGA		30-JUN-93	30-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		ETC6H5	ICFA		27-SEP-93	27-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		ETC6H5	ICGA		28-SEP-93	28-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		ETC6H5	XDRG		08-FEB-95	08-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		ETC6H5	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		ETC6H5	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		ETC6H5	XDVE		10-OCT-94	10-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		ETC6H5	XDWE		12-OCT-94	12-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		MEC6H5	FGEA		28-JUN-93	28-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		MEC6H5	FGGA		30-JUN-93	30-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		MEC6H5	ICFA		27-SEP-93	27-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		MEC6H5	ICGA		28-SEP-93	28-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		MEC6H5	XDRG		08-FEB-95	08-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		MEC6H5	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		MEC6H5	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		MEC6H5	XDVE		10-OCT-94	10-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		MEC6H5	XDWE		12-OCT-94	12-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		MEK	FGEA		28-JUN-93	28-JUN-93	<	6.4	UGL
VOC'S IN WATER BY GC/MS		MEK	FGGA		30-JUN-93	30-JUN-93	<	6.4	UGL
VOC'S IN WATER BY GC/MS		MEK	ICFA		27-SEP-93	27-SEP-93	<	6.4	UGL
VOC'S IN WATER BY GC/MS		MEK	ICGA		28-SEP-93	28-SEP-93	<	6.4	UGL
VOC'S IN WATER BY GC/MS		MEK	XDRG		08-FEB-95	08-FEB-95	<	6.4	UGL
VOC'S IN WATER BY GC/MS		MEK	XDSG		10-FEB-95	10-FEB-95	<	6.4	UGL
VOC'S IN WATER BY GC/MS		MEK	XDSG		10-FEB-95	10-FEB-95	<	6.4	UGL
VOC'S IN WATER BY GC/MS		MEK	XDVE		10-OCT-94	10-OCT-94	<	6.4	UGL
VOC'S IN WATER BY GC/MS		MEK	XDWE		12-OCT-94	12-OCT-94	<	6.4	UGL
VOC'S IN WATER BY GC/MS		MIBK	FGEA		28-JUN-93	28-JUN-93	<	3	UGL
VOC'S IN WATER BY GC/MS		MIBK	FGGA		30-JUN-93	30-JUN-93	<	3	UGL
VOC'S IN WATER BY GC/MS		MIBK	ICFA		27-SEP-93	27-SEP-93	<	3	UGL
VOC'S IN WATER BY GC/MS		MIBK	ICGA		28-SEP-93	28-SEP-93	<	3	UGL
VOC'S IN WATER BY GC/MS		MIBK	XDRG		08-FEB-95	08-FEB-95	<	3	UGL
VOC'S IN WATER BY GC/MS		MIBK	XDSG		10-FEB-95	10-FEB-95	<	3	UGL
VOC'S IN WATER BY GC/MS		MIBK	XDSG		10-FEB-95	10-FEB-95	<	3	UGL
VOC'S IN WATER BY GC/MS		MIBK	XDVE		10-OCT-94	10-OCT-94	<	3	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN WATER BY GC/MS	UM20	MIBK	XDWE		12-OCT-94	12-OCT-94	<	3	UGL
VOC'S IN WATER BY GC/MS		MNBK	FGEA		28-JUN-93	28-JUN-93	<	3.6	UGL
VOC'S IN WATER BY GC/MS		MNBK	FGGA		30-JUN-93	30-JUN-93	<	3.6	UGL
VOC'S IN WATER BY GC/MS		MNBK	ICFA		27-SEP-93	27-SEP-93	<	3.6	UGL
VOC'S IN WATER BY GC/MS		MNBK	ICGA		28-SEP-93	28-SEP-93	<	3.6	UGL
VOC'S IN WATER BY GC/MS		MNBK	XDRG		08-FEB-95	08-FEB-95	<	3.6	UGL
VOC'S IN WATER BY GC/MS		MNBK	XDSG		10-FEB-95	10-FEB-95	<	3.6	UGL
VOC'S IN WATER BY GC/MS		MNBK	XDSG		10-FEB-95	10-FEB-95	<	3.6	UGL
VOC'S IN WATER BY GC/MS		MNBK	XDVE		10-OCT-94	10-OCT-94	<	3.6	UGL
VOC'S IN WATER BY GC/MS		MNBK	XDWE		12-OCT-94	12-OCT-94	<	3.6	UGL
VOC'S IN WATER BY GC/MS		STYR	FGEA		28-JUN-93	28-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		STYR	FGGA		30-JUN-93	30-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		STYR	ICFA		27-SEP-93	27-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		STYR	ICGA		28-SEP-93	28-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		STYR	XDRG		08-FEB-95	08-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		STYR	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		STYR	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		STYR	XDVE		10-OCT-94	10-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		STYR	XDWE		12-OCT-94	12-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		T13DCP	FGEA		28-JUN-93	28-JUN-93	<	.7	UGL
VOC'S IN WATER BY GC/MS		T13DCP	FGGA		30-JUN-93	30-JUN-93	<	.7	UGL
VOC'S IN WATER BY GC/MS		T13DCP	ICFA		27-SEP-93	27-SEP-93	<	.7	UGL
VOC'S IN WATER BY GC/MS		T13DCP	ICGA		28-SEP-93	28-SEP-93	<	.7	UGL
VOC'S IN WATER BY GC/MS		T13DCP	XDRG		08-FEB-95	08-FEB-95	<	.7	UGL
VOC'S IN WATER BY GC/MS		T13DCP	XDSG		10-FEB-95	10-FEB-95	<	.7	UGL
VOC'S IN WATER BY GC/MS		T13DCP	XDSG		10-FEB-95	10-FEB-95	<	.7	UGL
VOC'S IN WATER BY GC/MS		T13DCP	XDVE		10-OCT-94	10-OCT-94	<	.7	UGL
VOC'S IN WATER BY GC/MS		T13DCP	XDWE		12-OCT-94	12-OCT-94	<	.7	UGL
VOC'S IN WATER BY GC/MS		TCLEA	FGEA		28-JUN-93	28-JUN-93	<	.51	UGL
VOC'S IN WATER BY GC/MS		TCLEA	FGGA		30-JUN-93	30-JUN-93	<	.51	UGL
VOC'S IN WATER BY GC/MS		TCLEA	ICFA		27-SEP-93	27-SEP-93	<	.51	UGL
VOC'S IN WATER BY GC/MS		TCLEA	ICGA		28-SEP-93	28-SEP-93	<	.51	UGL
VOC'S IN WATER BY GC/MS		TCLEA	XDRG		08-FEB-95	08-FEB-95	<	.51	UGL
VOC'S IN WATER BY GC/MS		TCLEA	XDSG		10-FEB-95	10-FEB-95	<	.51	UGL

Table FS-1
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

METHOD BLANKS

Method Description	USATHAMA Method Code	Test Name	Lot	Lab Number	Prep Date	Analysis Date	<	Value	Units
VOC'S IN WATER BY GC/MS	UM20	TCLEA	XDSG		10-FEB-95	10-FEB-95	<	.51	UGL
VOC'S IN WATER BY GC/MS		TCLEA	XDVE		10-OCT-94	10-OCT-94	<	.51	UGL
VOC'S IN WATER BY GC/MS		TCLEA	XDWE		12-OCT-94	12-OCT-94	<	.51	UGL
VOC'S IN WATER BY GC/MS		TCLEE	FGEA		28-JUN-93	28-JUN-93	<	1.6	UGL
VOC'S IN WATER BY GC/MS		TCLEE	FGGA		30-JUN-93	30-JUN-93	<	1.6	UGL
VOC'S IN WATER BY GC/MS		TCLEE	ICFA		27-SEP-93	27-SEP-93	<	1.6	UGL
VOC'S IN WATER BY GC/MS		TCLEE	ICGA		28-SEP-93	28-SEP-93	<	1.6	UGL
VOC'S IN WATER BY GC/MS		TCLEE	XDRG		08-FEB-95	08-FEB-95	<	1.6	UGL
VOC'S IN WATER BY GC/MS		TCLEE	XDSG		10-FEB-95	10-FEB-95	<	1.6	UGL
VOC'S IN WATER BY GC/MS		TCLEE	XDSG		10-FEB-95	10-FEB-95	<	1.6	UGL
VOC'S IN WATER BY GC/MS		TCLEE	XDVE		10-OCT-94	10-OCT-94	<	1.6	UGL
VOC'S IN WATER BY GC/MS		TCLEE	XDWE		12-OCT-94	12-OCT-94	<	1.6	UGL
VOC'S IN WATER BY GC/MS		TRCLE	FGEA		28-JUN-93	28-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		TRCLE	FGGA		30-JUN-93	30-JUN-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		TRCLE	ICFA		27-SEP-93	27-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		TRCLE	ICGA		28-SEP-93	28-SEP-93	<	.5	UGL
VOC'S IN WATER BY GC/MS		TRCLE	XDRG		08-FEB-95	08-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		TRCLE	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		TRCLE	XDSG		10-FEB-95	10-FEB-95	<	.5	UGL
VOC'S IN WATER BY GC/MS		TRCLE	XDVE		10-OCT-94	10-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		TRCLE	XDWE		12-OCT-94	12-OCT-94	<	.5	UGL
VOC'S IN WATER BY GC/MS		XYLEN	FGEA		28-JUN-93	28-JUN-93	<	.84	UGL
VOC'S IN WATER BY GC/MS		XYLEN	FGGA		30-JUN-93	30-JUN-93	<	.84	UGL
VOC'S IN WATER BY GC/MS		XYLEN	ICFA		27-SEP-93	27-SEP-93	<	.84	UGL
VOC'S IN WATER BY GC/MS		XYLEN	ICGA		28-SEP-93	28-SEP-93	<	.84	UGL
VOC'S IN WATER BY GC/MS		XYLEN	XDRG		08-FEB-95	08-FEB-95	<	.84	UGL
VOC'S IN WATER BY GC/MS		XYLEN	XDSG		10-FEB-95	10-FEB-95	<	.84	UGL
VOC'S IN WATER BY GC/MS		XYLEN	XDSG		10-FEB-95	10-FEB-95	<	.84	UGL
VOC'S IN WATER BY GC/MS		XYLEN	XDVE		10-OCT-94	10-OCT-94	<	.84	UGL
VOC'S IN WATER BY GC/MS		XYLEN	XDWE		12-OCT-94	12-OCT-94	<	.84	UGL

SQL> spool off

TABLE FS-2
SUMMARY OF ANALYTES DETECTED IN QUALITY CONTROL SAMPLES
SUPPLEMENTAL SITE INVESTIGATION
GROUPS 3,5 & 6
FORT DEVENS, MASSACHUSETTS

METHOD BLANKS

Analysis	Frequency of Detection	Minimum Detection	Maximum Detection
Soil ug/g			
VOCs			
Trifluorochloromethane	2:7	0.017	0.03
Toluene	1:7	0.00086	0.00086
SVOCs			
Diethyl phthalate	1:2	0.27	0.27
PCBs	0:1	–	–
Inorganics			
Lead	3:4	0.426	0.755
Miscellaneous			
Total Organic Carbon	0:3	–	–
Total Petroleum Hydrocarbons	0:4	–	–
Aqueous ug/L			
VOCs			
Acetone	1:9	18	18
Chloroform	1:9	0.73	0.73
SVOCs			
Bis(2-ethylhexyl)phthalate	2:5	5.1	6.2
Inorganics	0:2	–	–
Miscellaneous			
Alkalinity	0:2	–	–
Bicarbonate	0:3	–	–
Hardness	0:1	–	–
Total Petroleum Hydrocarbons	0:3	–	–
Total Suspended Solids	0:3	–	–

Notes:
ug/L = Microgram per liter
ug/g = Microgram per gram
VOCs = Volatile Organic Compounds
SVOCs = Semivolatile Organic Compounds
– = No detections above associated CRL
PCBs = Polychlorinated Biphenyls

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	DYYA	111TCE	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.5	UGL	TRP-93-057
	DYYA	112TCE	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	1.2	UGL	TRP-93-057
	DYYA	11DCE	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.5	UGL	TRP-93-057
	DYYA	11DCLE	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.68	UGL	TRP-93-057
	DYYA	12DCE	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.5	UGL	TRP-93-057
	DYYA	12DCLE	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.5	UGL	TRP-93-057
	DYYA	12DCLP	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.5	UGL	TRP-93-057
	DYYA	2CLEVE	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.71	UGL	TRP-93-057
	DYYA	ACET	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	13	UGL	TRP-93-057
	DYYA	ACROLN	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	100	UGL	TRP-93-057
	DYYA	ACRYLO	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	100	UGL	TRP-93-057
	DYYA	BRDCLM	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.59	UGL	TRP-93-057
	DYYA	C13DCP	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.58	UGL	TRP-93-057
	DYYA	C2AVE	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	8.3	UGL	TRP-93-057
	DYYA	C2H3CL	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	2.6	UGL	TRP-93-057
	DYYA	C2H5CL	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	1.9	UGL	TRP-93-057
	DYYA	C6H6	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.5	UGL	TRP-93-057
	DYYA	CCL3F	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	1.4	UGL	TRP-93-057
	DYYA	CCL4	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.58	UGL	TRP-93-057
	DYYA	CH2CL2	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	2.3	UGL	TRP-93-057
	DYYA	CH3BR	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	5.8	UGL	TRP-93-057
	DYYA	CH3CL	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	3.2	UGL	TRP-93-057
	DYYA	CHBR3	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	2.6	UGL	TRP-93-057
	DYYA	CHCL3	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93		.61	UGL	TRP-93-057
	DYYA	CL2BZ	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	10	UGL	TRP-93-057
	DYYA	CLC6H5	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.5	UGL	TRP-93-057
	DYYA	CS2	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.5	UGL	TRP-93-057
	DYYA	DBRCLM	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.67	UGL	TRP-93-057
	DYYA	ETC6H5	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.5	UGL	TRP-93-057
	DYYA	MEC6H5	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.5	UGL	TRP-93-057
	DYYA	MEK	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	6.4	UGL	TRP-93-057
	DYYA	MIBK	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	3	UGL	TRP-93-057
	DYYA	MNBK	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	3.6	UGL	TRP-93-057

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	DYYA	STYR	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.5	UGL	TRP-93-057
	DYYA	T13DCP	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.7	UGL	TRP-93-057
	DYYA	TCLEA	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.51	UGL	TRP-93-057
	DYYA	TCLEE	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	1.6	UGL	TRP-93-057
	DYYA	TRCLE	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.5	UGL	TRP-93-057
	DYYA	XYLEN	DVTRP057	DVTRP*57	04-JUN-93	11-JUN-93	11-JUN-93	<	.84	UGL	TRP-93-057
	DYZA	111TCE	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-054
	DYZA	111TCE	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-055
	DYZA	112TCE	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	1.2	UGL	TRP-93-054
	DYZA	112TCE	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	1.2	UGL	TRP-93-055
	DYZA	11DCE	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-054
	DYZA	11DCE	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-055
	DYZA	11DCLE	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.68	UGL	TRP-93-054
	DYZA	11DCLE	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.68	UGL	TRP-93-055
	DYZA	12DCE	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-054
	DYZA	12DCE	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-055
	DYZA	12DCLE	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-054
	DYZA	12DCLE	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-055
	DYZA	12DCLP	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-054
	DYZA	12DCLP	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-055
	DYZA	2CLEVE	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.71	UGL	TRP-93-054
	DYZA	2CLEVE	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.71	UGL	TRP-93-055
	DYZA	ACET	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	13	UGL	TRP-93-054
	DYZA	ACET	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	13	UGL	TRP-93-055
	DYZA	ACROLN	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	100	UGL	TRP-93-054
	DYZA	ACROLN	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	100	UGL	TRP-93-055
	DYZA	ACRYLO	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	100	UGL	TRP-93-054
	DYZA	ACRYLO	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	100	UGL	TRP-93-055
	DYZA	BRDCLM	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.59	UGL	TRP-93-054
	DYZA	BRDCLM	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.59	UGL	TRP-93-055
	DYZA	C13DCP	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.58	UGL	TRP-93-054
	DYZA	C13DCP	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.58	UGL	TRP-93-055
	DYZA	C2AVE	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	8.3	UGL	TRP-93-054

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	DYZA	C2AVE	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	8.3	UGL	TRP-93-055
	DYZA	C2H3CL	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	2.6	UGL	TRP-93-054
	DYZA	C2H3CL	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	2.6	UGL	TRP-93-055
	DYZA	C2H5CL	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	1.9	UGL	TRP-93-054
	DYZA	C2H5CL	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	1.9	UGL	TRP-93-055
	DYZA	C6H6	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-054
	DYZA	C6H6	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-055
	DYZA	CCL3F	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	1.4	UGL	TRP-93-054
	DYZA	CCL3F	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	1.4	UGL	TRP-93-055
	DYZA	CCL4	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.58	UGL	TRP-93-054
	DYZA	CCL4	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.58	UGL	TRP-93-055
	DYZA	CH2CL2	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	2.3	UGL	TRP-93-054
	DYZA	CH2CL2	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	2.3	UGL	TRP-93-055
	DYZA	CH3BR	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	5.8	UGL	TRP-93-054
	DYZA	CH3BR	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	5.8	UGL	TRP-93-055
	DYZA	CH3CL	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	3.2	UGL	TRP-93-054
	DYZA	CH3CL	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	3.2	UGL	TRP-93-055
	DYZA	CHBR3	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	2.6	UGL	TRP-93-054
	DYZA	CHBR3	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	2.6	UGL	TRP-93-055
	DYZA	CHCL3	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-054
	DYZA	CHCL3	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-055
	DYZA	CL2BZ	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	10	UGL	TRP-93-054
	DYZA	CL2BZ	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	10	UGL	TRP-93-055
	DYZA	CLC6H5	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-054
	DYZA	CLC6H5	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-055
	DYZA	CS2	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-054
	DYZA	CS2	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-055
	DYZA	DBRCLM	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.67	UGL	TRP-93-054
	DYZA	DBRCLM	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.67	UGL	TRP-93-055
	DYZA	ETC6H5	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-054
	DYZA	ETC6H5	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-055
	DYZA	MEC6H5	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-054
	DYZA	MEC6H5	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-055

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	DYZA	MEK	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	6.4	UGL	TRP-93-054
	DYZA	MEK	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	6.4	UGL	TRP-93-055
	DYZA	MIBK	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	3	UGL	TRP-93-054
	DYZA	MIBK	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	3	UGL	TRP-93-055
	DYZA	MNBK	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	3.6	UGL	TRP-93-054
	DYZA	MNBK	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	3.6	UGL	TRP-93-055
	DYZA	STYR	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-054
	DYZA	STYR	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-055
	DYZA	T13DCP	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.7	UGL	TRP-93-054
	DYZA	T13DCP	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.7	UGL	TRP-93-055
	DYZA	TCLEA	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.51	UGL	TRP-93-054
	DYZA	TCLEA	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.51	UGL	TRP-93-055
	DYZA	TCLEE	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	1.6	UGL	TRP-93-054
	DYZA	TCLEE	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	1.6	UGL	TRP-93-055
	DYZA	TRCLE	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-054
	DYZA	TRCLE	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.5	UGL	TRP-93-055
	DYZA	XYLEN	TRP93054	DVTRP*54	02-JUN-93	10-JUN-93	10-JUN-93	<	.84	UGL	TRP-93-054
	DYZA	XYLEN	TRP93055	DVTRP*55	03-JUN-93	10-JUN-93	10-JUN-93	<	.84	UGL	TRP-93-055
	FGEA	111TCE	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.5	UGL	TRP-93-058
	FGEA	112TCE	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	1.2	UGL	TRP-93-058
	FGEA	11DCE	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.5	UGL	TRP-93-058
	FGEA	11DCLE	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.68	UGL	TRP-93-058
	FGEA	12DCE	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.5	UGL	TRP-93-058
	FGEA	12DCLE	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.5	UGL	TRP-93-058
	FGEA	12DCLP	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.5	UGL	TRP-93-058
	FGEA	2CLEVE	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.71	UGL	TRP-93-058
	FGEA	ACET	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	13	UGL	TRP-93-058
	FGEA	ACROLN	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	100	UGL	TRP-93-058
	FGEA	ACRYLO	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	100	UGL	TRP-93-058
	FGEA	BRDCLM	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.59	UGL	TRP-93-058
	FGEA	C13DCP	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.58	UGL	TRP-93-058
	FGEA	C2AVE	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	8.3	UGL	TRP-93-058
	FGEA	C2H3CL	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	2.6	UGL	TRP-93-058

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	FGEA	C2H5CL	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	1.9	UGL	TRP-93-058
	FGEA	C6H6	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.5	UGL	TRP-93-058
	FGEA	CCL3F	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93		2.7	UGL	TRP-93-058
	FGEA	CCL4	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.58	UGL	TRP-93-058
	FGEA	CH2CL2	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	2.3	UGL	TRP-93-058
	FGEA	CH3BR	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	5.8	UGL	TRP-93-058
	FGEA	CH3CL	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	3.2	UGL	TRP-93-058
	FGEA	CHBR3	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	2.6	UGL	TRP-93-058
	FGEA	CHCL3	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.5	UGL	TRP-93-058
	FGEA	CL2BZ	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	10	UGL	TRP-93-058
	FGEA	CLC6H5	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.5	UGL	TRP-93-058
	FGEA	CS2	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.5	UGL	TRP-93-058
	FGEA	DBRCLM	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.67	UGL	TRP-93-058
	FGEA	ETC6H5	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.5	UGL	TRP-93-058
	FGEA	MEC6H5	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.5	UGL	TRP-93-058
	FGEA	MEK	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	6.4	UGL	TRP-93-058
	FGEA	MIBK	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	3	UGL	TRP-93-058
	FGEA	MNBK	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	3.6	UGL	TRP-93-058
	FGEA	STYR	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.5	UGL	TRP-93-058
	FGEA	T13DCP	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.7	UGL	TRP-93-058
	FGEA	TCLEA	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.51	UGL	TRP-93-058
	FGEA	TCLEE	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	1.6	UGL	TRP-93-058
	FGEA	TRCLE	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.5	UGL	TRP-93-058
	FGEA	XYLEN	DVTRP058	DVTRP*58	24-JUN-93	28-JUN-93	28-JUN-93	<	.84	UGL	TRP-93-058
	FGGA	111TCE	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.5	UGL	TRP-93-059
	FGGA	112TCE	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	1.2	UGL	TRP-93-059
	FGGA	11DCE	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.5	UGL	TRP-93-059
	FGGA	11DCLE	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.68	UGL	TRP-93-059
	FGGA	12DCE	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.5	UGL	TRP-93-059
	FGGA	12DCLE	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.5	UGL	TRP-93-059
	FGGA	12DCLP	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.5	UGL	TRP-93-059
	FGGA	2CLEVE	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.71	UGL	TRP-93-059
	FGGA	ACET	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	13	UGL	TRP-93-059

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	FGGA	ACROLN	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	100	UGL	TRP-93-059
	FGGA	ACRYLO	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	100	UGL	TRP-93-059
	FGGA	BRDCLM	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.59	UGL	TRP-93-059
	FGGA	C13DCP	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.58	UGL	TRP-93-059
	FGGA	C2AVE	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	8.3	UGL	TRP-93-059
	FGGA	C2H3CL	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	2.6	UGL	TRP-93-059
	FGGA	C2H5CL	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	1.9	UGL	TRP-93-059
	FGGA	C6H6	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.5	UGL	TRP-93-059
	FGGA	CCL3F	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93		1.9	UGL	TRP-93-059
	FGGA	CCL4	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.58	UGL	TRP-93-059
	FGGA	CH2CL2	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	2.3	UGL	TRP-93-059
	FGGA	CH3BR	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	5.8	UGL	TRP-93-059
	FGGA	CH3CL	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	3.2	UGL	TRP-93-059
	FGGA	CHBR3	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	2.6	UGL	TRP-93-059
	FGGA	CHCL3	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.5	UGL	TRP-93-059
	FGGA	CL2BZ	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	10	UGL	TRP-93-059
	FGGA	CLC6H5	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.5	UGL	TRP-93-059
	FGGA	CS2	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.5	UGL	TRP-93-059
	FGGA	DBRCLM	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.67	UGL	TRP-93-059
	FGGA	ETC6H5	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.5	UGL	TRP-93-059
	FGGA	MEC6H5	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.5	UGL	TRP-93-059
	FGGA	MEK	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	6.4	UGL	TRP-93-059
	FGGA	MIBK	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	3	UGL	TRP-93-059
	FGGA	MNBK	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	3.6	UGL	TRP-93-059
	FGGA	STYR	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.5	UGL	TRP-93-059
	FGGA	T13DCP	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.7	UGL	TRP-93-059
	FGGA	TCLEA	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.51	UGL	TRP-93-059
	FGGA	TCLEE	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	1.6	UGL	TRP-93-059
	FGGA	TRCLE	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.5	UGL	TRP-93-059
	FGGA	XYLEN	DVTRP059	DVTRP*59	25-JUN-93	30-JUN-93	30-JUN-93	<	.84	UGL	TRP-93-059
	ICFA	111TCE	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-141
	ICFA	111TCE	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-651
	ICFA	111TCE	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-648

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	ICFA	112TCE	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	1.2	UGL	TRP-93-141
	ICFA	112TCE	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	1.2	UGL	TRP-93-651
	ICFA	112TCE	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	1.2	UGL	TRP-93-648
	ICFA	11DCE	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-141
	ICFA	11DCE	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-651
	ICFA	11DCE	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-648
	ICFA	11DCLE	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.68	UGL	TRP-93-141
	ICFA	11DCLE	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.68	UGL	TRP-93-651
	ICFA	11DCLE	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.68	UGL	TRP-93-648
	ICFA	12DCE	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-141
	ICFA	12DCE	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-651
	ICFA	12DCE	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-648
	ICFA	12DCLE	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-141
	ICFA	12DCLE	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-651
	ICFA	12DCLE	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-648
	ICFA	12DCLP	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-141
	ICFA	12DCLP	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-651
	ICFA	12DCLP	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-648
	ICFA	2CLEVE	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.71	UGL	TRP-93-141
	ICFA	2CLEVE	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.71	UGL	TRP-93-651
	ICFA	2CLEVE	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.71	UGL	TRP-93-648
	ICFA	ACET	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	13	UGL	TRP-93-141
	ICFA	ACET	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	13	UGL	TRP-93-651
	ICFA	ACET	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	13	UGL	TRP-93-648
	ICFA	ACROLN	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	100	UGL	TRP-93-141
	ICFA	ACROLN	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	100	UGL	TRP-93-651
	ICFA	ACROLN	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	100	UGL	TRP-93-648
	ICFA	ACRYLO	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	100	UGL	TRP-93-141
	ICFA	ACRYLO	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	100	UGL	TRP-93-651
	ICFA	ACRYLO	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	100	UGL	TRP-93-648
	ICFA	BRDCLM	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.59	UGL	TRP-93-141
	ICFA	BRDCLM	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.59	UGL	TRP-93-651
	ICFA	BRDCLM	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.59	UGL	TRP-93-648

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	ICFA	C13DCP	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.58	UGL	TRP-93-141
	ICFA	C13DCP	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.58	UGL	TRP-93-651
	ICFA	C13DCP	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.58	UGL	TRP-93-648
	ICFA	C2AVE	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	8.3	UGL	TRP-93-141
	ICFA	C2AVE	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	8.3	UGL	TRP-93-651
	ICFA	C2AVE	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	8.3	UGL	TRP-93-648
	ICFA	C2H3CL	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	2.6	UGL	TRP-93-141
	ICFA	C2H3CL	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	2.6	UGL	TRP-93-651
	ICFA	C2H3CL	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	2.6	UGL	TRP-93-648
	ICFA	C2H5CL	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	1.9	UGL	TRP-93-141
	ICFA	C2H5CL	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	1.9	UGL	TRP-93-651
	ICFA	C2H5CL	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	1.9	UGL	TRP-93-648
	ICFA	C6H6	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-141
	ICFA	C6H6	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-651
	ICFA	C6H6	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-648
	ICFA	CCL3F	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	1.4	UGL	TRP-93-141
	ICFA	CCL3F	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	1.4	UGL	TRP-93-651
	ICFA	CCL3F	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	1.4	UGL	TRP-93-648
	ICFA	CCL4	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.58	UGL	TRP-93-141
	ICFA	CCL4	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.58	UGL	TRP-93-651
	ICFA	CCL4	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.58	UGL	TRP-93-648
	ICFA	CH2CL2	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93		13	UGL	TRP-93-141
	ICFA	CH2CL2	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93		9.4	UGL	TRP-93-651
	ICFA	CH2CL2	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93		2.8	UGL	TRP-93-648
	ICFA	CH3BR	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	5.8	UGL	TRP-93-141
	ICFA	CH3BR	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	5.8	UGL	TRP-93-651
	ICFA	CH3BR	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	5.8	UGL	TRP-93-648
	ICFA	CH3CL	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	3.2	UGL	TRP-93-141
	ICFA	CH3CL	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	3.2	UGL	TRP-93-651
	ICFA	CH3CL	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	3.2	UGL	TRP-93-648
	ICFA	CHBR3	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	2.6	UGL	TRP-93-141
	ICFA	CHBR3	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	2.6	UGL	TRP-93-651
	ICFA	CHBR3	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	2.6	UGL	TRP-93-648

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	ICFA	CHCL3	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-141
	ICFA	CHCL3	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-651
	ICFA	CHCL3	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-648
	ICFA	CL2BZ	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	10	UGL	TRP-93-141
	ICFA	CL2BZ	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	10	UGL	TRP-93-651
	ICFA	CL2BZ	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	10	UGL	TRP-93-648
	ICFA	CLC6H5	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-141
	ICFA	CLC6H5	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-651
	ICFA	CLC6H5	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-648
	ICFA	CS2	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-141
	ICFA	CS2	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-651
	ICFA	CS2	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-648
	ICFA	DBRCLM	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.67	UGL	TRP-93-141
	ICFA	DBRCLM	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.67	UGL	TRP-93-651
	ICFA	DBRCLM	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.67	UGL	TRP-93-648
	ICFA	ETC6H5	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-141
	ICFA	ETC6H5	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-651
	ICFA	ETC6H5	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-648
	ICFA	MEC6H5	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-141
	ICFA	MEC6H5	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-651
	ICFA	MEC6H5	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-648
	ICFA	MEK	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	6.4	UGL	TRP-93-141
	ICFA	MEK	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	6.4	UGL	TRP-93-651
	ICFA	MEK	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	6.4	UGL	TRP-93-648
	ICFA	MIBK	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	3	UGL	TRP-93-141
	ICFA	MIBK	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	3	UGL	TRP-93-651
	ICFA	MIBK	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	3	UGL	TRP-93-648
	ICFA	MNBK	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	3.6	UGL	TRP-93-141
	ICFA	MNBK	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	3.6	UGL	TRP-93-651
	ICFA	MNBK	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	3.6	UGL	TRP-93-648
	ICFA	STYR	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-141
	ICFA	STYR	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-651
	ICFA	STYR	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-648

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	ICFA	T13DCP	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.7	UGL	TRP-93-141
	ICFA	T13DCP	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.7	UGL	TRP-93-651
	ICFA	T13DCP	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.7	UGL	TRP-93-648
	ICFA	TCLEA	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.51	UGL	TRP-93-141
	ICFA	TCLEA	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.51	UGL	TRP-93-651
	ICFA	TCLEA	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.51	UGL	TRP-93-648
	ICFA	TCLEE	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	1.6	UGL	TRP-93-141
	ICFA	TCLEE	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	1.6	UGL	TRP-93-651
	ICFA	TCLEE	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	1.6	UGL	TRP-93-648
	ICFA	TRCLE	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-141
	ICFA	TRCLE	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-651
	ICFA	TRCLE	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.5	UGL	TRP-93-648
	ICFA	XYLEN	DVTRP141	VTRP*154	23-SEP-93	27-SEP-93	27-SEP-93	<	.84	UGL	TRP-93-141
	ICFA	XYLEN	DVTRP147	VTRP*156	24-SEP-93	27-SEP-93	27-SEP-93	<	.84	UGL	TRP-93-651
	ICFA	XYLEN	DVTRP153	VTRP*153	22-SEP-93	27-SEP-93	27-SEP-93	<	.84	UGL	TRP-93-648
	XDDE	111TCE	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.5	UGL	TRP-94-791
	XDDE	112TCE	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	1.2	UGL	TRP-94-791
	XDDE	11DCE	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.5	UGL	TRP-94-791
	XDDE	11DCLE	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.68	UGL	TRP-94-791
	XDDE	12DCE	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.5	UGL	TRP-94-791
	XDDE	12DCLE	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.5	UGL	TRP-94-791
	XDDE	12DCLP	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.5	UGL	TRP-94-791
	XDDE	2CLEVE	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.71	UGL	TRP-94-791
	XDDE	ACET	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	13	UGL	TRP-94-791
	XDDE	ACROLN	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	100	UGL	TRP-94-791
	XDDE	ACRYLO	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	100	UGL	TRP-94-791
	XDDE	BRDCLM	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.59	UGL	TRP-94-791
	XDDE	C13DCP	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.58	UGL	TRP-94-791
	XDDE	C2AVE	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	8.3	UGL	TRP-94-791
	XDDE	C2H3CL	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	2.6	UGL	TRP-94-791
	XDDE	C2H5CL	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	1.9	UGL	TRP-94-791
	XDDE	C6H6	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.5	UGL	TRP-94-791
	XDDE	CCL3F	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	1.4	UGL	TRP-94-791

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	XDDE	CCL4	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.58	UGL	TRP-94-791
	XDDE	CH2CL2	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	2.3	UGL	TRP-94-791
	XDDE	CH3BR	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	5.8	UGL	TRP-94-791
	XDDE	CH3CL	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	3.2	UGL	TRP-94-791
	XDDE	CHBR3	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	2.6	UGL	TRP-94-791
	XDDE	CHCL3	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.5	UGL	TRP-94-791
	XDDE	CL2BZ	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	10	UGL	TRP-94-791
	XDDE	CLC6H5	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.5	UGL	TRP-94-791
	XDDE	CS2	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.5	UGL	TRP-94-791
	XDDE	DBRCLM	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.67	UGL	TRP-94-791
	XDDE	ETC6H5	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.5	UGL	TRP-94-791
	XDDE	MEC6H5	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.5	UGL	TRP-94-791
	XDDE	MEK	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	6.4	UGL	TRP-94-791
	XDDE	MIBK	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	3	UGL	TRP-94-791
	XDDE	MNBK	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	3.6	UGL	TRP-94-791
	XDDE	STYR	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.5	UGL	TRP-94-791
	XDDE	T13DCP	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.7	UGL	TRP-94-791
	XDDE	TCLEA	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.51	UGL	TRP-94-791
	XDDE	TCLEE	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	1.6	UGL	TRP-94-791
	XDDE	TRCLE	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.5	UGL	TRP-94-791
	XDDE	XYLEN	DVTRP791	DV3W*791	12-AUG-94	19-AUG-94	19-AUG-94	<	.84	UGL	TRP-94-791
	XDEE	111TCE	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.5	UGL	TRP-94-792
	XDEE	112TCE	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	1.2	UGL	TRP-94-792
	XDEE	11DCE	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.5	UGL	TRP-94-792
	XDEE	11DCLE	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.68	UGL	TRP-94-792
	XDEE	12DCE	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.5	UGL	TRP-94-792
	XDEE	12DCLE	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.5	UGL	TRP-94-792
	XDEE	12DCLP	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.5	UGL	TRP-94-792
	XDEE	2CLEVE	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.71	UGL	TRP-94-792
	XDEE	ACET	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	13	UGL	TRP-94-792
	XDEE	ACROLN	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	100	UGL	TRP-94-792
	XDEE	ACRYLO	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	100	UGL	TRP-94-792
	XDEE	BRDCLM	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.59	UGL	TRP-94-792

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	XDEE	C13DCP	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.58	UGL	TRP-94-792
	XDEE	C2AVE	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	8.3	UGL	TRP-94-792
	XDEE	C2H3CL	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	2.6	UGL	TRP-94-792
	XDEE	C2H5CL	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	1.9	UGL	TRP-94-792
	XDEE	C6H6	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.5	UGL	TRP-94-792
	XDEE	CCL3F	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	1.4	UGL	TRP-94-792
	XDEE	CCL4	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.58	UGL	TRP-94-792
	XDEE	CH2CL2	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	2.3	UGL	TRP-94-792
	XDEE	CH3BR	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	5.8	UGL	TRP-94-792
	XDEE	CH3CL	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	3.2	UGL	TRP-94-792
	XDEE	CHBR3	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	2.6	UGL	TRP-94-792
	XDEE	CHCL3	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.5	UGL	TRP-94-792
	XDEE	CL2BZ	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	10	UGL	TRP-94-792
	XDEE	CLC6H5	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.5	UGL	TRP-94-792
	XDEE	CS2	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.5	UGL	TRP-94-792
	XDEE	DBRCLM	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.67	UGL	TRP-94-792
	XDEE	ETC6H5	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.5	UGL	TRP-94-792
	XDEE	MEC6H5	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.5	UGL	TRP-94-792
	XDEE	MEK	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	6.4	UGL	TRP-94-792
	XDEE	MIBK	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	3	UGL	TRP-94-792
	XDEE	MNBK	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	3.6	UGL	TRP-94-792
	XDEE	STYR	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.5	UGL	TRP-94-792
	XDEE	T13DCP	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.7	UGL	TRP-94-792
	XDEE	TCLEA	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.51	UGL	TRP-94-792
	XDEE	TCLEE	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	1.6	UGL	TRP-94-792
	XDEE	TRCLE	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.5	UGL	TRP-94-792
	XDEE	XYLEN	DV3W*792	DV3W*792	18-AUG-94	31-AUG-94	31-AUG-94	<	.84	UGL	TRP-94-792
	XDRG	111TCE	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.5	UGL	TRP-95-757
	XDRG	112TCE	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	1.2	UGL	TRP-95-757
	XDRG	11DCE	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.5	UGL	TRP-95-757
	XDRG	11DCLE	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.68	UGL	TRP-95-757
	XDRG	12DCE	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.5	UGL	TRP-95-757
	XDRG	12DCLE	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.5	UGL	TRP-95-757

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	XDRG	12DCLP	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.5	UGL	TRP-95-757
	XDRG	2CLEVE	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.71	UGL	TRP-95-757
	XDRG	ACET	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	13	UGL	TRP-95-757
	XDRG	ACROLN	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	100	UGL	TRP-95-757
	XDRG	ACRYLO	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	100	UGL	TRP-95-757
	XDRG	BRDCLM	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.59	UGL	TRP-95-757
	XDRG	C13DCP	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.58	UGL	TRP-95-757
	XDRG	C2AVE	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	8.3	UGL	TRP-95-757
	XDRG	C2H3CL	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	2.6	UGL	TRP-95-757
	XDRG	C2H5CL	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	1.9	UGL	TRP-95-757
	XDRG	C6H6	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.5	UGL	TRP-95-757
	XDRG	CCL3F	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	1.4	UGL	TRP-95-757
	XDRG	CCL4	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.58	UGL	TRP-95-757
	XDRG	CH2CL2	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	2.3	UGL	TRP-95-757
	XDRG	CH3BR	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	5.8	UGL	TRP-95-757
	XDRG	CH3CL	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	3.2	UGL	TRP-95-757
	XDRG	CHBR3	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	2.6	UGL	TRP-95-757
	XDRG	CHCL3	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.5	UGL	TRP-95-757
	XDRG	CL2BZ	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	10	UGL	TRP-95-757
	XDRG	CLC6H5	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.5	UGL	TRP-95-757
	XDRG	CS2	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.5	UGL	TRP-95-757
	XDRG	DBRCLM	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.67	UGL	TRP-95-757
	XDRG	ETC6H5	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.5	UGL	TRP-95-757
	XDRG	MEC6H5	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.5	UGL	TRP-95-757
	XDRG	MEK	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	6.4	UGL	TRP-95-757
	XDRG	MIBK	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	3	UGL	TRP-95-757
	XDRG	MNBK	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	3.6	UGL	TRP-95-757
	XDRG	STYR	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.5	UGL	TRP-95-757
	XDRG	T13DCP	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.7	UGL	TRP-95-757
	XDRG	TCLEA	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.51	UGL	TRP-95-757
	XDRG	TCLEE	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	1.6	UGL	TRP-95-757
	XDRG	TRCLE	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.5	UGL	TRP-95-757
	XDRG	XYLEN	DVTRP757	DV3W*757	06-FEB-95	08-FEB-95	08-FEB-95	<	.84	UGL	TRP-95-757

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	XDVE	111TCE	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.5	UGL	TRP-94-212
	XDVE	112TCE	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	1.2	UGL	TRP-94-212
	XDVE	11DCE	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.5	UGL	TRP-94-212
	XDVE	11DCLE	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.68	UGL	TRP-94-212
	XDVE	12DCE	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.5	UGL	TRP-94-212
	XDVE	12DCLE	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.5	UGL	TRP-94-212
	XDVE	12DCLP	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.5	UGL	TRP-94-212
	XDVE	2CLEVE	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.71	UGL	TRP-94-212
	XDVE	ACET	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	13	UGL	TRP-94-212
	XDVE	ACROLN	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	100	UGL	TRP-94-212
	XDVE	ACRYLO	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	100	UGL	TRP-94-212
	XDVE	BRDCLM	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.59	UGL	TRP-94-212
	XDVE	C13DCP	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.58	UGL	TRP-94-212
	XDVE	C2AVE	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	8.3	UGL	TRP-94-212
	XDVE	C2H3CL	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	2.6	UGL	TRP-94-212
	XDVE	C2H5CL	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	1.9	UGL	TRP-94-212
	XDVE	C6H6	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.5	UGL	TRP-94-212
	XDVE	CCL3F	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	1.4	UGL	TRP-94-212
	XDVE	CCL4	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.58	UGL	TRP-94-212
	XDVE	CH2CL2	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	2.3	UGL	TRP-94-212
	XDVE	CH3BR	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	5.8	UGL	TRP-94-212
	XDVE	CH3CL	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	3.2	UGL	TRP-94-212
	XDVE	CHBR3	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	2.6	UGL	TRP-94-212
	XDVE	CHCL3	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.5	UGL	TRP-94-212
	XDVE	CL2BZ	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	10	UGL	TRP-94-212
	XDVE	CLC6H5	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.5	UGL	TRP-94-212
	XDVE	CS2	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.5	UGL	TRP-94-212
	XDVE	DBRCLM	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.67	UGL	TRP-94-212
	XDVE	ETC6H5	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.5	UGL	TRP-94-212
	XDVE	MEC6H5	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94		.68	UGL	TRP-94-212
	XDVE	MEK	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	6.4	UGL	TRP-94-212
	XDVE	MIBK	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	3	UGL	TRP-94-212
	XDVE	MNBK	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	3.6	UGL	TRP-94-212

Table FS-3
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups: 3, 5 and 6

TRIP BLANKS

USATHAMA Method Code	Lot	Test Name	IRDMIS Field Sample Number	Lab Number	Sample Date	Prep Date	Analysis Date	<	Value	Units	IRDMIS Site ID
UM20	XDVE	STYR	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.5	UGL	TRP-94-212
	XDVE	T13DCP	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.7	UGL	TRP-94-212
	XDVE	TCLEA	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.51	UGL	TRP-94-212
	XDVE	TCLEE	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	1.6	UGL	TRP-94-212
	XDVE	TRCLE	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.5	UGL	TRP-94-212
	XDVE	XYLEN	DVTRP212	DV3W*754	06-OCT-94	10-OCT-94	10-OCT-94	<	.84	UGL	TRP-94-212

TABLE FS-4
SUMMARY OF ANALYTES DETECTED IN QUALITY CONTROL SAMPLES
SUPPLEMENTAL SITE INVESTIGATION
GROUPS 3,5 & 6
FORT DEVENS, MASSACHUSETTS

TRIP BLANKS

Analysis	Frequency of Detection	Minimum Detection	Maximum Detection
VOCs			
Trifluorochloromethane	2:14	1.9	2.7
Methylene Chloride	3:14	2.8	13
Chloroform	1:14	0.6	0.6
Toluene	2:14	0.7	0.7

Notes:
VOCs = Volatile Organic Compounds
All results ug/L

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
	00	SBK93123	HARD	FDPA	24-JUN-93	0		38000	UGL	SBK-93-123	DV3W*641
		SBK93123	HARD	FDPA	24-JUN-93	0		38000	UGL	SBK-93-123	DV3W*641
		SBK93118	TOC	EOZA	03-JUN-93	0	<	1000	UGL	SBK-93-118	DV3W*599
		SBK93123	TPHC	FDUA	24-JUN-93	0	<	180	UGL	SBK-93-123	DV3W*641
		SBK93123	TPHC	FDUA	24-JUN-93	0	<	180	UGL	SBK-93-123	DV3W*641
		SBK93119	TPHC	FDNA	03-JUN-93	0	<	178	UGL	SBK-93-119	DV3W*600
		SBK93118	TPHC	FDNA	03-JUN-93	0	<	171	UGL	SBK-93-118	DV3W*599
		SBK93123	TSS	FDXA	24-JUN-93	0	<	4000	UGL	SBK-93-123	DV3W*641
		SBK93123	TSS	FDXA	24-JUN-93	0	<	4000	UGL	SBK-93-123	DV3W*641
	99	SBK93123	HCO3	FVYA	24-JUN-93	0		6100	UGL	SBK-93-123	DV3W*641
		SBK93123	HCO3	FVYA	24-JUN-93	0		6100	UGL	SBK-93-123	DV3W*641
HG IN WATER BY CVAA	SB01	SBK93121	HG	DOUA	03-JUN-93	0	<	.243	UGL	SBK-93-121	DV3W*602
HG IN WATER BY CVAA		SBK93120	HG	DOUA	03-JUN-93	0	<	.243	UGL	SBK-93-120	DV3W*601
HG IN WATER BY CVAA		SBK93119	HG	DOUA	03-JUN-93	0	<	.243	UGL	SBK-93-119	DV3W*600
HG IN WATER BY CVAA		SBK93124	HG	IEDA	23-SEP-93	0	<	.243	UGL	SBK-93-124	DV3W*649
HG IN WATER BY CVAA		SBK93120	HG	DOUA	03-JUN-93	0	<	.243	UGL	SBK-93-120	DV3W*601
HG IN WATER BY CVAA		SBK93121	HG	DOUA	03-JUN-93	0	<	.243	UGL	SBK-93-121	DV3W*602
HG IN WATER BY CVAA		SBK93124	HG	IEDA	23-SEP-93	0	<	.243	UGL	SBK-93-124	DV3W*649
HG IN WATER BY CVAA		SBK93123	HG	FQBA	24-JUN-93	0	<	.243	UGL	SBK-93-123	DV3W*641
HG IN WATER BY CVAA		DV3F*641	HG	FQBA	24-JUN-93	0	<	.243	UGL	SBK-93-123	DV3F*641
HG IN WATER BY CVAA		SBK93118	HG	DOUA	03-JUN-93	0	<	.243	UGL	SBK-93-118	DV3W*599
HG IN WATER BY CVAA		SBK93119	HG	DOUA	03-JUN-93	0	<	.243	UGL	SBK-93-119	DV3W*600
HG IN WATER BY CVAA		SBK93123	HG	FQBA	24-JUN-93	0	<	.243	UGL	SBK-93-123	DV3W*641
HG IN WATER BY CVAA		SBK93118	HG	DOUA	03-JUN-93	0	<	.243	UGL	SBK-93-118	DV3W*599
TL IN WATER BY GFAA	SD09	SBK93121	TL	DNOA	03-JUN-93	0	<	6.99	UGL	SBK-93-121	DV3W*602
TL IN WATER BY GFAA		SBK93120	TL	DNOA	03-JUN-93	0	<	6.99	UGL	SBK-93-120	DV3W*601
TL IN WATER BY GFAA		SBK93119	TL	DNOA	03-JUN-93	0	<	6.99	UGL	SBK-93-119	DV3W*600
TL IN WATER BY GFAA		SBK93118	TL	DNOA	03-JUN-93	0	<	6.99	UGL	SBK-93-118	DV3W*599
TL IN WATER BY GFAA		SBK93123	TL	DNTA	24-JUN-93	0	<	6.99	UGL	SBK-93-123	DV3W*641
TL IN WATER BY GFAA		SBK93124	TL	GWQA	23-SEP-93	0	<	6.99	UGL	SBK-93-124	DV3W*649
TL IN WATER BY GFAA		SBK93123	TL	DNTA	24-JUN-93	0	<	6.99	UGL	SBK-93-123	DV3W*641
TL IN WATER BY GFAA		DV3F*641	TL	DNTA	24-JUN-93	0	<	6.99	UGL	SBK-93-123	DV3F*641
TL IN WATER BY GFAA		SBK93118	TL	DNOA	03-JUN-93	0	<	6.99	UGL	SBK-93-118	DV3W*599
TL IN WATER BY GFAA		SBK93119	TL	DNOA	03-JUN-93	0	<	6.99	UGL	SBK-93-119	DV3W*600

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
TL IN WATER BY GFAA	SD09	SBK93120	TL	DNOA	03-JUN-93	0	<	6.99	UGL	SBK-93-120	DV3W*601
TL IN WATER BY GFAA		SBK93121	TL	DNOA	03-JUN-93	0	<	6.99	UGL	SBK-93-121	DV3W*602
TL IN WATER BY GFAA		SBK93124	TL	GWQA	23-SEP-93	0	<	6.99	UGL	SBK-93-124	DV3W*649
PB IN WATER BY GFAA	SD20	SBK93121	PB	EWBA	03-JUN-93	0	<	1.26	UGL	SBK-93-121	DV3W*602
PB IN WATER BY GFAA		SBK93124	PB	INGA	23-SEP-93	0	<	1.26	UGL	SBK-93-124	DV3W*649
PB IN WATER BY GFAA		SBK93123	PB	EWGA	24-JUN-93	0	<	1.26	UGL	SBK-93-123	DV3W*641
PB IN WATER BY GFAA		DV3F*641	PB	EWGA	24-JUN-93	0	<	1.26	UGL	SBK-93-123	DV3F*641
PB IN WATER BY GFAA		SBK93118	PB	EWBA	03-JUN-93	0	<	1.26	UGL	SBK-93-118	DV3W*599
PB IN WATER BY GFAA		SBK93119	PB	EWBA	03-JUN-93	0	<	1.26	UGL	SBK-93-119	DV3W*600
PB IN WATER BY GFAA		SBK93120	PB	EWBA	03-JUN-93	0	<	1.26	UGL	SBK-93-120	DV3W*601
PB IN WATER BY GFAA		SBK93124	PB	INGA	23-SEP-93	0	<	1.26	UGL	SBK-93-124	DV3W*649
PB IN WATER BY GFAA		SBK93118	PB	EWBA	03-JUN-93	0	<	1.26	UGL	SBK-93-118	DV3W*599
PB IN WATER BY GFAA		SBK93120	PB	EWBA	03-JUN-93	0	<	1.26	UGL	SBK-93-120	DV3W*601
PB IN WATER BY GFAA		SBK93121	PB	EWBA	03-JUN-93	0	<	1.26	UGL	SBK-93-121	DV3W*602
PB IN WATER BY GFAA		SBK93123	PB	EWGA	24-JUN-93	0	<	1.26	UGL	SBK-93-123	DV3W*641
PB IN WATER BY GFAA		SBK93119	PB	EWBA	03-JUN-93	0	<	1.26	UGL	SBK-93-119	DV3W*600
SE IN WATER BY GFAA	SD21	SBK93121	SE	EFJA	03-JUN-93	0	<	3.02	UGL	SBK-93-121	DV3W*602
SE IN WATER BY GFAA		SBK93124	SE	HNMA	23-SEP-93	0	<	3.02	UGL	SBK-93-124	DV3W*649
SE IN WATER BY GFAA		SBK93123	SE	EFOA	24-JUN-93	0	<	3.02	UGL	SBK-93-123	DV3W*641
SE IN WATER BY GFAA		DV3F*641	SE	EFOA	24-JUN-93	0	<	3.02	UGL	SBK-93-123	DV3F*641
SE IN WATER BY GFAA		SBK93118	SE	EFJA	03-JUN-93	0	<	3.02	UGL	SBK-93-118	DV3W*599
SE IN WATER BY GFAA		SBK93119	SE	EFJA	03-JUN-93	0	<	3.02	UGL	SBK-93-119	DV3W*600
SE IN WATER BY GFAA		SBK93120	SE	EFJA	03-JUN-93	0	<	3.02	UGL	SBK-93-120	DV3W*601
SE IN WATER BY GFAA		SBK93121	SE	EFJA	03-JUN-93	0	<	3.02	UGL	SBK-93-121	DV3W*602
SE IN WATER BY GFAA		SBK93124	SE	HNMA	23-SEP-93	0	<	3.02	UGL	SBK-93-124	DV3W*649
SE IN WATER BY GFAA		SBK93120	SE	EFJA	03-JUN-93	0	<	3.02	UGL	SBK-93-120	DV3W*601
SE IN WATER BY GFAA		SBK93123	SE	EFOA	24-JUN-93	0	<	3.02	UGL	SBK-93-123	DV3W*641
SE IN WATER BY GFAA		SBK93118	SE	EFJA	03-JUN-93	0	<	3.02	UGL	SBK-93-118	DV3W*599
SE IN WATER BY GFAA		SBK93119	SE	EFJA	03-JUN-93	0	<	3.02	UGL	SBK-93-119	DV3W*600
AS IN WATER BY GFAA	SD22	SBK93121	AS	ESCA	03-JUN-93	0	<	2.54	UGL	SBK-93-121	DV3W*602
AS IN WATER BY GFAA		SBK93120	AS	ESCA	03-JUN-93	0	<	2.54	UGL	SBK-93-120	DV3W*601
AS IN WATER BY GFAA		SBK93118	AS	ESCA	03-JUN-93	0	<	2.54	UGL	SBK-93-118	DV3W*599
AS IN WATER BY GFAA		SBK93124	AS	HOKA	23-SEP-93	0	<	2.54	UGL	SBK-93-124	DV3W*649
AS IN WATER BY GFAA		SBK93123	AS	ESJA	24-JUN-93	0	<	2.54	UGL	SBK-93-123	DV3W*641

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
AS IN WATER BY GFAA	SD22	DV3F*641	AS	ESJA	24-JUN-93	0	<	2.54	UGL	SBK-93-123	DV3F*641
AS IN WATER BY GFAA		SBK93118	AS	ESCA	03-JUN-93	0	<	2.54	UGL	SBK-93-118	DV3W*599
AS IN WATER BY GFAA		SBK93119	AS	ESCA	03-JUN-93	0	<	2.54	UGL	SBK-93-119	DV3W*600
AS IN WATER BY GFAA		SBK93120	AS	ESCA	03-JUN-93	0	<	2.54	UGL	SBK-93-120	DV3W*601
AS IN WATER BY GFAA		SBK93121	AS	ESCA	03-JUN-93	0	<	2.54	UGL	SBK-93-121	DV3W*602
AS IN WATER BY GFAA		SBK93124	AS	HOKA	23-SEP-93	0	<	2.54	UGL	SBK-93-124	DV3W*649
AS IN WATER BY GFAA		SBK93123	AS	ESJA	24-JUN-93	0	<	2.54	UGL	SBK-93-123	DV3W*641
AS IN WATER BY GFAA		SBK93119	AS	ESCA	03-JUN-93	0	<	2.54	UGL	SBK-93-119	DV3W*600
SB IN WATER BY GFAA	SD28	DV3F*641	SB	FRAA	24-JUN-93	0		5.89	UGL	SBK-93-123	DV3F*641
SB IN WATER BY GFAA		SBK93123	SB	FRAA	24-JUN-93	0	<	3.03	UGL	SBK-93-123	DV3W*641
SB IN WATER BY GFAA		SBK93124	SB	FRTA	23-SEP-93	0	<	3.03	UGL	SBK-93-124	DV3W*649
SB IN WATER BY GFAA		SBK93121	SB	YWW	03-JUN-93	0	<	3.03	UGL	SBK-93-121	DV3W*602
SB IN WATER BY GFAA		SBK93120	SB	YWW	03-JUN-93	0	<	3.03	UGL	SBK-93-120	DV3W*601
SB IN WATER BY GFAA		SBK93118	SB	YWW	03-JUN-93	0	<	3.03	UGL	SBK-93-118	DV3W*599
SB IN WATER BY GFAA		SBK93119	SB	YWW	03-JUN-93	0	<	3.03	UGL	SBK-93-119	DV3W*600
SB IN WATER BY GFAA		SBK93118	SB	YWW	03-JUN-93	0	<	3.03	UGL	SBK-93-118	DV3W*599
SB IN WATER BY GFAA		SBK93119	SB	YWW	03-JUN-93	0	<	3.03	UGL	SBK-93-119	DV3W*600
SB IN WATER BY GFAA		SBK93120	SB	YWW	03-JUN-93	0	<	3.03	UGL	SBK-93-120	DV3W*601
SB IN WATER BY GFAA		SBK93121	SB	YWW	03-JUN-93	0	<	3.03	UGL	SBK-93-121	DV3W*602
SB IN WATER BY GFAA		SBK93124	SB	FRTA	23-SEP-93	0	<	3.03	UGL	SBK-93-124	DV3W*649
SB IN WATER BY GFAA		SBK93123	SB	FRAA	24-JUN-93	0	<	3.03	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP	SS10	SBK93120	AG	EVBA	03-JUN-93	0	<	4.6	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93123	AG	EVHA	24-JUN-93	0	<	4.6	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93118	AG	EVBA	03-JUN-93	0	<	4.6	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		DV3F*641	AG	EVHA	24-JUN-93	0	<	4.6	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93118	AG	EVBA	03-JUN-93	0	<	4.6	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93123	AG	EVHA	24-JUN-93	0	<	4.6	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	AG	HXIA	23-SEP-93	0	<	4.6	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93124	AG	HXIA	23-SEP-93	0	<	4.6	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93119	AG	EVBA	03-JUN-93	0	<	4.6	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93119	AG	EVBA	03-JUN-93	0	<	4.6	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93121	AG	EVBA	03-JUN-93	0	<	4.6	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93120	AG	EVBA	03-JUN-93	0	<	4.6	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93121	AG	EVBA	03-JUN-93	0	<	4.6	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93120	AL	EVBA	03-JUN-93	0	<	141	UGL	SBK-93-120	DV3W*601

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
METALS IN WATER BY ICAP	SS10	SBK93118	AL	EVBA	03-JUN-93	0	<	141	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93123	AL	EVHA	24-JUN-93	0	<	141	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	AL	HXIA	23-SEP-93	0	<	141	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93118	AL	EVBA	03-JUN-93	0	<	141	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		DV3F*641	AL	EVHA	24-JUN-93	0	<	141	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93123	AL	EVHA	24-JUN-93	0	<	141	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	AL	HXIA	23-SEP-93	0	<	141	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93121	AL	EVBA	03-JUN-93	0	<	141	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93120	AL	EVBA	03-JUN-93	0	<	141	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93119	AL	EVBA	03-JUN-93	0	<	141	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93119	AL	EVBA	03-JUN-93	0	<	141	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93121	AL	EVBA	03-JUN-93	0	<	141	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93120	BA	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93119	BA	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93121	BA	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93120	BA	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93118	BA	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93123	BA	EVHA	24-JUN-93	0	<	5	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	BA	HXIA	23-SEP-93	0	<	5	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93118	BA	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		DV3F*641	BA	EVHA	24-JUN-93	0	<	5	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93123	BA	EVHA	24-JUN-93	0	<	5	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	BA	HXIA	23-SEP-93	0	<	5	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93121	BA	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93119	BA	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93120	BE	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93118	BE	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		DV3F*641	BE	EVHA	24-JUN-93	0	<	5	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93121	BE	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93118	BE	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93123	BE	EVHA	24-JUN-93	0	<	5	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	BE	HXIA	23-SEP-93	0	<	5	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93123	BE	EVHA	24-JUN-93	0	<	5	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93121	BE	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93124	BE	HXIA	23-SEP-93	0	<	5	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93120	BE	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93119	BE	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-119	DV3W*600

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
METALS IN WATER BY ICAP	SS10	SBK93119	BE	EVBA	03-JUN-93	0	<	5	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93121	CA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93118	CA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93123	CA	EVHA	24-JUN-93	0	<	500	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	CA	HXIA	23-SEP-93	0	<	500	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		DV3F*641	CA	EVHA	24-JUN-93	0	<	500	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93123	CA	EVHA	24-JUN-93	0	<	500	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	CA	HXIA	23-SEP-93	0	<	500	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93121	CA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93120	CA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93119	CA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93119	CA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93118	CA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93120	CA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93121	CD	EVBA	03-JUN-93	0	<	4.01	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93124	CD	HXIA	23-SEP-93	0	<	4.01	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93121	CD	EVBA	03-JUN-93	0	<	4.01	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93118	CD	EVBA	03-JUN-93	0	<	4.01	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93123	CD	EVHA	24-JUN-93	0	<	4.01	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	CD	HXIA	23-SEP-93	0	<	4.01	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		DV3F*641	CD	EVHA	24-JUN-93	0	<	4.01	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93123	CD	EVHA	24-JUN-93	0	<	4.01	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93120	CD	EVBA	03-JUN-93	0	<	4.01	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93119	CD	EVBA	03-JUN-93	0	<	4.01	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93119	CD	EVBA	03-JUN-93	0	<	4.01	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93118	CD	EVBA	03-JUN-93	0	<	4.01	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93120	CD	EVBA	03-JUN-93	0	<	4.01	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93118	CO	EVBA	03-JUN-93	0		38.2	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93118	CO	EVBA	03-JUN-93	0		38.2	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93121	CO	EVBA	03-JUN-93	0	<	25	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93123	CO	EVHA	24-JUN-93	0	<	25	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	CO	HXIA	23-SEP-93	0	<	25	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		DV3F*641	CO	EVHA	24-JUN-93	0	<	25	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93123	CO	EVHA	24-JUN-93	0	<	25	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	CO	HXIA	23-SEP-93	0	<	25	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93121	CO	EVBA	03-JUN-93	0	<	25	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93120	CO	EVBA	03-JUN-93	0	<	25	UGL	SBK-93-120	DV3W*601

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
METALS IN WATER BY ICAP	SS10	SBK93119	CO	EVBA	03-JUN-93	0	<	25	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93120	CO	EVBA	03-JUN-93	0	<	25	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93119	CO	EVBA	03-JUN-93	0	<	25	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93118	CR	EVBA	03-JUN-93	0		8.78	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93118	CR	EVBA	03-JUN-93	0		8.78	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93119	CR	EVBA	03-JUN-93	0	<	6.02	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93124	CR	HXIA	23-SEP-93	0	<	6.02	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93121	CR	EVBA	03-JUN-93	0	<	6.02	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93121	CR	EVBA	03-JUN-93	0	<	6.02	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93123	CR	EVHA	24-JUN-93	0	<	6.02	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	CR	HXIA	23-SEP-93	0	<	6.02	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		DV3F*641	CR	EVHA	24-JUN-93	0	<	6.02	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93123	CR	EVHA	24-JUN-93	0	<	6.02	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93120	CR	EVBA	03-JUN-93	0	<	6.02	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93120	CR	EVBA	03-JUN-93	0	<	6.02	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93119	CR	EVBA	03-JUN-93	0	<	6.02	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93118	CU	EVBA	03-JUN-93	0		24.7	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93118	CU	EVBA	03-JUN-93	0		24.7	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93119	CU	EVBA	03-JUN-93	0		11.9	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93119	CU	EVBA	03-JUN-93	0		11.9	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93120	CU	EVBA	03-JUN-93	0		8.93	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93120	CU	EVBA	03-JUN-93	0		8.93	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93121	CU	EVBA	03-JUN-93	0		8.31	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93121	CU	EVBA	03-JUN-93	0		8.31	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93124	CU	HXIA	23-SEP-93	0	<	8.09	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93123	CU	EVHA	24-JUN-93	0	<	8.09	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	CU	HXIA	23-SEP-93	0	<	8.09	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93123	CU	EVHA	24-JUN-93	0	<	8.09	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		DV3F*641	CU	EVHA	24-JUN-93	0	<	8.09	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93120	FE	EVBA	03-JUN-93	0		261	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93120	FE	EVBA	03-JUN-93	0		261	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93121	FE	EVBA	03-JUN-93	0		179	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93121	FE	EVBA	03-JUN-93	0		179	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93118	FE	EVBA	03-JUN-93	0		80.5	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93118	FE	EVBA	03-JUN-93	0		80.5	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93119	FE	EVBA	03-JUN-93	0		78.5	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93119	FE	EVBA	03-JUN-93	0		78.5	UGL	SBK-93-119	DV3W*600

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
METALS IN WATER BY ICAP	SS10	SBK93124	FE	HXIA	23-SEP-93	0	<	38.8	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93123	FE	EVHA	24-JUN-93	0	<	38.8	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		DV3F*641	FE	EVHA	24-JUN-93	0	<	38.8	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93123	FE	EVHA	24-JUN-93	0	<	38.8	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	FE	HXIA	23-SEP-93	0	<	38.8	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93124	K	HXIA	23-SEP-93	0		3310	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93124	K	HXIA	23-SEP-93	0		3310	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93123	K	EVHA	24-JUN-93	0		552	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93123	K	EVHA	24-JUN-93	0		552	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93121	K	EVBA	03-JUN-93	0	<	375	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93118	K	EVBA	03-JUN-93	0	<	375	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		DV3F*641	K	EVHA	24-JUN-93	0	<	375	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93119	K	EVBA	03-JUN-93	0	<	375	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93118	K	EVBA	03-JUN-93	0	<	375	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93121	K	EVBA	03-JUN-93	0	<	375	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93120	K	EVBA	03-JUN-93	0	<	375	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93119	K	EVBA	03-JUN-93	0	<	375	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93120	K	EVBA	03-JUN-93	0	<	375	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93119	MG	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93121	MG	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93118	MG	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93123	MG	EVHA	24-JUN-93	0	<	500	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	MG	HXIA	23-SEP-93	0	<	500	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		DV3F*641	MG	EVHA	24-JUN-93	0	<	500	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93123	MG	EVHA	24-JUN-93	0	<	500	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	MG	HXIA	23-SEP-93	0	<	500	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93121	MG	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93120	MG	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93119	MG	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93118	MG	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93120	MG	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93118	MN	EVBA	03-JUN-93	0		4.03	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93118	MN	EVBA	03-JUN-93	0		4.03	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93120	MN	EVBA	03-JUN-93	0		3.75	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93120	MN	EVBA	03-JUN-93	0		3.75	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93121	MN	EVBA	03-JUN-93	0		3.22	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93121	MN	EVBA	03-JUN-93	0		3.22	UGL	SBK-93-121	DV3W*602

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
METALS IN WATER BY ICAP	SS10	SBK93119	MN	EVBA	03-JUN-93	0	<	2.75	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93119	MN	EVBA	03-JUN-93	0	<	2.75	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		DV3F*641	MN	EVHA	24-JUN-93	0	<	2.75	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93123	MN	EVHA	24-JUN-93	0	<	2.75	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	MN	HXIA	23-SEP-93	0	<	2.75	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93123	MN	EVHA	24-JUN-93	0	<	2.75	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	MN	HXIA	23-SEP-93	0	<	2.75	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93119	NA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93120	NA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93121	NA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93118	NA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93123	NA	EVHA	24-JUN-93	0	<	500	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	NA	HXIA	23-SEP-93	0	<	500	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		DV3F*641	NA	EVHA	24-JUN-93	0	<	500	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93123	NA	EVHA	24-JUN-93	0	<	500	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	NA	HXIA	23-SEP-93	0	<	500	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93121	NA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93120	NA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93119	NA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93118	NA	EVBA	03-JUN-93	0	<	500	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93119	NI	EVBA	03-JUN-93	0	<	34.3	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93118	NI	EVBA	03-JUN-93	0	<	34.3	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93121	NI	EVBA	03-JUN-93	0	<	34.3	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93123	NI	EVHA	24-JUN-93	0	<	34.3	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	NI	HXIA	23-SEP-93	0	<	34.3	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		DV3F*641	NI	EVHA	24-JUN-93	0	<	34.3	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93123	NI	EVHA	24-JUN-93	0	<	34.3	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	NI	HXIA	23-SEP-93	0	<	34.3	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93121	NI	EVBA	03-JUN-93	0	<	34.3	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93120	NI	EVBA	03-JUN-93	0	<	34.3	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93119	NI	EVBA	03-JUN-93	0	<	34.3	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93118	NI	EVBA	03-JUN-93	0	<	34.3	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93120	NI	EVBA	03-JUN-93	0	<	34.3	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93119	V	EVBA	03-JUN-93	0	<	11	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93120	V	EVBA	03-JUN-93	0	<	11	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93118	V	EVBA	03-JUN-93	0	<	11	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93119	V	EVBA	03-JUN-93	0	<	11	UGL	SBK-93-119	DV3W*600

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
METALS IN WATER BY ICAP	SS10	SBK93121	V	EVBA	03-JUN-93	0	<	11	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93123	V	EVHA	24-JUN-93	0	<	11	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	V	HXIA	23-SEP-93	0	<	11	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		DV3F*641	V	EVHA	24-JUN-93	0	<	11	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93123	V	EVHA	24-JUN-93	0	<	11	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	V	HXIA	23-SEP-93	0	<	11	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93121	V	EVBA	03-JUN-93	0	<	11	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93120	V	EVBA	03-JUN-93	0	<	11	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93118	V	EVBA	03-JUN-93	0	<	11	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93121	ZN	EVBA	03-JUN-93	0	<	21.1	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93119	ZN	EVBA	03-JUN-93	0	<	21.1	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93123	ZN	EVHA	24-JUN-93	0	<	21.1	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93121	ZN	EVBA	03-JUN-93	0	<	21.1	UGL	SBK-93-121	DV3W*602
METALS IN WATER BY ICAP		SBK93123	ZN	EVHA	24-JUN-93	0	<	21.1	UGL	SBK-93-123	DV3W*641
METALS IN WATER BY ICAP		SBK93124	ZN	HXIA	23-SEP-93	0	<	21.1	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		DV3F*641	ZN	EVHA	24-JUN-93	0	<	21.1	UGL	SBK-93-123	DV3F*641
METALS IN WATER BY ICAP		SBK93124	ZN	HXIA	23-SEP-93	0	<	21.1	UGL	SBK-93-124	DV3W*649
METALS IN WATER BY ICAP		SBK93120	ZN	EVBA	03-JUN-93	0	<	21.1	UGL	SBK-93-120	DV3W*601
METALS IN WATER BY ICAP		SBK93118	ZN	EVBA	03-JUN-93	0	<	21.1	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93119	ZN	EVBA	03-JUN-93	0	<	21.1	UGL	SBK-93-119	DV3W*600
METALS IN WATER BY ICAP		SBK93118	ZN	EVBA	03-JUN-93	0	<	21.1	UGL	SBK-93-118	DV3W*599
METALS IN WATER BY ICAP		SBK93120	ZN	EVBA	03-JUN-93	0	<	21.1	UGL	SBK-93-120	DV3W*601
NO2, NO3 IN WATER	TF22	SBK93123	NIT	EQDA	24-JUN-93	0	<	10	UGL	SBK-93-123	DV3W*641
NO2, NO3 IN WATER		SBK93123	NIT	EQDA	24-JUN-93	0	<	10	UGL	SBK-93-123	DV3W*641
SO4 IN WATER	TT10	SBK93123	CL	DEOA	24-JUN-93	0	<	2120	UGL	SBK-93-123	DV3W*641
SO4 IN WATER		SBK93123	CL	DEOA	24-JUN-93	0	<	2120	UGL	SBK-93-123	DV3W*641
SO4 IN WATER		SBK93123	SO4	DEOA	24-JUN-93	0	<	10000	UGL	SBK-93-123	DV3W*641
SO4 IN WATER		SBK93123	SO4	DEOA	24-JUN-93	0	<	10000	UGL	SBK-93-123	DV3W*641
	UH02	SBK93122	PCB016	CER	12-FEB-93	0	<	.16	UGL	SBK-93-122	V1AW*348
		SBK93122	PCB016	DPLA	11-JUN-93	0	<	.16	UGL	SBK-93-122	DV3W*640
		SBK93122	PCB016	DPLA	11-JUN-93	0	<	.16	UGL	SBK-93-122	DV3W*640
		SBK93122	PCB221	CER	12-FEB-93	0	<	.16	UGL	SBK-93-122	V1AW*348
		SBK93122	PCB221	DPLA	11-JUN-93	0	<	.16	UGL	SBK-93-122	DV3W*640
		SBK93122	PCB221	DPLA	11-JUN-93	0	<	.16	UGL	SBK-93-122	DV3W*640

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
	UH02	SBK93122	PCB232	CER	12-FEB-93	0	<	.16	UGL	SBK-93-122	V1AW*348
		SBK93122	PCB232	DPLA	11-JUN-93	0	<	.16	UGL	SBK-93-122	DV3W*640
		SBK93122	PCB232	DPLA	11-JUN-93	0	<	.16	UGL	SBK-93-122	DV3W*640
		SBK93122	PCB242	CER	12-FEB-93	0	<	.19	UGL	SBK-93-122	V1AW*348
		SBK93122	PCB242	DPLA	11-JUN-93	0	<	.19	UGL	SBK-93-122	DV3W*640
		SBK93122	PCB242	DPLA	11-JUN-93	0	<	.19	UGL	SBK-93-122	DV3W*640
		SBK93122	PCB248	CER	12-FEB-93	0	<	.19	UGL	SBK-93-122	V1AW*348
		SBK93122	PCB248	DPLA	11-JUN-93	0	<	.19	UGL	SBK-93-122	DV3W*640
		SBK93122	PCB248	DPLA	11-JUN-93	0	<	.19	UGL	SBK-93-122	DV3W*640
		SBK93122	PCB254	CER	12-FEB-93	0	<	.19	UGL	SBK-93-122	V1AW*348
		SBK93122	PCB254	DPLA	11-JUN-93	0	<	.19	UGL	SBK-93-122	DV3W*640
		SBK93122	PCB254	DPLA	11-JUN-93	0	<	.19	UGL	SBK-93-122	DV3W*640
		SBK93122	PCB260	CER	12-FEB-93	0	<	.19	UGL	SBK-93-122	V1AW*348
		SBK93122	PCB260	DPLA	11-JUN-93	0	<	.19	UGL	SBK-93-122	DV3W*640
		SBK93122	PCB260	DPLA	11-JUN-93	0	<	.19	UGL	SBK-93-122	DV3W*640
	UH13	SBK93122	ABHC	CXJA	12-FEB-93	0	<	.039	UGL	SBK-93-122	V1AW*348
		SBK93122	ACLDAN	CXJA	12-FEB-93	0	<	.075	UGL	SBK-93-122	V1AW*348
		SBK93122	AENSLF	CXJA	12-FEB-93	0	<	.023	UGL	SBK-93-122	V1AW*348
		SBK93122	ALDRN	CXJA	12-FEB-93	0	<	.092	UGL	SBK-93-122	V1AW*348
		SBK93122	BBHC	CXJA	12-FEB-93	0	<	.024	UGL	SBK-93-122	V1AW*348
		SBK93122	BENSLF	CXJA	12-FEB-93	0	<	.023	UGL	SBK-93-122	V1AW*348
		SBK93122	DBHC	CXJA	12-FEB-93	0	<	.029	UGL	SBK-93-122	V1AW*348
		SBK93122	DLDRN	CXJA	12-FEB-93	0	<	.024	UGL	SBK-93-122	V1AW*348
		SBK93122	ENDRN	CXJA	12-FEB-93	0	<	.024	UGL	SBK-93-122	V1AW*348
		SBK93122	ENDRNA	CXJA	12-FEB-93	0	<	.029	UGL	SBK-93-122	V1AW*348
		SBK93122	ENDRNK	CXJA	12-FEB-93	0	<	.029	UGL	SBK-93-122	V1AW*348
		SBK93122	ESFSO4	CXJA	12-FEB-93	0	<	.079	UGL	SBK-93-122	V1AW*348
		SBK93122	GCLDAN	CXJA	12-FEB-93	0	<	.075	UGL	SBK-93-122	V1AW*348
		SBK93122	HPCL	CXJA	12-FEB-93	0	<	.042	UGL	SBK-93-122	V1AW*348
		SBK93122	HPCLE	CXJA	12-FEB-93	0	<	.025	UGL	SBK-93-122	V1AW*348
		SBK93122	ISODR	CXJA	12-FEB-93	0	<	.056	UGL	SBK-93-122	V1AW*348
		SBK93122	LIN	CXJA	12-FEB-93	0	<	.051	UGL	SBK-93-122	V1AW*348
		SBK93122	MEXCLR	CXJA	12-FEB-93	0	<	.057	UGL	SBK-93-122	V1AW*348
		SBK93122	PPDDD	CXJA	12-FEB-93	0	<	.023	UGL	SBK-93-122	V1AW*348
		SBK93122	PPDDE	CXJA	12-FEB-93	0	<	.027	UGL	SBK-93-122	V1AW*348
		SBK93122	PPDDT	CXJA	12-FEB-93	0	<	.034	UGL	SBK-93-122	V1AW*348

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
	UH13	SBK93122	TXPHEN	CXJA	12-FEB-93	0	<	1.35	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS	UM18	SBK93122	124TCB	CKWA	12-FEB-93	0	<	1.8	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	124TCB	ETKA	24-JUN-93	0	<	1.8	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	124TCB	ETKA	24-JUN-93	0	<	1.8	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	12DCLB	CKWA	12-FEB-93	0	<	1.7	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	12DCLB	ETKA	24-JUN-93	0	<	1.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	12DCLB	ETKA	24-JUN-93	0	<	1.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	12DPH	CKWA	12-FEB-93	0	<	2	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	12DPH	ETKA	24-JUN-93	0	<	2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	12DPH	ETKA	24-JUN-93	0	<	2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	13DCLB	CKWA	12-FEB-93	0	<	1.7	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	13DCLB	ETKA	24-JUN-93	0	<	1.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	13DCLB	ETKA	24-JUN-93	0	<	1.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	14DCLB	CKWA	12-FEB-93	0	<	1.7	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	14DCLB	ETKA	24-JUN-93	0	<	1.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	14DCLB	ETKA	24-JUN-93	0	<	1.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	245TCP	CKWA	12-FEB-93	0	<	5.2	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	245TCP	ETKA	24-JUN-93	0	<	5.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	245TCP	ETKA	24-JUN-93	0	<	5.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	246TCP	CKWA	12-FEB-93	0	<	4.2	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	246TCP	ETKA	24-JUN-93	0	<	4.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	246TCP	ETKA	24-JUN-93	0	<	4.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	24DCLP	CKWA	12-FEB-93	0	<	2.9	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	24DCLP	ETKA	24-JUN-93	0	<	2.9	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	24DCLP	ETKA	24-JUN-93	0	<	2.9	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	24DMPN	CKWA	12-FEB-93	0	<	5.8	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	24DMPN	ETKA	24-JUN-93	0	<	5.8	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	24DMPN	ETKA	24-JUN-93	0	<	5.8	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	24DNP	CKWA	12-FEB-93	0	<	21	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	24DNP	ETKA	24-JUN-93	0	<	21	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	24DNP	ETKA	24-JUN-93	0	<	21	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	24DNT	CKWA	12-FEB-93	0	<	4.5	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	24DNT	ETKA	24-JUN-93	0	<	4.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	24DNT	ETKA	24-JUN-93	0	<	4.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	26DNT	CKWA	12-FEB-93	0	<	.79	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	26DNT	ETKA	24-JUN-93	0	<	.79	UGL	SBK-93-123	DV3W*641

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
BNA'S IN WATER BY GC/MS	UM18	SBK93123	26DNT	ETKA	24-JUN-93	0	<	.79	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	2CLP	CKWA	12-FEB-93	0	<	.99	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	2CLP	ETKA	24-JUN-93	0	<	.99	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	2CLP	ETKA	24-JUN-93	0	<	.99	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	2CNAP	CKWA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	2CNAP	ETKA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	2CNAP	ETKA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	2E1HXL	CKWA	12-FEB-93	0		10	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93122	2MNAP	CKWA	12-FEB-93	0	<	1.7	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	2MNAP	ETKA	24-JUN-93	0	<	1.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	2MNAP	ETKA	24-JUN-93	0	<	1.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	2MP	CKWA	12-FEB-93	0	<	3.9	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	2MP	ETKA	24-JUN-93	0	<	3.9	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	2MP	ETKA	24-JUN-93	0	<	3.9	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	2NANIL	CKWA	12-FEB-93	0	<	4.3	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	2NANIL	ETKA	24-JUN-93	0	<	4.3	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	2NANIL	ETKA	24-JUN-93	0	<	4.3	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	2NP	CKWA	12-FEB-93	0	<	3.7	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	2NP	ETKA	24-JUN-93	0	<	3.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	2NP	ETKA	24-JUN-93	0	<	3.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	33DCBD	CKWA	12-FEB-93	0	<	12	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	33DCBD	ETKA	24-JUN-93	0	<	12	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	33DCBD	ETKA	24-JUN-93	0	<	12	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	3NANIL	CKWA	12-FEB-93	0	<	4.9	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	3NANIL	ETKA	24-JUN-93	0	<	4.9	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	3NANIL	ETKA	24-JUN-93	0	<	4.9	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	46DN2C	CKWA	12-FEB-93	0	<	17	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	46DN2C	ETKA	24-JUN-93	0	<	17	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	46DN2C	ETKA	24-JUN-93	0	<	17	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	4BRPPE	CKWA	12-FEB-93	0	<	4.2	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	4BRPPE	ETKA	24-JUN-93	0	<	4.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	4BRPPE	ETKA	24-JUN-93	0	<	4.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	4CANIL	CKWA	12-FEB-93	0	<	7.3	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	4CANIL	ETKA	24-JUN-93	0	<	7.3	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	4CANIL	ETKA	24-JUN-93	0	<	7.3	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	4CL3C	CKWA	12-FEB-93	0	<	4	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	4CL3C	ETKA	24-JUN-93	0	<	4	UGL	SBK-93-123	DV3W*641

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
BNA'S IN WATER BY GC/MS	UM18	SBK93123	4CL3C	ETKA	24-JUN-93	0	<	4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	4CLPPE	CKWA	12-FEB-93	0	<	5.1	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	4CLPPE	ETKA	24-JUN-93	0	<	5.1	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	4CLPPE	ETKA	24-JUN-93	0	<	5.1	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	4MP	CKWA	12-FEB-93	0	<	.52	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	4MP	ETKA	24-JUN-93	0	<	.52	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	4MP	ETKA	24-JUN-93	0	<	.52	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	4NANIL	CKWA	12-FEB-93	0	<	5.2	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	4NANIL	ETKA	24-JUN-93	0	<	5.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	4NANIL	ETKA	24-JUN-93	0	<	5.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	4NP	CKWA	12-FEB-93	0	<	12	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	4NP	ETKA	24-JUN-93	0	<	12	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	4NP	ETKA	24-JUN-93	0	<	12	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	ABHC	CKWA	12-FEB-93	0	<	4	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	ABHC	ETKA	24-JUN-93	0	<	4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	ABHC	ETKA	24-JUN-93	0	<	4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	ACLDAN	CKWA	12-FEB-93	0	<	5.1	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	ACLDAN	ETKA	24-JUN-93	0	<	5.1	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	ACLDAN	ETKA	24-JUN-93	0	<	5.1	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	AENSLF	CKWA	12-FEB-93	0	<	9.2	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	AENSLF	ETKA	24-JUN-93	0	<	9.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	AENSLF	ETKA	24-JUN-93	0	<	9.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	ALDRN	CKWA	12-FEB-93	0	<	4.7	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	ALDRN	ETKA	24-JUN-93	0	<	4.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	ALDRN	ETKA	24-JUN-93	0	<	4.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	ANAPNE	CKWA	12-FEB-93	0	<	1.7	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	ANAPNE	ETKA	24-JUN-93	0	<	1.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	ANAPNE	ETKA	24-JUN-93	0	<	1.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	ANAPYL	CKWA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	ANAPYL	ETKA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	ANAPYL	ETKA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	ANTRC	CKWA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	ANTRC	ETKA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	ANTRC	ETKA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	B2CEXM	CKWA	12-FEB-93	0	<	1.5	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	B2CEXM	ETKA	24-JUN-93	0	<	1.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	B2CEXM	ETKA	24-JUN-93	0	<	1.5	UGL	SBK-93-123	DV3W*641

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
BNA'S IN WATER BY GC/MS	UM18	SBK93122	B2CIPE	CKWA	12-FEB-93	0	<	5.3	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	B2CIPE	ETKA	24-JUN-93	0	<	5.3	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	B2CIPE	ETKA	24-JUN-93	0	<	5.3	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	B2CLEE	CKWA	12-FEB-93	0	<	1.9	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	B2CLEE	ETKA	24-JUN-93	0	<	1.9	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	B2CLEE	ETKA	24-JUN-93	0	<	1.9	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	B2EHP	ETKA	24-JUN-93	0		23	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	B2EHP	ETKA	24-JUN-93	0		23	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	B2EHP	CKWA	12-FEB-93	0		6.5	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93122	BAANTR	CKWA	12-FEB-93	0	<	1.6	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	BAANTR	ETKA	24-JUN-93	0	<	1.6	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	BAANTR	ETKA	24-JUN-93	0	<	1.6	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	BAPYR	CKWA	12-FEB-93	0	<	4.7	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	BAPYR	ETKA	24-JUN-93	0	<	4.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	BAPYR	ETKA	24-JUN-93	0	<	4.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	BBFANT	CKWA	12-FEB-93	0	<	5.4	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	BBFANT	ETKA	24-JUN-93	0	<	5.4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	BBFANT	ETKA	24-JUN-93	0	<	5.4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	BBHC	CKWA	12-FEB-93	0	<	4	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	BBHC	ETKA	24-JUN-93	0	<	4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	BBHC	ETKA	24-JUN-93	0	<	4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	BBZP	CKWA	12-FEB-93	0	<	3.4	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	BBZP	ETKA	24-JUN-93	0	<	3.4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	BBZP	ETKA	24-JUN-93	0	<	3.4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	BENSLF	CKWA	12-FEB-93	0	<	9.2	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	BENSLF	ETKA	24-JUN-93	0	<	9.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	BENSLF	ETKA	24-JUN-93	0	<	9.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	BENZID	CKWA	12-FEB-93	0	<	10	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	BENZID	ETKA	24-JUN-93	0	<	10	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	BENZID	ETKA	24-JUN-93	0	<	10	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	BENZOA	ETKA	24-JUN-93	0	<	13	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	BENZOA	ETKA	24-JUN-93	0	<	13	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	BENZOA	CKWA	12-FEB-93	0	<	13	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	BGHIPY	ETKA	24-JUN-93	0	<	6.1	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	BGHIPY	ETKA	24-JUN-93	0	<	6.1	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	BGHIPY	CKWA	12-FEB-93	0	<	6.1	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	BKFANT	ETKA	24-JUN-93	0	<	.87	UGL	SBK-93-123	DV3W*641

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
BNA'S IN WATER BY GC/MS	UM18	SBK93123	BKFANT	ETKA	24-JUN-93	0	<	.87	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	BKFANT	CKWA	12-FEB-93	0	<	.87	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	BZALC	ETKA	24-JUN-93	0	<	.72	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	BZALC	ETKA	24-JUN-93	0	<	.72	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	BZALC	CKWA	12-FEB-93	0	<	.72	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	CARBAZ	ETKA	24-JUN-93	0	<	1.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	CARBAZ	CKWA	12-FEB-93	0	<	1.5	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	CARBAZ	ETKA	24-JUN-93	0	<	1.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	CHRY	ETKA	24-JUN-93	0	<	2.4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	CHRY	CKWA	12-FEB-93	0	<	2.4	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	CHRY	ETKA	24-JUN-93	0	<	2.4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	CL6BZ	ETKA	24-JUN-93	0	<	1.6	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	CL6BZ	CKWA	12-FEB-93	0	<	1.6	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	CL6BZ	ETKA	24-JUN-93	0	<	1.6	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	CL6CP	ETKA	24-JUN-93	0	<	8.6	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	CL6CP	ETKA	24-JUN-93	0	<	8.6	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	CL6CP	CKWA	12-FEB-93	0	<	8.6	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93122	CL6ET	CKWA	12-FEB-93	0	<	1.5	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	CL6ET	ETKA	24-JUN-93	0	<	1.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	CL6ET	ETKA	24-JUN-93	0	<	1.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	DBAHA	CKWA	12-FEB-93	0	<	6.5	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	DBAHA	ETKA	24-JUN-93	0	<	6.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	DBAHA	ETKA	24-JUN-93	0	<	6.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	DBHC	CKWA	12-FEB-93	0	<	4	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	DBHC	ETKA	24-JUN-93	0	<	4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	DBHC	ETKA	24-JUN-93	0	<	4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	DBZFUR	CKWA	12-FEB-93	0	<	1.7	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	DBZFUR	ETKA	24-JUN-93	0	<	1.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	DBZFUR	ETKA	24-JUN-93	0	<	1.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	DEP	CKWA	12-FEB-93	0	<	2	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	DEP	ETKA	24-JUN-93	0	<	2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	DEP	ETKA	24-JUN-93	0	<	2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	DLDRN	CKWA	12-FEB-93	0	<	4.7	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	DLDRN	ETKA	24-JUN-93	0	<	4.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	DLDRN	ETKA	24-JUN-93	0	<	4.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	DMP	CKWA	12-FEB-93	0	<	1.5	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	DMP	ETKA	24-JUN-93	0	<	1.5	UGL	SBK-93-123	DV3W*641

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
BNA'S IN WATER BY GC/MS	UM18	SBK93123	DMP	ETKA	24-JUN-93	0	<	1.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	DNBP	CKWA	12-FEB-93	0	<	3.7	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	DNBP	ETKA	24-JUN-93	0	<	3.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	DNBP	ETKA	24-JUN-93	0	<	3.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	DNOP	ETKA	24-JUN-93	0	<	15	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	DNOP	ETKA	24-JUN-93	0	<	15	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	DNOP	CKWA	12-FEB-93	0	<	15	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	ENDRN	ETKA	24-JUN-93	0	<	7.6	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	ENDRN	CKWA	12-FEB-93	0	<	7.6	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	ENDRN	ETKA	24-JUN-93	0	<	7.6	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	ENDRNA	ETKA	24-JUN-93	0	<	8	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	ENDRNA	CKWA	12-FEB-93	0	<	8	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	ENDRNA	ETKA	24-JUN-93	0	<	8	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	ENDRNK	ETKA	24-JUN-93	0	<	8	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	ENDRNK	CKWA	12-FEB-93	0	<	8	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	ENDRNK	ETKA	24-JUN-93	0	<	8	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	ESFSO4	ETKA	24-JUN-93	0	<	9.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	ESFSO4	ETKA	24-JUN-93	0	<	9.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	ESFSO4	CKWA	12-FEB-93	0	<	9.2	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	FANT	ETKA	24-JUN-93	0	<	3.3	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	FANT	CKWA	12-FEB-93	0	<	3.3	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	FANT	ETKA	24-JUN-93	0	<	3.3	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	FLRENE	ETKA	24-JUN-93	0	<	3.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	FLRENE	CKWA	12-FEB-93	0	<	3.7	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	FLRENE	ETKA	24-JUN-93	0	<	3.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	GCLDAN	ETKA	24-JUN-93	0	<	5.1	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	GCLDAN	CKWA	12-FEB-93	0	<	5.1	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	GCLDAN	ETKA	24-JUN-93	0	<	5.1	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	HCBD	ETKA	24-JUN-93	0	<	3.4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	HCBD	ETKA	24-JUN-93	0	<	3.4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	HCBD	CKWA	12-FEB-93	0	<	3.4	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	HPCL	ETKA	24-JUN-93	0	<	2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	HPCL	CKWA	12-FEB-93	0	<	2	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	HPCL	ETKA	24-JUN-93	0	<	2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	HPCLE	ETKA	24-JUN-93	0	<	5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	HPCLE	CKWA	12-FEB-93	0	<	5	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	HPCLE	ETKA	24-JUN-93	0	<	5	UGL	SBK-93-123	DV3W*641

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
BNA'S IN WATER BY GC/MS	UM18	SBK93123	ICDPYR	ETKA	24-JUN-93	0	<	8.6	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	ICDPYR	CKWA	12-FEB-93	0	<	8.6	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	ICDPYR	ETKA	24-JUN-93	0	<	8.6	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	ISOPHR	ETKA	24-JUN-93	0	<	4.8	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	ISOPHR	ETKA	24-JUN-93	0	<	4.8	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	ISOPHR	CKWA	12-FEB-93	0	<	4.8	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	LAURIC	ETKA	24-JUN-93	0		4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	LAURIC	ETKA	24-JUN-93	0		4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	LIN	ETKA	24-JUN-93	0	<	4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	LIN	CKWA	12-FEB-93	0	<	4	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	LIN	ETKA	24-JUN-93	0	<	4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	MEXCLR	ETKA	24-JUN-93	0	<	5.1	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	MEXCLR	CKWA	12-FEB-93	0	<	5.1	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	MEXCLR	ETKA	24-JUN-93	0	<	5.1	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	NAP	ETKA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	NAP	ETKA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	NAP	CKWA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	NB	ETKA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	NB	ETKA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	NB	CKWA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	NNDMEA	ETKA	24-JUN-93	0	<	2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	NNDMEA	CKWA	12-FEB-93	0	<	2	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	NNDMEA	ETKA	24-JUN-93	0	<	2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	NNDNPA	ETKA	24-JUN-93	0	<	4.4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	NNDNPA	CKWA	12-FEB-93	0	<	4.4	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	NNDNPA	ETKA	24-JUN-93	0	<	4.4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	NNDPA	ETKA	24-JUN-93	0	<	3	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	NNDPA	CKWA	12-FEB-93	0	<	3	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	NNDPA	ETKA	24-JUN-93	0	<	3	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	PCB016	ETKA	24-JUN-93	0	<	21	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	PCB016	CKWA	12-FEB-93	0	<	21	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	PCB016	ETKA	24-JUN-93	0	<	21	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	PCB221	ETKA	24-JUN-93	0	<	21	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	PCB221	ETKA	24-JUN-93	0	<	21	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	PCB221	CKWA	12-FEB-93	0	<	21	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	PCB232	ETKA	24-JUN-93	0	<	21	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	PCB232	ETKA	24-JUN-93	0	<	21	UGL	SBK-93-123	DV3W*641

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
BNA'S IN WATER BY GC/MS	UM18	SBK93122	PCB232	CKWA	12-FEB-93	0	<	21	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	PCB242	ETKA	24-JUN-93	0	<	30	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	PCB242	CKWA	12-FEB-93	0	<	30	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	PCB242	ETKA	24-JUN-93	0	<	30	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	PCB248	ETKA	24-JUN-93	0	<	30	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	PCB248	CKWA	12-FEB-93	0	<	30	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	PCB248	ETKA	24-JUN-93	0	<	30	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	PCB254	ETKA	24-JUN-93	0	<	36	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	PCB254	CKWA	12-FEB-93	0	<	36	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	PCB254	ETKA	24-JUN-93	0	<	36	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	PCB260	ETKA	24-JUN-93	0	<	36	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	PCB260	CKWA	12-FEB-93	0	<	36	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	PCB260	ETKA	24-JUN-93	0	<	36	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	PCP	ETKA	24-JUN-93	0	<	18	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	PCP	CKWA	12-FEB-93	0	<	18	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	PCP	ETKA	24-JUN-93	0	<	18	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	PHANTR	ETKA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	PHANTR	ETKA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	PHANTR	CKWA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	PHENOL	ETKA	24-JUN-93	0	<	9.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	PHENOL	ETKA	24-JUN-93	0	<	9.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	PHENOL	CKWA	12-FEB-93	0	<	9.2	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	PPDDD	ETKA	24-JUN-93	0	<	4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	PPDDD	ETKA	24-JUN-93	0	<	4	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	PPDDD	CKWA	12-FEB-93	0	<	4	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	PPDDE	ETKA	24-JUN-93	0	<	4.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	PPDDE	CKWA	12-FEB-93	0	<	4.7	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	PPDDE	ETKA	24-JUN-93	0	<	4.7	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	PPDDT	ETKA	24-JUN-93	0	<	9.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	PPDDT	CKWA	12-FEB-93	0	<	9.2	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	PPDDT	ETKA	24-JUN-93	0	<	9.2	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	PYR	ETKA	24-JUN-93	0	<	2.8	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	PYR	CKWA	12-FEB-93	0	<	2.8	UGL	SBK-93-122	V1AW*348
BNA'S IN WATER BY GC/MS		SBK93123	PYR	ETKA	24-JUN-93	0	<	2.8	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	TXPHEN	ETKA	24-JUN-93	0	<	36	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	TXPHEN	ETKA	24-JUN-93	0	<	36	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93122	TXPHEN	CKWA	12-FEB-93	0	<	36	UGL	SBK-93-122	V1AW*348

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
BNA'S IN WATER BY GC/MS	UM18	SBK93123	UNK638	ETKA	24-JUN-93	0		20	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	UNK638	ETKA	24-JUN-93	0		20	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	UNK641	ETKA	24-JUN-93	0		5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	UNK641	ETKA	24-JUN-93	0		5	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	UNK642	ETKA	24-JUN-93	0		9	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	UNK642	ETKA	24-JUN-93	0		9	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	UNK652	ETKA	24-JUN-93	0		8	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	UNK652	ETKA	24-JUN-93	0		8	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	UNK666	ETKA	24-JUN-93	0		10	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	UNK666	ETKA	24-JUN-93	0		10	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	UNK682	ETKA	24-JUN-93	0		10	UGL	SBK-93-123	DV3W*641
BNA'S IN WATER BY GC/MS		SBK93123	UNK682	ETKA	24-JUN-93	0		10	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS	UM20	SBK93118	111TCE	DYZA	03-JUN-93	0		17	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93118	111TCE	DYZA	03-JUN-93	0		17	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	111TCE	DYZA	03-JUN-93	0		15	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	111TCE	DYZA	03-JUN-93	0		15	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93122	111TCE	DDMA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	111TCE	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	111TCE	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	112TCE	DDMA	12-FEB-93	0	<	1.2	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	112TCE	FGEA	24-JUN-93	0	<	1.2	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93119	112TCE	DYZA	03-JUN-93	0	<	1.2	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	112TCE	DYZA	03-JUN-93	0	<	1.2	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93118	112TCE	DYZA	03-JUN-93	0	<	1.2	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	112TCE	DYZA	03-JUN-93	0	<	1.2	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	112TCE	FGEA	24-JUN-93	0	<	1.2	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	11DCE	DDMA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	11DCE	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93119	11DCE	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	11DCE	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	11DCE	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	11DCE	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	11DCE	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	11DCLE	DDMA	12-FEB-93	0	<	.68	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	11DCLE	FGEA	24-JUN-93	0	<	.68	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	11DCLE	DYZA	03-JUN-93	0	<	.68	UGL	SBK-93-118	DV3W*599

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
VOC'S IN WATER BY GC/MS	UM20	SBK93119	11DCLE	DYZA	03-JUN-93	0	<	.68	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	11DCLE	DYZA	03-JUN-93	0	<	.68	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	11DCLE	DYZA	03-JUN-93	0	<	.68	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	11DCLE	FGEA	24-JUN-93	0	<	.68	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	12DCE	DDMA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	12DCE	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	12DCE	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	12DCE	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	12DCE	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	12DCE	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	12DCE	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93118	12DCLE	DYZA	03-JUN-93	0		3.3	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93118	12DCLE	DYZA	03-JUN-93	0		3.3	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	12DCLE	DYZA	03-JUN-93	0		2	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	12DCLE	DYZA	03-JUN-93	0		2	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93122	12DCLE	DDMA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	12DCLE	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	12DCLE	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	12DCLP	DDMA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	12DCLP	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	12DCLP	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	12DCLP	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	12DCLP	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	12DCLP	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	12DCLP	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	2CLEVE	DDMA	12-FEB-93	0	<	.71	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	2CLEVE	DYZA	03-JUN-93	0	<	.71	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	2CLEVE	DYZA	03-JUN-93	0	<	.71	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	2CLEVE	FGEA	24-JUN-93	0	<	.71	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	2CLEVE	FGEA	24-JUN-93	0	<	.71	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93119	2CLEVE	DYZA	03-JUN-93	0	<	.71	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	2CLEVE	DYZA	03-JUN-93	0	<	.71	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93118	ACET	DYZA	03-JUN-93	0		23	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93118	ACET	DYZA	03-JUN-93	0		23	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93122	ACET	DDMA	12-FEB-93	0		21	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93119	ACET	DYZA	03-JUN-93	0		20	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	ACET	DYZA	03-JUN-93	0		20	UGL	SBK-93-119	DV3W*600

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
VOC'S IN WATER BY GC/MS	UM20	SBK93123	ACET	FGEA	24-JUN-93	0	<	13	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	ACET	FGEA	24-JUN-93	0	<	13	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	ACROLN	DDMA	12-FEB-93	0	<	100	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	ACROLN	DYZA	03-JUN-93	0	<	100	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	ACROLN	DYZA	03-JUN-93	0	<	100	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	ACROLN	FGEA	24-JUN-93	0	<	100	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	ACROLN	DYZA	03-JUN-93	0	<	100	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	ACROLN	DYZA	03-JUN-93	0	<	100	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	ACROLN	FGEA	24-JUN-93	0	<	100	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	ACRYLO	DDMA	12-FEB-93	0	<	100	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	ACRYLO	DYZA	03-JUN-93	0	<	100	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	ACRYLO	DYZA	03-JUN-93	0	<	100	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	ACRYLO	DYZA	03-JUN-93	0	<	100	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	ACRYLO	DYZA	03-JUN-93	0	<	100	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	ACRYLO	FGEA	24-JUN-93	0	<	100	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	ACRYLO	FGEA	24-JUN-93	0	<	100	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	BRDCLM	DDMA	12-FEB-93	0	<	.59	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	BRDCLM	DYZA	03-JUN-93	0	<	.59	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	BRDCLM	DYZA	03-JUN-93	0	<	.59	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	BRDCLM	FGEA	24-JUN-93	0	<	.59	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	BRDCLM	FGEA	24-JUN-93	0	<	.59	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93119	BRDCLM	DYZA	03-JUN-93	0	<	.59	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	BRDCLM	DYZA	03-JUN-93	0	<	.59	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93122	C13DCP	DDMA	12-FEB-93	0	<	.58	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	C13DCP	DYZA	03-JUN-93	0	<	.58	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	C13DCP	DYZA	03-JUN-93	0	<	.58	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	C13DCP	DYZA	03-JUN-93	0	<	.58	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	C13DCP	FGEA	24-JUN-93	0	<	.58	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	C13DCP	DYZA	03-JUN-93	0	<	.58	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	C13DCP	FGEA	24-JUN-93	0	<	.58	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	C2AVE	DDMA	12-FEB-93	0	<	8.3	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	C2AVE	DYZA	03-JUN-93	0	<	8.3	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	C2AVE	DYZA	03-JUN-93	0	<	8.3	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	C2AVE	FGEA	24-JUN-93	0	<	8.3	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	C2AVE	DYZA	03-JUN-93	0	<	8.3	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	C2AVE	DYZA	03-JUN-93	0	<	8.3	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	C2AVE	FGEA	24-JUN-93	0	<	8.3	UGL	SBK-93-123	DV3W*641

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
VOC'S IN WATER BY GC/MS	UM20	SBK93122	C2H3CL	DDMA	12-FEB-93	0	<	2.6	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	C2H3CL	DYZA	03-JUN-93	0	<	2.6	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	C2H3CL	DYZA	03-JUN-93	0	<	2.6	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	C2H3CL	DYZA	03-JUN-93	0	<	2.6	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	C2H3CL	DYZA	03-JUN-93	0	<	2.6	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	C2H3CL	FGEA	24-JUN-93	0	<	2.6	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	C2H3CL	FGEA	24-JUN-93	0	<	2.6	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	C2H5CL	DDMA	12-FEB-93	0	<	1.9	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	C2H5CL	DYZA	03-JUN-93	0	<	1.9	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	C2H5CL	DYZA	03-JUN-93	0	<	1.9	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	C2H5CL	FGEA	24-JUN-93	0	<	1.9	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	C2H5CL	FGEA	24-JUN-93	0	<	1.9	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93119	C2H5CL	DYZA	03-JUN-93	0	<	1.9	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	C2H5CL	DYZA	03-JUN-93	0	<	1.9	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93122	C6H6	DDMA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	C6H6	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	C6H6	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	C6H6	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	C6H6	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	C6H6	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	C6H6	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	CCL3F	DDMA	12-FEB-93	0	<	1.4	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	CCL3F	DYZA	03-JUN-93	0	<	1.4	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	CCL3F	DYZA	03-JUN-93	0	<	1.4	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	CCL3F	FGEA	24-JUN-93	0	<	1.4	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	CCL3F	DYZA	03-JUN-93	0	<	1.4	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	CCL3F	DYZA	03-JUN-93	0	<	1.4	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	CCL3F	FGEA	24-JUN-93	0	<	1.4	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	CCL4	DDMA	12-FEB-93	0	<	.58	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	CCL4	DYZA	03-JUN-93	0	<	.58	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	CCL4	DYZA	03-JUN-93	0	<	.58	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	CCL4	DYZA	03-JUN-93	0	<	.58	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	CCL4	DYZA	03-JUN-93	0	<	.58	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	CCL4	FGEA	24-JUN-93	0	<	.58	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	CCL4	FGEA	24-JUN-93	0	<	.58	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	CH2CL2	DYZA	03-JUN-93	0		2.9	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93118	CH2CL2	DYZA	03-JUN-93	0		2.9	UGL	SBK-93-118	DV3W*599

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
VOC'S IN WATER BY GC/MS	UM20	SBK93119	CH2CL2	DYZA	03-JUN-93	0		2.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	CH2CL2	DYZA	03-JUN-93	0		2.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93122	CH2CL2	DDMA	12-FEB-93	0	<	2.3	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	CH2CL2	FGEA	24-JUN-93	0	<	2.3	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	CH2CL2	FGEA	24-JUN-93	0	<	2.3	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	CH3BR	DDMA	12-FEB-93	0	<	5.8	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	CH3BR	FGEA	24-JUN-93	0	<	5.8	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	CH3BR	FGEA	24-JUN-93	0	<	5.8	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	CH3BR	DYZA	03-JUN-93	0	<	5.8	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	CH3BR	DYZA	03-JUN-93	0	<	5.8	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	CH3BR	DYZA	03-JUN-93	0	<	5.8	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	CH3BR	DYZA	03-JUN-93	0	<	5.8	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93122	CH3CL	DDMA	12-FEB-93	0	<	3.2	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	CH3CL	FGEA	24-JUN-93	0	<	3.2	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93119	CH3CL	DYZA	03-JUN-93	0	<	3.2	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	CH3CL	FGEA	24-JUN-93	0	<	3.2	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	CH3CL	DYZA	03-JUN-93	0	<	3.2	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93118	CH3CL	DYZA	03-JUN-93	0	<	3.2	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	CH3CL	DYZA	03-JUN-93	0	<	3.2	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93122	CHBR3	DDMA	12-FEB-93	0	<	2.6	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	CHBR3	FGEA	24-JUN-93	0	<	2.6	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	CHBR3	FGEA	24-JUN-93	0	<	2.6	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	CHBR3	DYZA	03-JUN-93	0	<	2.6	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	CHBR3	DYZA	03-JUN-93	0	<	2.6	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	CHBR3	DYZA	03-JUN-93	0	<	2.6	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	CHBR3	DYZA	03-JUN-93	0	<	2.6	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93118	CHCL3	DYZA	03-JUN-93	0		1.9	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93118	CHCL3	DYZA	03-JUN-93	0		1.9	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	CHCL3	DYZA	03-JUN-93	0		1.7	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	CHCL3	DYZA	03-JUN-93	0		1.7	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93122	CHCL3	DDMA	12-FEB-93	0		.56	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	CHCL3	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	CHCL3	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	CL2BZ	DDMA	12-FEB-93	0	<	10	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	CL2BZ	DYZA	03-JUN-93	0	<	10	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	CL2BZ	FGEA	24-JUN-93	0	<	10	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93119	CL2BZ	DYZA	03-JUN-93	0	<	10	UGL	SBK-93-119	DV3W*600

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
VOC'S IN WATER BY GC/MS	UM20	SBK93118	CL2BZ	DYZA	03-JUN-93	0	<	10	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	CL2BZ	DYZA	03-JUN-93	0	<	10	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	CL2BZ	FGEA	24-JUN-93	0	<	10	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	CLC6H5	DDMA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93119	CLC6H5	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	CLC6H5	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	CLC6H5	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	CLC6H5	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	CLC6H5	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	CLC6H5	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	CS2	DDMA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	CS2	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	CS2	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	CS2	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93119	CS2	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	CS2	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	CS2	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	DBRCLM	DDMA	12-FEB-93	0	<	.67	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	DBRCLM	DYZA	03-JUN-93	0	<	.67	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	DBRCLM	FGEA	24-JUN-93	0	<	.67	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93119	DBRCLM	DYZA	03-JUN-93	0	<	.67	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	DBRCLM	DYZA	03-JUN-93	0	<	.67	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	DBRCLM	DYZA	03-JUN-93	0	<	.67	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	DBRCLM	FGEA	24-JUN-93	0	<	.67	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	ETC6H5	DDMA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93119	ETC6H5	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	ETC6H5	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	ETC6H5	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	ETC6H5	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	ETC6H5	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	ETC6H5	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93122	MEC6H5	DDMA	12-FEB-93	0		4.2	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	MEC6H5	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	MEC6H5	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	MEC6H5	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	MEC6H5	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	MEC6H5	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
VOC'S IN WATER BY GC/MS	UM20	SBK93123	MEC6H5	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	MEK	FGEA	24-JUN-93	0	<	6.4	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	MEK	DYZA	03-JUN-93	0	<	6.4	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	MEK	DYZA	03-JUN-93	0	<	6.4	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	MEK	DYZA	03-JUN-93	0	<	6.4	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	MEK	DYZA	03-JUN-93	0	<	6.4	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	MEK	FGEA	24-JUN-93	0	<	6.4	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	MEK	DDMA	12-FEB-93	0	<	6.4	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	MIBK	FGEA	24-JUN-93	0	<	3	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	MIBK	DDMA	12-FEB-93	0	<	3	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93118	MIBK	DYZA	03-JUN-93	0	<	3	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	MIBK	DYZA	03-JUN-93	0	<	3	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	MIBK	DYZA	03-JUN-93	0	<	3	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	MIBK	DYZA	03-JUN-93	0	<	3	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	MIBK	FGEA	24-JUN-93	0	<	3	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	MNBK	FGEA	24-JUN-93	0	<	3.6	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93119	MNBK	DYZA	03-JUN-93	0	<	3.6	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	MNBK	DYZA	03-JUN-93	0	<	3.6	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	MNBK	DYZA	03-JUN-93	0	<	3.6	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	MNBK	DYZA	03-JUN-93	0	<	3.6	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	MNBK	FGEA	24-JUN-93	0	<	3.6	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	MNBK	DDMA	12-FEB-93	0	<	3.6	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	STYR	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	STYR	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93118	STYR	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	STYR	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	STYR	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	STYR	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	STYR	DDMA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93119	T13DCP	DYZA	03-JUN-93	0	<	.7	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	T13DCP	DYZA	03-JUN-93	0	<	.7	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	T13DCP	DYZA	03-JUN-93	0	<	.7	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	T13DCP	DYZA	03-JUN-93	0	<	.7	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	T13DCP	FGEA	24-JUN-93	0	<	.7	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	T13DCP	DDMA	12-FEB-93	0	<	.7	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	T13DCP	FGEA	24-JUN-93	0	<	.7	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93119	TCLEA	DYZA	03-JUN-93	0	<	.51	UGL	SBK-93-119	DV3W*600

Table FS-5
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

RINSATE BLANKS

Method Description	USATHAMA Method Code	IRDMIS Field Sample Number	Test Name	Lot	Sample Date	Spike Value	<	Value	Units	IRDMIS Site ID	Lab Number
VOC'S IN WATER BY GC/MS	UM20	SBK93118	TCLEA	DYZA	03-JUN-93	0	<	.51	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93118	TCLEA	DYZA	03-JUN-93	0	<	.51	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	TCLEA	FGEA	24-JUN-93	0	<	.51	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	TCLEA	DDMA	12-FEB-93	0	<	.51	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	TCLEA	FGEA	24-JUN-93	0	<	.51	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93119	TCLEA	DYZA	03-JUN-93	0	<	.51	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	TCLEE	DYZA	03-JUN-93	0	<	1.6	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93122	TCLEE	DDMA	12-FEB-93	0	<	1.6	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93119	TCLEE	DYZA	03-JUN-93	0	<	1.6	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93123	TCLEE	FGEA	24-JUN-93	0	<	1.6	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93123	TCLEE	FGEA	24-JUN-93	0	<	1.6	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	TCLEE	DYZA	03-JUN-93	0	<	1.6	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93118	TCLEE	DYZA	03-JUN-93	0	<	1.6	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	TRCLE	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	TRCLE	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93122	TRCLE	DDMA	12-FEB-93	0	<	.5	UGL	SBK-93-122	V1AW*348
VOC'S IN WATER BY GC/MS		SBK93123	TRCLE	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	TRCLE	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	TRCLE	FGEA	24-JUN-93	0	<	.5	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	TRCLE	DYZA	03-JUN-93	0	<	.5	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93119	XYLEN	DYZA	03-JUN-93	0	<	.84	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93119	XYLEN	DYZA	03-JUN-93	0	<	.84	UGL	SBK-93-119	DV3W*600
VOC'S IN WATER BY GC/MS		SBK93118	XYLEN	DYZA	03-JUN-93	0	<	.84	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	XYLEN	FGEA	24-JUN-93	0	<	.84	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93118	XYLEN	DYZA	03-JUN-93	0	<	.84	UGL	SBK-93-118	DV3W*599
VOC'S IN WATER BY GC/MS		SBK93123	XYLEN	FGEA	24-JUN-93	0	<	.84	UGL	SBK-93-123	DV3W*641
VOC'S IN WATER BY GC/MS		SBK93122	XYLEN	DDMA	12-FEB-93	0	<	.84	UGL	SBK-93-122	V1AW*348

SQL> SPOOL OFF

TABLE FS-6
SUMMARY OF ANALYTES DETECTED IN QUALITY CONTROL SAMPLES
SUPPLEMENTAL SITE INVESTIGATION
GROUP 3,5 & 6
FORT DEVENS, MASSACHUSETTS

RINSATE BLANKS

Analyses	Frequency of Detection	Minimum Detection	Maximum Detection
VOCs			
1,1,1-Trichloroethene	2:4	15	17
1,2-Dichloroethane	2:4	2	3.3
Acetone	3:4	20	23
Methylene Chloride	2:4	2.5	2.9
Chloroform	3:4	0.6	1.7
Toluene	1:4	4.2	4.2
SVOCs			
2-Ethyl-1-hexanol	1:1	10	10
Bis(2-ethylhexyl)phthalate	2:2	6.5	23
Dodecanoic Acid	1:1	4	4
PCBs			
PCBs	0:2	ND	ND
Inorganics			
Cobalt	1:6	38.2	38.2
Chromium	1:6	8.8	8.8
Copper	4:6	8.3	25
Iron	3:6	78	180
Potassium	2:6	550	3300
Manganese	3:6	3.2	4.0
Miscellaneous			
Hardness	1:1	38000	38000
Total Petroleum Hydrocarbon	0:1	ND	ND
Total Suspended Solids	0:1	ND	ND
Bicarbonate	0:1	ND	ND
Nitrate/Nitrite	0:1	ND	ND
Chloride	0:1	ND	ND
Sulfate	0:1	ND	ND

Notes:
VOCs = Volatile Organic Compounds
SVOC = Semivolatile Organic Compounds
PCBs = Polychlorinated Biphenyls

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
	00	HARD	MXG309X1	DV3W*558	FDPA	23-JUN-93	05-JUL-93	40000	40400	UGL	101.0	3.0
	00	HARD	MXG309X1	DV3W*558	FDPA	23-JUN-93	05-JUL-93	40000	40400	UGL	101.0	3.0
	00	HARD	MXG309X1	DV3W*558	FDPA	23-JUN-93	05-JUL-93	40000	39200	UGL	98.0	3.0
	00	HARD	MXG309X1	DV3W*558	FDPA	23-JUN-93	05-JUL-93	40000	39200	UGL	98.0	3.0
		**********										
		avg									99.5	
		minimum									98.0	
		maximum									101.0	
	00	TPHC	SX210700	DV3S*564	FDCA	26-MAY-93	17-JUN-93	1560	1510	UGG	96.8	4.1
	00	TPHC	SX210700	DV3S*564	FDCA	26-MAY-93	17-JUN-93	1560	1510	UGG	96.8	4.1
	00	TPHC	SX210700	DV3S*564	FDCA	26-MAY-93	17-JUN-93	1560	1450	UGG	92.9	4.1
	00	TPHC	SX210700	DV3S*564	FDCA	26-MAY-93	17-JUN-93	1560	1450	UGG	92.9	4.1
	00	TPHC	BX440805	DV3S*623	FDHA	11-JUN-93	29-JUN-93	1250	1270	UGG	101.6	.0
	00	TPHC	BX440805	DV3S*623	FDHA	11-JUN-93	29-JUN-93	1250	1270	UGG	101.6	.0
	00	TPHC	BX440805	DV3S*623	FDHA	11-JUN-93	29-JUN-93	1250	1270	UGG	101.6	.0
	00	TPHC	BX440805	DV3S*623	FDHA	11-JUN-93	29-JUN-93	1250	1270	UGG	101.6	.0
		**********										
		avg									98.2	
		minimum									92.9	
		maximum									101.6	
	99	ALK	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	47.4	51700	UGL	109071.7	13.7
	99	ALK	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	47.4	51700	UGL	109071.7	13.7
	99	ALK	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	47.4	51000	UGL	107594.9	13.7
	99	ALK	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	47.4	51000	UGL	107594.9	13.7
	99	ALK	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	47.4	48000	UGL	101265.8	13.7
	99	ALK	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	47.4	48000	UGL	101265.8	13.7
	99	ALK	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	47.4	45000	UGL	94936.7	13.7
	99	ALK	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	47.4	45000	UGL	94936.7	13.7
		**********										
		avg									103217.3	
		minimum									94936.7	
		maximum									109071.7	
	99	HCO3	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	57.8	63100	UGL	109169.6	13.7

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
	99	HCO3	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	57.8	63100	UGL	109169.6	13.7
	99	HCO3	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	57.8	62200	UGL	107612.5	13.7
	99	HCO3	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	57.8	62200	UGL	107612.5	13.7
	99	HCO3	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	57.8	58500	UGL	101211.1	13.7
	99	HCO3	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	57.8	58500	UGL	101211.1	13.7
	99	HCO3	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	57.8	54900	UGL	94982.7	13.7
	99	HCO3	MXG309X1	DV3W*558	FDVA	23-JUN-93	06-JUL-93	57.8	54900	UGL	94982.7	13.7
		**********										
		avg									103243.9	
		minimum									94982.7	
		maximum									109169.6	
HG IN SOIL BY GFAA	JB01	HG	SX210700	DV3S*564	EBUA	26-MAY-93	14-JUN-93	.556	2.9	UGG	521.6	.2
HG IN SOIL BY GFAA	JB01	HG	SX210700	DV3S*564	EBUA	26-MAY-93	14-JUN-93	.555	2.9	UGG	522.5	.2
HG IN SOIL BY GFAA	JB01	HG	SX210700	DV3S*564	EBUA	26-MAY-93	14-JUN-93	.556	2.9	UGG	521.6	.2
HG IN SOIL BY GFAA	JB01	HG	SX210700	DV3S*564	EBUA	26-MAY-93	14-JUN-93	.555	2.9	UGG	522.5	.2
		**********										
		avg									522.1	
		minimum									521.6	
		maximum									522.5	
SE IN SOIL BY GFAA	JD15	SE	SX210700	DV3S*564	EDFA	26-MAY-93	15-JUN-93	5.55	3.19	UGG	57.5	10.7
SE IN SOIL BY GFAA	JD15	SE	SX210700	DV3S*564	EDFA	26-MAY-93	15-JUN-93	5.55	3.19	UGG	57.5	10.7
SE IN SOIL BY GFAA	JD15	SE	SX210700	DV3S*564	EDFA	26-MAY-93	15-JUN-93	5.54	2.86	UGG	51.6	10.7
SE IN SOIL BY GFAA	JD15	SE	SX210700	DV3S*564	EDFA	26-MAY-93	15-JUN-93	5.54	2.86	UGG	51.6	10.7
		**********										
		avg									54.6	
		minimum									51.6	
		maximum									57.5	
PB IN SOIL BY GFAA	JD17	PB	BX380203	DV3S*502	CUWA	26-MAY-93	21-JUN-93	4.11	3.63	UGG	88.3	1.4
PB IN SOIL BY GFAA	JD17	PB	BX380203	DV3S*502	CUWA	26-MAY-93	21-JUN-93	4.11	3.63	UGG	88.3	1.4
PB IN SOIL BY GFAA	JD17	PB	BX380203	DV3S*502	CUWA	26-MAY-93	21-JUN-93	3.94	3.53	UGG	89.6	1.4
PB IN SOIL BY GFAA	JD17	PB	BX380203	DV3S*502	CUWA	26-MAY-93	21-JUN-93	3.94	3.53	UGG	89.6	1.4

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
PB IN SOIL BY GFAA	JD17	PB	BX381305	DV3S*520	CUXA	03-JUN-93	14-JUN-93	4.03	4.36	UGG	108.2	4.7
PB IN SOIL BY GFAA	JD17	PB	BX381305	DV3S*520	CUXA	03-JUN-93	14-JUN-93	4.03	4.36	UGG	108.2	4.7
PB IN SOIL BY GFAA	JD17	PB	BX381305	DV3S*520	CUXA	03-JUN-93	14-JUN-93	3.98	4.11	UGG	103.3	4.7
PB IN SOIL BY GFAA	JD17	PB	BX381305	DV3S*520	CUXA	03-JUN-93	14-JUN-93	3.98	4.11	UGG	103.3	4.7
PB IN SOIL BY GFAA	JD17	PB	BX381900	DV3S*537	CUXA	03-JUN-93	15-JUN-93	4.14	8.8	UGG	212.6	.5
PB IN SOIL BY GFAA	JD17	PB	BX381900	DV3S*537	CUXA	03-JUN-93	15-JUN-93	4.12	8.8	UGG	213.6	.5
PB IN SOIL BY GFAA	JD17	PB	BX381900	DV3S*537	CUXA	03-JUN-93	15-JUN-93	4.12	8.8	UGG	213.6	.5
PB IN SOIL BY GFAA	JD17	PB	BX381900	DV3S*537	CUXA	03-JUN-93	15-JUN-93	4.14	8.8	UGG	212.6	.5
PB IN SOIL BY GFAA	JD17	PB	SX210700	DV3S*564	CUWA	26-MAY-93	21-JUN-93	5.42	31	UGG	572.0	106.0
PB IN SOIL BY GFAA	JD17	PB	SX210700	DV3S*564	CUWA	26-MAY-93	21-JUN-93	5.42	31	UGG	572.0	106.0
PB IN SOIL BY GFAA	JD17	PB	SX210700	DV3S*564	CUWA	26-MAY-93	21-JUN-93	5.52	9.7	UGG	175.7	106.0
PB IN SOIL BY GFAA	JD17	PB	SX210700	DV3S*564	CUWA	26-MAY-93	21-JUN-93	5.52	9.7	UGG	175.7	106.0
PB IN SOIL BY GFAA	JD17	PB	BX440805	DV3S*623	CUYA	11-JUN-93	08-JUL-93	4.36	3.2	UGG	73.4	13.7
PB IN SOIL BY GFAA	JD17	PB	BX440805	DV3S*623	CUYA	11-JUN-93	08-JUL-93	4.36	3.2	UGG	73.4	13.7
PB IN SOIL BY GFAA	JD17	PB	BX440805	DV3S*623	CUYA	11-JUN-93	08-JUL-93	4.36	2.79	UGG	64.0	13.7
PB IN SOIL BY GFAA	JD17	PB	BX440805	DV3S*623	CUYA	11-JUN-93	08-JUL-93	4.36	2.79	UGG	64.0	13.7
		**********										
		avg									170.1	
		minimum									64.0	
		maximum									572.0	
AS IN SOIL BY GFAA	JD19	AS	SX210700	DV3S*564	ELKA	26-MAY-93	14-JUN-93	5.54	4.2	UGG	75.8	30.3
AS IN SOIL BY GFAA	JD19	AS	SX210700	DV3S*564	ELKA	26-MAY-93	14-JUN-93	5.54	4.2	UGG	75.8	30.3
AS IN SOIL BY GFAA	JD19	AS	SX210700	DV3S*564	ELKA	26-MAY-93	14-JUN-93	5.55	3.1	UGG	55.9	30.3
AS IN SOIL BY GFAA	JD19	AS	SX210700	DV3S*564	ELKA	26-MAY-93	14-JUN-93	5.55	3.1	UGG	55.9	30.3
AS IN SOIL BY GFAA	JD19	AS	BX440805	DV3S*623	ELOA	11-JUN-93	13-JUL-93	4.38	4.8	UGG	109.6	33.1
AS IN SOIL BY GFAA	JD19	AS	BX440805	DV3S*623	ELOA	11-JUN-93	13-JUL-93	4.38	4.8	UGG	109.6	33.1
AS IN SOIL BY GFAA	JD19	AS	BX440805	DV3S*623	ELOA	11-JUN-93	13-JUL-93	4.37	3.43	UGG	78.5	33.1
AS IN SOIL BY GFAA	JD19	AS	BX440805	DV3S*623	ELOA	11-JUN-93	13-JUL-93	4.37	3.43	UGG	78.5	33.1
		**********										
		avg									79.9	
		minimum									55.9	
		maximum									109.6	
TL IN SOIL BY GFAA	JD24	TL	SX210700	DV3S*564	ZLX	26-MAY-93	15-JUN-93	5.54	6.05	UGG	109.2	1.2

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
TL IN SOIL BY GFAA	JD24	TL	SX210700	DV3S*564	ZLX	26-MAY-93	15-JUN-93	5.54	6.05	UGG	109.2	1.2
TL IN SOIL BY GFAA	JD24	TL	SX210700	DV3S*564	ZLX	26-MAY-93	15-JUN-93	5.55	5.99	UGG	107.9	1.2
TL IN SOIL BY GFAA	JD24	TL	SX210700	DV3S*564	ZLX	26-MAY-93	15-JUN-93	5.55	5.99	UGG	107.9	1.2
TL IN SOIL BY GFAA	JD24	TL	BX440805	DV3S*623	ZLY	11-JUN-93	01-JUL-93	4.38	4.31	UGG	98.4	2.1
TL IN SOIL BY GFAA	JD24	TL	BX440805	DV3S*623	ZLY	11-JUN-93	01-JUL-93	4.38	4.31	UGG	98.4	2.1
TL IN SOIL BY GFAA	JD24	TL	BX440805	DV3S*623	ZLY	11-JUN-93	01-JUL-93	4.37	4.21	UGG	96.3	2.1
TL IN SOIL BY GFAA	JD24	TL	BX440805	DV3S*623	ZLY	11-JUN-93	01-JUL-93	4.37	4.21	UGG	96.3	2.1
		**********									----------	
		avg									103.0	
		minimum									96.3	
		maximum									109.2	
SB IN SOIL BY GFAA	JD25	SB	SX210700	DV3S*564	ZMV	26-MAY-93	23-JUN-93	10.7	6.85	UGG	64.0	11.9
SB IN SOIL BY GFAA	JD25	SB	SX210700	DV3S*564	ZMV	26-MAY-93	23-JUN-93	10.7	6.85	UGG	64.0	11.9
SB IN SOIL BY GFAA	JD25	SB	SX210700	DV3S*564	ZMV	26-MAY-93	23-JUN-93	11.1	6.31	UGG	56.8	11.9
SB IN SOIL BY GFAA	JD25	SB	SX210700	DV3S*564	ZMV	26-MAY-93	23-JUN-93	11.1	6.31	UGG	56.8	11.9
SB IN SOIL BY GFAA	JD25	SB	BX440805	DV3S*623	ZMW	11-JUN-93	21-JUL-93	8.73	7.62	UGG	87.3	12.4
SB IN SOIL BY GFAA	JD25	SB	BX440805	DV3S*623	ZMW	11-JUN-93	21-JUL-93	8.73	7.62	UGG	87.3	12.4
SB IN SOIL BY GFAA	JD25	SB	BX440805	DV3S*623	ZMW	11-JUN-93	21-JUL-93	8.69	6.7	UGG	77.1	12.4
SB IN SOIL BY GFAA	JD25	SB	BX440805	DV3S*623	ZMW	11-JUN-93	21-JUL-93	8.69	6.7	UGG	77.1	12.4
		**********									----------	
		avg									71.3	
		minimum									56.8	
		maximum									87.3	
METALS IN SOIL BY ICAP	JS16	AG	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	11.1	8.5	UGG	76.6	37.0
METALS IN SOIL BY ICAP	JS16	AG	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	11.1	8.5	UGG	76.6	37.0
METALS IN SOIL BY ICAP	JS16	AG	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	11.2	5.9	UGG	52.7	37.0
METALS IN SOIL BY ICAP	JS16	AG	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	11.2	5.9	UGG	52.7	37.0
METALS IN SOIL BY ICAP	JS16	AG	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	8.66	8.09	UGG	93.4	1.1
METALS IN SOIL BY ICAP	JS16	AG	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	8.66	8.09	UGG	93.4	1.1
METALS IN SOIL BY ICAP	JS16	AG	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	8.5	7.85	UGG	92.4	1.1
METALS IN SOIL BY ICAP	JS16	AG	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	8.5	7.85	UGG	92.4	1.1
		**********									----------	
		avg									78.8	

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		minimum									52.7	
		maximum									93.4	
METALS IN SOIL BY ICAP	JS16	AL	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	279	2.35	UGG	.8	.7
METALS IN SOIL BY ICAP	JS16	AL	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	277	2.35	UGG	.8	.7
METALS IN SOIL BY ICAP	JS16	AL	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	277	2.35	UGG	.8	.7
METALS IN SOIL BY ICAP	JS16	AL	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	279	2.35	UGG	.8	.7
METALS IN SOIL BY ICAP	JS16	AL	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	213	692	UGG	324.9	100.0
METALS IN SOIL BY ICAP	JS16	AL	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	213	692	UGG	324.9	100.0
METALS IN SOIL BY ICAP	JS16	AL	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	217	235	UGG	108.3	100.0
METALS IN SOIL BY ICAP	JS16	AL	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	217	235	UGG	108.3	100.0
		**********										
		avg									108.7	
		minimum									.8	
		maximum									324.9	
METALS IN SOIL BY ICAP	JS16	BA	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	83.7	88.5	UGG	105.7	7.6
METALS IN SOIL BY ICAP	JS16	BA	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	83.7	88.5	UGG	105.7	7.6
METALS IN SOIL BY ICAP	JS16	BA	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	83	81.3	UGG	98.0	7.6
METALS IN SOIL BY ICAP	JS16	BA	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	83	81.3	UGG	98.0	7.6
METALS IN SOIL BY ICAP	JS16	BA	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	63.8	65.8	UGG	103.1	3.4
METALS IN SOIL BY ICAP	JS16	BA	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	63.8	65.8	UGG	103.1	3.4
METALS IN SOIL BY ICAP	JS16	BA	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	65	64.8	UGG	99.7	3.4
METALS IN SOIL BY ICAP	JS16	BA	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	65	64.8	UGG	99.7	3.4
		**********										
		avg									101.6	
		minimum									98.0	
		maximum									105.7	
METALS IN SOIL BY ICAP	JS16	BE	BX381305	DV3S*520	EXBA	03-JUN-93	18-JUN-93	51.5	53.3	UGG	103.5	1.1
METALS IN SOIL BY ICAP	JS16	BE	BX381305	DV3S*520	EXBA	03-JUN-93	18-JUN-93	51.5	53.3	UGG	103.5	1.1
METALS IN SOIL BY ICAP	JS16	BE	BX381305	DV3S*520	EXBA	03-JUN-93	18-JUN-93	50.6	51.8	UGG	102.4	1.1
METALS IN SOIL BY ICAP	JS16	BE	BX381305	DV3S*520	EXBA	03-JUN-93	18-JUN-93	50.6	51.8	UGG	102.4	1.1
METALS IN SOIL BY ICAP	JS16	BE	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.7	69.3	UGG	99.4	.3
METALS IN SOIL BY ICAP	JS16	BE	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.7	69.3	UGG	99.4	.3
METALS IN SOIL BY ICAP	JS16	BE	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.1	68.9	UGG	99.7	.3
METALS IN SOIL BY ICAP	JS16	BE	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.1	68.9	UGG	99.7	.3

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN SOIL BY ICAP	JS16	BE	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	54.1	54.8	UGG	101.3	.0
METALS IN SOIL BY ICAP	JS16	BE	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	54.1	54.8	UGG	101.3	.0
METALS IN SOIL BY ICAP	JS16	BE	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	53.1	53.8	UGG	101.3	.0
METALS IN SOIL BY ICAP	JS16	BE	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	53.1	53.8	UGG	101.3	.0
		**********									----------	
		avg									101.3	
		minimum									99.4	
		maximum									103.5	
METALS IN SOIL BY ICAP	JS16	CA	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6970	6850	UGG	98.3	.8
METALS IN SOIL BY ICAP	JS16	CA	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6970	6850	UGG	98.3	.8
METALS IN SOIL BY ICAP	JS16	CA	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6910	6740	UGG	97.5	.8
METALS IN SOIL BY ICAP	JS16	CA	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6910	6740	UGG	97.5	.8
METALS IN SOIL BY ICAP	JS16	CA	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5410	5120	UGG	94.6	.9
METALS IN SOIL BY ICAP	JS16	CA	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5410	5120	UGG	94.6	.9
METALS IN SOIL BY ICAP	JS16	CA	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5310	5070	UGG	95.5	.9
METALS IN SOIL BY ICAP	JS16	CA	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5310	5070	UGG	95.5	.9
		**********									----------	
		avg									96.5	
		minimum									94.6	
		maximum									98.3	
METALS IN SOIL BY ICAP	JS16	CD	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.7	69.7	UGG	100.0	.3
METALS IN SOIL BY ICAP	JS16	CD	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.7	69.7	UGG	100.0	.3
METALS IN SOIL BY ICAP	JS16	CD	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.1	69.3	UGG	100.3	.3
METALS IN SOIL BY ICAP	JS16	CD	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.1	69.3	UGG	100.3	.3
METALS IN SOIL BY ICAP	JS16	CD	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	54.1	55.8	UGG	103.1	.8
METALS IN SOIL BY ICAP	JS16	CD	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	54.1	55.8	UGG	103.1	.8
METALS IN SOIL BY ICAP	JS16	CD	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	53.1	55.2	UGG	104.0	.8
METALS IN SOIL BY ICAP	JS16	CD	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	53.1	55.2	UGG	104.0	.8
		**********									----------	
		avg									101.8	
		minimum									100.0	
		maximum									104.0	
METALS IN SOIL BY ICAP	JS16	CO	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	139	142	UGG	102.2	1.4
METALS IN SOIL BY ICAP	JS16	CO	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	139	142	UGG	102.2	1.4

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN SOIL BY ICAP	JS16	CO	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	138	139	UGG	100.7	1.4
METALS IN SOIL BY ICAP	JS16	CO	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	138	139	UGG	100.7	1.4
METALS IN SOIL BY ICAP	JS16	CO	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	108	109	UGG	100.9	.0
METALS IN SOIL BY ICAP	JS16	CO	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	108	109	UGG	100.9	.0
METALS IN SOIL BY ICAP	JS16	CO	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	106	107	UGG	100.9	.0
METALS IN SOIL BY ICAP	JS16	CO	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	106	107	UGG	100.9	.0
		**********										
		avg									101.2	
		minimum									100.7	
		maximum									102.2	
METALS IN SOIL BY ICAP	JS16	CR	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	139	139	UGG	100.0	2.2
METALS IN SOIL BY ICAP	JS16	CR	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	139	139	UGG	100.0	2.2
METALS IN SOIL BY ICAP	JS16	CR	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	138	135	UGG	97.8	2.2
METALS IN SOIL BY ICAP	JS16	CR	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	138	135	UGG	97.8	2.2
METALS IN SOIL BY ICAP	JS16	CR	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	108	115	UGG	106.5	1.0
METALS IN SOIL BY ICAP	JS16	CR	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	108	115	UGG	106.5	1.0
METALS IN SOIL BY ICAP	JS16	CR	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	106	114	UGG	107.5	1.0
METALS IN SOIL BY ICAP	JS16	CR	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	106	114	UGG	107.5	1.0
		**********										
		avg									103.0	
		minimum									97.8	
		maximum									107.5	
METALS IN SOIL BY ICAP	JS16	CU	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.7	79.8	UGG	114.5	9.3
METALS IN SOIL BY ICAP	JS16	CU	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.7	79.8	UGG	114.5	9.3
METALS IN SOIL BY ICAP	JS16	CU	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.1	72.1	UGG	104.3	9.3
METALS IN SOIL BY ICAP	JS16	CU	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.1	72.1	UGG	104.3	9.3
METALS IN SOIL BY ICAP	JS16	CU	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	54.1	54.8	UGG	101.3	.6
METALS IN SOIL BY ICAP	JS16	CU	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	54.1	54.8	UGG	101.3	.6
METALS IN SOIL BY ICAP	JS16	CU	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	53.1	54.1	UGG	101.9	.6
METALS IN SOIL BY ICAP	JS16	CU	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	53.1	54.1	UGG	101.9	.6
		**********										
		avg									105.5	
		minimum									101.3	
		maximum									114.5	

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN SOIL BY ICAP	JS16	FE	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	1390	3.68	UGG	.3	.7
METALS IN SOIL BY ICAP	JS16	FE	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	1380	3.68	UGG	.3	.7
METALS IN SOIL BY ICAP	JS16	FE	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	1380	3.68	UGG	.3	.7
METALS IN SOIL BY ICAP	JS16	FE	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	1390	3.68	UGG	.3	.7
METALS IN SOIL BY ICAP	JS16	FE	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	1060	2000	UGG	188.7	56.5
METALS IN SOIL BY ICAP	JS16	FE	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	1060	2000	UGG	188.7	56.5
METALS IN SOIL BY ICAP	JS16	FE	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	1080	1140	UGG	105.6	56.5
METALS IN SOIL BY ICAP	JS16	FE	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	1080	1140	UGG	105.6	56.5
		**********										
		avg									73.7	
		minimum									.3	
		maximum									188.7	
METALS IN SOIL BY ICAP	JS16	K	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6970	6840	UGG	98.1	.3
METALS IN SOIL BY ICAP	JS16	K	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6970	6840	UGG	98.1	.3
METALS IN SOIL BY ICAP	JS16	K	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6910	6760	UGG	97.8	.3
METALS IN SOIL BY ICAP	JS16	K	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6910	6760	UGG	97.8	.3
METALS IN SOIL BY ICAP	JS16	K	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5310	5340	UGG	100.6	5.5
METALS IN SOIL BY ICAP	JS16	K	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5310	5340	UGG	100.6	5.5
METALS IN SOIL BY ICAP	JS16	K	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5410	5150	UGG	95.2	5.5
METALS IN SOIL BY ICAP	JS16	K	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5410	5150	UGG	95.2	5.5
		**********										
		avg									97.9	
		minimum									95.2	
		maximum									100.6	
METALS IN SOIL BY ICAP	JS16	MG	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6970	6510	UGG	93.4	.5
METALS IN SOIL BY ICAP	JS16	MG	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6970	6510	UGG	93.4	.5
METALS IN SOIL BY ICAP	JS16	MG	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6910	6420	UGG	92.9	.5
METALS IN SOIL BY ICAP	JS16	MG	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6910	6420	UGG	92.9	.5
METALS IN SOIL BY ICAP	JS16	MG	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5310	5710	UGG	107.5	4.3
METALS IN SOIL BY ICAP	JS16	MG	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5310	5710	UGG	107.5	4.3
METALS IN SOIL BY ICAP	JS16	MG	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5410	5570	UGG	103.0	4.3
METALS IN SOIL BY ICAP	JS16	MG	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5410	5570	UGG	103.0	4.3
		**********										
		avg									99.2	
		minimum									92.9	

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		maximum									107.5	
METALS IN SOIL BY ICAP	JS16	MN	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.7	104	UGG	149.2	5.5
METALS IN SOIL BY ICAP	JS16	MN	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.7	104	UGG	149.2	5.5
METALS IN SOIL BY ICAP	JS16	MN	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.1	97.6	UGG	141.2	5.5
METALS IN SOIL BY ICAP	JS16	MN	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.1	97.6	UGG	141.2	5.5
METALS IN SOIL BY ICAP	JS16	MN	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	53.1	61.9	UGG	116.6	12.2
METALS IN SOIL BY ICAP	JS16	MN	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	53.1	61.9	UGG	116.6	12.2
METALS IN SOIL BY ICAP	JS16	MN	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	54.1	55.8	UGG	103.1	12.2
METALS IN SOIL BY ICAP	JS16	MN	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	54.1	55.8	UGG	103.1	12.2
		**********										
		avg									127.5	
		minimum									103.1	
		maximum									149.2	
METALS IN SOIL BY ICAP	JS16	NA	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6970	7050	UGG	101.1	1.0
METALS IN SOIL BY ICAP	JS16	NA	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6970	7050	UGG	101.1	1.0
METALS IN SOIL BY ICAP	JS16	NA	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6910	6920	UGG	100.1	1.0
METALS IN SOIL BY ICAP	JS16	NA	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	6910	6920	UGG	100.1	1.0
METALS IN SOIL BY ICAP	JS16	NA	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5410	5310	UGG	98.2	.3
METALS IN SOIL BY ICAP	JS16	NA	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5410	5310	UGG	98.2	.3
METALS IN SOIL BY ICAP	JS16	NA	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5310	5230	UGG	98.5	.3
METALS IN SOIL BY ICAP	JS16	NA	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	5310	5230	UGG	98.5	.3
		**********										
		avg									99.5	
		minimum									98.2	
		maximum									101.1	
METALS IN SOIL BY ICAP	JS16	NI	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.7	74.7	UGG	107.2	.5
METALS IN SOIL BY ICAP	JS16	NI	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.7	74.7	UGG	107.2	.5
METALS IN SOIL BY ICAP	JS16	NI	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.1	74.4	UGG	107.7	.5
METALS IN SOIL BY ICAP	JS16	NI	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.1	74.4	UGG	107.7	.5
METALS IN SOIL BY ICAP	JS16	NI	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	53.1	58	UGG	109.2	2.4
METALS IN SOIL BY ICAP	JS16	NI	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	53.1	58	UGG	109.2	2.4
METALS IN SOIL BY ICAP	JS16	NI	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	54.1	57.7	UGG	106.7	2.4
METALS IN SOIL BY ICAP	JS16	NI	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	54.1	57.7	UGG	106.7	2.4
		**********										

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		avg									107.7	
		minimum									106.7	
		maximum									109.2	
METALS IN SOIL BY ICAP	JS16	V	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.7	66	UGG	94.7	1.4
METALS IN SOIL BY ICAP	JS16	V	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.7	66	UGG	94.7	1.4
METALS IN SOIL BY ICAP	JS16	V	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.1	64.5	UGG	93.3	1.4
METALS IN SOIL BY ICAP	JS16	V	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	69.1	64.5	UGG	93.3	1.4
METALS IN SOIL BY ICAP	JS16	V	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	53.1	56.7	UGG	106.8	5.6
METALS IN SOIL BY ICAP	JS16	V	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	53.1	56.7	UGG	106.8	5.6
METALS IN SOIL BY ICAP	JS16	V	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	54.1	54.6	UGG	100.9	5.6
METALS IN SOIL BY ICAP	JS16	V	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	54.1	54.6	UGG	100.9	5.6
		**********										
		avg									98.9	
		minimum									93.3	
		maximum									106.8	
METALS IN SOIL BY ICAP	JS16	ZN	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	139	195	UGG	140.3	2.9
METALS IN SOIL BY ICAP	JS16	ZN	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	139	195	UGG	140.3	2.9
METALS IN SOIL BY ICAP	JS16	ZN	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	138	188	UGG	136.2	2.9
METALS IN SOIL BY ICAP	JS16	ZN	SX210700	DV3S*564	EXBA	26-MAY-93	18-JUN-93	138	188	UGG	136.2	2.9
METALS IN SOIL BY ICAP	JS16	ZN	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	106	114	UGG	107.5	1.9
METALS IN SOIL BY ICAP	JS16	ZN	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	106	114	UGG	107.5	1.9
METALS IN SOIL BY ICAP	JS16	ZN	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	108	114	UGG	105.6	1.9
METALS IN SOIL BY ICAP	JS16	ZN	BX440805	DV3S*623	EXCA	11-JUN-93	30-JUN-93	108	114	UGG	105.6	1.9
		**********										
		avg									122.4	
		minimum									105.6	
		maximum									140.3	
	LH16	CL10BP	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.067	.12	UGG	179.1	61.6
	LH16	CL10BP	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.067	.12	UGG	179.1	61.6
	LH16	CL10BP	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.067	.071	UGG	106.0	61.6
	LH16	CL10BP	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.067	.071	UGG	106.0	61.6
	LH16	CL10BP	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.067	.067	UGG	100.0	61.6
	LH16	CL10BP	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.067	.067	UGG	100.0	61.6

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		**********										
		avg									128.4	
		minimum									100.0	
		maximum									179.1	
	LH16	CL4XYL	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.067	.052	UGG	77.6	17.0
	LH16	CL4XYL	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.067	.052	UGG	77.6	17.0
	LH16	CL4XYL	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.067	.045	UGG	67.2	17.0
	LH16	CL4XYL	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.067	.045	UGG	67.2	17.0
	LH16	CL4XYL	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.067	.044	UGG	65.7	17.0
	LH16	CL4XYL	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.067	.044	UGG	65.7	17.0
		**********										
		avg									70.1	
		minimum									65.7	
		maximum									77.6	
	LH16	PCB016	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.292	.297	UGG	101.7	23.7
	LH16	PCB016	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.292	.297	UGG	101.7	23.7
	LH16	PCB016	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.292	.234	UGG	80.1	23.7
	LH16	PCB016	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.292	.234	UGG	80.1	23.7
		**********										
		avg									90.9	
		minimum									80.1	
		maximum									101.7	
	LH16	PCB260	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.292	.406	UGG	139.0	37.8
	LH16	PCB260	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.292	.406	UGG	139.0	37.8
	LH16	PCB260	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.292	.277	UGG	94.9	37.8
	LH16	PCB260	BX440805	DV3S*623	DHFA	11-JUN-93	18-JUN-93	.292	.277	UGG	94.9	37.8
		**********										
		avg									117.0	
		minimum									94.9	
		maximum									139.0	
HG IN WATER BY CVAA	SB01	HG	MXG309X1	DV3W*558	FQBA	23-JUN-93	16-JUL-93	4	3.42	UGL	85.5	3.6
HG IN WATER BY CVAA	SB01	HG	MXG309X1	DV3W*558	FQBA	23-JUN-93	16-JUL-93	4	3.42	UGL	85.5	3.6

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
HG IN WATER BY CVAA	SB01	HG	MXG309X1	DV3W*558	FQBA	23-JUN-93	16-JUL-93	4	3.3	UGL	82.5	3.6
HG IN WATER BY CVAA	SB01	HG	MXG309X1	DV3W*558	FQBA	23-JUN-93	16-JUL-93	4	3.3	UGL	82.5	3.6
		**********										
		avg									84.0	
		minimum									82.5	
		maximum									85.5	
TL IN WATER BY GFAA	SD09	TL	MXG309X1	DV3W*558	DNTA	23-JUN-93	29-JUL-93	10	11.9	UGL	119.0	.8
TL IN WATER BY GFAA	SD09	TL	MXG309X1	DV3W*558	DNTA	23-JUN-93	29-JUL-93	10	11.9	UGL	119.0	.8
TL IN WATER BY GFAA	SD09	TL	MXG309X1	DV3W*558	DNTA	23-JUN-93	28-JUL-93	10	11.8	UGL	118.0	.8
TL IN WATER BY GFAA	SD09	TL	MXG309X1	DV3W*558	DNTA	23-JUN-93	28-JUL-93	10	11.8	UGL	118.0	.8
		**********										
		avg									118.5	
		minimum									118.0	
		maximum									119.0	
PB IN WATER BY GFAA	SD20	PB	MXG309X1	DV3W*558	EWGA	23-JUN-93	28-JUL-93	40	43.4	UGL	108.5	4.5
PB IN WATER BY GFAA	SD20	PB	MXG309X1	DV3W*558	EWGA	23-JUN-93	28-JUL-93	40	43.4	UGL	108.5	4.5
PB IN WATER BY GFAA	SD20	PB	MXG309X1	DV3W*558	EWGA	23-JUN-93	28-JUL-93	40	41.5	UGL	103.8	4.5
PB IN WATER BY GFAA	SD20	PB	MXG309X1	DV3W*558	EWGA	23-JUN-93	28-JUL-93	40	41.5	UGL	103.8	4.5
		**********										
		avg									106.1	
		minimum									103.8	
		maximum									108.5	
SE IN WATER BY GFAA	SD21	SE	MXG309X1	DV3W*558	EFOA	23-JUN-93	29-JUL-93	37.5	38.1	UGL	101.6	1.9
SE IN WATER BY GFAA	SD21	SE	MXG309X1	DV3W*558	EFOA	23-JUN-93	29-JUL-93	37.5	38.1	UGL	101.6	1.9
SE IN WATER BY GFAA	SD21	SE	MXG309X1	DV3W*558	EFOA	23-JUN-93	29-JUL-93	37.5	37.4	UGL	99.7	1.9
SE IN WATER BY GFAA	SD21	SE	MXG309X1	DV3W*558	EFOA	23-JUN-93	29-JUL-93	37.5	37.4	UGL	99.7	1.9
		**********										
		avg									100.7	
		minimum									99.7	
		maximum									101.6	

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
AS IN WATER BY GFAA	SD22	AS	MXG309X1	DV3W*558	ESJA	23-JUN-93	29-JUL-93	37.5	44.2	UGL	117.9	2.5
AS IN WATER BY GFAA	SD22	AS	MXG309X1	DV3W*558	ESJA	23-JUN-93	29-JUL-93	37.5	44.2	UGL	117.9	2.5
AS IN WATER BY GFAA	SD22	AS	MXG309X1	DV3W*558	ESJA	23-JUN-93	29-JUL-93	37.5	43.1	UGL	114.9	2.5
AS IN WATER BY GFAA	SD22	AS	MXG309X1	DV3W*558	ESJA	23-JUN-93	29-JUL-93	37.5	43.1	UGL	114.9	2.5
		**********										
		avg									116.4	
		minimum									114.9	
		maximum									117.9	
SB IN WATER BY GFAA	SD28	SB	MXG309X1	DV3W*558	FRAA	23-JUN-93	30-JUL-93	80	77.1	UGL	96.4	2.6
SB IN WATER BY GFAA	SD28	SB	MXG309X1	DV3W*558	FRAA	23-JUN-93	30-JUL-93	80	77.1	UGL	96.4	2.6
SB IN WATER BY GFAA	SD28	SB	MXG309X1	DV3W*558	FRAA	23-JUN-93	30-JUL-93	80	75.1	UGL	93.9	2.6
SB IN WATER BY GFAA	SD28	SB	MXG309X1	DV3W*558	FRAA	23-JUN-93	30-JUL-93	80	75.1	UGL	93.9	2.6
		**********										
		avg									95.1	
		minimum									93.9	
		maximum									96.4	
METALS IN WATER BY ICAP	SS10	AG	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	50	50.3	UGL	100.6	2.4
METALS IN WATER BY ICAP	SS10	AG	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	50	50.3	UGL	100.6	2.4
METALS IN WATER BY ICAP	SS10	AG	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	50	49.1	UGL	98.2	2.4
METALS IN WATER BY ICAP	SS10	AG	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	50	49.1	UGL	98.2	2.4
		**********										
		avg									99.4	
		minimum									98.2	
		maximum									100.6	
METALS IN WATER BY ICAP	SS10	AL	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	2000	2040	UGL	102.0	5.0
METALS IN WATER BY ICAP	SS10	AL	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	2000	2040	UGL	102.0	5.0
METALS IN WATER BY ICAP	SS10	AL	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	2000	1940	UGL	97.0	5.0
METALS IN WATER BY ICAP	SS10	AL	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	2000	1940	UGL	97.0	5.0
		**********										
		avg									99.5	
		minimum									97.0	

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
		maximum									102.0	
METALS IN WATER BY ICAP	SS10	BA	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	2000	1780	UGL	89.0	.6
METALS IN WATER BY ICAP	SS10	BA	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	2000	1780	UGL	89.0	.6
METALS IN WATER BY ICAP	SS10	BA	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	2000	1770	UGL	88.5	.6
METALS IN WATER BY ICAP	SS10	BA	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	2000	1770	UGL	88.5	.6
		**********									----------	
		avg									88.8	
		minimum									88.5	
		maximum									89.0	
METALS IN WATER BY ICAP	SS10	BE	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	50	54	UGL	108.0	.0
METALS IN WATER BY ICAP	SS10	BE	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	50	54	UGL	108.0	.0
METALS IN WATER BY ICAP	SS10	BE	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	50	54	UGL	108.0	.0
METALS IN WATER BY ICAP	SS10	BE	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	50	54	UGL	108.0	.0
		**********									----------	
		avg									108.0	
		minimum									108.0	
		maximum									108.0	
METALS IN WATER BY ICAP	SS10	CA	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	10500	UGL	105.0	.0
METALS IN WATER BY ICAP	SS10	CA	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	10500	UGL	105.0	.0
METALS IN WATER BY ICAP	SS10	CA	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	10500	UGL	105.0	.0
METALS IN WATER BY ICAP	SS10	CA	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	10500	UGL	105.0	.0
		**********									----------	
		avg									105.0	
		minimum									105.0	
		maximum									105.0	
METALS IN WATER BY ICAP	SS10	CD	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	50	50.8	UGL	101.6	1.0
METALS IN WATER BY ICAP	SS10	CD	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	50	50.8	UGL	101.6	1.0
METALS IN WATER BY ICAP	SS10	CD	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	50	50.3	UGL	100.6	1.0
METALS IN WATER BY ICAP	SS10	CD	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	50	50.3	UGL	100.6	1.0
		**********									----------	
		avg									101.1	
		minimum									100.6	
		maximum									101.6	

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN WATER BY ICAP	SS10	CO	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	548	UGL	109.6	.2
METALS IN WATER BY ICAP	SS10	CO	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	548	UGL	109.6	.2
METALS IN WATER BY ICAP	SS10	CO	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	547	UGL	109.4	.2
METALS IN WATER BY ICAP	SS10	CO	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	547	UGL	109.4	.2
		**********										
		avg									109.5	
		minimum									109.4	
		maximum									109.6	
METALS IN WATER BY ICAP	SS10	CR	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	200	198	UGL	99.0	.0
METALS IN WATER BY ICAP	SS10	CR	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	200	198	UGL	99.0	.0
METALS IN WATER BY ICAP	SS10	CR	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	200	198	UGL	99.0	.0
METALS IN WATER BY ICAP	SS10	CR	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	200	198	UGL	99.0	.0
		**********										
		avg									99.0	
		minimum									99.0	
		maximum									99.0	
METALS IN WATER BY ICAP	SS10	CU	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	250	248	UGL	99.2	.8
METALS IN WATER BY ICAP	SS10	CU	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	250	248	UGL	99.2	.8
METALS IN WATER BY ICAP	SS10	CU	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	250	246	UGL	98.4	.8
METALS IN WATER BY ICAP	SS10	CU	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	250	246	UGL	98.4	.8
		**********										
		avg									98.8	
		minimum									98.4	
		maximum									99.2	
METALS IN WATER BY ICAP	SS10	FE	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	1000	857	UGL	85.7	2.2
METALS IN WATER BY ICAP	SS10	FE	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	1000	857	UGL	85.7	2.2
METALS IN WATER BY ICAP	SS10	FE	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	1000	838	UGL	83.8	2.2
METALS IN WATER BY ICAP	SS10	FE	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	1000	838	UGL	83.8	2.2
		**********										
		avg									84.8	
		minimum									83.8	
		maximum									85.7	

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN WATER BY ICAP	SS10	K	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	11700	UGL	117.0	.9
METALS IN WATER BY ICAP	SS10	K	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	11700	UGL	117.0	.9
METALS IN WATER BY ICAP	SS10	K	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	11600	UGL	116.0	.9
METALS IN WATER BY ICAP	SS10	K	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	11600	UGL	116.0	.9
		**********										
		avg									116.5	
		minimum									116.0	
		maximum									117.0	
METALS IN WATER BY ICAP	SS10	MG	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	9990	UGL	99.9	.2
METALS IN WATER BY ICAP	SS10	MG	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	9990	UGL	99.9	.2
METALS IN WATER BY ICAP	SS10	MG	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	9970	UGL	99.7	.2
METALS IN WATER BY ICAP	SS10	MG	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	9970	UGL	99.7	.2
		**********										
		avg									99.8	
		minimum									99.7	
		maximum									99.9	
METALS IN WATER BY ICAP	SS10	MN	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	495	UGL	99.0	.2
METALS IN WATER BY ICAP	SS10	MN	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	495	UGL	99.0	.2
METALS IN WATER BY ICAP	SS10	MN	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	494	UGL	98.8	.2
METALS IN WATER BY ICAP	SS10	MN	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	494	UGL	98.8	.2
		**********										
		avg									98.9	
		minimum									98.8	
		maximum									99.0	
METALS IN WATER BY ICAP	SS10	NA	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	10200	UGL	102.0	.0
METALS IN WATER BY ICAP	SS10	NA	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	10200	UGL	102.0	.0
METALS IN WATER BY ICAP	SS10	NA	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	10200	UGL	102.0	.0
METALS IN WATER BY ICAP	SS10	NA	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	10000	10200	UGL	102.0	.0
		**********										
		avg									102.0	
		minimum									102.0	
		maximum									102.0	
METALS IN WATER BY ICAP	SS10	NI	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	565	UGL	113.0	1.1

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
METALS IN WATER BY ICAP	SS10	NI	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	565	UGL	113.0	1.1
METALS IN WATER BY ICAP	SS10	NI	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	559	UGL	111.8	1.1
METALS IN WATER BY ICAP	SS10	NI	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	559	UGL	111.8	1.1
		**********										
		avg									112.4	
		minimum									111.8	
		maximum									113.0	
METALS IN WATER BY ICAP	SS10	V	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	522	UGL	104.4	.8
METALS IN WATER BY ICAP	SS10	V	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	522	UGL	104.4	.8
METALS IN WATER BY ICAP	SS10	V	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	518	UGL	103.6	.8
METALS IN WATER BY ICAP	SS10	V	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	518	UGL	103.6	.8
		**********										
		avg									104.0	
		minimum									103.6	
		maximum									104.4	
METALS IN WATER BY ICAP	SS10	ZN	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	525	UGL	105.0	.6
METALS IN WATER BY ICAP	SS10	ZN	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	525	UGL	105.0	.6
METALS IN WATER BY ICAP	SS10	ZN	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	522	UGL	104.4	.6
METALS IN WATER BY ICAP	SS10	ZN	MXG309X1	DV3W*558	EVHA	23-JUN-93	20-JUL-93	500	522	UGL	104.4	.6
		**********										
		avg									104.7	
		minimum									104.4	
		maximum									105.0	
NO2, NO3 IN WATER	TF22	NIT	MXG309X1	DV3W*558	EQDA	23-JUN-93	14-JUL-93	150	150	UGL	100.0	.0
NO2, NO3 IN WATER	TF22	NIT	MXG309X1	DV3W*558	EQDA	23-JUN-93	14-JUL-93	150	150	UGL	100.0	.0
NO2, NO3 IN WATER	TF22	NIT	MXG309X1	DV3W*558	EQDA	23-JUN-93	14-JUL-93	150	150	UGL	100.0	.0
NO2, NO3 IN WATER	TF22	NIT	MXG309X1	DV3W*558	EQDA	23-JUN-93	14-JUL-93	150	150	UGL	100.0	.0
		**********										
		avg									100.0	
		minimum									100.0	
		maximum									100.0	

Table FS-7
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

MS/MSD

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery	RPD
SO4 IN WATER	TT10	CL	MXG309X1	DV3W*558	DEOA	23-JUN-93	14-JUL-93	25000	29000	UGL	116.0	.0
SO4 IN WATER	TT10	CL	MXG309X1	DV3W*558	DEOA	23-JUN-93	14-JUL-93	25000	29000	UGL	116.0	.0
SO4 IN WATER	TT10	CL	MXG309X1	DV3W*558	DEOA	23-JUN-93	14-JUL-93	25000	29000	UGL	116.0	.0
SO4 IN WATER	TT10	CL	MXG309X1	DV3W*558	DEOA	23-JUN-93	14-JUL-93	25000	29000	UGL	116.0	.0
		**********									----------	
		avg									116.0	
		minimum									116.0	
		maximum									116.0	
SO4 IN WATER	TT10	SO4	MXG309X1	DV3W*558	DEOA	23-JUN-93	14-JUL-93	250000	260000	UGL	104.0	.0
SO4 IN WATER	TT10	SO4	MXG309X1	DV3W*558	DEOA	23-JUN-93	14-JUL-93	250000	260000	UGL	104.0	.0
SO4 IN WATER	TT10	SO4	MXG309X1	DV3W*558	DEOA	23-JUN-93	14-JUL-93	250000	260000	UGL	104.0	.0
SO4 IN WATER	TT10	SO4	MXG309X1	DV3W*558	DEOA	23-JUN-93	14-JUL-93	250000	260000	UGL	104.0	.0
		**********									----------	
		avg									104.0	
		minimum									104.0	
		maximum									104.0	

TABLE FS–8
INORGANIC SOIL MATRIX SPIKE / MATRIX SPIKE DUPLICATE SUMMARY
SUPPLEMENTAL SITE INVESTIGATION
GROUPS 3,5 & 6
FORT DEVENS, MASSACHUSETTS

Sample ID	Analysis	% Recovery	RPD	Sample ID	Analysis	% Recovery	RPD
SX210700	Mercury	521.6	0.2	SX210700	Silver	52.7	37.0
SX210700	Mercury	522.5	0.2	SX210700	Aluminum	0.8	0.7
SX210700	Selenium	57.5	10.7	SX210700	Aluminum	0.8	0.7
SX210700	Selenium	51.6	10.7	BX440805	Aluminum	324.9	100.0
BX381900	Lead	212.6	0.5	BX440805	Iron	108.3	56.6
BX381900	Lead	213.6	0.5	SX210700	Iron	0.3	0.7
SX210700	Lead	572.0	106.0	SX210700	Iron	0.3	0.7
SX210700	Lead	175.7	106.0	BX440805	Iron	188.7	56.5
BX440805	Lead	73.4	13.7	SX210700	Manganese	141.2	5.5
BX440805	Lead	64.0	13.7	SX210700	Manganese	149.2	5.5
SX210700	Arsenic	55.9	30.3	SX210700	Zinc	140.3	2.9
SX210700	Antimony	64.0	11.9	SX210700	Zinc	136.2	2.9
SX210700	Antimony	56.8	11.9				

Note:
RPD = Relative Percent Recovery

TABLE FS-9
SAMPLE DUPLICATES OUTSIDE EPA REGION I RPD CRITERIA
SUPPLEMENTAL SITE INVESTIGATION
GROUP 3,5 & 6
FORT DEVENS MASSACHUSETTS

Analyte	Sample ID	Original	Duplicate	RPD
Soil (ug/g)				
VOCs				
Tetrachloroethylene	BDG61205	<0.0081	0.0028	110.2
SVOCs				
Fluoranthene	BD440905	<0.068	0.25	114.5
Phenanthrene	BD440905	<0.033	0.085	88.1
Pyrene	BD440905	<0.033	0.12	113.7
Inorganics				
Lead	BD381210	3.9	2.32	50.8
Aluminum	SD210600	1710	20000	168.5
Barium	SD210600	5.18	34.6	147.9
Berryllium	SD210600	<0.5	2.14	124.2
Calcium	SD210600	156	565	113.5
Cobalt	SD210600	1.42	6.34	126.8
Chromium	SD210600	<4.05	31.3	154.2
Copper	SD210600	2.66	17.9	148.2
Iron	SD210600	1630	17700	166.3
Potassium	SD210600	222	913	121.8
Magnesium	SD210600	293	3050	164.9
Manganese	SD210600	40.1	261	146.7
Nickel	SD210600	<1.71	17.3	164.0
Vanadium	SD210600	<3.39	29.2	158.4
Zinc	SD210600	<8.03	55.7	149.6
Aqueous ug/L				
Inorganics				
Lead	MDG308X2	4.01	2.28	55.0
Lead	MDG613X1	6.62	9.33	34.0
Aluminum	MDG308X2	253	<141	56.9
Copper	MDG308X2	13.6	<8.09	50.8
Iron	MDG308X2	334	132	86.7
Potassium	MDG308X2	706	1050	39.2

TABLE FS-9
SAMPLE DUPLICATES OUTSIDE EPA REGION I RPD CRITERIA
SUPPLEMENTAL SITE INVESTIGATION
GROUP 3,5 & 6
FORT DEVENS MASSACHUSETTS

Analyte	Sample ID	Original	Duplicate	RPD
Miscellaneous				
Hardness	MDG613X1	41800	1000	190.7
TSS	MDG613X1	617000	934000	40.9
Bicarbonate	MDG613X1	12200	6100	66.7

Notes:
ug/g = Microgram per gram
ug/L = Microgram per liter
RPD = Relative Percent Difference
VOCs = Volatile Organic Compounds
SVOCs = Semivolatile Organic Compounds
TSS = Total Suspended Solids

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
	00	HARD	MXG613X1	DV3W*586	FDPA	25-JUN-93	05-JUL-93		41800	UGL	190.7
	00	HARD	MDG613X1	DV3W*645	FDPA	25-JUN-93	05-JUL-93	<	1000	UGL	190.7
	00	TPHC	BD440905	DV3S*639	FDHA	10-JUN-93	29-JUN-93		38.1	UGG	28.8
	00	TPHC	BX440905	DV3S*627	FDHA	10-JUN-93	29-JUN-93	<	28.5	UGG	28.8
	00	TPHC	MDG613X1	DV3W*645	FDUA	25-JUN-93	09-JUL-93	<	188	UGL	3.2
	00	TPHC	MXG613X1	DV3W*586	FDUA	25-JUN-93	09-JUL-93	<	182	UGL	3.2
	00	TPHC	SX210600	DV3S*563	FDCA	26-MAY-93	17-JUN-93		163	UGG	49.8
	00	TPHC	SD210600	DV3S*592	FDCA	26-MAY-93	17-JUN-93		98	UGG	49.8
	00	TSS	MXG308X2	DV3W*557	IQUA	21-SEP-93	27-SEP-93		29000	UGL	18.5
	00	TSS	MXG308X2	DV3W*557	IQUA	21-SEP-93	27-SEP-93		28000	UGL	18.5
	00	TSS	MDG308X2	DV3W*647	IQUA	21-SEP-93	27-SEP-93		24000	UGL	18.5
	00	TSS	MDG613X1	DV3W*645	FDXA	25-JUN-93	29-JUN-93		934000	UGL	40.9
	00	TSS	MXG613X1	DV3W*586	FDXA	25-JUN-93	29-JUN-93		617000	UGL	40.9
	99	ALK	MXG308X2	DV3W*557	IJYA	21-SEP-93	27-SEP-93		6	UGL	18.2
	99	ALK	MDG308X2	DV3W*647	IJYA	21-SEP-93	27-SEP-93	<	5	UGL	18.2
	99	HCO3	MXG308X2	DV3W*557	IJYA	21-SEP-93	27-SEP-93		7.32	UGL	18.2
	99	HCO3	MDG308X2	DV3W*647	IJYA	21-SEP-93	27-SEP-93	<	6.1	UGL	18.2
	99	HCO3	MXG613X1	DV3W*586	FVYA	25-JUN-93	22-JUL-93		12200	UGL	66.7
	99	HCO3	MDG613X1	DV3W*645	FVYA	25-JUN-93	22-JUL-93	<	6100	UGL	66.7
HG IN SOIL BY GFAA	JB01	HG	SX210600	DV3S*563	EBUA	26-MAY-93	14-JUN-93		.352	UGG	23.5
HG IN SOIL BY GFAA	JB01	HG	SD210600	DV3S*592	EBUA	26-MAY-93	14-JUN-93		.278	UGG	23.5
SE IN SOIL BY GFAA	JD15	SE	SD210600	DV3S*592	EDFA	26-MAY-93	15-JUN-93	<	.25	UGG	.0
SE IN SOIL BY GFAA	JD15	SE	SX210600	DV3S*563	EDFA	26-MAY-93	15-JUN-93	<	.25	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
PB IN SOIL BY GFAA	JD17	PB	BD381210	DV3S*593	CUWA	26-MAY-93	21-JUN-93		2.32	UGG	50.8
PB IN SOIL BY GFAA	JD17	PB	BX381210	DV3S*518	CUWA	26-MAY-93	21-JUN-93		3.9	UGG	50.8
PB IN SOIL BY GFAA	JD17	PB	BX381805	DV3S*535	CUXA	03-JUN-93	14-JUN-93		3.32	UGG	32.2
PB IN SOIL BY GFAA	JD17	PB	BD381805	DV3S*597	CUXA	03-JUN-93	14-JUN-93		2.4	UGG	32.2
PB IN SOIL BY GFAA	JD17	PB	BD440905	DV3S*639	CUZA	10-JUN-93	07-JUL-93		4.19	UGG	28.6
PB IN SOIL BY GFAA	JD17	PB	BX440905	DV3S*627	CUZA	10-JUN-93	07-JUL-93		3.14	UGG	28.6
PB IN SOIL BY GFAA	JD17	PB	SX210600	DV3S*563	CUWA	26-MAY-93	21-JUN-93		53	UGG	40.9
PB IN SOIL BY GFAA	JD17	PB	SD210600	DV3S*592	CUWA	26-MAY-93	21-JUN-93		35	UGG	40.9
AS IN SOIL BY GFAA	JD19	AS	SX210600	DV3S*563	ELKA	26-MAY-93	14-JUN-93		26	UGG	3.9
AS IN SOIL BY GFAA	JD19	AS	SD210600	DV3S*592	ELKA	26-MAY-93	14-JUN-93		25	UGG	3.9
METALS IN SOIL BY ICAP	JS16	AG	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93	<	.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AL	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		20000	UGG	168.5
METALS IN SOIL BY ICAP	JS16	AL	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		1710	UGG	168.5
METALS IN SOIL BY ICAP	JS16	BA	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	5.18	UGG	147.9
METALS IN SOIL BY ICAP	JS16	BA	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		34.6	UGG	147.9
METALS IN SOIL BY ICAP	JS16	BE	BD381210	DV3S*593	EXBA	26-MAY-93	18-JUN-93		1.06	UGG	34.8
METALS IN SOIL BY ICAP	JS16	BE	BX381210	DV3S*518	EXBA	26-MAY-93	18-JUN-93		.746	UGG	34.8
METALS IN SOIL BY ICAP	JS16	BE	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		2.14	UGG	124.2
METALS IN SOIL BY ICAP	JS16	BE	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	.5	UGG	124.2
METALS IN SOIL BY ICAP	JS16	CA	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		565	UGG	113.5
METALS IN SOIL BY ICAP	JS16	CA	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		156	UGG	113.5
METALS IN SOIL BY ICAP	JS16	CD	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		1.16	UGG	49.5

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN SOIL BY ICAP	JS16	CD	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	.7	UGG	49.5
METALS IN SOIL BY ICAP	JS16	CO	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		6.34	UGG	126.8
METALS IN SOIL BY ICAP	JS16	CO	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	1.42	UGG	126.8
METALS IN SOIL BY ICAP	JS16	CR	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	4.05	UGG	154.2
METALS IN SOIL BY ICAP	JS16	CR	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		31.3	UGG	154.2
METALS IN SOIL BY ICAP	JS16	CU	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		2.66	UGG	148.2
METALS IN SOIL BY ICAP	JS16	CU	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		17.9	UGG	148.2
METALS IN SOIL BY ICAP	JS16	FE	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		17700	UGG	166.3
METALS IN SOIL BY ICAP	JS16	FE	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		1630	UGG	166.3
METALS IN SOIL BY ICAP	JS16	K	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		913	UGG	121.8
METALS IN SOIL BY ICAP	JS16	K	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		222	UGG	121.8
METALS IN SOIL BY ICAP	JS16	MG	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		3050	UGG	164.9
METALS IN SOIL BY ICAP	JS16	MG	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		293	UGG	164.9
METALS IN SOIL BY ICAP	JS16	MN	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		40.1	UGG	146.7
METALS IN SOIL BY ICAP	JS16	MN	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		261	UGG	146.7
METALS IN SOIL BY ICAP	JS16	NA	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		367	UGG	21.8
METALS IN SOIL BY ICAP	JS16	NA	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		295	UGG	21.8
METALS IN SOIL BY ICAP	JS16	NI	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		17.3	UGG	164.0
METALS IN SOIL BY ICAP	JS16	NI	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	1.71	UGG	164.0
METALS IN SOIL BY ICAP	JS16	V	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	3.39	UGG	158.4
METALS IN SOIL BY ICAP	JS16	V	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		29.2	UGG	158.4
METALS IN SOIL BY ICAP	JS16	ZN	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	8.03	UGG	149.6

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN SOIL BY ICAP	JS16	ZN	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		55.7	UGG	149.6
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.04	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.04	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.11	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.11	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.13	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.13	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.098	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.098	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.1	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.1	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.18	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.18	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.69	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.69	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	1.2	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	1.2	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.085	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.085	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.06	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.06	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.049	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.049	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.029	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.029	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.062	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.062	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	6.3	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	6.3	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.45	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.45	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.55	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.55	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.059	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.059	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.2	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.2	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.62	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.62	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.25	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.25	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.21	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.21	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.27	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.27	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	BBZP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBZP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.62	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.62	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.85	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.85	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	6.1	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	6.1	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.25	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.25	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.066	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.066	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.19	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.19	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.1	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.1	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.12	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.12	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	6.2	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	6.2	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.15	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.15	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.21	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.21	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.27	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.27	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.035	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.035	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.24	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.24	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.31	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.31	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.061	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.061	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.19	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.19	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.45	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.45	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.53	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.53	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.53	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.53	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.62	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.62	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FANT	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.068	UGG	114.5
BNA'S IN SOIL BY GC/MS	LM18	FANT	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93		.25	UGG	114.5
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.23	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.23	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.13	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.13	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.29	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.29	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.27	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.27	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.037	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.037	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.045	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.045	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.2	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.2	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.19	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.19	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	2	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	2	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	PCB254	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	2.3	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB254	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	2.3	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	2.6	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	2.6	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	1.3	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	1.3	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93		.085	UGG	88.1
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	88.1
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.11	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.11	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.27	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.27	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.31	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.31	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.31	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.31	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	113.7
BNA'S IN SOIL BY GC/MS	LM18	PYR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93		.12	UGG	113.7
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	2.6	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	2.6	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0044	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0044	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0054	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0054	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0039	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0039	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0023	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0023	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0029	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0029	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.01	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.01	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.1	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.1	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.1	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.1	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0029	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0029	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0062	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0062	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0015	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0015	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0059	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0059	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0057	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0057	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0088	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0088	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0069	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0069	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.00087	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.00087	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.1	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.1	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.00086	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.00086	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0044	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0044	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0031	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0031	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.00078	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.00078	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.07	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.07	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0026	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0026	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	ue	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0028	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0028	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0024	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0024	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.00081	UGG	110.2
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93		.0028	UGG	110.2
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0028	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0028	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0015	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0015	UGG	.0
HG IN WATER BY CVAA	SB01	HG	MXG308X2	DV3F*557	IEDA	21-SEP-93	12-OCT-93	<	.243	UGL	.0
HG IN WATER BY CVAA	SB01	HG	MDG308X2	DV3F*647	IEDA	21-SEP-93	12-OCT-93	<	.243	UGL	.0
HG IN WATER BY CVAA	SB01	HG	MDG308X2	DV3W*647	IEDA	21-SEP-93	12-OCT-93	<	.243	UGL	.0
HG IN WATER BY CVAA	SB01	HG	MXG308X2	DV3W*557	IEDA	21-SEP-93	12-OCT-93	<	.243	UGL	.0
TL IN WATER BY GFAA	SD09	TL	MXG308X2	DV3F*557	GWQA	21-SEP-93	02-NOV-93	<	6.99	UGL	.0
TL IN WATER BY GFAA	SD09	TL	MDG308X2	DV3F*647	GWQA	21-SEP-93	02-NOV-93	<	6.99	UGL	.0
TL IN WATER BY GFAA	SD09	TL	MDG308X2	DV3W*647	GWQA	21-SEP-93	02-NOV-93	<	6.99	UGL	.0
TL IN WATER BY GFAA	SD09	TL	MXG308X2	DV3W*557	GWQA	21-SEP-93	02-NOV-93	<	6.99	UGL	.0
PB IN WATER BY GFAA	SD20	PB	MXG308X2	DV3F*557	INGA	21-SEP-93	05-NOV-93	<	1.26	UGL	.0
PB IN WATER BY GFAA	SD20	PB	MDG308X2	DV3F*647	INGA	21-SEP-93	05-NOV-93	<	1.26	UGL	.0
PB IN WATER BY GFAA	SD20	PB	MXG308X2	DV3W*557	INGA	21-SEP-93	05-NOV-93		4.01	UGL	55.0
PB IN WATER BY GFAA	SD20	PB	MDG308X2	DV3W*647	INGA	21-SEP-93	05-NOV-93		2.28	UGL	55.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
PB IN WATER BY GFAA	SD20	PB	MDG613X1	DV3W*645	EWGA	25-JUN-93	28-JUL-93		9.33	UGL	34.0
PB IN WATER BY GFAA	SD20	PB	MXG613X1	DV3W*586	EWGA	25-JUN-93	28-JUL-93		6.62	UGL	34.0
SE IN WATER BY GFAA	SD21	SE	MXG308X2	DV3F*557	HNMA	21-SEP-93	04-NOV-93	<	3.02	UGL	.0
SE IN WATER BY GFAA	SD21	SE	MDG308X2	DV3F*647	HNMA	21-SEP-93	04-NOV-93	<	3.02	UGL	.0
SE IN WATER BY GFAA	SD21	SE	MDG308X2	DV3W*647	HNMA	21-SEP-93	04-NOV-93	<	3.02	UGL	.0
SE IN WATER BY GFAA	SD21	SE	MXG308X2	DV3W*557	HNMA	21-SEP-93	04-NOV-93	<	3.02	UGL	.0
AS IN WATER BY GFAA	SD22	AS	MXG308X2	DV3F*557	HOKA	21-SEP-93	05-NOV-93	<	2.54	UGL	.0
AS IN WATER BY GFAA	SD22	AS	MDG308X2	DV3F*647	HOKA	21-SEP-93	05-NOV-93	<	2.54	UGL	.0
AS IN WATER BY GFAA	SD22	AS	MDG308X2	DV3W*647	HOKA	21-SEP-93	05-NOV-93	<	2.54	UGL	.0
AS IN WATER BY GFAA	SD22	AS	MXG308X2	DV3W*557	HOKA	21-SEP-93	05-NOV-93	<	2.54	UGL	.0
SB IN WATER BY GFAA	SD28	SB	MXG308X2	DV3F*557	FRTA	21-SEP-93	05-NOV-93	<	3.03	UGL	.0
SB IN WATER BY GFAA	SD28	SB	MDG308X2	DV3F*647	FRTA	21-SEP-93	04-NOV-93	<	3.03	UGL	.0
SB IN WATER BY GFAA	SD28	SB	MDG308X2	DV3W*647	FRTA	21-SEP-93	05-NOV-93	<	3.03	UGL	.0
SB IN WATER BY GFAA	SD28	SB	MXG308X2	DV3W*557	FRTA	21-SEP-93	05-NOV-93	<	3.03	UGL	.0
METALS IN WATER BY ICAP	SS10	AG	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	4.6	UGL	.0
METALS IN WATER BY ICAP	SS10	AG	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	4.6	UGL	.0
METALS IN WATER BY ICAP	SS10	AG	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	4.6	UGL	.0
METALS IN WATER BY ICAP	SS10	AG	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	4.6	UGL	.0
METALS IN WATER BY ICAP	SS10	AL	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	141	UGL	.0
METALS IN WATER BY ICAP	SS10	AL	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	141	UGL	.0
METALS IN WATER BY ICAP	SS10	AL	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		253	UGL	56.9
METALS IN WATER BY ICAP	SS10	AL	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	141	UGL	56.9
METALS IN WATER BY ICAP	SS10	BA	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93		6.81	UGL	6.7

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN WATER BY ICAP	SS10	BA	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93		6.37	UGL	6.7
METALS IN WATER BY ICAP	SS10	BA	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		8.26	UGL	16.9
METALS IN WATER BY ICAP	SS10	BA	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93		6.97	UGL	16.9
METALS IN WATER BY ICAP	SS10	BE	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	5	UGL	.0
METALS IN WATER BY ICAP	SS10	BE	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	5	UGL	.0
METALS IN WATER BY ICAP	SS10	BE	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	5	UGL	.0
METALS IN WATER BY ICAP	SS10	BE	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	5	UGL	.0
METALS IN WATER BY ICAP	SS10	CA	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93		2650	UGL	5.4
METALS IN WATER BY ICAP	SS10	CA	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93		2510	UGL	5.4
METALS IN WATER BY ICAP	SS10	CA	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93		2440	UGL	.4
METALS IN WATER BY ICAP	SS10	CA	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		2430	UGL	.4
METALS IN WATER BY ICAP	SS10	CA	MDG613X1	DV3W*645	EVHA	25-JUN-93	20-JUL-93		15900	UGL	3.2
METALS IN WATER BY ICAP	SS10	CA	MXG613X1	DV3W*586	EVHA	25-JUN-93	20-JUL-93		15400	UGL	3.2
METALS IN WATER BY ICAP	SS10	CD	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	4.01	UGL	.0
METALS IN WATER BY ICAP	SS10	CD	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	4.01	UGL	.0
METALS IN WATER BY ICAP	SS10	CD	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	4.01	UGL	.0
METALS IN WATER BY ICAP	SS10	CD	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	4.01	UGL	.0
METALS IN WATER BY ICAP	SS10	CO	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	25	UGL	.0
METALS IN WATER BY ICAP	SS10	CO	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	25	UGL	.0
METALS IN WATER BY ICAP	SS10	CO	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	25	UGL	.0
METALS IN WATER BY ICAP	SS10	CO	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	25	UGL	.0
METALS IN WATER BY ICAP	SS10	CR	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	6.02	UGL	.0
METALS IN WATER BY ICAP	SS10	CR	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	6.02	UGL	.0
METALS IN WATER BY ICAP	SS10	CR	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	6.02	UGL	.0
METALS IN WATER BY ICAP	SS10	CR	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	6.02	UGL	.0
METALS IN WATER BY ICAP	SS10	CU	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	8.09	UGL	.0
METALS IN WATER BY ICAP	SS10	CU	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	8.09	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN WATER BY ICAP	SS10	CU	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	8.09	UGL	50.8
METALS IN WATER BY ICAP	SS10	CU	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		13.6	UGL	50.8
METALS IN WATER BY ICAP	SS10	FE	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	38.8	UGL	.0
METALS IN WATER BY ICAP	SS10	FE	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	38.8	UGL	.0
METALS IN WATER BY ICAP	SS10	FE	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		334	UGL	86.7
METALS IN WATER BY ICAP	SS10	FE	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93		132	UGL	86.7
METALS IN WATER BY ICAP	SS10	K	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93		1050	UGL	39.2
METALS IN WATER BY ICAP	SS10	K	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93		706	UGL	39.2
METALS IN WATER BY ICAP	SS10	K	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93		1240	UGL	29.7
METALS IN WATER BY ICAP	SS10	K	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		919	UGL	29.7
METALS IN WATER BY ICAP	SS10	K	MXG613X1	DV3W*586	EVHA	25-JUN-93	20-JUL-93		4540	UGL	.0
METALS IN WATER BY ICAP	SS10	K	MDG613X1	DV3W*645	EVHA	25-JUN-93	20-JUL-93		4540	UGL	.0
METALS IN WATER BY ICAP	SS10	MG	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	500	UGL	.0
METALS IN WATER BY ICAP	SS10	MG	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	500	UGL	.0
METALS IN WATER BY ICAP	SS10	MG	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	500	UGL	.0
METALS IN WATER BY ICAP	SS10	MG	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	500	UGL	.0
METALS IN WATER BY ICAP	SS10	MG	MXG613X1	DV3W*586	EVHA	25-JUN-93	20-JUL-93		3720	UGL	4.7
METALS IN WATER BY ICAP	SS10	MG	MDG613X1	DV3W*645	EVHA	25-JUN-93	20-JUL-93		3550	UGL	4.7
METALS IN WATER BY ICAP	SS10	MN	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93		74.1	UGL	8.7
METALS IN WATER BY ICAP	SS10	MN	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93		67.9	UGL	8.7
METALS IN WATER BY ICAP	SS10	MN	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93		53.4	UGL	13.2
METALS IN WATER BY ICAP	SS10	MN	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		46.8	UGL	13.2
METALS IN WATER BY ICAP	SS10	NA	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93		4790	UGL	7.8
METALS IN WATER BY ICAP	SS10	NA	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93		4430	UGL	7.8
METALS IN WATER BY ICAP	SS10	NA	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93		3000	UGL	17.8
METALS IN WATER BY ICAP	SS10	NA	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		2510	UGL	17.8
METALS IN WATER BY ICAP	SS10	NI	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	34.3	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN WATER BY ICAP	SS10	NI	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	34.3	UGL	.0
METALS IN WATER BY ICAP	SS10	NI	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	34.3	UGL	.0
METALS IN WATER BY ICAP	SS10	NI	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	34.3	UGL	.0
METALS IN WATER BY ICAP	SS10	V	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	11	UGL	.0
METALS IN WATER BY ICAP	SS10	V	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	11	UGL	.0
METALS IN WATER BY ICAP	SS10	V	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	11	UGL	.0
METALS IN WATER BY ICAP	SS10	V	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	11	UGL	.0
METALS IN WATER BY ICAP	SS10	ZN	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	21.1	UGL	.0
METALS IN WATER BY ICAP	SS10	ZN	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	21.1	UGL	.0
METALS IN WATER BY ICAP	SS10	ZN	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	21.1	UGL	.0
METALS IN WATER BY ICAP	SS10	ZN	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	21.1	UGL	.0
NO2, NO3 IN WATER	TF22	NIT	MDG308X2	DV3W*647	EQRA	21-SEP-93	04-OCT-93		1300	UGL	16.7
NO2, NO3 IN WATER	TF22	NIT	MXG308X2	DV3W*557	EQRA	21-SEP-93	04-OCT-93		1100	UGL	16.7
NO2, NO3 IN WATER	TF22	NIT	MDG613X1	DV3W*645	EQDA	25-JUN-93	14-JUL-93		390	UGL	10.8
NO2, NO3 IN WATER	TF22	NIT	MXG613X1	DV3W*586	EQDA	25-JUN-93	14-JUL-93		350	UGL	10.8
SO4 IN WATER	TT10	CL	MXG308X2	DV3W*557	IOAA	21-SEP-93	28-SEP-93		2470	UGL	15.3
SO4 IN WATER	TT10	CL	MDG308X2	DV3W*647	IOAA	21-SEP-93	28-SEP-93	<	2120	UGL	15.3
SO4 IN WATER	TT10	CL	MDG613X1	DV3W*645	DEOA	25-JUN-93	14-JUL-93		29700	UGL	1.4
SO4 IN WATER	TT10	CL	MXG613X1	DV3W*586	DEOA	25-JUN-93	14-JUL-93		29300	UGL	1.4
SO4 IN WATER	TT10	SO4	MXG308X2	DV3W*557	IOAA	21-SEP-93	28-SEP-93	<	10000	UGL	.0
SO4 IN WATER	TT10	SO4	MDG308X2	DV3W*647	IOAA	21-SEP-93	28-SEP-93	<	10000	UGL	.0
SO4 IN WATER	TT10	SO4	MXG613X1	DV3W*586	DEOA	25-JUN-93	14-JUL-93		12700	UGL	1.6
SO4 IN WATER	TT10	SO4	MDG613X1	DV3W*645	DEOA	25-JUN-93	14-JUL-93		12500	UGL	1.6
BNA'S IN WATER BY GC/MS	UM18	124TCB	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.8	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	124TCB	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DCLB	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DCLB	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DPH	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DPH	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	13DCLB	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	13DCLB	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	14DCLB	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	14DCLB	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	245TCP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	245TCP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	246TCP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	246TCP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DCLP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	2.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DCLP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	2.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DMPN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DMPN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNT	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNT	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	26DNT	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.79	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	26DNT	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.79	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CLP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.99	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CLP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.99	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CNAP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CNAP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MNAP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MNAP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NANIL	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NANIL	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	33DCBD	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	12	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	33DCBD	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	12	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	3NANIL	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	3NANIL	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	46DN2C	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	17	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	46DN2C	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	17	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4BRPPE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4BRPPE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CANIL	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	7.3	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	4CANIL	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	7.3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CL3C	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CL3C	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CLPPE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CLPPE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4MP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.52	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4MP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.52	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NANIL	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NANIL	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	12	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	12	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ABHC	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ABHC	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ACLDAN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ACLDAN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	AENSLF	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	AENSLF	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ALDRN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ALDRN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPNE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPNE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPYL	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	ANAPYL	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANTRC	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANTRC	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CEXM	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CEXM	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CIPE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CIPE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CLEE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CLEE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2EHP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2EHP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAANTR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAANTR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAPYR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAPYR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBFANT	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBFANT	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBHC	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBHC	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBZP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBZP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENSLF	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	BENSLF	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZID	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	10	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZID	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	10	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZOA	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	13	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZOA	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	13	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BGHIPY	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	6.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BGHIPY	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	6.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BKFANT	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.87	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BKFANT	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.87	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BZALC	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.72	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BZALC	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.72	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CARBAZ	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CARBAZ	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CHRY	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	2.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CHRY	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	2.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6BZ	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6BZ	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6CP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	8.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6CP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	8.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6ET	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6ET	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBAHA	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	6.5	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	DBAHA	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	6.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBHC	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBHC	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBZFUR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBZFUR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DEP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DEP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DLDRN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DLDRN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DMP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DMP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNBP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNBP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNOP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	15	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNOP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	15	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	7.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	7.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNA	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNA	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNK	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNK	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ESFSO4	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	ESFSO4	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FANT	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3.3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FANT	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3.3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FLRENE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FLRENE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	GCLDAN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	GCLDAN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HCBD	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HCBD	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCL	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCL	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCLE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCLE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ICDPYR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	8.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ICDPYR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	8.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ISOPHR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ISOPHR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	LIN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	LIN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	MEXCLR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	MEXCLR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NAP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	NAP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NB	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NB	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDMEA	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDMEA	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDNPA	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDNPA	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDPA	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDPA	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB016	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB016	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB221	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB221	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB232	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB232	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB242	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	30	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB242	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	30	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB248	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	30	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB248	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	30	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB254	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	36	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB254	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	36	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB260	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	36	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	PCB260	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	36	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	18	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	18	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHANTR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHANTR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHENOL	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHENOL	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDD	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDD	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDT	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDT	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PYR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	2.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PYR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	2.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	TXPHEN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	36	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	TXPHEN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	36	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	111TCE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	111TCE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	112TCE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	1.2	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	112TCE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	1.2	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN WATER BY GC/MS	UM20	11DCE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	11DCE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	11DCLE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.68	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	11DCLE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.68	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLP	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLP	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	2CLEVE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.71	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	2CLEVE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.71	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACET	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	13	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACET	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	13	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACROLN	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	100	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACROLN	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	100	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACRYLO	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	100	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACRYLO	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	100	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	BRDCLM	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.59	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	BRDCLM	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.59	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C13DCP	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.58	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C13DCP	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.58	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN WATER BY GC/MS	UM20	CL2BZ	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	10	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CL2BZ	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	10	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CLC6H5	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CLC6H5	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CS2	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CS2	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	DBRCLM	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.67	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	DBRCLM	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.67	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ETC6H5	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ETC6H5	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEC6H5	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEC6H5	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEK	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	6.4	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEK	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	6.4	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MIBK	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	3	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MIBK	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	3	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MNBK	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	3.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MNBK	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	3.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	STYR	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	STYR	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	T13DCP	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.7	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	T13DCP	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.7	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN WATER BY GC/MS	UM20	TCLEA	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.51	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TCLEA	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.51	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TCLEE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	1.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TCLEE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	1.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TRCLE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TRCLE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	XYLEN	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.84	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	XYLEN	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.84	UGL	.0

SQL> SPOOL OFF

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN WATER BY GC/MS	UM20	C2AVE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	8.3	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2AVE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	8.3	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H3CL	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	2.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H3CL	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	2.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H5CL	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	1.9	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H5CL	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	1.9	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C6H6	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C6H6	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL3F	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	1.4	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL3F	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	1.4	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL4	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.58	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL4	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.58	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH2CL2	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	2.3	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH2CL2	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	2.3	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3BR	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	5.8	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3BR	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	5.8	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3CL	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	3.2	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3CL	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	3.2	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHBR3	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	2.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHBR3	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	2.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHCL3	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHCL3	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
	00	HARD	MXG613X1	DV3W*586	FDPA	25-JUN-93	05-JUL-93		41800	UGL	190.7
	00	HARD	MDG613X1	DV3W*645	FDPA	25-JUN-93	05-JUL-93	<	1000	UGL	190.7
	00	TPHC	BD440905	DV3S*639	FDHA	10-JUN-93	29-JUN-93		38.1	UGG	28.8
	00	TPHC	BX440905	DV3S*627	FDHA	10-JUN-93	29-JUN-93	<	28.5	UGG	28.8
	00	TPHC	MDG613X1	DV3W*645	FDUA	25-JUN-93	09-JUL-93	<	188	UGL	3.2
	00	TPHC	MXG613X1	DV3W*586	FDUA	25-JUN-93	09-JUL-93	<	182	UGL	3.2
	00	TPHC	SX210600	DV3S*563	FDCA	26-MAY-93	17-JUN-93		163	UGG	49.8
	00	TPHC	SD210600	DV3S*592	FDCA	26-MAY-93	17-JUN-93		98	UGG	49.8
	00	TSS	MXG308X2	DV3W*557	IQUA	21-SEP-93	27-SEP-93		29000	UGL	18.5
	00	TSS	MXG308X2	DV3W*557	IQUA	21-SEP-93	27-SEP-93		28000	UGL	18.5
	00	TSS	MDG308X2	DV3W*647	IQUA	21-SEP-93	27-SEP-93		24000	UGL	18.5
	00	TSS	MDG613X1	DV3W*645	FDXA	25-JUN-93	29-JUN-93		934000	UGL	40.9
	00	TSS	MXG613X1	DV3W*586	FDXA	25-JUN-93	29-JUN-93		617000	UGL	40.9
	99	ALK	MXG308X2	DV3W*557	IJYA	21-SEP-93	27-SEP-93		6	UGL	18.2
	99	ALK	MDG308X2	DV3W*647	IJYA	21-SEP-93	27-SEP-93	<	5	UGL	18.2
	99	HCO3	MXG308X2	DV3W*557	IJYA	21-SEP-93	27-SEP-93		7.32	UGL	18.2
	99	HCO3	MDG308X2	DV3W*647	IJYA	21-SEP-93	27-SEP-93	<	6.1	UGL	18.2
	99	HCO3	MXG613X1	DV3W*586	FVYA	25-JUN-93	22-JUL-93		12200	UGL	66.7
	99	HCO3	MDG613X1	DV3W*645	FVYA	25-JUN-93	22-JUL-93	<	6100	UGL	66.7
HG IN SOIL BY GFAA	JB01	HG	SX210600	DV3S*563	EBUA	26-MAY-93	14-JUN-93		.352	UGG	23.5
HG IN SOIL BY GFAA	JB01	HG	SD210600	DV3S*592	EBUA	26-MAY-93	14-JUN-93		.278	UGG	23.5
SE IN SOIL BY GFAA	JD15	SE	SD210600	DV3S*592	EDFA	26-MAY-93	15-JUN-93	<	.25	UGG	.0
SE IN SOIL BY GFAA	JD15	SE	SX210600	DV3S*563	EDFA	26-MAY-93	15-JUN-93	<	.25	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
PB IN SOIL BY GFAA	JD17	PB	BD381210	DV3S*593	CUWA	26-MAY-93	21-JUN-93		2.32	UGG	50.8
PB IN SOIL BY GFAA	JD17	PB	BX381210	DV3S*518	CUWA	26-MAY-93	21-JUN-93		3.9	UGG	50.8
PB IN SOIL BY GFAA	JD17	PB	BX381805	DV3S*535	CUXA	03-JUN-93	14-JUN-93		3.32	UGG	32.2
PB IN SOIL BY GFAA	JD17	PB	BD381805	DV3S*597	CUXA	03-JUN-93	14-JUN-93		2.4	UGG	32.2
PB IN SOIL BY GFAA	JD17	PB	BD440905	DV3S*639	CUZA	10-JUN-93	07-JUL-93		4.19	UGG	28.6
PB IN SOIL BY GFAA	JD17	PB	BX440905	DV3S*627	CUZA	10-JUN-93	07-JUL-93		3.14	UGG	28.6
PB IN SOIL BY GFAA	JD17	PB	SX210600	DV3S*563	CUWA	26-MAY-93	21-JUN-93		53	UGG	40.9
PB IN SOIL BY GFAA	JD17	PB	SD210600	DV3S*592	CUWA	26-MAY-93	21-JUN-93		35	UGG	40.9
AS IN SOIL BY GFAA	JD19	AS	SX210600	DV3S*563	ELKA	26-MAY-93	14-JUN-93		26	UGG	3.9
AS IN SOIL BY GFAA	JD19	AS	SD210600	DV3S*592	ELKA	26-MAY-93	14-JUN-93		25	UGG	3.9
METALS IN SOIL BY ICAP	JS16	AG	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93	<	.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AG	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	.589	UGG	.0
METALS IN SOIL BY ICAP	JS16	AL	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		20000	UGG	168.5
METALS IN SOIL BY ICAP	JS16	AL	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		1710	UGG	168.5
METALS IN SOIL BY ICAP	JS16	BA	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	5.18	UGG	147.9
METALS IN SOIL BY ICAP	JS16	BA	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		34.6	UGG	147.9
METALS IN SOIL BY ICAP	JS16	BE	BD381210	DV3S*593	EXBA	26-MAY-93	18-JUN-93		1.06	UGG	34.8
METALS IN SOIL BY ICAP	JS16	BE	BX381210	DV3S*518	EXBA	26-MAY-93	18-JUN-93		.746	UGG	34.8
METALS IN SOIL BY ICAP	JS16	BE	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		2.14	UGG	124.2
METALS IN SOIL BY ICAP	JS16	BE	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	.5	UGG	124.2
METALS IN SOIL BY ICAP	JS16	CA	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		565	UGG	113.5
METALS IN SOIL BY ICAP	JS16	CA	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		156	UGG	113.5
METALS IN SOIL BY ICAP	JS16	CD	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		1.16	UGG	49.5

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN SOIL BY ICAP	JS16	CD	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	.7	UGG	49.5
METALS IN SOIL BY ICAP	JS16	CO	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		6.34	UGG	126.8
METALS IN SOIL BY ICAP	JS16	CO	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	1.42	UGG	126.8
METALS IN SOIL BY ICAP	JS16	CR	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	4.05	UGG	154.2
METALS IN SOIL BY ICAP	JS16	CR	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		31.3	UGG	154.2
METALS IN SOIL BY ICAP	JS16	CU	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		2.66	UGG	148.2
METALS IN SOIL BY ICAP	JS16	CU	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		17.9	UGG	148.2
METALS IN SOIL BY ICAP	JS16	FE	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		17700	UGG	166.3
METALS IN SOIL BY ICAP	JS16	FE	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		1630	UGG	166.3
METALS IN SOIL BY ICAP	JS16	K	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		913	UGG	121.8
METALS IN SOIL BY ICAP	JS16	K	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		222	UGG	121.8
METALS IN SOIL BY ICAP	JS16	MG	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		3050	UGG	164.9
METALS IN SOIL BY ICAP	JS16	MG	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		293	UGG	164.9
METALS IN SOIL BY ICAP	JS16	MN	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		40.1	UGG	146.7
METALS IN SOIL BY ICAP	JS16	MN	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		261	UGG	146.7
METALS IN SOIL BY ICAP	JS16	NA	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93		367	UGG	21.8
METALS IN SOIL BY ICAP	JS16	NA	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		295	UGG	21.8
METALS IN SOIL BY ICAP	JS16	NI	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		17.3	UGG	164.0
METALS IN SOIL BY ICAP	JS16	NI	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	1.71	UGG	164.0
METALS IN SOIL BY ICAP	JS16	V	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	3.39	UGG	158.4
METALS IN SOIL BY ICAP	JS16	V	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		29.2	UGG	158.4
METALS IN SOIL BY ICAP	JS16	ZN	SX210600	DV3S*563	EXBA	26-MAY-93	18-JUN-93	<	8.03	UGG	149.6

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN SOIL BY ICAP	JS16	ZN	SD210600	DV3S*592	EXBA	26-MAY-93	18-JUN-93		55.7	UGG	149.6
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.04	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	124TCB	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.04	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.11	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DCLB	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.11	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	12DPH	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.13	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	13DCLB	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.13	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.098	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	14DCLB	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.098	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.1	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	245TCP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.1	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	246TCP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.18	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DCLP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.18	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.69	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DMPN	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.69	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	1.2	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	1.2	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	24DNT	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.085	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	26DNT	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.085	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.06	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CLP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.06	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2CNAP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.049	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MNAP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.049	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.029	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2MP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.029	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.062	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NANIL	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.062	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	2NP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	6.3	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	33DCBD	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	6.3	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.45	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	3NANIL	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.45	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.55	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	46DN2C	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.55	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4BRPPE	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.81	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CANIL	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.81	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.095	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CL3C	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.095	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4CLPPE	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4MP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.24	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4MP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.24	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.41	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NANIL	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.41	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	4NP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ABHC	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.27	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ABHC	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.27	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ACLDAN	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.62	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	AENSLF	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.62	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ALDRN	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.33	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPNE	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.036	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANAPYL	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ANTRC	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.059	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CEXM	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.059	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.2	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CIPE	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.2	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2CLEE	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.62	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	B2EHP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.62	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAANTR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.25	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BAPYR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.25	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.21	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBFANT	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.21	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.27	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBHC	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.27	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	BBZP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BBZP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.62	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENSLF	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.62	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.85	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZID	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.85	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	6.1	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BENZOA	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	6.1	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.25	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BGHIPY	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.25	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.066	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BKFANT	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.066	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.19	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	BZALC	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.19	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.1	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CARBAZ	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.1	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.12	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CHRY	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.12	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6BZ	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	6.2	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6CP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	6.2	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.15	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	CL6ET	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.15	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.21	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBAHA	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.21	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.27	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBHC	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.27	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.035	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DBZFUR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.035	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.24	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DEP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.24	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.31	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DLDRN	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.31	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DMP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.17	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.061	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNBP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.061	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.19	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	DNOP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.19	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.45	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRN	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.45	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.53	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNA	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.53	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.53	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ENDRNK	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.53	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.62	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ESFSO4	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.62	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FANT	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.068	UGG	114.5
BNA'S IN SOIL BY GC/MS	LM18	FANT	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93		.25	UGG	114.5
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	FLRENE	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	GCLDAN	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.23	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HCBD	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.23	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.13	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCL	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.13	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	HPCLE	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.29	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ICDPYR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.29	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	ISOPHR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.27	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	LIN	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.27	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	MEXCLR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.33	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.037	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NAP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.037	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.045	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NB	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.045	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDMEA	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.14	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.2	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDNPA	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.2	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.19	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	NNDPA	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.19	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB016	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB221	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB232	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB242	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	1.4	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	2	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB248	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	2	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN SOIL BY GC/MS	LM18	PCB254	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	2.3	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB254	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	2.3	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	2.6	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCB260	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	2.6	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	1.3	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PCP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	1.3	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93		.085	UGG	88.1
BNA'S IN SOIL BY GC/MS	LM18	PHANTR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	88.1
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.11	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PHENOL	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.11	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.27	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDD	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.27	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.31	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDE	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.31	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.31	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PPDDT	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	.31	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	PYR	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	.033	UGG	113.7
BNA'S IN SOIL BY GC/MS	LM18	PYR	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93		.12	UGG	113.7
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	<	2.6	UGG	.0
BNA'S IN SOIL BY GC/MS	LM18	TXPHEN	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	<	2.6	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0044	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	111TCE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0044	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0054	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	112TCE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0054	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0039	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0039	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0023	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	11DCLE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0023	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.003	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0029	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	12DCLP	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0029	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.01	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	2CLEVE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.01	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACET	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.1	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACROLN	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.1	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.1	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ACRYLO	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.1	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0029	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	BRDCLM	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0029	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C13DCP	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2AVE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0062	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H3CL	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0062	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C2H5CL	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0015	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	C6H6	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0015	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0059	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL3F	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0059	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CCL4	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.007	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH2CL2	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.012	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0057	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3BR	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0057	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0088	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CH3CL	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0088	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0069	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHBR3	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0069	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.00087	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CHCL3	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.00087	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.1	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CL2BZ	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.1	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.00086	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CLC6H5	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.00086	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0044	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	CS2	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0044	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0031	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	DBRCLM	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0031	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	ETC6H5	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0017	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.00078	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6H5	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.00078	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.07	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MEK	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.07	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MIBK	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.027	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	MNBK	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.032	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0026	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	STYR	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0026	UGG	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0028	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	T13DCP	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0028	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0024	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEA	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0024	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.00081	UGG	110.2
VOC'S IN SOIL BY GC/MS	LM19	TCLEE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93		.0028	UGG	110.2
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0028	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	TRCLE	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0028	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	<	.0015	UGG	.0
VOC'S IN SOIL BY GC/MS	LM19	XYLEN	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	<	.0015	UGG	.0
HG IN WATER BY CVAA	SB01	HG	MXG308X2	DV3F*557	IEDA	21-SEP-93	12-OCT-93	<	.243	UGL	.0
HG IN WATER BY CVAA	SB01	HG	MDG308X2	DV3F*647	IEDA	21-SEP-93	12-OCT-93	<	.243	UGL	.0
HG IN WATER BY CVAA	SB01	HG	MDG308X2	DV3W*647	IEDA	21-SEP-93	12-OCT-93	<	.243	UGL	.0
HG IN WATER BY CVAA	SB01	HG	MXG308X2	DV3W*557	IEDA	21-SEP-93	12-OCT-93	<	.243	UGL	.0
TL IN WATER BY GFAA	SD09	TL	MXG308X2	DV3F*557	GWQA	21-SEP-93	02-NOV-93	<	6.99	UGL	.0
TL IN WATER BY GFAA	SD09	TL	MDG308X2	DV3F*647	GWQA	21-SEP-93	02-NOV-93	<	6.99	UGL	.0
TL IN WATER BY GFAA	SD09	TL	MDG308X2	DV3W*647	GWQA	21-SEP-93	02-NOV-93	<	6.99	UGL	.0
TL IN WATER BY GFAA	SD09	TL	MXG308X2	DV3W*557	GWQA	21-SEP-93	02-NOV-93	<	6.99	UGL	.0
PB IN WATER BY GFAA	SD20	PB	MXG308X2	DV3F*557	INGA	21-SEP-93	05-NOV-93	<	1.26	UGL	.0
PB IN WATER BY GFAA	SD20	PB	MDG308X2	DV3F*647	INGA	21-SEP-93	05-NOV-93	<	1.26	UGL	.0
PB IN WATER BY GFAA	SD20	PB	MXG308X2	DV3W*557	INGA	21-SEP-93	05-NOV-93		4.01	UGL	55.0
PB IN WATER BY GFAA	SD20	PB	MDG308X2	DV3W*647	INGA	21-SEP-93	05-NOV-93		2.28	UGL	55.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
PB IN WATER BY GFAA	SD20	PB	MDG613X1	DV3W*645	EWGA	25-JUN-93	28-JUL-93		9.33	UGL	34.0
PB IN WATER BY GFAA	SD20	PB	MXG613X1	DV3W*586	EWGA	25-JUN-93	28-JUL-93		6.62	UGL	34.0
SE IN WATER BY GFAA	SD21	SE	MXG308X2	DV3F*557	HNMA	21-SEP-93	04-NOV-93	<	3.02	UGL	.0
SE IN WATER BY GFAA	SD21	SE	MDG308X2	DV3F*647	HNMA	21-SEP-93	04-NOV-93	<	3.02	UGL	.0
SE IN WATER BY GFAA	SD21	SE	MDG308X2	DV3W*647	HNMA	21-SEP-93	04-NOV-93	<	3.02	UGL	.0
SE IN WATER BY GFAA	SD21	SE	MXG308X2	DV3W*557	HNMA	21-SEP-93	04-NOV-93	<	3.02	UGL	.0
AS IN WATER BY GFAA	SD22	AS	MXG308X2	DV3F*557	HOKA	21-SEP-93	05-NOV-93	<	2.54	UGL	.0
AS IN WATER BY GFAA	SD22	AS	MDG308X2	DV3F*647	HOKA	21-SEP-93	05-NOV-93	<	2.54	UGL	.0
AS IN WATER BY GFAA	SD22	AS	MDG308X2	DV3W*647	HOKA	21-SEP-93	05-NOV-93	<	2.54	UGL	.0
AS IN WATER BY GFAA	SD22	AS	MXG308X2	DV3W*557	HOKA	21-SEP-93	05-NOV-93	<	2.54	UGL	.0
SB IN WATER BY GFAA	SD28	SB	MXG308X2	DV3F*557	FRTA	21-SEP-93	05-NOV-93	<	3.03	UGL	.0
SB IN WATER BY GFAA	SD28	SB	MDG308X2	DV3F*647	FRTA	21-SEP-93	04-NOV-93	<	3.03	UGL	.0
SB IN WATER BY GFAA	SD28	SB	MDG308X2	DV3W*647	FRTA	21-SEP-93	05-NOV-93	<	3.03	UGL	.0
SB IN WATER BY GFAA	SD28	SB	MXG308X2	DV3W*557	FRTA	21-SEP-93	05-NOV-93	<	3.03	UGL	.0
METALS IN WATER BY ICAP	SS10	AG	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	4.6	UGL	.0
METALS IN WATER BY ICAP	SS10	AG	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	4.6	UGL	.0
METALS IN WATER BY ICAP	SS10	AG	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	4.6	UGL	.0
METALS IN WATER BY ICAP	SS10	AG	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	4.6	UGL	.0
METALS IN WATER BY ICAP	SS10	AL	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	141	UGL	.0
METALS IN WATER BY ICAP	SS10	AL	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	141	UGL	.0
METALS IN WATER BY ICAP	SS10	AL	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		253	UGL	56.9
METALS IN WATER BY ICAP	SS10	AL	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	141	UGL	56.9
METALS IN WATER BY ICAP	SS10	BA	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93		6.81	UGL	6.7

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN WATER BY ICAP	SS10	BA	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93		6.37	UGL	6.7
METALS IN WATER BY ICAP	SS10	BA	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		8.26	UGL	16.9
METALS IN WATER BY ICAP	SS10	BA	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93		6.97	UGL	16.9
METALS IN WATER BY ICAP	SS10	BE	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	5	UGL	.0
METALS IN WATER BY ICAP	SS10	BE	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	5	UGL	.0
METALS IN WATER BY ICAP	SS10	BE	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	5	UGL	.0
METALS IN WATER BY ICAP	SS10	BE	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	5	UGL	.0
METALS IN WATER BY ICAP	SS10	CA	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93		2650	UGL	5.4
METALS IN WATER BY ICAP	SS10	CA	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93		2510	UGL	5.4
METALS IN WATER BY ICAP	SS10	CA	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93		2440	UGL	.4
METALS IN WATER BY ICAP	SS10	CA	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		2430	UGL	.4
METALS IN WATER BY ICAP	SS10	CA	MDG613X1	DV3W*645	EVHA	25-JUN-93	20-JUL-93		15900	UGL	3.2
METALS IN WATER BY ICAP	SS10	CA	MXG613X1	DV3W*586	EVHA	25-JUN-93	20-JUL-93		15400	UGL	3.2
METALS IN WATER BY ICAP	SS10	CD	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	4.01	UGL	.0
METALS IN WATER BY ICAP	SS10	CD	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	4.01	UGL	.0
METALS IN WATER BY ICAP	SS10	CD	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	4.01	UGL	.0
METALS IN WATER BY ICAP	SS10	CD	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	4.01	UGL	.0
METALS IN WATER BY ICAP	SS10	CO	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	25	UGL	.0
METALS IN WATER BY ICAP	SS10	CO	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	25	UGL	.0
METALS IN WATER BY ICAP	SS10	CO	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	25	UGL	.0
METALS IN WATER BY ICAP	SS10	CO	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	25	UGL	.0
METALS IN WATER BY ICAP	SS10	CR	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	6.02	UGL	.0
METALS IN WATER BY ICAP	SS10	CR	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	6.02	UGL	.0
METALS IN WATER BY ICAP	SS10	CR	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	6.02	UGL	.0
METALS IN WATER BY ICAP	SS10	CR	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	6.02	UGL	.0
METALS IN WATER BY ICAP	SS10	CU	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	8.09	UGL	.0
METALS IN WATER BY ICAP	SS10	CU	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	8.09	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN WATER BY ICAP	SS10	CU	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	8.09	UGL	50.8
METALS IN WATER BY ICAP	SS10	CU	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		13.6	UGL	50.8
METALS IN WATER BY ICAP	SS10	FE	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	38.8	UGL	.0
METALS IN WATER BY ICAP	SS10	FE	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	38.8	UGL	.0
METALS IN WATER BY ICAP	SS10	FE	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		334	UGL	86.7
METALS IN WATER BY ICAP	SS10	FE	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93		132	UGL	86.7
METALS IN WATER BY ICAP	SS10	K	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93		1050	UGL	39.2
METALS IN WATER BY ICAP	SS10	K	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93		706	UGL	39.2
METALS IN WATER BY ICAP	SS10	K	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93		1240	UGL	29.7
METALS IN WATER BY ICAP	SS10	K	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		919	UGL	29.7
METALS IN WATER BY ICAP	SS10	K	MXG613X1	DV3W*586	EVHA	25-JUN-93	20-JUL-93		4540	UGL	.0
METALS IN WATER BY ICAP	SS10	K	MDG613X1	DV3W*645	EVHA	25-JUN-93	20-JUL-93		4540	UGL	.0
METALS IN WATER BY ICAP	SS10	MG	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	500	UGL	.0
METALS IN WATER BY ICAP	SS10	MG	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	500	UGL	.0
METALS IN WATER BY ICAP	SS10	MG	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	500	UGL	.0
METALS IN WATER BY ICAP	SS10	MG	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	500	UGL	.0
METALS IN WATER BY ICAP	SS10	MG	MXG613X1	DV3W*586	EVHA	25-JUN-93	20-JUL-93		3720	UGL	4.7
METALS IN WATER BY ICAP	SS10	MG	MDG613X1	DV3W*645	EVHA	25-JUN-93	20-JUL-93		3550	UGL	4.7
METALS IN WATER BY ICAP	SS10	MN	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93		74.1	UGL	8.7
METALS IN WATER BY ICAP	SS10	MN	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93		67.9	UGL	8.7
METALS IN WATER BY ICAP	SS10	MN	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93		53.4	UGL	13.2
METALS IN WATER BY ICAP	SS10	MN	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		46.8	UGL	13.2
METALS IN WATER BY ICAP	SS10	NA	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93		4790	UGL	7.8
METALS IN WATER BY ICAP	SS10	NA	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93		4430	UGL	7.8
METALS IN WATER BY ICAP	SS10	NA	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93		3000	UGL	17.8
METALS IN WATER BY ICAP	SS10	NA	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93		2510	UGL	17.8
METALS IN WATER BY ICAP	SS10	NI	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	34.3	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
METALS IN WATER BY ICAP	SS10	NI	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	34.3	UGL	.0
METALS IN WATER BY ICAP	SS10	NI	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	34.3	UGL	.0
METALS IN WATER BY ICAP	SS10	NI	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	34.3	UGL	.0
METALS IN WATER BY ICAP	SS10	V	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	11	UGL	.0
METALS IN WATER BY ICAP	SS10	V	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	11	UGL	.0
METALS IN WATER BY ICAP	SS10	V	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	11	UGL	.0
METALS IN WATER BY ICAP	SS10	V	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	11	UGL	.0
METALS IN WATER BY ICAP	SS10	ZN	MDG308X2	DV3F*647	HXIA	21-SEP-93	15-OCT-93	<	21.1	UGL	.0
METALS IN WATER BY ICAP	SS10	ZN	MXG308X2	DV3F*557	HXIA	21-SEP-93	15-OCT-93	<	21.1	UGL	.0
METALS IN WATER BY ICAP	SS10	ZN	MDG308X2	DV3W*647	HXIA	21-SEP-93	15-OCT-93	<	21.1	UGL	.0
METALS IN WATER BY ICAP	SS10	ZN	MXG308X2	DV3W*557	HXIA	21-SEP-93	15-OCT-93	<	21.1	UGL	.0
NO2, NO3 IN WATER	TF22	NIT	MDG308X2	DV3W*647	EQRA	21-SEP-93	04-OCT-93		1300	UGL	16.7
NO2, NO3 IN WATER	TF22	NIT	MXG308X2	DV3W*557	EQRA	21-SEP-93	04-OCT-93		1100	UGL	16.7
NO2, NO3 IN WATER	TF22	NIT	MDG613X1	DV3W*645	EQDA	25-JUN-93	14-JUL-93		390	UGL	10.8
NO2, NO3 IN WATER	TF22	NIT	MXG613X1	DV3W*586	EQDA	25-JUN-93	14-JUL-93		350	UGL	10.8
SO4 IN WATER	TT10	CL	MXG308X2	DV3W*557	IOAA	21-SEP-93	28-SEP-93		2470	UGL	15.3
SO4 IN WATER	TT10	CL	MDG308X2	DV3W*647	IOAA	21-SEP-93	28-SEP-93	<	2120	UGL	15.3
SO4 IN WATER	TT10	CL	MDG613X1	DV3W*645	DEOA	25-JUN-93	14-JUL-93		29700	UGL	1.4
SO4 IN WATER	TT10	CL	MXG613X1	DV3W*586	DEOA	25-JUN-93	14-JUL-93		29300	UGL	1.4
SO4 IN WATER	TT10	SO4	MXG308X2	DV3W*557	IOAA	21-SEP-93	28-SEP-93	<	10000	UGL	.0
SO4 IN WATER	TT10	SO4	MDG308X2	DV3W*647	IOAA	21-SEP-93	28-SEP-93	<	10000	UGL	.0
SO4 IN WATER	TT10	SO4	MXG613X1	DV3W*586	DEOA	25-JUN-93	14-JUL-93		12700	UGL	1.6
SO4 IN WATER	TT10	SO4	MDG613X1	DV3W*645	DEOA	25-JUN-93	14-JUL-93		12500	UGL	1.6
BNA'S IN WATER BY GC/MS	UM18	124TCB	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.8	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	124TCB	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DCLB	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DCLB	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DPH	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	12DPH	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	13DCLB	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	13DCLB	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	14DCLB	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	14DCLB	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	245TCP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	245TCP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	246TCP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	246TCP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DCLP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	2.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DCLP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	2.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DMPN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DMPN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNT	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	24DNT	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	26DNT	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.79	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	26DNT	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.79	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CLP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.99	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CLP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.99	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CNAP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2CNAP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MNAP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MNAP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2MP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NANIL	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NANIL	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	2NP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	33DCBD	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	12	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	33DCBD	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	12	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	3NANIL	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	3NANIL	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	46DN2C	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	17	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	46DN2C	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	17	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4BRPPE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4BRPPE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CANIL	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	7.3	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	4CANIL	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	7.3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CL3C	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CL3C	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CLPPE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4CLPPE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4MP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.52	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4MP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.52	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NANIL	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NANIL	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	12	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	4NP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	12	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ABHC	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ABHC	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ACLDAN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ACLDAN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	AENSLF	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	AENSLF	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ALDRN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ALDRN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPNE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPNE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANAPYL	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	ANAPYL	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANTRC	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ANTRC	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CEXM	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CEXM	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CIPE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CIPE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CLEE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2CLEE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.9	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2EHP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	B2EHP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAANTR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAANTR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAPYR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BAPYR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBFANT	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBFANT	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBHC	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBHC	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBZP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BBZP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENSLF	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	BENSLF	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZID	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	10	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZID	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	10	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZOA	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	13	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BENZOA	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	13	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BGHIPY	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	6.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BGHIPY	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	6.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BKFANT	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.87	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BKFANT	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.87	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BZALC	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.72	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	BZALC	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.72	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CARBAZ	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CARBAZ	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CHRY	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	2.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CHRY	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	2.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6BZ	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6BZ	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6CP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	8.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6CP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	8.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6ET	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	CL6ET	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBAHA	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	6.5	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	DBAHA	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	6.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBHC	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBHC	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBZFUR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DBZFUR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DEP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DEP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DLDRN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DLDRN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DMP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DMP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	1.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNBP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNBP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNOP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	15	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	DNOP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	15	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	7.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	7.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNA	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNA	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNK	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ENDRNK	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ESFSO4	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	ESFSO4	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FANT	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3.3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FANT	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3.3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FLRENE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	FLRENE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	GCLDAN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	GCLDAN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HCBD	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HCBD	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCL	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCL	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCLE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	HPCLE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ICDPYR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	8.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ICDPYR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	8.6	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ISOPHR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	ISOPHR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	LIN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	LIN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	MEXCLR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	MEXCLR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	5.1	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NAP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	NAP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NB	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NB	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDMEA	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDMEA	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDNPA	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDNPA	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDPA	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	NNDPA	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	3	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB016	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB016	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB221	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB221	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB232	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB232	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	21	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB242	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	30	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB242	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	30	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB248	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	30	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB248	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	30	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB254	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	36	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB254	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	36	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCB260	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	36	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
BNA'S IN WATER BY GC/MS	UM18	PCB260	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	36	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	18	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PCP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	18	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHANTR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHANTR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	.5	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHENOL	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PHENOL	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDD	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDD	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDE	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDE	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	4.7	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDT	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PPDDT	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	9.2	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PYR	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	2.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	PYR	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	2.8	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	TXPHEN	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	<	36	UGL	.0
BNA'S IN WATER BY GC/MS	UM18	TXPHEN	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	<	36	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	111TCE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	111TCE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	112TCE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	1.2	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	112TCE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	1.2	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN WATER BY GC/MS	UM20	11DCE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	11DCE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	11DCLE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.68	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	11DCLE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.68	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLP	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	12DCLP	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	2CLEVE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.71	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	2CLEVE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.71	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACET	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	13	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACET	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	13	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACROLN	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	100	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACROLN	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	100	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACRYLO	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	100	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ACRYLO	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	100	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	BRDCLM	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.59	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	BRDCLM	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.59	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C13DCP	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.58	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C13DCP	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.58	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN WATER BY GC/MS	UM20	C2AVE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	8.3	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2AVE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	8.3	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H3CL	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	2.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H3CL	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	2.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H5CL	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	1.9	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C2H5CL	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	1.9	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C6H6	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	C6H6	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL3F	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	1.4	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL3F	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	1.4	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL4	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.58	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CCL4	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.58	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH2CL2	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	2.3	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH2CL2	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	2.3	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3BR	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	5.8	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3BR	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	5.8	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3CL	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	3.2	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CH3CL	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	3.2	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHBR3	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	2.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHBR3	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	2.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHCL3	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CHCL3	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN WATER BY GC/MS	UM20	CL2BZ	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	10	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CL2BZ	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	10	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CLC6H5	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CLC6H5	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CS2	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	CS2	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	DBRCLM	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.67	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	DBRCLM	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.67	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ETC6H5	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	ETC6H5	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEC6H5	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEC6H5	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEK	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	6.4	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MEK	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	6.4	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MIBK	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	3	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MIBK	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	3	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MNBK	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	3.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	MNBK	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	3.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	STYR	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	STYR	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	T13DCP	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.7	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	T13DCP	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.7	UGL	.0

Table FS-10
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SAMPLE DUPLICATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	<	Value	Units	RPD
VOC'S IN WATER BY GC/MS	UM20	TCLEA	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.51	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TCLEA	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.51	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TCLEE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	1.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TCLEE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	1.6	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TRCLE	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	TRCLE	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.5	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	XYLEN	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	<	.84	UGL	.0
VOC'S IN WATER BY GC/MS	UM20	XYLEN	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	<	.84	UGL	.0

SQL> SPOOL OFF

Table FS-11
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SVOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440715	DV3S*620	EAPA	10-JUN-93	18-JUN-93	6.7	6.4	UGG	95.5
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440721	DV3S*621	EAPA	10-JUN-93	18-JUN-93	6.7	4.2	UGG	62.7
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440724	DV3S*622	EAPA	10-JUN-93	18-JUN-93	6.7	6.3	UGG	94.0
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	6.7	7.7	UGG	114.9
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	6.7	7.7	UGG	114.9
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	6.7	7.7	UGG	114.9
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	6.7	7.7	UGG	114.9
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440805	DV3S*623	EAPA	11-JUN-93	18-JUN-93	6.7	5.7	UGG	85.1
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440805	DV3S*623	EAPA	11-JUN-93	18-JUN-93	6.7	5.7	UGG	85.1
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440810	DV3S*624	EAPA	11-JUN-93	18-JUN-93	6.7	5.9	UGG	88.1
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440815	DV3S*625	EAPA	11-JUN-93	18-JUN-93	6.7	6.3	UGG	94.0
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440825	DV3S*626	EAPA	11-JUN-93	18-JUN-93	6.7	6.6	UGG	98.5
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	6.7	5.9	UGG	88.1
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440910	DV3S*628	EAPA	10-JUN-93	18-JUN-93	6.7	6.3	UGG	94.0
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440915	DV3S*629	EAPA	10-JUN-93	18-JUN-93	6.7	6	UGG	89.6
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX440925	DV3S*630	EAPA	10-JUN-93	18-JUN-93	6.7	6.3	UGG	94.0
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX441005	DV3S*631	EAPA	10-JUN-93	18-JUN-93	6.7	6.2	UGG	92.5
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX441010	DV3S*632	EAPA	10-JUN-93	18-JUN-93	6.7	6.7	UGG	100.0
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX441015	DV3S*633	EAPA	10-JUN-93	19-JUN-93	6.7	5.8	UGG	86.6
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BX441025	DV3S*634	EAPA	10-JUN-93	19-JUN-93	6.7	6	UGG	89.6
BNA'S IN SOIL BY GC/MS	LM18	246TBP	SX440200	DV3S*637	EATA	15-JUN-93	25-JUN-93	6.7	5.6	UGG	83.6
BNA'S IN SOIL BY GC/MS	LM18	246TBP	SX440300	DV3S*638	EATA	15-JUN-93	25-JUN-93	6.7	.38	UGG	5.7
BNA'S IN SOIL BY GC/MS	LM18	246TBP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	6.7	7.7	UGG	114.9
		**********									----------
		avg									91.4
		minimum									5.7
		maximum									114.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440715	DV3S*620	EAPA	10-JUN-93	18-JUN-93	3.3	3.2	UGG	97.0
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440721	DV3S*621	EAPA	10-JUN-93	18-JUN-93	3.3	2.4	UGG	72.7
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440724	DV3S*622	EAPA	10-JUN-93	18-JUN-93	3.3	3.1	UGG	93.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	3.3	3.1	UGG	93.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	3.3	3.1	UGG	93.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	3.3	3.1	UGG	93.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	3.3	3.1	UGG	93.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440805	DV3S*623	EAPA	11-JUN-93	18-JUN-93	3.3	2.9	UGG	87.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440805	DV3S*623	EAPA	11-JUN-93	18-JUN-93	3.3	2.9	UGG	87.9

Table FS-11
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SVOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440810	DV3S*624	EAPA	11-JUN-93	18-JUN-93	3.3	2.7	UGG	81.8
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440815	DV3S*625	EAPA	11-JUN-93	18-JUN-93	3.3	3	UGG	90.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440825	DV3S*626	EAPA	11-JUN-93	18-JUN-93	3.3	3.2	UGG	97.0
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	3.3	2.8	UGG	84.8
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440910	DV3S*628	EAPA	10-JUN-93	18-JUN-93	3.3	3.2	UGG	97.0
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440915	DV3S*629	EAPA	10-JUN-93	18-JUN-93	3.3	3.1	UGG	93.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX440925	DV3S*630	EAPA	10-JUN-93	18-JUN-93	3.3	3.1	UGG	93.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX441005	DV3S*631	EAPA	10-JUN-93	18-JUN-93	3.3	3	UGG	90.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX441010	DV3S*632	EAPA	10-JUN-93	18-JUN-93	3.3	2.9	UGG	87.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX441015	DV3S*633	EAPA	10-JUN-93	19-JUN-93	3.3	2.9	UGG	87.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BX441025	DV3S*634	EAPA	10-JUN-93	19-JUN-93	3.3	3.1	UGG	93.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	SX440200	DV3S*637	EATA	15-JUN-93	25-JUN-93	3.3	3	UGG	90.9
BNA'S IN SOIL BY GC/MS	LM18	2FBP	SX440300	DV3S*638	EATA	15-JUN-93	25-JUN-93	3.3	.021	UGG	.6
BNA'S IN SOIL BY GC/MS	LM18	2FBP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	3.3	3.2	UGG	97.0
		**********									----------
		avg									87.1
		minimum									.6
		maximum									97.0
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440715	DV3S*620	EAPA	10-JUN-93	18-JUN-93	6.7	9.5	UGG	141.8
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440721	DV3S*621	EAPA	10-JUN-93	18-JUN-93	6.7	3.8	UGG	56.7
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440724	DV3S*622	EAPA	10-JUN-93	18-JUN-93	6.7	7.9	UGG	117.9
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	6.7	8.6	UGG	128.4
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	6.7	8.6	UGG	128.4
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	6.7	8.3	UGG	123.9
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	6.7	8.3	UGG	123.9
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440805	DV3S*623	EAPA	11-JUN-93	18-JUN-93	6.7	7.9	UGG	117.9
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440805	DV3S*623	EAPA	11-JUN-93	18-JUN-93	6.7	7.9	UGG	117.9
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440810	DV3S*624	EAPA	11-JUN-93	18-JUN-93	6.7	7.7	UGG	114.9
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440815	DV3S*625	EAPA	11-JUN-93	18-JUN-93	6.7	8.1	UGG	120.9
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440825	DV3S*626	EAPA	11-JUN-93	18-JUN-93	6.7	8.9	UGG	132.8
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	6.7	7.7	UGG	114.9
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440910	DV3S*628	EAPA	10-JUN-93	18-JUN-93	6.7	9.1	UGG	135.8
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440915	DV3S*629	EAPA	10-JUN-93	18-JUN-93	6.7	8.9	UGG	132.8
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX440925	DV3S*630	EAPA	10-JUN-93	18-JUN-93	6.7	8.6	UGG	128.4
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX441005	DV3S*631	EAPA	10-JUN-93	18-JUN-93	6.7	8.9	UGG	132.8
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX441010	DV3S*632	EAPA	10-JUN-93	18-JUN-93	6.7	8.7	UGG	129.9

Table FS-11
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SVOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX441015	DV3S*633	EAPA	10-JUN-93	19-JUN-93	6.7	7.7	UGG	114.9
BNA'S IN SOIL BY GC/MS	LM18	2FP	BX441025	DV3S*634	EAPA	10-JUN-93	19-JUN-93	6.7	9	UGG	134.3
BNA'S IN SOIL BY GC/MS	LM18	2FP	SX440200	DV3S*637	EATA	15-JUN-93	25-JUN-93	6.7	5	UGG	74.6
BNA'S IN SOIL BY GC/MS	LM18	2FP	SX440300	DV3S*638	EATA	15-JUN-93	25-JUN-93	6.7	.17	UGG	2.5
BNA'S IN SOIL BY GC/MS	LM18	2FP	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	6.7	9.3	UGG	138.8
		**********									
		avg									115.9
		minimum									2.5
		maximum									141.8
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440715	DV3S*620	EAPA	10-JUN-93	18-JUN-93	3.3	3.4	UGG	103.0
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440721	DV3S*621	EAPA	10-JUN-93	18-JUN-93	3.3	1.2	UGG	36.4
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440724	DV3S*622	EAPA	10-JUN-93	18-JUN-93	3.3	2.9	UGG	87.9
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	3.3	3.5	UGG	106.1
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	3.3	3.5	UGG	106.1
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	3.3	3.4	UGG	103.0
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	3.3	3.4	UGG	103.0
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440805	DV3S*623	EAPA	11-JUN-93	18-JUN-93	3.3	2.9	UGG	87.9
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440805	DV3S*623	EAPA	11-JUN-93	18-JUN-93	3.3	2.9	UGG	87.9
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440810	DV3S*624	EAPA	11-JUN-93	18-JUN-93	3.3	2.8	UGG	84.8
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440815	DV3S*625	EAPA	11-JUN-93	18-JUN-93	3.3	2.9	UGG	87.9
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440825	DV3S*626	EAPA	11-JUN-93	18-JUN-93	3.3	3.4	UGG	103.0
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	3.3	2.8	UGG	84.8
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440910	DV3S*628	EAPA	10-JUN-93	18-JUN-93	3.3	3.3	UGG	100.0
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440915	DV3S*629	EAPA	10-JUN-93	18-JUN-93	3.3	3	UGG	90.9
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX440925	DV3S*630	EAPA	10-JUN-93	18-JUN-93	3.3	3.3	UGG	100.0
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX441005	DV3S*631	EAPA	10-JUN-93	18-JUN-93	3.3	3.4	UGG	103.0
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX441010	DV3S*632	EAPA	10-JUN-93	18-JUN-93	3.3	3.1	UGG	93.9
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX441015	DV3S*633	EAPA	10-JUN-93	19-JUN-93	3.3	2.9	UGG	87.9
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BX441025	DV3S*634	EAPA	10-JUN-93	19-JUN-93	3.3	3.3	UGG	100.0
BNA'S IN SOIL BY GC/MS	LM18	NBD5	SX440200	DV3S*637	EATA	15-JUN-93	25-JUN-93	3.3	3.1	UGG	93.9
BNA'S IN SOIL BY GC/MS	LM18	NBD5	SX440300	DV3S*638	EATA	15-JUN-93	25-JUN-93	3.3	.025	UGG	.8
BNA'S IN SOIL BY GC/MS	LM18	NBD5	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	3.3	3.4	UGG	103.0
		**********									
		avg									89.4
		minimum									.8
		maximum									106.1

Table FS-11
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SVOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440715	DV3S*620	EAPA	10-JUN-93	18-JUN-93	6.7	7.9	UGG	117.9
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440721	DV3S*621	EAPA	10-JUN-93	18-JUN-93	6.7	2.5	UGG	37.3
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440724	DV3S*622	EAPA	10-JUN-93	18-JUN-93	6.7	6.9	UGG	103.0
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	6.7	8	UGG	119.4
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	6.7	8	UGG	119.4
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	6.7	7.9	UGG	117.9
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	6.7	7.9	UGG	117.9
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440805	DV3S*623	EAPA	11-JUN-93	18-JUN-93	6.7	6.8	UGG	101.5
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440805	DV3S*623	EAPA	11-JUN-93	18-JUN-93	6.7	6.8	UGG	101.5
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440810	DV3S*624	EAPA	11-JUN-93	18-JUN-93	6.7	6.4	UGG	95.5
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440815	DV3S*625	EAPA	11-JUN-93	18-JUN-93	6.7	6.9	UGG	103.0
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440825	DV3S*626	EAPA	11-JUN-93	18-JUN-93	6.7	7.8	UGG	116.4
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	6.7	6.6	UGG	98.5
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440910	DV3S*628	EAPA	10-JUN-93	18-JUN-93	6.7	7.6	UGG	113.4
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440915	DV3S*629	EAPA	10-JUN-93	18-JUN-93	6.7	7.5	UGG	111.9
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX440925	DV3S*630	EAPA	10-JUN-93	18-JUN-93	6.7	7.5	UGG	111.9
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX441005	DV3S*631	EAPA	10-JUN-93	18-JUN-93	6.7	7.8	UGG	116.4
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX441010	DV3S*632	EAPA	10-JUN-93	18-JUN-93	6.7	7.5	UGG	111.9
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX441015	DV3S*633	EAPA	10-JUN-93	19-JUN-93	6.7	6.7	UGG	100.0
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BX441025	DV3S*634	EAPA	10-JUN-93	19-JUN-93	6.7	7.8	UGG	116.4
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	SX440200	DV3S*637	EATA	15-JUN-93	25-JUN-93	6.7	3.8	UGG	56.7
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	SX440300	DV3S*638	EATA	15-JUN-93	25-JUN-93	6.7	.23	UGG	3.4
BNA'S IN SOIL BY GC/MS	LM18	PHEND6	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	6.7	7.6	UGG	113.4
		**********									----------
		avg									100.2
		minimum									3.4
		maximum									119.4
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440715	DV3S*620	EAPA	10-JUN-93	18-JUN-93	3.3	2.5	UGG	75.8
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440721	DV3S*621	EAPA	10-JUN-93	18-JUN-93	3.3	2.2	UGG	66.7
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440724	DV3S*622	EAPA	10-JUN-93	18-JUN-93	3.3	2.1	UGG	63.6
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	3.3	2.6	UGG	78.8
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	3.3	2.6	UGG	78.8
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	3.3	2.4	UGG	72.7
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440805	DV3S*623	EAPA	11-JUN-93	19-JUN-93	3.3	2.4	UGG	72.7
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440805	DV3S*623	EAPA	11-JUN-93	18-JUN-93	3.3	2.1	UGG	63.6

Table FS-11
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SVOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440805	DV3S*623	EAPA	11-JUN-93	18-JUN-93	3.3	2.1	UGG	63.6
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440810	DV3S*624	EAPA	11-JUN-93	18-JUN-93	3.3	2.2	UGG	66.7
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440815	DV3S*625	EAPA	11-JUN-93	18-JUN-93	3.3	2.2	UGG	66.7
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440825	DV3S*626	EAPA	11-JUN-93	18-JUN-93	3.3	2.3	UGG	69.7
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440905	DV3S*627	EAPA	10-JUN-93	18-JUN-93	3.3	2	UGG	60.6
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440910	DV3S*628	EAPA	10-JUN-93	18-JUN-93	3.3	2.4	UGG	72.7
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440915	DV3S*629	EAPA	10-JUN-93	18-JUN-93	3.3	2.4	UGG	72.7
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX440925	DV3S*630	EAPA	10-JUN-93	18-JUN-93	3.3	2.3	UGG	69.7
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX441005	DV3S*631	EAPA	10-JUN-93	18-JUN-93	3.3	2.4	UGG	72.7
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX441010	DV3S*632	EAPA	10-JUN-93	18-JUN-93	3.3	2.5	UGG	75.8
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX441015	DV3S*633	EAPA	10-JUN-93	19-JUN-93	3.3	2	UGG	60.6
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BX441025	DV3S*634	EAPA	10-JUN-93	19-JUN-93	3.3	2.5	UGG	75.8
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	SX440200	DV3S*637	EATA	15-JUN-93	25-JUN-93	3.3	1.8	UGG	54.5
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	SX440300	DV3S*638	EATA	15-JUN-93	25-JUN-93	3.3	.34	UGG	10.3
BNA'S IN SOIL BY GC/MS	LM18	TRPD14	BD440905	DV3S*639	EAPA	10-JUN-93	19-JUN-93	3.3	2.5	UGG	75.8
		**********									----------
		avg									67.0
		minimum									10.3
		maximum									78.8
BNA'S IN WATER BY GC/MS	UM18	246TBP	MXG612X1	DV3W*584	ETKA	24-JUN-93	07-JUL-93	100	67	UGL	67.0
BNA'S IN WATER BY GC/MS	UM18	246TBP	MXG612X2	DV3W*585	IFGA	24-SEP-93	12-OCT-93	100	52	UGL	52.0
BNA'S IN WATER BY GC/MS	UM18	246TBP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	100	78	UGL	78.0
BNA'S IN WATER BY GC/MS	UM18	246TBP	MXG613X2	DV3W*587	IFDA	20-SEP-93	19-OCT-93	100	52	UGL	52.0
BNA'S IN WATER BY GC/MS	UM18	246TBP	MXG614X1	DV3W*588	ETNA	25-JUN-93	14-JUL-93	100	74	UGL	74.0
BNA'S IN WATER BY GC/MS	UM18	246TBP	MXG614X2	DV3W*589	IFGA	24-SEP-93	12-OCT-93	100	46	UGL	46.0
BNA'S IN WATER BY GC/MS	UM18	246TBP	MXG310X1	DV3W*635	ETKA	24-JUN-93	07-JUL-93	100	87	UGL	87.0
BNA'S IN WATER BY GC/MS	UM18	246TBP	MXG311X1	DV3W*636	ETKA	24-JUN-93	07-JUL-93	100	78	UGL	78.0
BNA'S IN WATER BY GC/MS	UM18	246TBP	SBK93123	DV3W*641	ETKA	24-JUN-93	07-JUL-93	100	79	UGL	79.0
BNA'S IN WATER BY GC/MS	UM18	246TBP	SBK93123	DV3W*641	ETKA	24-JUN-93	07-JUL-93	100	79	UGL	79.0
BNA'S IN WATER BY GC/MS	UM18	246TBP	MXG310X2	DV3W*642	IFEA	22-SEP-93	15-OCT-93	100	49	UGL	49.0
BNA'S IN WATER BY GC/MS	UM18	246TBP	MXG311X2	DV3W*643	IFEA	22-SEP-93	15-OCT-93	100	52	UGL	52.0
BNA'S IN WATER BY GC/MS	UM18	246TBP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	100	95	UGL	95.0
BNA'S IN WATER BY GC/MS	UM18	246TBP	SBK93122	V1AW*348	CKWA	12-FEB-93	18-FEB-93	100	67	UGL	67.0
		**********									----------
		avg									68.2

Table FS-11
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SVOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
		minimum									46.0
		maximum									95.0
BNA'S IN WATER BY GC/MS	UM18	2FBP	MXG612X1	DV3W*584	ETKA	24-JUN-93	07-JUL-93	50	38	UGL	76.0
BNA'S IN WATER BY GC/MS	UM18	2FBP	MXG612X2	DV3W*585	IFGA	24-SEP-93	12-OCT-93	50	44	UGL	88.0
BNA'S IN WATER BY GC/MS	UM18	2FBP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	50	26	UGL	52.0
BNA'S IN WATER BY GC/MS	UM18	2FBP	MXG613X2	DV3W*587	IFDA	20-SEP-93	19-OCT-93	50	43	UGL	86.0
BNA'S IN WATER BY GC/MS	UM18	2FBP	MXG614X1	DV3W*588	ETNA	25-JUN-93	14-JUL-93	50	33	UGL	66.0
BNA'S IN WATER BY GC/MS	UM18	2FBP	MXG614X2	DV3W*589	IFGA	24-SEP-93	12-OCT-93	50	43	UGL	86.0
BNA'S IN WATER BY GC/MS	UM18	2FBP	MXG310X1	DV3W*635	ETKA	24-JUN-93	07-JUL-93	50	38	UGL	76.0
BNA'S IN WATER BY GC/MS	UM18	2FBP	MXG311X1	DV3W*636	ETKA	24-JUN-93	07-JUL-93	50	37	UGL	74.0
BNA'S IN WATER BY GC/MS	UM18	2FBP	SBK93123	DV3W*641	ETKA	24-JUN-93	07-JUL-93	50	48	UGL	96.0
BNA'S IN WATER BY GC/MS	UM18	2FBP	SBK93123	DV3W*641	ETKA	24-JUN-93	07-JUL-93	50	48	UGL	96.0
BNA'S IN WATER BY GC/MS	UM18	2FBP	MXG310X2	DV3W*642	IFEA	22-SEP-93	15-OCT-93	50	42	UGL	84.0
BNA'S IN WATER BY GC/MS	UM18	2FBP	MXG311X2	DV3W*643	IFEA	22-SEP-93	15-OCT-93	50	42	UGL	84.0
BNA'S IN WATER BY GC/MS	UM18	2FBP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	50	36	UGL	72.0
BNA'S IN WATER BY GC/MS	UM18	2FBP	SBK93122	V1AW*348	CKWA	12-FEB-93	18-FEB-93	50	47	UGL	94.0
		**********									
		avg									80.7
		minimum									52.0
		maximum									96.0
BNA'S IN WATER BY GC/MS	UM18	2FP	MXG612X1	DV3W*584	ETKA	24-JUN-93	07-JUL-93	100	110	UGL	110.0
BNA'S IN WATER BY GC/MS	UM18	2FP	MXG612X2	DV3W*585	IFGA	24-SEP-93	12-OCT-93	100	110	UGL	110.0
BNA'S IN WATER BY GC/MS	UM18	2FP	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	100	110	UGL	110.0
BNA'S IN WATER BY GC/MS	UM18	2FP	MXG613X2	DV3W*587	IFDA	20-SEP-93	19-OCT-93	100	99	UGL	99.0
BNA'S IN WATER BY GC/MS	UM18	2FP	MXG614X1	DV3W*588	ETNA	25-JUN-93	14-JUL-93	100	120	UGL	120.0
BNA'S IN WATER BY GC/MS	UM18	2FP	MXG614X2	DV3W*589	IFGA	24-SEP-93	12-OCT-93	100	110	UGL	110.0
BNA'S IN WATER BY GC/MS	UM18	2FP	MXG310X1	DV3W*635	ETKA	24-JUN-93	07-JUL-93	100	110	UGL	110.0
BNA'S IN WATER BY GC/MS	UM18	2FP	MXG311X1	DV3W*636	ETKA	24-JUN-93	07-JUL-93	100	110	UGL	110.0
BNA'S IN WATER BY GC/MS	UM18	2FP	SBK93123	DV3W*641	ETKA	24-JUN-93	07-JUL-93	100	110	UGL	110.0
BNA'S IN WATER BY GC/MS	UM18	2FP	SBK93123	DV3W*641	ETKA	24-JUN-93	07-JUL-93	100	110	UGL	110.0
BNA'S IN WATER BY GC/MS	UM18	2FP	MXG310X2	DV3W*642	IFEA	22-SEP-93	15-OCT-93	100	94	UGL	94.0
BNA'S IN WATER BY GC/MS	UM18	2FP	MXG311X2	DV3W*643	IFEA	22-SEP-93	15-OCT-93	100	94	UGL	94.0
BNA'S IN WATER BY GC/MS	UM18	2FP	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	100	130	UGL	130.0
BNA'S IN WATER BY GC/MS	UM18	2FP	SBK93122	V1AW*348	CKWA	12-FEB-93	18-FEB-93	100	110	UGL	110.0
		**********									

Table FS-11
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SVOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
		avg									109.1
		minimum									94.0
		maximum									130.0
BNA'S IN WATER BY GC/MS	UM18	NBD5	MXG612X1	DV3W*584	ETKA	24-JUN-93	07-JUL-93	50	33	UGL	66.0
BNA'S IN WATER BY GC/MS	UM18	NBD5	MXG612X2	DV3W*585	IFGA	24-SEP-93	12-OCT-93	50	53	UGL	106.0
BNA'S IN WATER BY GC/MS	UM18	NBD5	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	50	31	UGL	62.0
BNA'S IN WATER BY GC/MS	UM18	NBD5	MXG613X2	DV3W*587	IFDA	20-SEP-93	19-OCT-93	50	47	UGL	94.0
BNA'S IN WATER BY GC/MS	UM18	NBD5	MXG614X1	DV3W*588	ETNA	25-JUN-93	14-JUL-93	50	38	UGL	76.0
BNA'S IN WATER BY GC/MS	UM18	NBD5	MXG614X2	DV3W*589	IFGA	24-SEP-93	12-OCT-93	50	46	UGL	92.0
BNA'S IN WATER BY GC/MS	UM18	NBD5	MXG310X1	DV3W*635	ETKA	24-JUN-93	07-JUL-93	50	41	UGL	82.0
BNA'S IN WATER BY GC/MS	UM18	NBD5	MXG311X1	DV3W*636	ETKA	24-JUN-93	07-JUL-93	50	41	UGL	82.0
BNA'S IN WATER BY GC/MS	UM18	NBD5	SBK93123	DV3W*641	ETKA	24-JUN-93	07-JUL-93	50	40	UGL	80.0
BNA'S IN WATER BY GC/MS	UM18	NBD5	SBK93123	DV3W*641	ETKA	24-JUN-93	07-JUL-93	50	40	UGL	80.0
BNA'S IN WATER BY GC/MS	UM18	NBD5	MXG310X2	DV3W*642	IFEA	22-SEP-93	15-OCT-93	50	51	UGL	102.0
BNA'S IN WATER BY GC/MS	UM18	NBD5	MXG311X2	DV3W*643	IFEA	22-SEP-93	15-OCT-93	50	52	UGL	104.0
BNA'S IN WATER BY GC/MS	UM18	NBD5	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	50	43	UGL	86.0
BNA'S IN WATER BY GC/MS	UM18	NBD5	SBK93122	V1AW*348	CKWA	12-FEB-93	18-FEB-93	50	51	UGL	102.0
		**********									
		avg									86.7
		minimum									62.0
		maximum									106.0
BNA'S IN WATER BY GC/MS	UM18	PHEND6	MXG612X1	DV3W*584	ETKA	24-JUN-93	07-JUL-93	100	92	UGL	92.0
BNA'S IN WATER BY GC/MS	UM18	PHEND6	MXG612X2	DV3W*585	IFGA	24-SEP-93	12-OCT-93	100	88	UGL	88.0
BNA'S IN WATER BY GC/MS	UM18	PHEND6	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	100	86	UGL	86.0
BNA'S IN WATER BY GC/MS	UM18	PHEND6	MXG613X2	DV3W*587	IFDA	20-SEP-93	19-OCT-93	100	86	UGL	86.0
BNA'S IN WATER BY GC/MS	UM18	PHEND6	MXG614X1	DV3W*588	ETNA	25-JUN-93	14-JUL-93	100	90	UGL	90.0
BNA'S IN WATER BY GC/MS	UM18	PHEND6	MXG614X2	DV3W*589	IFGA	24-SEP-93	12-OCT-93	100	90	UGL	90.0
BNA'S IN WATER BY GC/MS	UM18	PHEND6	MXG310X1	DV3W*635	ETKA	24-JUN-93	07-JUL-93	100	88	UGL	88.0
BNA'S IN WATER BY GC/MS	UM18	PHEND6	MXG311X1	DV3W*636	ETKA	24-JUN-93	07-JUL-93	100	92	UGL	92.0
BNA'S IN WATER BY GC/MS	UM18	PHEND6	SBK93123	DV3W*641	ETKA	24-JUN-93	07-JUL-93	100	100	UGL	100.0
BNA'S IN WATER BY GC/MS	UM18	PHEND6	SBK93123	DV3W*641	ETKA	24-JUN-93	07-JUL-93	100	100	UGL	100.0
BNA'S IN WATER BY GC/MS	UM18	PHEND6	MXG310X2	DV3W*642	IFEA	22-SEP-93	15-OCT-93	100	88	UGL	88.0
BNA'S IN WATER BY GC/MS	UM18	PHEND6	MXG311X2	DV3W*643	IFEA	22-SEP-93	15-OCT-93	100	84	UGL	84.0
BNA'S IN WATER BY GC/MS	UM18	PHEND6	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	100	98	UGL	98.0
BNA'S IN WATER BY GC/MS	UM18	PHEND6	SBK93122	V1AW*348	CKWA	12-FEB-93	18-FEB-93	100	110	UGL	110.0

Table FS-11
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

SVOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
		**********									
		avg									92.3
		minimum									84.0
		maximum									110.0
BNA'S IN WATER BY GC/MS	UM18	TRPD14	MXG612X1	DV3W*584	ETKA	24-JUN-93	07-JUL-93	50	46	UGL	92.0
BNA'S IN WATER BY GC/MS	UM18	TRPD14	MXG612X2	DV3W*585	IFGA	24-SEP-93	12-OCT-93	50	30	UGL	60.0
BNA'S IN WATER BY GC/MS	UM18	TRPD14	MXG613X1	DV3W*586	ETNA	25-JUN-93	14-JUL-93	50	47	UGL	94.0
BNA'S IN WATER BY GC/MS	UM18	TRPD14	MXG613X2	DV3W*587	IFDA	20-SEP-93	19-OCT-93	50	36	UGL	72.0
BNA'S IN WATER BY GC/MS	UM18	TRPD14	MXG614X1	DV3W*588	ETNA	25-JUN-93	14-JUL-93	50	39	UGL	78.0
BNA'S IN WATER BY GC/MS	UM18	TRPD14	MXG614X2	DV3W*589	IFGA	24-SEP-93	12-OCT-93	50	26	UGL	52.0
BNA'S IN WATER BY GC/MS	UM18	TRPD14	MXG310X1	DV3W*635	ETKA	24-JUN-93	07-JUL-93	50	65	UGL	130.0
BNA'S IN WATER BY GC/MS	UM18	TRPD14	MXG311X1	DV3W*636	ETKA	24-JUN-93	07-JUL-93	50	46	UGL	92.0
BNA'S IN WATER BY GC/MS	UM18	TRPD14	SBK93123	DV3W*641	ETKA	24-JUN-93	07-JUL-93	50	38	UGL	76.0
BNA'S IN WATER BY GC/MS	UM18	TRPD14	SBK93123	DV3W*641	ETKA	24-JUN-93	07-JUL-93	50	38	UGL	76.0
BNA'S IN WATER BY GC/MS	UM18	TRPD14	MXG310X2	DV3W*642	IFEA	22-SEP-93	15-OCT-93	50	35	UGL	70.0
BNA'S IN WATER BY GC/MS	UM18	TRPD14	MXG311X2	DV3W*643	IFEA	22-SEP-93	15-OCT-93	50	36	UGL	72.0
BNA'S IN WATER BY GC/MS	UM18	TRPD14	MDG613X1	DV3W*645	ETNA	25-JUN-93	14-JUL-93	50	47	UGL	94.0
BNA'S IN WATER BY GC/MS	UM18	TRPD14	SBK93122	V1AW*348	CKWA	12-FEB-93	18-FEB-93	50	67	UGL	134.0
		**********									
		avg									85.1
		minimum									52.0
		maximum									134.0

SQL> HOST d:\util\LIST

SQL> SELECT * FROM CAT;

Table FS-12
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

VOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501100	DV3S*570	EMKA	02-JUN-93	11-JUN-93	.05	.048	UGG	96.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501100	DV3S*570	EMKA	02-JUN-93	11-JUN-93	.05	.046	UGG	92.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501100	DV3S*570	EMKA	02-JUN-93	11-JUN-93	.05	.045	UGG	90.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501105	DV3S*571	EMKA	02-JUN-93	11-JUN-93	.05	.048	UGG	96.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501110	DV3S*572	EMKA	02-JUN-93	11-JUN-93	.05	.048	UGG	96.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501207	DV3S*573	EMOA	02-JUN-93	16-JUN-93	.05	.003	UGG	6.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501307	DV3S*574	EMKA	02-JUN-93	11-JUN-93	.05	.045	UGG	90.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501402	DV3S*575	EMNA	03-JUN-93	15-JUN-93	.05	.043	UGG	86.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501404	DV3S*576	EMMA	03-JUN-93	16-JUN-93	.05	.046	UGG	92.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501500	DV3S*577	EMJA	02-JUN-93	10-JUN-93	.05	.043	UGG	86.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501600	DV3S*578	EMMA	02-JUN-93	15-JUN-93	.05	.042	UGG	84.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501610	DV3S*579	EMMA	02-JUN-93	15-JUN-93	.05	.041	UGG	82.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BXG61200	DV3S*580	EMMA	02-JUN-93	16-JUN-93	.05	.049	UGG	98.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BXG61200	DV3S*580	EMMA	02-JUN-93	16-JUN-93	.05	.048	UGG	96.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BXG61200	DV3S*580	EMMA	02-JUN-93	16-JUN-93	.05	.047	UGG	94.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	.05	.041	UGG	82.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BXG61210	DV3S*582	EMKA	01-JUN-93	11-JUN-93	.05	.044	UGG	88.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	.05	.043	UGG	86.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501210	DV3S*603	EMMA	02-JUN-93	15-JUN-93	.05	.051	UGG	102.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501310	DV3S*604	EMMA	02-JUN-93	16-JUN-93	.05	.045	UGG	90.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501704	DV3S*700	YGTB	12-AUG-94	23-AUG-94	.05	.052	UGG	104.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501706	DV3S*701	YGTB	12-AUG-94	23-AUG-94	.05	.052	UGG	104.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501708	DV3S*702	YGTB	12-AUG-94	23-AUG-94	.05	.052	UGG	104.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501171	DV3S*703	YGTB	15-AUG-94	23-AUG-94	.05	.054	UGG	108.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501171	DV3S*704	YGTB	15-AUG-94	23-AUG-94	.05	.056	UGG	112.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501172	DV3S*705	YGTB	15-AUG-94	23-AUG-94	.05	.054	UGG	108.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501172	DV3S*706	YGTB	15-AUG-94	23-AUG-94	.05	.054	UGG	108.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501172	DV3S*707	YGWB	15-AUG-94	27-AUG-94	.05	.05	UGG	100.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501174	DV3S*708	YGWB	15-AUG-94	27-AUG-94	.05	.057	UGG	114.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BX501179	DV3S*709	YGTB	17-AUG-94	23-AUG-94	.05	.054	UGG	108.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BD501708	DV3S*751	YGTB	12-AUG-94	23-AUG-94	.05	.058	UGG	116.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BD501708	DV3S*751	YGTB	12-AUG-94	23-AUG-94	.05	.057	UGG	114.0
VOC'S IN SOIL BY GC/MS	LM19	12DCD4	BD501708	DV3S*751	YGTB	12-AUG-94	23-AUG-94	.05	.056	UGG	112.0
		**********									
		avg									95.3
		minimum									6.0
		maximum									116.0

Table FS-12
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

VOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501100	DV3S*570	EMKA	02-JUN-93	11-JUN-93	.05	.054	UGG	108.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501100	DV3S*570	EMKA	02-JUN-93	11-JUN-93	.05	.052	UGG	104.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501100	DV3S*570	EMKA	02-JUN-93	11-JUN-93	.05	.052	UGG	104.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501105	DV3S*571	EMKA	02-JUN-93	11-JUN-93	.05	.055	UGG	110.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501110	DV3S*572	EMKA	02-JUN-93	11-JUN-93	.05	.056	UGG	112.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501207	DV3S*573	EMOA	02-JUN-93	16-JUN-93	.05	.003	UGG	6.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501307	DV3S*574	EMKA	02-JUN-93	11-JUN-93	.05	.054	UGG	108.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501402	DV3S*575	EMNA	03-JUN-93	15-JUN-93	.05	.049	UGG	98.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501404	DV3S*576	EMMA	03-JUN-93	16-JUN-93	.05	.056	UGG	112.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501500	DV3S*577	EMJA	02-JUN-93	10-JUN-93	.05	.053	UGG	106.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501600	DV3S*578	EMMA	02-JUN-93	15-JUN-93	.05	.055	UGG	110.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501610	DV3S*579	EMMA	02-JUN-93	15-JUN-93	.05	.055	UGG	110.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BXG61200	DV3S*580	EMMA	02-JUN-93	16-JUN-93	.05	.055	UGG	110.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BXG61200	DV3S*580	EMMA	02-JUN-93	16-JUN-93	.05	.054	UGG	108.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BXG61200	DV3S*580	EMMA	02-JUN-93	16-JUN-93	.05	.053	UGG	106.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	.05	.056	UGG	112.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BXG61210	DV3S*582	EMKA	01-JUN-93	11-JUN-93	.05	.057	UGG	114.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	.05	.056	UGG	112.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501210	DV3S*603	EMMA	02-JUN-93	15-JUN-93	.05	.054	UGG	108.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501310	DV3S*604	EMMA	02-JUN-93	16-JUN-93	.05	.053	UGG	106.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501704	DV3S*700	YGTB	12-AUG-94	23-AUG-94	.05	.054	UGG	108.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501706	DV3S*701	YGTB	12-AUG-94	23-AUG-94	.05	.052	UGG	104.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501708	DV3S*702	YGTB	12-AUG-94	23-AUG-94	.05	.054	UGG	108.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501171	DV3S*703	YGTB	15-AUG-94	23-AUG-94	.05	.053	UGG	106.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501171	DV3S*704	YGTB	15-AUG-94	23-AUG-94	.05	.053	UGG	106.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501172	DV3S*705	YGTB	15-AUG-94	23-AUG-94	.05	.053	UGG	106.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501172	DV3S*706	YGTB	15-AUG-94	23-AUG-94	.05	.052	UGG	104.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501172	DV3S*707	YGWB	15-AUG-94	27-AUG-94	.05	.05	UGG	100.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501174	DV3S*708	YGWB	15-AUG-94	27-AUG-94	.05	.054	UGG	108.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BX501179	DV3S*709	YGTB	17-AUG-94	23-AUG-94	.05	.052	UGG	104.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BD501708	DV3S*751	YGTB	12-AUG-94	23-AUG-94	.05	.056	UGG	112.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BD501708	DV3S*751	YGTB	12-AUG-94	23-AUG-94	.05	.054	UGG	108.0
VOC'S IN SOIL BY GC/MS	LM19	4BFB	BD501708	DV3S*751	YGTB	12-AUG-94	23-AUG-94	.05	.054	UGG	108.0
		**********									
		avg									104.4
		minimum									6.0

Table FS-12
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

VOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
		maximum									114.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501100	DV3S*570	EMKA	02-JUN-93	11-JUN-93	.05	.052	UGG	104.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501100	DV3S*570	EMKA	02-JUN-93	11-JUN-93	.05	.052	UGG	104.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501100	DV3S*570	EMKA	02-JUN-93	11-JUN-93	.05	.051	UGG	102.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501105	DV3S*571	EMKA	02-JUN-93	11-JUN-93	.05	.051	UGG	102.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501110	DV3S*572	EMKA	02-JUN-93	11-JUN-93	.05	.05	UGG	100.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501207	DV3S*573	EMOA	02-JUN-93	16-JUN-93	.05	.002	UGG	4.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501307	DV3S*574	EMKA	02-JUN-93	11-JUN-93	.05	.047	UGG	94.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501402	DV3S*575	EMNA	03-JUN-93	15-JUN-93	.05	.044	UGG	88.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501404	DV3S*576	EMMA	03-JUN-93	16-JUN-93	.05	.045	UGG	90.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501500	DV3S*577	EMJA	02-JUN-93	10-JUN-93	.05	.048	UGG	96.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501600	DV3S*578	EMMA	02-JUN-93	15-JUN-93	.05	.045	UGG	90.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501610	DV3S*579	EMMA	02-JUN-93	15-JUN-93	.05	.043	UGG	86.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BXG61200	DV3S*580	EMMA	02-JUN-93	16-JUN-93	.05	.047	UGG	94.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BXG61200	DV3S*580	EMMA	02-JUN-93	16-JUN-93	.05	.046	UGG	92.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BXG61200	DV3S*580	EMMA	02-JUN-93	16-JUN-93	.05	.045	UGG	90.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BXG61205	DV3S*581	EMKA	01-JUN-93	11-JUN-93	.05	.047	UGG	94.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BXG61210	DV3S*582	EMKA	01-JUN-93	11-JUN-93	.05	.047	UGG	94.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BDG61205	DV3S*598	EMJA	01-JUN-93	10-JUN-93	.05	.043	UGG	86.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501210	DV3S*603	EMMA	02-JUN-93	15-JUN-93	.05	.048	UGG	96.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501310	DV3S*604	EMMA	02-JUN-93	16-JUN-93	.05	.043	UGG	86.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501704	DV3S*700	YGTB	12-AUG-94	23-AUG-94	.05	.053	UGG	106.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501706	DV3S*701	YGTB	12-AUG-94	23-AUG-94	.05	.05	UGG	100.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501708	DV3S*702	YGTB	12-AUG-94	23-AUG-94	.05	.05	UGG	100.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501171	DV3S*703	YGTB	15-AUG-94	23-AUG-94	.05	.05	UGG	100.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501171	DV3S*704	YGTB	15-AUG-94	23-AUG-94	.05	.053	UGG	106.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501172	DV3S*705	YGTB	15-AUG-94	23-AUG-94	.05	.05	UGG	100.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501172	DV3S*706	YGTB	15-AUG-94	23-AUG-94	.05	.049	UGG	98.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501172	DV3S*707	YGWB	15-AUG-94	27-AUG-94	.05	.047	UGG	94.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501174	DV3S*708	YGWB	15-AUG-94	27-AUG-94	.05	.052	UGG	104.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BX501179	DV3S*709	YGTB	17-AUG-94	23-AUG-94	.05	.049	UGG	98.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BD501708	DV3S*751	YGTB	12-AUG-94	23-AUG-94	.05	.053	UGG	106.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BD501708	DV3S*751	YGTB	12-AUG-94	23-AUG-94	.05	.052	UGG	104.0
VOC'S IN SOIL BY GC/MS	LM19	MEC6D8	BD501708	DV3S*751	YGTB	12-AUG-94	23-AUG-94	.05	.052	UGG	104.0
		**********									----------
		avg									94.3

Table FS-12
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

VOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
		minimum									4.0
		maximum									106.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG612X1	DV3W*584	FGGA	24-JUN-93	30-JUN-93	50	54	UGL	108.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG612X2	DV3W*585	ICGA	24-SEP-93	28-SEP-93	50	56	UGL	112.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	50	59	UGL	118.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG613X2	DV3W*587	ICFA	20-SEP-93	27-SEP-93	50	60	UGL	120.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG614X1	DV3W*588	FGGA	25-JUN-93	30-JUN-93	50	56	UGL	112.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG614X2	DV3W*589	ICGA	24-SEP-93	28-SEP-93	50	57	UGL	114.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	SBK93118	DV3W*599	DYZA	03-JUN-93	10-JUN-93	50	57	UGL	114.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	SBK93118	DV3W*599	DYZA	03-JUN-93	10-JUN-93	50	57	UGL	114.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	SBK93119	DV3W*600	DYZA	03-JUN-93	10-JUN-93	50	57	UGL	114.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	SBK93119	DV3W*600	DYZA	03-JUN-93	10-JUN-93	50	57	UGL	114.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG310X1	DV3W*635	FGGA	24-JUN-93	30-JUN-93	50	56	UGL	112.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG311X1	DV3W*636	FGEA	24-JUN-93	28-JUN-93	50	58	UGL	116.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	SBK93123	DV3W*641	FGEA	24-JUN-93	28-JUN-93	50	58	UGL	116.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	SBK93123	DV3W*641	FGEA	24-JUN-93	28-JUN-93	50	58	UGL	116.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG310X2	DV3W*642	ICFA	22-SEP-93	27-SEP-93	50	60	UGL	120.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG311X2	DV3W*643	ICFA	22-SEP-93	27-SEP-93	50	62	UGL	124.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	50	54	UGL	108.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG610X4	DV3W*715	XDVE	04-OCT-94	10-OCT-94	50	57	UGL	114.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG612X4	DV3W*719	XDVE	04-OCT-94	10-OCT-94	50	56	UGL	112.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG613X4	DV3W*723	XDVE	06-OCT-94	10-OCT-94	50	57	UGL	114.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG614X4	DV3W*727	XDWE	05-OCT-94	12-OCT-94	50	60	UGL	120.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG615A4	DV3W*731	XDVE	06-OCT-94	10-OCT-94	50	57	UGL	114.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG618X4	DV3W*735	XDWE	05-OCT-94	12-OCT-94	50	59	UGL	118.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG616X4	DV3W*739	XDVE	05-OCT-94	10-OCT-94	50	57	UGL	114.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG617A4	DV3W*743	XDVE	05-OCT-94	10-OCT-94	50	57	UGL	114.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DVTRP212	DV3W*754	XDVE	06-OCT-94	10-OCT-94	50	54	UGL	108.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DVTRP212	DV3W*754	XDVE	06-OCT-94	10-OCT-94	50	54	UGL	108.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DVTRP212	DV3W*754	XDVE	06-OCT-94	10-OCT-94	50	54	UGL	108.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG619X1	DV3W*755	XDRG	06-FEB-95	08-FEB-95	50	56	UGL	112.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	MXG620X1	DV3W*756	XDSG	06-FEB-95	10-FEB-95	50	56	UGL	112.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DVTRP757	DV3W*757	XDRG	06-FEB-95	08-FEB-95	50	56	UGL	112.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DVTRP757	DV3W*757	XDRG	06-FEB-95	08-FEB-95	50	56	UGL	112.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DVTRP757	DV3W*757	XDRG	06-FEB-95	08-FEB-95	50	56	UGL	112.0

Table FS-12
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

VOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DVTRP791	DV3W*791	XDDE	12-AUG-94	19-AUG-94	50	54	UGL	108.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DVTRP791	DV3W*791	XDDE	12-AUG-94	19-AUG-94	50	54	UGL	108.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DV3W*792	DV3W*792	XDEE	18-AUG-94	31-AUG-94	50	51	UGL	102.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DV3W*792	DV3W*792	XDEE	18-AUG-94	31-AUG-94	50	51	UGL	102.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	TRP93054	DVTRP*54	DYZA	02-JUN-93	10-JUN-93	50	58	UGL	116.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	TRP93055	DVTRP*55	DYZA	03-JUN-93	10-JUN-93	50	57	UGL	114.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DVTRP057	DVTRP*57	DYYA	04-JUN-93	11-JUN-93	50	57	UGL	114.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DVTRP058	DVTRP*58	FGEA	24-JUN-93	28-JUN-93	50	58	UGL	116.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DVTRP059	DVTRP*59	FGGA	25-JUN-93	30-JUN-93	50	54	UGL	108.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	SBK93122	V1AW*348	DDMA	12-FEB-93	15-FEB-93	50	54	UGL	108.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DVTRP153	VTRP*153	ICFA	22-SEP-93	27-SEP-93	50	61	UGL	122.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DVTRP141	VTRP*154	ICFA	23-SEP-93	27-SEP-93	50	61	UGL	122.0
VOC'S IN WATER BY GC/MS	UM20	12DCD4	DVTRP147	VTRP*156	ICFA	24-SEP-93	27-SEP-93	50	60	UGL	120.0
		**********									
		avg									113.4
		minimum									102.0
		maximum									124.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG612X1	DV3W*584	FGGA	24-JUN-93	30-JUN-93	50	42	UGL	84.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG612X2	DV3W*585	ICGA	24-SEP-93	28-SEP-93	50	43	UGL	86.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG613X2	DV3W*587	ICFA	20-SEP-93	27-SEP-93	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG614X1	DV3W*588	FGGA	25-JUN-93	30-JUN-93	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG614X2	DV3W*589	ICGA	24-SEP-93	28-SEP-93	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	SBK93118	DV3W*599	DYZA	03-JUN-93	10-JUN-93	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	SBK93118	DV3W*599	DYZA	03-JUN-93	10-JUN-93	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	SBK93119	DV3W*600	DYZA	03-JUN-93	10-JUN-93	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	SBK93119	DV3W*600	DYZA	03-JUN-93	10-JUN-93	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG310X1	DV3W*635	FGGA	24-JUN-93	30-JUN-93	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG311X1	DV3W*636	FGEA	24-JUN-93	28-JUN-93	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	SBK93123	DV3W*641	FGEA	24-JUN-93	28-JUN-93	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	SBK93123	DV3W*641	FGEA	24-JUN-93	28-JUN-93	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG310X2	DV3W*642	ICFA	22-SEP-93	27-SEP-93	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG311X2	DV3W*643	ICFA	22-SEP-93	27-SEP-93	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG610X4	DV3W*715	XDVE	04-OCT-94	10-OCT-94	50	48	UGL	96.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG612X4	DV3W*719	XDVE	04-OCT-94	10-OCT-94	50	46	UGL	92.0

Table FS-12
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

VOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG613X4	DV3W*723	XDVE	06-OCT-94	10-OCT-94	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG614X4	DV3W*727	XDWE	05-OCT-94	12-OCT-94	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG615A4	DV3W*731	XDVE	06-OCT-94	10-OCT-94	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG618X4	DV3W*735	XDWE	05-OCT-94	12-OCT-94	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG616X4	DV3W*739	XDVE	05-OCT-94	10-OCT-94	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG617A4	DV3W*743	XDVE	05-OCT-94	10-OCT-94	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DVTRP212	DV3W*754	XDVE	06-OCT-94	10-OCT-94	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DVTRP212	DV3W*754	XDVE	06-OCT-94	10-OCT-94	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DVTRP212	DV3W*754	XDVE	06-OCT-94	10-OCT-94	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG619X1	DV3W*755	XDRG	06-FEB-95	08-FEB-95	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	MXG620X1	DV3W*756	XDSG	06-FEB-95	10-FEB-95	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DVTRP757	DV3W*757	XDRG	06-FEB-95	08-FEB-95	50	43	UGL	86.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DVTRP757	DV3W*757	XDRG	06-FEB-95	08-FEB-95	50	43	UGL	86.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DVTRP757	DV3W*757	XDRG	06-FEB-95	08-FEB-95	50	43	UGL	86.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DVTRP791	DV3W*791	XDDE	12-AUG-94	19-AUG-94	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DVTRP791	DV3W*791	XDDE	12-AUG-94	19-AUG-94	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DV3W*792	DV3W*792	XDEE	18-AUG-94	31-AUG-94	50	41	UGL	82.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DV3W*792	DV3W*792	XDEE	18-AUG-94	31-AUG-94	50	41	UGL	82.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	TRP93054	DVTRP*54	DYZA	02-JUN-93	10-JUN-93	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	TRP93055	DVTRP*55	DYZA	03-JUN-93	10-JUN-93	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DVTRP057	DVTRP*57	DYYA	04-JUN-93	11-JUN-93	50	48	UGL	96.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DVTRP058	DVTRP*58	FGEA	24-JUN-93	28-JUN-93	50	43	UGL	86.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DVTRP059	DVTRP*59	FGGA	25-JUN-93	30-JUN-93	50	43	UGL	86.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	SBK93122	V1AW*348	DDMA	12-FEB-93	15-FEB-93	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DVTRP153	VTRP*153	ICFA	22-SEP-93	27-SEP-93	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DVTRP141	VTRP*154	ICFA	23-SEP-93	27-SEP-93	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	4BFB	DVTRP147	VTRP*156	ICFA	24-SEP-93	27-SEP-93	50	43	UGL	86.0
		**********									----------
		avg									89.5
		minimum									82.0
		maximum									96.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG612X1	DV3W*584	FGGA	24-JUN-93	30-JUN-93	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG612X2	DV3W*585	ICGA	24-SEP-93	28-SEP-93	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG613X1	DV3W*586	FGEA	25-JUN-93	28-JUN-93	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG613X2	DV3W*587	ICFA	20-SEP-93	27-SEP-93	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG614X1	DV3W*588	FGGA	25-JUN-93	30-JUN-93	50	49	UGL	98.0

Table FS-12
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

VOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG614X2	DV3W*589	ICGA	24-SEP-93	28-SEP-93	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	SBK93118	DV3W*599	DYZA	03-JUN-93	10-JUN-93	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	SBK93118	DV3W*599	DYZA	03-JUN-93	10-JUN-93	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	SBK93119	DV3W*600	DYZA	03-JUN-93	10-JUN-93	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	SBK93119	DV3W*600	DYZA	03-JUN-93	10-JUN-93	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG310X1	DV3W*635	FGGA	24-JUN-93	30-JUN-93	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG311X1	DV3W*636	FGEA	24-JUN-93	28-JUN-93	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	SBK93123	DV3W*641	FGEA	24-JUN-93	28-JUN-93	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	SBK93123	DV3W*641	FGEA	24-JUN-93	28-JUN-93	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG310X2	DV3W*642	ICFA	22-SEP-93	27-SEP-93	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG311X2	DV3W*643	ICFA	22-SEP-93	27-SEP-93	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MDG613X1	DV3W*645	FGGA	25-JUN-93	30-JUN-93	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG610X4	DV3W*715	XDVE	04-OCT-94	10-OCT-94	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG612X4	DV3W*719	XDVE	04-OCT-94	10-OCT-94	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG613X4	DV3W*723	XDVE	06-OCT-94	10-OCT-94	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG614X4	DV3W*727	XDWE	05-OCT-94	12-OCT-94	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG615A4	DV3W*731	XDVE	06-OCT-94	10-OCT-94	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG618X4	DV3W*735	XDWE	05-OCT-94	12-OCT-94	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG616X4	DV3W*739	XDVE	05-OCT-94	10-OCT-94	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG617A4	DV3W*743	XDVE	05-OCT-94	10-OCT-94	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DVTRP212	DV3W*754	XDVE	06-OCT-94	10-OCT-94	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DVTRP212	DV3W*754	XDVE	06-OCT-94	10-OCT-94	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DVTRP212	DV3W*754	XDVE	06-OCT-94	10-OCT-94	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG619X1	DV3W*755	XDRG	06-FEB-95	08-FEB-95	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	MXG620X1	DV3W*756	XDSG	06-FEB-95	10-FEB-95	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DVTRP757	DV3W*757	XDRG	06-FEB-95	08-FEB-95	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DVTRP757	DV3W*757	XDRG	06-FEB-95	08-FEB-95	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DVTRP757	DV3W*757	XDRG	06-FEB-95	08-FEB-95	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DVTRP791	DV3W*791	XDDE	12-AUG-94	19-AUG-94	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DVTRP791	DV3W*791	XDDE	12-AUG-94	19-AUG-94	50	47	UGL	94.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DV3W*792	DV3W*792	XDEE	18-AUG-94	31-AUG-94	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DV3W*792	DV3W*792	XDEE	18-AUG-94	31-AUG-94	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	TRP93054	DVTRP*54	DYZA	02-JUN-93	10-JUN-93	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	TRP93055	DVTRP*55	DYZA	03-JUN-93	10-JUN-93	50	45	UGL	90.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DVTRP057	DVTRP*57	DYYA	04-JUN-93	11-JUN-93	50	44	UGL	88.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DVTRP058	DVTRP*58	FGEA	24-JUN-93	28-JUN-93	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DVTRP059	DVTRP*59	FGGA	25-JUN-93	30-JUN-93	50	46	UGL	92.0

Table FS-12
Chemical Quality Control Report
Installation: Fort Devens, MA (DV)
Groups 3,5 and 6

VOC SURROGATES

Method Description	USATHAMA Method Code	Test Name	IRDMIS Field Sample Number	Lab Number	Lot	Sample Date	Analysis Date	Spike Value	Value	Units	Percent Recovery
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	SBK93122	V1AW*348	DDMA	12-FEB-93	15-FEB-93	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DVTRP153	VTRP*153	ICFA	22-SEP-93	27-SEP-93	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DVTRP141	VTRP*154	ICFA	23-SEP-93	27-SEP-93	50	46	UGL	92.0
VOC'S IN WATER BY GC/MS	UM20	MEC6D8	DVTRP147	VTRP*156	ICFA	24-SEP-93	27-SEP-93	50	45	UGL	90.0
		**********									
		avg									92.0
		minimum									88.0
		maximum									98.0

APPENDIX G

BACKGROUND CONCENTRATION CALCULATIONS

CALCULATED BACKGROUND CONCENTRATIONS
FORT DEVENS, MASSACHUSETTS

SOIL		GROUNDWATER	
ANALYTE	CONCENTRATION (ug/g)	ANALYTE	CONCENTRATION (ug/L)
Aluminum	15,000	Aluminum	6,870
Antimony	– –	Antimony	3.03
Arsenic	21	Arsenic	10.5
Barium	42.5	Barium	39.6
Beryllium	0.347	Beryllium	5.00
Cadmium	2.00	Cadmium	4.01
Calcium	1,400	Calcium	14,700
Chromium	31	Chromium	14.7
Cobalt	– –	Cobalt	25.0
Copper	8.39	Copper	8.09
Iron	15,000	Iron	9,100
Lead	48.4[1]	Lead	4.25
Magnesium	5,600	Magnesium	3,480
Manganese	300	Manganese	291
Mercury	0.22	Mercury	0.243
Nickel	14.0	Nickel	34.3
Potassium	1,700	Potassium	2,370
Selenium	– –	Selenium	3.02
Silver	.086	Silver	4.60
Sodium	131	Sodium	10,800
Thallium	– –	Thallium	6.99
Vanadium	28.7	Vanadium	11.0
Zinc	35.5	Zinc	21.1

[1]For lead in soil, the background value was revised to 34.4 ug/g for the later phases of the SIs, based on the removal of a possible statistical outlier.

SOIL BACKGROUND CONCENTRATIONS
REPRESENTATIVE SAMPLES
FORT DEVENS, MASSACHUSETTS

SAMPLE I.D.	LOCATION	SOIL ASSOCIATION	SAMPLE TYPE
SOIL – 1	North Post	Hinkley	Surface
SOIL – 2	North Post	Quonset	Surface
SOIL – 3	North Post	Quonset	Surface
SOIL – 4	North Post	Winooski	Surface
SOIL – 5	Main Post	Hinkley	Surface
SOIL – 6	Main Post	Hinkley	Surface
SOIL – 7	Main Post	Hinkley	Surface
SOIL –8	Main Post	Hinkley	Surface
SOIL – 9	Main Post	Paxton	Surface
SOIL – 10	Main Post	Winooski	Surface
SOIL – 11	Main Post	Winooski	Surface
SOIL – 12	Main Post	Winooski	Surface
SOIL – 13	Main Post	Paxton	Surface
SOIL – 14	South Post	Hinkley	Surface
SOIL – 15	South Post	Winooski	Surface
SOIL – 16	South Post	Paxton	Surface
SOIL – 17	Main Post	Hinkley	Boring
SOIL – 18	Main Post	Hinkley	Boring
SOIL – 19	Main Post	Hinkley	Boring
SOIL – 20	Main Post	Hinkley	Boring

INORGANIC ANALYTES IN SOIL
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
ALUMINUM			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 8	2500		
SOIL – 17	4300		
SOIL – 1	6400		
SOIL – 14	6900		
SOIL – 19	7100		
SOIL – 20	7100	Minimum –	2500
SOIL – 12	7400		
SOIL – 15	8000	Maximum –	24000
SOIL – 10	8500		
SOIL – 4	8800	Mean –	10000
SOIL – 5	9900		
SOIL – 11	11000	95th %ile –	15000
SOIL – 18	11000		
SOIL – 3	12000		
SOIL – 7	12000		
SOIL – 6	13000	Background	
SOIL – 16	13000	Concentration –	15000
SOIL – 2	14000		
SOIL – 13	18000		
SOIL –9	24000		
ANTIMONY			
NO DATA AVAILABLE			
ARSENIC			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 15	4.6		
SOIL – 12	7.1		
SOIL – 3	9.3		
SOIL – 4	9.4		
SOIL – 17	9.5		
SOIL – 1	9.6	Minimum –	4.6
SOIL – 14	11		
SOIL – 19	11	Maximum –	32
SOIL – 16	11		
SOIL – 5	12	Mean –	14
SOIL – 11	13		
SOIL – 2	13	95th %ile –	21
SOIL – 10	14		
SOIL – 7	15		
SOIL – 8	15		
SOIL – 20	19	Background	
SOIL – 9	25	Concentration –	21
SOIL – 13	28		
SOIL – 6	32		
SOIL – 18	99 **		

* Method Detection Limit
** Likely Statistical Outlier

INORGANIC ANALYTES IN SOIL
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
BARIUM			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 17	9.7		
SOIL – 10	11.5		
SOIL – 6	11.5		
SOIL – 12	12.9		
SOIL – 1	14.2		
SOIL – 4	14.2	Minimum –	9.7
SOIL – 19	14.2		
SOIL – 3	14.5	Maximum –	67.2
SOIL – 5	15.5		
SOIL – 8	15.6	Mean –	25.8
SOIL – 15	16.2		
SOIL – 14	16.6	95th %ile –	42.5
SOIL – 18	29.0		
SOIL – 20	31.0		
SOIL – 2	35.0		
SOIL – 7	36.0	Background	
SOIL – 16	46.0	Concentration –	42.5
SOIL – 11	52.0		
SOIL – 9	54.0		
SOIL – 13	67.2		
BERYLLIUM			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 10	0.039		
SOIL – 18	0.039		
SOIL – 3	0.039		
SOIL – 17	0.039		
SOIL – 19	0.104		
SOIL – 6	0.108	Minimum –	0.039
SOIL – 1	0.119		
SOIL – 5	0.124	Maximum –	0.672
SOIL – 2	0.126		
SOIL – 7	0.133	Mean –	0.185
SOIL – 4	0.141		
SOIL – 8	0.142	95th %ile –	0.347
SOIL – 15	0.145		
SOIL – 14	0.146		
SOIL – 12	0.172		
SOIL – 20	0.188	Background	
SOIL – 9	0.335	Concentration –	0.347
SOIL – 11	0.350		
SOIL – 16	0.533		
SOIL – 13	0.672		

* Method Detection Limit
** Likely Statistical Outlier

INORGANIC ANALYTES IN SOIL
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
CADMIUM			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 1	0.212		
SOIL – 20	0.212		
SOIL – 12	0.212		
SOIL – 3	0.212		
SOIL – 4	0.212		
SOIL – 5	0.212	Minimum –	0.212
SOIL – 19	0.212		
SOIL – 17	0.212	Maximum –	4.48
SOIL – 15	0.212		
SOIL – 8	0.212	Mean –	0.823
SOIL – 18	0.212		
SOIL – 16	0.212	95th %ile –	2.00
SOIL – 2	0.212		
SOIL – 14	0.212		
SOIL – 7	1.060		
SOIL – 9	1.060	Background	
SOIL – 6	1.280	Concentration –	2.00
SOIL – 10	2.100		
SOIL – 13	3.520		
SOIL – 11	4.480		
CALCIUM			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 15	144		
SOIL – 8	310		
SOIL – 3	330		
SOIL – 17	350		
SOIL – 5	430		
SOIL – 2	610	Minimum –	144
SOIL – 1	610		
SOIL – 4	630	Maximum –	2800
SOIL – 18	650		
SOIL – 9	650	Mean –	840
SOIL – 6	710		
SOIL – 19	710	95th %ile –	1400
SOIL – 16	720		
SOIL – 14	740		
SOIL – 12	810		
SOIL – 20	810	Background	
SOIL – 7	1400	Concentration –	1400
SOIL – 13	1500		
SOIL – 11	1800		
SOIL – 10	2800		

* Method Detection Limit
** Likely Statistical Outlier

INORGANIC ANALYTES IN SOIL
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
CHROMIUM			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 15	2.0		
SOIL – 12	6.0		
SOIL – 1	7.1		
SOIL – 3	7.6		
SOIL – 17	7.7		
SOIL – 5	8.2	Minimum –	2.0
SOIL – 20	9.3		
SOIL – 8	9.6	Maximum –	56.5
SOIL – 4	10.2		
SOIL – 2	11.1	Mean –	17.7
SOIL – 1	12.5		
SOIL – 14	13.8	95th %ile –	31.3
SOIL – 19	14.1		
SOIL – 10	19.5		
SOIL – 11	27.1		
SOIL – 7	29.0	Background	
SOIL – 6	30.3	Concentration –	31
SOIL – 13	33.0		
SOIL – 18	39.5		
SOIL – 9	56.5		
COBALT			
NO DATA AVAILABLE			
COPPER			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 3	0.98		
SOIL – 16	0.98		
SOIL – 12	0.98		
SOIL – 2	2.45		
SOIL – 15	2.52		
SOIL – 8	2.53	Minimum –	0.98
SOIL – 5	4.10		
SOIL – 17	4.78	Maximum –	12.0
SOIL – 4	4.81		
SOIL – 1	5.25	Mean –	5.24
SOIL – 20	5.48		
SOIL – 6	6.55	95th %ile –	8.39
SOIL – 14	6.86		
SOIL – 19	7.12		
SOIL – 9	7.62		
SOIL – 7	9.38	Background	
SOIL – 10	10.0	Concentration –	8.39
SOIL – 18	12.0		
SOIL – 13	27.8 **		
SOIL – 11	30.2 **		

* Method Detection Limit
** Likely Statistical Outlier

INORGANIC ANALYTES IN SOIL
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
IRON			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 14	5000		
SOIL – 10	5000		
SOIL – 1	6000		
SOIL – 17	6000		
SOIL – 15	6100		
SOIL – 5	6800	Minimum –	5000
SOIL – 12	6900		
SOIL – 4	7100	Maximum –	27000
SOIL – 19	7300		
SOIL – 20	7400	Mean –	9980
SOIL – 8	8200		
SOIL – 16	8500	95th %ile –	15000
SOIL – 3	9400		
SOIL – 11	11000		
SOIL – 2	12000		
SOIL – 13	15000	Background	
SOIL – 6	17000	Concentration –	15000
SOIL – 18	18000		
SOIL – 9	27000		
SOIL – 7	50000 **		
LEAD			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 20	2.7		
SOIL – 17	3.4		
SOIL – 5	8.7		
SOIL – 1	9.7		
SOIL – 15	10.3		
SOIL – 8	11.0	Minimum –	2.70
SOIL – 18	11.3		
SOIL – 19	12.7	Maximum –	106.0
SOIL – 9	14.8		
SOIL – 2	16.3	Mean –	24.7
SOIL – 10	17.3		
SOIL – 3	18.6	95th %ile –	48.4
SOIL – 16	21.2		
SOIL – 4	25.3		
SOIL – 6	42.8		
SOIL – 12	42.9	Background	
SOIL – 7	46.6	Concentration –	48.4
SOIL – 14	47.1		
SOIL – 11	106		
SOIL – 13	326 **		

* Method Detection Limit
** Likely Statistical Outlier

INORGANIC ANALYTES IN SOIL
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
MAGNESIUM			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 15	490		
SOIL – 3	700		
SOIL – 4	910		
SOIL – 12	1000		
SOIL – 5	1300		
SOIL – 1	1500	Minimum –	490
SOIL – 8	1800		
SOIL – 17	2000	Maximum –	11000
SOIL – 20	2200		
SOIL – 11	2300	Mean –	3100
SOIL – 2	2300		
SOIL – 10	2500	95th %ile –	5600
SOIL – 14	2600		
SOIL – 16	2700		
SOIL – 19	3200		
SOIL – 6	4500	Background	
SOIL – 13	4900	Concentration –	5600
SOIL – 7	5500		
SOIL – 18	7900		
SOIL – 9	11000		
MANGANESE			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 3	73		
SOIL – 8	85		
SOIL – 5	87		
SOIL – 4	100		
SOIL – 17	110		
SOIL – 11	110	Minimum –	73
SOIL – 1	130		
SOIL – 19	130	Maximum –	460
SOIL – 14	130		
SOIL – 20	150	Mean –	190
SOIL – 12	170		
SOIL – 10	170	95th %ile –	300
SOIL – 16	190		
SOIL – 15	220		
SOIL – 6	230		
SOIL – 7	240	Background	
SOIL – 18	300	Concentration –	300
SOIL – 13	350		
SOIL – 2	380		
SOIL – 9	460		

* Method Detection Limit
** Likely Statistical Outlier

INORGANIC ANALYTES IN SOIL
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
MERCURY			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 5	0.013		
SOIL – 8	0.013		
SOIL – 20	0.013		
SOIL – 7	0.013		
SOIL – 19	0.013		
SOIL – 17	0.013	Minimum –	0.01
SOIL – 18	0.035		
SOIL – 1	0.042	Maximum –	0.41
SOIL – 16	0.053		
SOIL – 6	0.055	Mean –	0.10
SOIL – 14	0.056		
SOIL – 3	0.060	95th %ile –	0.22
SOIL – 15	0.068		
SOIL – 2	0.081		
SOIL – 9	0.085		
SOIL – 12	0.110	Background	
SOIL – 13	0.260	Concentration –	0.22
SOIL – 10	0.290		
SOIL – 4	0.330		
SOIL – 11	0.410		
NICKEL			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 16	1.23		
SOIL – 1	1.23		
SOIL – 15	1.23		
SOIL – 3	1.23		
SOIL – 8	1.23		
SOIL – 5	1.23	Minimum –	1.2
SOIL – 4	1.23		
SOIL – 2	1.23	Maximum –	27.0
SOIL – 12	1.23		
SOIL – 11	1.23	Mean –	6.5
SOIL – 14	4.06		
SOIL – 17	4.80	95th %ile –	14.0
SOIL – 20	5.51		
SOIL – 19	5.91		
SOIL – 6	6.81		
SOIL – 7	11.2	Background	
SOIL – 10	12.5	Concentration –	14.0
SOIL – 13	14.6		
SOIL – 18	24.4		
SOIL – 9	27.0		

* Method Detection Limit
** Likely Statistical Outlier

INORGANIC ANALYTES IN SOIL
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
POTASSIUM			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 15	250		
SOIL – 4	310		
SOIL – 5	470		
SOIL – 3	530		
SOIL – 17	590		
SOIL – 12	600	Minimum –	250
SOIL – 1	620		
SOIL – 8	630	Maximum –	2400
SOIL – 2	660		
SOIL – 14	700	Mean –	1000
SOIL – 19	880		
SOIL – 10	990	95th %ile –	1700
SOIL – 20	1000		
SOIL – 11	1100		
SOIL – 6	1100		
SOIL – 18	1700	Background	
SOIL – 7	1700	Concentration –	1700
SOIL – 13	2200		
SOIL – 9	2400		
SOIL – 16	2400		
SELENIUM			
NO DATA AVAILABLE			
SILVER			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 1	0.043		
SOIL – 20	0.043		
SOIL – 12	0.043		
SOIL – 3	0.043		
SOIL – 13	0.043		
SOIL – 5	0.043	Minimum –	0.043
SOIL – 1	0.043		
SOIL – 7	0.043	Maximum –	0.043
SOIL – 15	0.043		
SOIL – 9	0.043	Mean –	0.043
SOIL – 16	0.043		
SOIL – 2	0.043	95th %ile –	NA
SOIL – 17	0.043		
SOIL – 8	0.043		
SOIL – 19	0.043		
SOIL – 4	0.043	Background	
SOIL – 10	0.043	Concentration –	0.086 *
SOIL – 18	0.043		
SOIL – 6	0.210 **		
SOIL – 11	0.580 **		

* Method Detection Limit
** Likely Statistical Outlier

INORGANIC ANALYTES IN SOIL
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
SODIUM			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 1	26.0		
SOIL – 12	26.0		
SOIL – 15	26.0		
SOIL – 3	26.0		
SOIL – 8	26.0		
SOIL – 4	26.0	Minimum –	26.0
SOIL – 17	57.5		
SOIL – 2	58.6	Maximum –	231
SOIL – 5	71.2		
SOIL – 6	79.8	Mean –	79.7
SOIL – 9	85.8		
SOIL – 19	86.7	95th %ile –	131
SOIL – 20	93.9		
SOIL – 14	100		
SOIL – 7	117		
SOIL – 11	123	Background	
SOIL – 18	124	Concentration –	131
SOIL – 16	130		
SOIL – 13	231		
SOIL – 10	680 **		
THALLIUM			
NO DATA AVAILABLE			
VANADIUM			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 17	6.1		
SOIL – 15	6.2		
SOIL – 10	6.5		
SOIL – 20	7.2		
SOIL – 1	7.6		
SOIL – 5	7.9	Minimum –	6.1
SOIL – 8	8.0		
SOIL – 19	9.9	Maximum –	46.6
SOIL – 4	11.7		
SOIL – 14	13.8	Mean –	17.0
SOIL – 12	16.3		
SOIL – 2	16.6	95th %ile –	28.7
SOIL – 16	17.5		
SOIL – 3	17.9		
SOIL – 11	18.1		
SOIL – 18	22.8	Background	
SOIL – 7	23.4	Concentration –	28.7
SOIL – 6	32.3		
SOIL – 9	44.3		
SOIL – 13	46.6		

* Method Detection Limit
** Likely Statistical Outlier

INORGANIC ANALYTES IN SOIL
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
ZINC			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL – 17	11.2		
SOIL – 15	11.7		
SOIL – 8	13.2		
SOIL – 20	13.5		
SOIL – 4	13.6		
SOIL – 19	14.2	Minimum –	11.2
SOIL – 3	14.6		
SOIL – 5	14.7	Maximum –	40.0
SOIL – 1	16.5		
SOIL – 12	17.7	Mean –	23.9
SOIL – 14	22.2		
SOIL – 16	23.4	95th %ile –	35.5
SOIL – 2	27.7		
SOIL – 11	40.0		
SOIL – 18	40.0		
SOIL – 13	40.0	Background Concentration –	35.5
SOIL – 6	40.0		
SOIL – 10	40.0		
SOIL – 7	40.0		
SOIL – 9	130.0 **		

* Method Detection Limit
** Likely Statistical Outlier

REVISED BACKGROUND CONCENTRATION
FOR LEAD IN SOIL
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
LEAD			
SAMPLE I.D.	CONCENTRATION ug/g		
SOIL - 20	2.7		
SOIL - 17	3.4		
SOIL - 5	8.7		
SOIL - 1	9.7		
SOIL - 15	10.3		
SOIL - 8	11.0	Minimum -	2.70
SOIL - 18	11.3		
SOIL - 19	12.7	Maximum -	47.1
SOIL - 9	14.8		
SOIL - 2	16.3	Mean -	20.2
SOIL - 10	17.3		
SOIL - 3	18.6	95th %ile -	34.4
SOIL - 16	21.2		
SOIL - 4	25.3		
SOIL - 6	42.8		
SOIL - 12	42.9	Background	
SOIL - 7	46.6	Concentration -	34.4
SOIL - 14	47.1		
SOIL - 11	106 *		
SOIL - 13	326 *		

* Likely Statistical Outlier

GROUNDWATER BACKGROUND CONCENTRATIONS
REPRESENTATIVE SAMPLES
FORT DEVENS, MASSACHUSETTS

MONITORING WELL	LOCATION	TOTAL SUSPENDED SOLIDS (ug/L)	ALUMINUM (ug/L)
G6M-92-09X	NORTH POST	37,000	230
G6M-92-11X	NORTH POST	53,000	1,920
WWTMW-01	NORTH POST	20,000	2,330
WWTMW-13	NORTH POST	30,000	3,150
WWTMW-14	NORTH POST	25,000	9,130
G3M-92-01X	MAIN POST	<4,000	71
13M-92-01X	MAIN POST	–	7,270
12M-92-01X	SOUTH POST	–	179
27M-92-04X	SOUTH POST	–	8,700
28M-92-01X	SOUTH POST	–	2,280

INORGANIC ANALYTES IN WATER
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
ALUMINUM			
MONITORING WELL	CONCENTRATION (ug/L)		
G3M-92-01X	71	Minimum -	71
12M-92-01X	179	Maximum -	9140
G6M-92-09X	230	Mean -	3527
G6M-92-11X	1920	95th %ile -	6874
28M-92-01X	2280	Background Concentration -	6870
WWTMW-01	2330		
WWTMW-13	3150		
13M-92-01X	7270		
27M-92-04X	8700		
WWTMW-14	9140		
ANTIMONY			
MONITORING WELL	CONCENTRATION (ug/L)		
WWTMW-14	1.52	Minimum -	1.52
WWTMW-13	1.52	Maximum -	1.52
WWTMW-01	1.52	Mean -	1.52
G6M-92-11X	1.52	95th %ile -	NA
G6M-92-09X	1.52	Background Concentration -	3.03 *
G3M-92-01X	1.52		
28M-92-01X	1.52		
27M-92-04X	1.52		
13M-92-01X	1.52		
12M-92-01X	1.52		
ARSENIC			
MONITORING WELL	CONCENTRATION (ug/L)		
G6M-92-11X	1.27	Minimum -	1.27
12M-92-01X	1.27	Maximum -	15.20
G6M-92-09X	1.27	Mean -	5.65
G3M-92-01X	1.77	95th %ile -	10.5
28M-92-01X	3.94	Background Concentration -	10.5
WWTMW-13	5.39		
WWTMW-01	9.81		
13M-92-01X	10.9		
WWTMW-14	15.2		
27M-92-04X	32.3 **		
BARIUM			
MONITORING WELL	CONCENTRATION (ug/L)		
12M-92-01X	2.5	Minimum -	2.5
G6M-92-09X	7.6	Maximum -	52.0
G3M-92-01X	10.7	Mean -	22.6
WWTMW-01	12.4	95th %ile -	39.6
28M-92-01X	14.4	Background Concentration -	39.6
G6M-92-11X	16.1		
WWTMW-13	19.5		
13M-92-01X	44.5		
WWTMW-14	46.3		
27M-92-04X	52.0		

* Method Detection Limit
** Likely Statistical Outlier

INORGANIC ANALYTES IN WATER
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
BERYLLIUM			
MONITORING WELL	CONCENTRATION (ug/L)	Minimum –	2.50
G3M-92-01X	2.50		
12M-92-01X	2.50	Maximum –	2.50
G6M-92-09X	2.50		
G6M-92-11X	2.50	Mean –	2.50
28M-92-01X	2.50		
WWTMW-01	2.50	95th %ile –	NA
WWTMW-13	2.50		
13M-92-01X	2.50	Background	
27M-92-04X	2.50	Concentration –	5.00 *
WWTMW-14	2.50		
CADMIUM			
MONITORING WELL	CONCENTRATION (ug/L)	Minimum –	2.01
WWTMW-14	2.01		
WWTMW-13	2.01	Maximum –	2.01
WWTMW-01	2.01		
G6M-92-11X	2.01	Mean –	2.01
G6M-92-09X	2.01		
G3M-92-01X	2.01	95th %ile –	NA
28M-92-01X	2.01		
27M-92-04X	2.01	Background	
13M-92-01X	2.01	Concentration –	4.01 *
12M-92-01X	2.01		
CALCIUM			
MONITORING WELL	CONCENTRATION (ug/L)	Minimum –	179
12M-92-01X	179		
28M-92-01X	1910	Maximum –	23200
WWTMW-14	2490		
WWTMW-13	3280	Mean –	7801
G6M-92-11X	5780		
WWTMW-01	6940	95th %ile –	14747
G3M-92-01X	7710		
27M-92-04X	8820	Background	
G6M-92-09X	17700	Concentration –	14700
13M-92-01X	23200		
CHROMIUM			
MONITORING WELL	CONCENTRATION (ug/L)	Minimum –	3.0
G3M-92-01X	3.01		
G6M-92-09X	3.01	Maximum –	18.7
28M-92-01X	3.01		
12M-92-01X	3.01	Mean –	8.7
WWTMW-01	6.04		
G6M-92-11X	6.36	95th %ile –	14.7
WWTMW-13	10.1		
27M-92-04X	16.4	Background	
13M-92-01X	16.9	Concentration –	14.7
WWTMW-14	18.7		

* Method Detection Limit
** Likely Statistical Outlier

INORGANIC ANALYTES IN WATER
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
COBALT			
MONITORING WELL	CONCENTRATION (ug/L)	Minimum –	12.5
G3M-92-01X	12.5		
12M-92-01X	12.5	Maximum –	12.5
G6M-92-09X	12.5		
G6M-92-11X	12.5	Mean –	12.5
28M-92-01X	12.5		
WWTMW-01	12.5	95th %ile –	NA
WWTMW-13	12.5		
13M-92-01X	12.5	Background	
27M-92-04X	12.5	Concentration –	25.0 *
WWTMW-14	12.5		
COPPER			
MONITORING WELL	CONCENTRATION (ug/L)	Minimum –	4.05
G3M-92-01X	4.05		
WWTMW-14	4.05	Maximum –	6.52
28M-92-01X	4.05		
WWTMW-01	4.05	Mean –	4.36
G6M-92-09X	4.05		
12M-92-01X	4.05	95th %ile –	5.2
G6M-92-11X	4.05		
WWTMW-13	6.52	Background	
13M-92-01X	18.60 **	Concentration –	8.09 *
27M-92-04X	19.00 **		
IRON			
MONITORING WELL	CONCENTRATION (ug/L)	Minimum –	171
G3M-92-01X	171		
G6M-92-09X	331	Maximum –	12900
12M-92-01X	373		
G6M-92-11X	2390	Mean –	4611
28M-92-01X	2410		
WWTMW-01	3250	95th %ile –	9104
WWTMW-13	3830		
WWTMW-14	9250	Background	
27M-92-04X	11200	Concentration –	9100
13M-92-01X	12900		
LEAD			
MONITORING WELL	CONCENTRATION (ug/L)	Minimum –	0.65
G6M-92-09X	0.65		
WWTMW-01	2.00	Maximum –	5.70
28M-92-01X	2.17		
G3M-92-01X	2.30	Mean –	2.81
G6M-92-11X	2.30		
WWTMW-13	3.10	95th %ile –	4.25
12M-92-01X	4.23		
WWTMW-14	5.70	Background	
13M-92-01X	12.10 **	Concentration –	4.25
27M-92-04X	12.40 **		

* Method Detection Limit
** Likely Statistical Outlier

INORGANIC ANALYTES IN WATER
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS
MAGNESIUM		
MONITORING WELL	CONCENTRATION (ug/L)	
28M-92-01X	693	Minimum – 693
G6M-92-11X	857	Maximum – 4500
G3M-92-01X	1000	
WWTMW-13	1390	Mean – 2157
G6M-92-09X	1600	
WWTMW-01	1900	95th %ile – 3477
WWTMW-14	1970	
27M-92-04X	3550	Background
12M-92-01X	4110	Concentration – 3480
13M-92-01X	4500	
MANGANESE		
MONITORING WELL	CONCENTRATION (ug/L)	
G6M-92-09X	23.4	Minimum – 23.40
12M-92-01X	69.9	Maximum – 486.00
WWTMW-01	77.7	
28M-92-01X	86.4	Mean – 156.93
G6M-92-11X	102	
WWTMW-13	107	95th %ile – 290.7
13M-92-01X	227	
WWTMW-14	233	Background
G3M-92-01X	486	Concentration – 291
27M-92-04X	1110 **	
MERCURY		
MONITORING WELL	CONCENTRATION (ug/L)	
WWTMW-01	0.12	Minimum – 0.12
G3M-92-01X	0.12	Maximum – 0.70
12M-92-01X	0.12	
13M-92-01X	0.12	Mean – 0.18
WWTMW-14	0.12	
28M-92-01X	0.12	95th %ile – 0.35
G6M-92-11X	0.12	
G6M-92-09X	0.12	Background
27M-92-04X	0.12	Concentration – 0.243 *
WWTMW-13	0.70	
NICKEL		
MONITORING WELL	CONCENTRATION (ug/L)	
G6M-92-09X	17.2	Minimum – 17.20
WWTMW-01	17.2	Maximum – 17.20
28M-92-01X	17.2	
G3M-92-01X	17.2	Mean – 17.20
G6M-92-11X	17.2	
WWTMW-13	17.2	95th %ile – NA
12M-92-01X	17.2	
WWTMW-14	17.2	Background
13M-92-01X	17.2	Concentration – 34.3 *
27M-92-04X	17.2	

* Method Detection Limit
** Likely Statistical Outlier

INORGANIC ANALYTES IN WATER
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
POTASSIUM			
MONITORING WELL	CONCENTRATION (ug/L)	Minimum –	461
28M-92-01X	461		
G6M-92-11X	645	Maximum –	2790
WWTMW-13	1080		
G3M-92-01X	1450	Mean –	1644
12M-92-01X	1500		
WWTMW-01	1980	95th %ile –	2370
WWTMW-14	1980		
G6M-92-09X	1980	Background	
13M-92-01X	2570	Concentration –	2370
27M-92-04X	2790		
SELENIUM			
MONITORING WELL	CONCENTRATION (ug/L)	Minimum –	1.51
G6M-92-09X	1.51		
12M-92-01X	1.51	Maximum –	1.51
WWTMW-01	1.51		
28M-92-01X	1.51	Mean –	1.51
G6M-92-11X	1.51		
WWTMW-13	1.51	95th %ile –	NA
13M-92-01X	1.51		
WWTMW-14	1.51	Background	
G3M-92-01X	1.51	Concentration –	3.02 *
27M-92-04X	1.51		
SILVER			
MONITORING WELL	CONCENTRATION (ug/L)	Minimum –	2.30
WWTMW-01	2.30		
G3M-92-01X	2.30	Maximum –	2.30
12M-92-01X	2.30		
13M-92-01X	2.30	Mean –	2.30
WWTMW-14	2.30		
28M-92-01X	2.30	95th %ile –	NA
G6M-92-11X	2.30		
G6M-92-09X	2.30	Background	
27M-92-04X	2.30	Concentration –	4.60 *
WWTMW-13	2.30		
SODIUM			
MONITORING WELL	CONCENTRATION (ug/L)	Minimum –	1380
28M-92-01X	1380		
G6M-92-09X	2000	Maximum –	18000
WWTMW-14	2100		
G6M-92-11X	2430	Mean –	5771
27M-92-04X	3070		
12M-92-01X	4250	95th %ile –	10841
WWTMW-13	4610		
G3M-92-01X	8570	Background	
WWTMW-01	11300	Concentration –	10800
13M-92-01X	18000		

* Method Detection Limit
** Likely Statistical Outlier

INORGANIC ANALYTES IN WATER
FORT DEVENS, MASSACHUSETTS

DATA		CALCULATIONS	
THALLIUM			
MONITORING WELL	CONCENTRATION (ug/L)		
28M-92-01X	3.50	Minimum -	3.50
G6M-92-11X	3.50	Maximum -	3.50
WWTMW-13	3.50		
G3M-92-01X	3.50	Mean -	3.50
12M-92-01X	3.50		
WWTMW-01	3.50	95th %ile -	3.50
WWTMW-14	3.50		
G6M-92-09X	3.50	Background Concentration -	6.99
13M-92-01X	3.50		
27M-92-04X	3.50		
VANADIUM			
MONITORING WELL	CONCENTRATION (ug/L)	Minimum -	5.50
G6M-92-09X	5.50		
12M-92-01X	5.50	Maximum -	14.50
WWTMW-01	5.50		
28M-92-01X	5.50	Mean -	7.13
G6M-92-11X	5.50		
WWTMW-13	5.50	95th %ile -	10.41
13M-92-01X	5.50		
G3M-92-01X	5.50	Background Concentration -	11.0 *
27M-92-04X	12.8		
WWTMW-14	14.5		
ZINC			
MONITORING WELL	CONCENTRATION (ug/L)	Minimum -	10.6
WWTMW-13	10.6		
G6M-92-09X	10.6	Maximum -	47.0
WWTMW-01	10.6		
28M-92-01X	10.6	Mean -	20.5
G6M-92-11X	10.6		
G3M-92-01X	10.6	95th %ile -	34.9
WWTMW-14	32.0		
27M-92-04X	41.7	Background Concentration -	21.1 *
12M-92-01X	47.0		
13M-92-01X	78.5 **		

* Method Detection Limit
** Likely Statistical Outlier

APPENDIX H

ECOLOGICAL DATA TABLES, INFORMATION, AND REFERENCES

TERRESTRIAL FOOD WEB MODEL

No state or federal standards or guidelines exist for surface soil exposure, so it has been evaluated through comparison of maximum analyte concentrations in surface soils to protective contaminant levels (PCLs) obtained through a computer-generated chronic exposure food web model. In order to establish conservative PCLs for the screening level PREs, an acceptable level of risk (Hazard Index [HI] equals 1) associated with chronic exposure to each surface soil contaminant isolated at Fort Devens was established.

The terrestrial food web model was developed to estimate the potential dietary exposure levels of contaminants for several potential receptor species representing various trophic levels within the ecological community at Fort Devens. Indicator receptor species were chosen to represent various taxonomic groups and trophic levels. It was assumed that each species evaluated is representative of other species within a given trophic level at Fort Devens (i.e., a trophic guilding approach was employed).

The following six indicator species were selected to represent exposure to terrestrial organisms via ingestion of food and surface soil at Fort Devens:

- Short-tailed Shrew (*Blarina brevicauda*). This carnivorous small mammal has a limited home range, a small body size, and a voracious appetite (Godin, 1977), factors which increase the likelihood that these organisms will encounter significant environmental contaminant concentrations. Short-tailed shrews frequent woody regions with moist, loose humus, and can be found in marshes and meadows. The short-tailed shrew tends to avoid dry sites, and is active both day and night.

- White-footed mouse (*Peromyscus leucopus*). The white-footed mouse occupies a small home range of up to 0.5 acre in grassy fields. Though occupying a similar niche as the carnivorous short-tailed shrew, the white-footed mouse was chosen as an indicator species because it is primarily herbivorous, and is found in a variety of habitats, including deciduous, mixed, and carnivorous forests, clearings, pastures, streamside thickets, and around buildings (DeGraff and Rudis, 1983).

- American Robin (*Turdus migratorius*). This abundant passerine songbird occurs throughout open woodlands, forest edges, clearings, fields, and grassy areas. Robins forage on earthworms and insects, and may include fruits in their diet (DeGraaf and Rudis, 1983). They are frequently encountered in developed regions.

- Garter Snake (*Thamnophis sirtalis*). The garter snake was chosen to be representative of the reptile community at Fort Devens. This carnivorous snake feeds on small mammals and invertebrates, and has a home range of approximately 5 acres. Garter snakes occur in a variety of habitats, but are most common in the vicinity of wetlands.

- Red fox (*Vulpes vulpes*). This omnivorous mammal prefers open woodlands and grassy fields, and is most active in the night, and at dawn and dusk. It is an opportunistic predator, feeding on small mammals, birds, reptiles, amphibians, and invertebrates, as well as berries and other fruits (Burt and Grossenheider, 1976). The red fox has a home range of approximately 250 acres.

- Red-tailed Hawk (*Buteo jamaicensis*). This bird of prey prefers foraging in open country, frequently on woodland edges. It feeds primarily on small mammals, although invertebrates, reptiles, and small birds are also included in its diet.

Detailed information for each of the above species regarding diet, home-range, and other biological exposure parameters used in the food-web model are provided in Table H-1.

The food-web model was used to estimate contaminant levels in various primary prey items (e.g., invertebrates and plants) consumed by each receptor species. Estimated contaminant tissue residues in each prey species were estimated using specific bioaccumulation factors (BAFs) obtained directly or extrapolated from values in the scientific literature, as shown in the following equation:

Prey Tissue Concentration (mg/kg) = Soil Concentration (mg/kg) × Bioaccumulation Factor (BAF)

Other BAFs were used to estimate tissue concentrations in secondary prey items such as small birds, rodents, and reptiles. Chemical-specific BAF values used in the food-web model are provided in Table H-2.

The potential dietary exposure (PDE) level, for each modeled receptor species, was calculated by multiplying each predicted prey species tissue concentration by the proportion of that prey type in the diet, summing these values, adding soil exposure, and multiplying by the Site Foraging Frequency (SFF) of the given receptor species. Incidental soil ingestion associated with foraging, preening, and cleaning activities, was conservatively assumed to represent five percent of total dietary intake. The PDE is represented by the following equation:

$$\mathbf{PDE} = \sum_{1 \to n} [P_1 \times T_1 + P_2 \times T_2 + \ldots P_n \times T_n + \text{soil exposure}] \times \mathbf{SFF}$$

where:

PDE	=	Potential dietary exposure (mg/kg)
P_n	=	Percent of diet composed of prey item n
T_n	=	Tissue concentration in prey item n (mg/kg); calculated by multiplying the chemical concentration in soil by a bioaccumulation factor
Soil Exposure	=	(0.05)(Soil concentration in mg/kg)
SFF	=	Site Foraging Frequency; Area of Contaminated Soil (acres)/Home range (acres)

Finally, the potential dietary exposure for each receptor species was multiplied by the receptor-specific ingestion rate and divided by the estimated body weight to calculate a Total Body Dose (TBD):

$$TBD = PDE \times IR \times \frac{1}{BW}$$

where:

TBD	=	Total Body Dose (mg/kgBW-day)
PDE	=	Potential dietary exposure (mg/kg)
IR	=	Ingestion rate (kg/day)
BW	=	Body weight (kg)

Because the TBD estimates are normalized to the ingestion and body weight of the particular receptor being evaluated, they are directly comparable to estimated RTV values derived from the literature. The comparison of the TBD estimate with the appropriate RTV results in an index (the Hazard Index) of potential impact associated with exposure to that particular chemical.

Toxicity data evaluated for terrestrial receptors consists of acute and chronic oral ingestion studies which were preferentially chosen in the following order: 1) feeding studies, 2) gavage studies, 3) drinking water studies. Based on these data, RTVs were developed to represent a threshold concentration for effects to terrestrial organisms. RTVs are expressed in mg/kg BW (body weight)/day (dose normalized to body weight). From the toxicological data set (Table H-3), compound-specific chronic toxicity values for each type of receptor (indicator species) were selected as the Fort Devens RTV. These RTV values are presented in Table H-4.

The RTV selection procedure included the following general guidelines:

- Taxon-specific toxicological data were used whenever possible, regardless of study status (acute vs chronic, etc). When taxon-specific data were unavailable, available toxicological data were applied to the indicator species. Because reptile toxicological data are scarce, bird toxicity values were used to represent garter snake RTVs.

- Chronic RTVs are based on the average of reported Lowest Observed Adverse Effect Levels (LOAEL) for non-mortality endpoints from chronic studies (those lasting >364 days). However, when chronic non-mortality data were unavailable, the average of reported LOAEL non-mortality data from sub-chronic studies (those lasting 15-364 days) were used for the RTV. Mortality data from chronic studies were used only when data from chronic or sub-chronic non-mortality studies were unavailable. LOAELs extrapolated from acute or No Observable Adverse Effect Levels (NOAEL) were not included when LOAELs were averaged to derive RTVs.

- When chronic or sub-chronic studies were not available, acute study values were used. In these cases, two factors are applied to the acute Lethal Dose Fifty (LD_{50}) (the single dose lethal to 50 percent of the test organisms). These include: (1) a factor of 0.2 for extrapolating from the

oral LD_{50} to a value expected to protect 99.9 percent of the population from acute effects (USEPA, 1986); and (2) a factor of 0.1 for extrapolating from acute to chronic values (the acute-chronic ratio for many chemicals is approximately 10 (Newell et al., 1987)). Additionally, in cases where only a NOAEL value was available, a factor of 5 was used to extrapolate the NOAEL to a LOAEL value. LOAELs extrapolated from chronic or sub-chronic NOAEL data were preferentially used over data extrapolated from acute studies.

- When no studies were available in the ABB-ES data base for a given contaminant, the contaminant was assigned an appropriate surrogate chemical for which adequate toxicological data exists (i.e., benzo(a)pyrene was used as a surrogate for dibenzo(a,h)anthracene).

Development of Protective Contaminant Levels (PCLs)

In order to develop PCLs for terrestrial receptors, an acceptable level of risk associated with exposure to each contaminant (Hazard Index [HI] = 1) was multiplied by the particular contaminant-specific RTV to estimate a Target Intake Dosage (TID), expressed as mg/kgBW-day, as shown by the following equation:

$$\boxed{TR \times RTV = TID}$$

TR	=	Target risk (HI = 1.0)
RTV	=	Reference toxicity value (mg/kgBW-day)
TID	=	Total target intake dosage (mg/kgBW-day)

The TID was multiplied by the Dietary Contribution Factor (DCF) (the inverse of the equation used to derive TBD) to estimate the PCL of the particular contaminant, as shown by the following equation:

$$\boxed{TID * DCF = PCL}$$

TID	=	Total target intake dosage (mg/kgBW-day)
DCF	=	Dietary Contribution Factor (kgBW-day/mg)
PCL	=	Protective Contaminant Level (mg/kg)

The lowest resultant PCLs were selected as the PCL values for use in these PREs; these PCLs are presented in Table 3-6 (in report text). In general, the short-tailed shrew (due to its small home range, voracious appetite, and insectivorous diet) is the ecological receptor species with the lowest PCL. These PCL values represent the concentration of each analyte in surface soil that, if not exceeded, is protective of all terrestrial organisms, including the short-tailed shrew. Because suitable habitat for the shrew does not exist at several Groups 3, 5, and 6 SAs, additional detail regarding the use of alternative PCLs is presented in the individual PREs.

Because of the numerous conservative assumptions included in the chronic exposure risk assessment model, the lowest PCL for four inorganic analytes (aluminum, barium, lead, and vanadium) is below the background concentrations established for Fort Devens. For these four analytes, the background concentration (rather than the PCL generated through the food web model) was used as the screening tool for evaluating surface soil at the Groups 3, 5, and 6 sites.

Exposure and toxicity values used to calculate PCLs at SA 21 have been updated (to reduce uncertainties) according to recently published literature, as part of the Phase III SI. Exposure parameters for terrestrial wildlife receptors were obtained primarily from the Exposure Factors Handbook (USEPA, December 1993), and are presented in Table H-5. BAFs were obtained from a number of sources, thereby eliminating numerous conservative assumptions that receptors bioaccumulate inorganic analytes by a factor of 1; updated BAFs are presented in Table H-6. The toxicity database used for estimating effects to receptors are presented in Table H-7, and a summary of the RTVs used to calculate PCLs are presented in Table H-8. A summary of the PCLs calculated using the updated exposure and toxicity data according to the methodology listed above are presented in Table H-9.

PRE GENERAL ASSUMPTIONS AND UNCERTAINTIES

ASSUMPTIONS AND UNCERTAINTIES

General assumptions and uncertainties for the Fort Devens PREs include, but are not limited to, the following:

1. The human health standards and guidelines used in these PREs are based on standard USEPA exposure assumptions. Quantitative human health risk assessments based on SA-specific characteristics and exposure potential have not been conducted.

2. The USEPA Region III Risk-Based Concentrations are readily available screening values used in the human health PREs. They do not represent target cleanup levels. Because they are based on standard USEPA risk assessment assumptions and methodology, the risk-based concentrations are considered to be reasonable screening values.

3. The food web models used to estimate surface soil protective concentrations involve numerous exposure parameters, some of which are values from the literature, and some of which are assumed or estimated. Efforts were made to select exposure parameters representative of a variety of species or feeding guilds, so that exposure estimates would be representative of more than a single species. However, numerous extrapolations relating measurement and assessment endpoints have been included in these PREs. These include extrapolations between taxa, between responses, and from laboratory to field studies.

4. The exposure models from which protective surface soil levels were derived assume that organisms will spend equal amounts of time in all habitats within their home ranges. In actuality, organisms will spend varying amounts of time in different habitats which would affect their exposures. The limitation of this assumption is that exposures to the particular species modeled may be over-estimated or under-estimated in these PREs.

5. Information regarding the presence or absence of ecological receptors at the site was obtained from a review of literature, habitat characteristics, and short-term field studies. Actual occurrence and/or utilization of the site by many ecological receptors is uncertain.

6. Neither dermal contact nor inhalation were evaluated in the protective surface soil food web model because of a lack of information concerning uptake rates for wildlife. Therefore, total ecological exposure may be greater than predicted based solely on modeled ingestion scenarios. However, the relative contribution of dermal contact to total ecological risk is expected to be much lower than that of food and sediment ingestion, because of the protective fur, feathers, or hardened skin covering most species of semi-terrestrial wildlife.

7. The PREs evaluate potential ecological effects to individual organisms, and do not evaluate potential population-level risks. In many circumstances, acute or chronic effects may occur to individual organisms with little potential population or community level effects; however, as the number of individual organisms experiencing toxic effects increases, the probability that population-level effects will occur also increases. As a result of this assumption, the calculated protective concentrations may be overly protective of true community or population level effects.

8. An assumption has been made that all analytes in the Fort Devens surface soil and surface water are bioavailable, and that all inorganics in sediments are bioavailable. In actuality, it is likely that only a portion of these analytes are bioavailable; therefore, these PREs may over-estimate risk.

9. The PCLs developed through the back-calculated food web model represent a screening tool to determine whether or not an analyte may present risk to ecological receptors. These PCLs do not represent target cleanup levels.

PRE REFERENCES

REFERENCES

ATSDR, 1987. "Toxicological Profile for Nickel"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, October, 1987.

ATSDR, 1988. "Toxicological Profile for Cadmium"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service

ATSDR, 1988. "Toxicological Profile for Di(2-ethylhexyl)phthalate"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.

ATSDR, 1988. "Toxicological Profile for Lead"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, February 1988.

ATSDR, 1989. "Toxicological Profile for Polycyclic Aromatic Hydrocarbons (Acenaphthene, Acenaphthylene, Anthracene, Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Benzo(k)fluoranthene, Chrysene, Dibenzo(a,h)anthracene, Fluoranthene, Fluorene, Indeno(1,2,3-cd)pyrene, Phenanthrene, and Pyrene)"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, October 1989.

ATSDR, 1989. "Toxicological Profile for Selenium"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, April 1989.

ATSDR, 1990. "Toxicological Profile for Manganese"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, October 1990.

ATSDR, 1990. "Toxicological Profile for Naphthalene and 2-Methylnaphthalene"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service, February, 1990.

ATSDR, 1990. "Toxicological Profile for Silver"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.

ATSDR, 1991. "Toxicological Profile for Antimony"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.

ATSDR, 1991. "Toxicological Profile for Chromium"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service

ATSDR, 1991. "Toxicological Profile for Cobalt"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.

ATSDR, 1991. "Toxicological Profile for Vanadium"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.

ATSDR, 1992. "Toxicological Profile for Arsenic"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.

ATSDR, 1992. "Toxicological Profile for Beryllium"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service.

ATSDR, 1992. "Toxicological Profile for Cadmium"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service

ATSDR, 1993. "Toxicological Profile for Toluene"; Agency for Toxic Substances and Disease Registry, U.S. Public Health Service

Baker, R.H., 1983. Michigan Mammals; Michigan State University Press; 642 pp.

Bernuzzi, V., D.Desor, and P.R. Lehr, 1989. "Effects of Postnatal Aluminum Lactate Exposure on Neuromotor Maturation in Rat"; Bulletin of Environmental Contamination and Toxicology 42:451-5.

Burt, W.H., 1987. Mammals of Michigan; Ann Arbor, MI, University of Michigan Press, 248 pp.

Conant, Roger, 1975. A Field Guide to the Reptiles and Amphibians of Eastern and Central North America; Houghton Mifflin Co.; Boston, MA; 729 pp.

DeGraaf, R.M., and D.D. Rudis, 1986. "New England Wildlife: Habitat, Natural History, and Distribution"; USDA Forest Service, Northeastern Forest Experiment Station, General Technical Report NE-108.

Demayo, A., M.C. Taylor, and K.W. Taylor, 1982. Effects of Copper on Humans, Laboratory and Farm Animals, Terrestrial Plants, and Aquatic Life; CRC Critical Reviews in Environmental Control; August 1982; pp. 183-255.

Eisler, R. 1985. "Cadmium Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85(1.2), 46 pp.

Eisler, R. 1985. "Selenium Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85(1.5), 57 pp.

Eisler, R., 1986. "Chromium Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85 (1.6), 60 pp.

Eisler, R., 1987. "Mercury Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85 (1.10), 90 pp.

Eisler, R., 1987. "Polycyclic Aromatic Hydrocarbon Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85 (1.11), 81 pp.

Eisler, R., 1988. "Arsenic Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85 (1.12), 92 pp.

Eisler, R., 1988. "Lead Hazards to Fish, Wildlife, and Invertebrates: A Synoptic Review"; U.S. Fish and Wildlife Service Biological Report 85 (1.14), 134 pp.

Fimreite, N., 1979. "Accumulation and Effects of Mercury on Birds"; Pages 601-626 in The Biogeochemistry of Mercury in the Environment, J.O. Nriagu (Ed.); Elsevier/North Holland Biomedical Press, New York.

Godin, A.J., 1977. Wild Mammals of New England; The Johns Hopkins University Press, Baltimore, MD.

Hansch, C.H. and A. Leo, 1979. Substituent Constants for Correlation Analysis in Chemistry and Biology; John Wiley and Sons, Inc., 330 pp.

Hill, E.F. et al., 1975. "Lethal Dietary Toxicities of Environmental Pollutants to Birds"; U.S. Fish and Wildlife Service Special Scientific Report, Wildlife No. 191, Washington, D.C.

Hill, E.F., and M.B. Camardese, 1986. "Lethal Dietary Toxicities of Environmental Contaminants and Pesticides to Coturnix", U.S. Fish and Wildlife Service Tech. Rep. No. 2, Washington, D.C.

Integrated Risk Information System (IRIS), 1988-1993. "Volumes I and II. Chemical Files". U.S. Environmental Protection Agency.

Kenaga, E.E., 1973. "Factors to be Considered in the Evaluation of Pesticides to Birds in Their Environment"; in Environmental Quality and Safety. Global Aspects of Chemistry, Toxicology and Technology as Applied to the Environment; Volume 2, Academic Press, New York, NY; p. 166-181.

Kennedy, G., D. Arnold, and J.C. Calandra, 1975. "Teratogenic Evaluation of Lead Compounds in Mice and Rats"; Food and Cosmetics Toxicology 13: 629-632

Llobet, J.M. et al., 1988. "Subchronic Oral Toxicity of Zinc in Rats"; Bulletin of Environmental Contamination and Toxicology 41:36-43.

Martin, A.C. et al., 1951. American Wildlife and Plants, A Guide to Wildlife Food Habits; Dover Publications, Inc. New York.

McClain, R.M., and B.A. Becker, 1972. "Effects of Organo-lead Compounds on Rat Embryonic and Fetal Development"; Toxicology and Applied Pharmacology 21: 265-274

Mcfadyen, Amyan, 1980. Advances in Ecological Research, Volume II; Academic Press, NY, 1980; 327 pp.

National Institute for Occupational Safety and Health (NIOSH), 1985. "Registry of Toxic Effects of Chemical Substances"; NIOSH Publication No. 86-103, U.S. Department of Health and Human Services.

National Toxicology Program (NTP), 1989. "Toxicology and Coarcinogenesis Studies of Benzofuran in Rats and Mice"; Technical Report Series No. 370., U.S. Department of Health and Human Services; October 1989.

Newell, A.J., D.W. Johnson, and L.K. Allen, 1987. "Niagara River Biota Contamination Project: Fish Flesh Criteria for Piscivorous Wildlife"; Technical Report 87-3, Division of Fish and Wildlife.

Sax, N.I., 1984. Dangerous Properties of Industrial Material; 6th Edition; Van Nostrand Reinhold Company, New York.

Suzuki, T., 1979. "Dose-effect and Dose-response Relationships of Mercury and its Derivatives"; Pages 399-431 in The Biogeochemistry of Mercury in the Environment, J.O. Nriagu (Ed.); Elsevier/North Holland Biomedical Press, New York.

Terres, J.K., 1987. Audubon Encyclopedia of North American Birds; Published by Alfred Knopf, New York, 1109 pp.

Toxicology Data Bank (TDB), 1984. National Library of Medicine.

USEPA, 1980. "Ambient Water Quality Criteria for Copper"; Environmental Criteria and Assessment Office; Office of Water Regulations and Standards Criteria Division, EPA-440/5-80-036.

USEPA, 1984. "Health Effects Assessment for Acenapthylene", Environmental Criteria and Assessment Office, September, 1984.

USEPA, 1984. "Ambient Water Quality Criteria for Arsenic"; Washington, D.C.; Report No. 44/5-84-033.

USEPA, 1984. "Health Effects Assessment for Benzo(a)pyrene"; Office of Emergency and Remedial Response, United States Environmental Protection Agency, ECAO-CIN-H)22; September 1984.

USEPA, 1984. "Health Assessment Document for Manganese", U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office, EPA-600/8-83-013F; Cincinnati, Ohio; August, 1984.

USEPA, 1985. "Chemical, Physical, and Biological Properties of Compounds Present at Hazardous Waste Sites"; Final Report Prepared by Clement Associates, Inc.; September, 1985.

USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Arsenic"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.

USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Benzo(a)pyrene"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.

USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Beryllium"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.

USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Chromium"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.

USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Lead"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.

USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Mercury"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.

USEPA, 1985. "Environmental Profiles and Hazard Indices for Constituents of Municipal Sludge: Nickel"; U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, D.C.

USEPA, 1986. "Hazard Evaluation Division Standard Evaluation Procedure: Ecological Risk Assessment"; Office of Pesticide Programs; EPA 540/9-85-001; Washington, D.C.

USEPA, 1986. "Health and Environmental Effects Profile for Carbazole"; Environmental Criteria and Assessment Office; April 1986.

USEPA, 1988. "Health Effects Advisory for Lead"; Office of Drinking Water, Washington, D.C.

USEPA, 1988. "Recommendations for and Documentation of Biological Values for Use in Risk Assessment"; PB 88-179874, EPA 600/6-87-008, Washington, D.C.

USEPA, 1990. "Basics of Pump-and-Treat Ground Water Remediation Technology"; U.S. Environmental Protection Agency, Office of Research and Development, EPA-600/8-90/003.

USEPA, 1990. "Exposure Factors Handbook." EPA/600/8-89/043; USEPA Office of Health and Environmental Assessment; Washington, DC, July, 1989.

USEPA, 1990. "Health Effects Advisory for Naphthalene"; U.S. Environmental Protection Agency, Office of Drinking Water, Washington, D.C.

U.S. Environmental Protection Agency (USEPA), 1993. Wildlife Exposure Factors Handbook; Office and Research and Development, Washington, DC; EPA/600/R-93/187a and /187b; December.

Verschueren, Karel, 1983. Handbook of Environmental Data on Organic Chemicals: Second Edition; Van Nostrand Reinhold, New York, 1310 pp.

TABLE H–1
ECOLOGICAL EXPOSURE PARAMETERS

SITE INVESTIGATION REPORT
FORT DEVENS

RECEPTOR SPECIES	EXPOSURE PARAMETER	REPORTED VALUES	REFERENCE	VALUE SELECTED FOR PRE
White–footed Mouse *(Peromyscus leucopus)*	Home Range (acres)	0.16–0.54 acres	DeGraaf and Rudis, 1986	0.3 Ac [a]
	Percent Prey Items	Acorns, blueberry, knotweed, pine, maple, tubers. Insects, snails, small birds	Martin et al., 1951	Invertebrates: 10% Plants: 85% Soil: 5%
	Ingestion Rate (kg/day)	0.00375 kg/day (measured in laboratory)	USEPA, 1988	0.00375 kg/day [b]
	Body Weight (kg)	0.015 – 0.03 kg	Baker, 1983 Godin, 1977	0.025 kg
	Drinking water Intake Rate (l/day)	0.0355 L/day (measured in laboratory)	USEPA, 1988	0.0355 L/day

NOTES:
[a] Selected as conservative value; actual range may greater

TABLE H-1 (continued)
ECOLOGICAL EXPOSURE PARAMETERS

SITE INVESTIGATION REPORT
FORT DEVENS

RECEPTOR SPECIES	EXPOSURE PARAMETER	REPORTED VALUES	REFERENCE	VALUE SELECTED FOR PRE
American Robin *(Turdus migratorius)*	Home Range (acres)	Territory sizes of: 0.3 – 0.75 Ac; 0.11 – 0.6 Ac; Avg. of 0.30 Ac	DeGraaf and Rudis, 1986	0.30 Ac
	Percent Prey Items	Fruits, earthworms, insects; diet is approximately 60% plant material.	DeGraaf and Rudis, 1986	Invertebrates: 40% Plants: 55% Soil: 5%
		Caterpillars, beetles, earthworms, true bugs, flies, sowbugs, snails, spiders, termites, millipedes, centipedes, fruits, various plants. The percentage of plant material in diet varies seasonally as shown below:	Martin et al., 1951	
	Ingestion Rate (kg/day)	Allometric relationship between body weight (W) and food ingestion rate (F) for chickens: F = 0.075 x W^0.8449	USEPA, 1988	0.0084 kg/day
	Body Weight (kg)	0.0648 – 0.0842 kg	Terres, 1987	0.0745 kg [a]
	Drinking Water Intake Rate (l/day)	Allometric relationship between body weight (W) and drinking water rate (L) for chickens: L = 0.13 x W^0.7555	USEPA, 1988	0.018 l/day

Season	No. Month	Percent
Winter	5	64%
Spring	2	21%
Summer	3	60%
Fall	2	81%
Estimated Year-round Average		59%

NOTES:
[a] Average of reported values

TABLE H-1 (continued)
ECOLOGICAL EXPOSURE PARAMETERS

SITE INVESTIGATION REPORT
FORT DEVENS

RECEPTOR SPECIES	EXPOSURE PARAMETER	REPORTED VALUES	REFERENCE	VALUE SELECTED FOR PRE
Eastern garter snake (*Thamnophis sirtalis*)	Home Range (acres)	5, 2, 35 (males), 22.2 (females)	DeGraaf and Rudis, 1986	5 [a]
	Percent Prey Items	Earthworms are 80% of diet; rest is amphibians, carrion, fish, leeches, caterpillars, insects, small birds, rodents, slugs, snakes, mollusks, crayfish, and sowbugs	DeGraaf and Rudis, 1986	Invertebrates: 85% Small Mammals: 5% Birds: 5% Soil: 5%
	Ingestion Rate (kg/day)	Allometric relationship between body weight (W) and food ingestion rate (F) for all species: F = 0.065 x W^0.7919		0.023 kg/day
	Body Weight (kg)			0.27 kg [b]
	Drinking Water Intake Rate (l/day)	Allometric relationship between body weight (W) and drinking water rate (L) for all species: L = 0.11 x W^0.7872		0.039 l/day

NOTES:
[a] Selected as conservative value; actual range may be greater.
[b] Estimated assuming the density of water (1 gm/cu.cm), an average length of 55 cm (Conant, 1975), and and an assumed diameter of 2.5 cm.

TABLE H-1 (continued)
ECOLOGICAL EXPOSURE PARAMETERS

SITE INVESTIGATION REPORT
FORT DEVENS

RECEPTOR SPECIES	EXPOSURE PARAMETER	REPORTED VALUES	REFERENCE	VALUE SELECTED FOR PRE
Red Fox *(Vulpes vulpes)*	Home Range (acres)	< 3 miles in diameter; 142 – 400 Ac	DeGraaf and Rudis, 1986	250 [a]
		< 5 miles in diam.	Godin, 1977	
		142 to 1280; 900; 1495; 955 acres	Baker, 1983	
	Percent Prey Items	Birds, turtles, frogs, snakes, eggs, snowshoe hare, deer, porcupine, and berries and fruit when available	DeGraaf and Rudis, 1986	Invertebrates: 20% Plants: 10% Small Mammals: 40% Herpetofauna: 15% Birds: 10% Soil: 5%
		Small mammals, birds and their eggs, insects, earthworms, turtles and their eggs, frogs, snakes, wild berries, sarsparilla, grapes, plums, and apples. Infrequently eats nuts and grains, and sometimes ingests rope, twine, paper, sticks, and trash.	Godin, 1977	
		Mice, rabbits, other small mammals and birds, insects, carrion, fleshy fruits, and seeds. The percentage of plant material in diet varies seasonally as shown below: Season / No. Month / Percent Winter / 5 / 4% Spring / 2 / 0% Summer / 3 / 31% Fall / 2 / 23% Estimated Year–round Average / 13%	Martin, et al., 1951	
	Ingestion Rate (kg/day)	Allometric relationship between body weight (W) and food ingestion rate (F) for all species: F = 0.065 x W^0.7919		0.23 kg/day
	Body Weight (kg)	3.6 to 5.4 kg	Godin, 1977	4.9 [b]
		3.6 to 6.8 kg	Baker, 1983	
	Drinking Water Intake Rate (l/day)	Allometric relationship between body weight (W) and drinking water intake rate (L) for all species: L = 0.11 x W^0.7872	USEPA, 1988	0.38 l/day

NOTES:
[a] Selected as conservative value; actual range may be much greater
[b] Average of reported values

TABLE H-1 (continued)
ECOLOGICAL EXPOSURE PARAMETERS

SITE INVESTIGATION REPORT
FORT DEVENS

RECEPTOR SPECIES	EXPOSURE PARAMETER	REPORTED VALUES	REFERENCE	VALUE SELECTED FOR PRE
Short-tailed Shrew (Blarina brevicauda)	Home Range (acres)	2.88, 1, 0.21, 1.46, 1.39, 0.25, 4.43	Baker, 1983	2 [a]
		1, 1.25, 0.5, 1	DeGraaf and Rudis, 1986	
		0.5	Burt, 1987	
	Percent Prey Items	Insects, invertebrates, small vertebrates, worms	Baker, 1983	Invertebrates: 85% Plants: 10% Soil: 5%
		Insects, plants, worms, sowbugs, snails, small vertebrates, centipedes, millipedes, spiders	DeGraaf and Rudis, 1986	
		Insects, earthworms, vertebrates, invertebrates, occasionally plants	Godin, 1977	
	Ingestion Rate (kg/day)	50% to 300% of its body weight/day	Baker, 1983	0.021 kg/day (100% of BW/day)
	Body Weight (kg)	0.018 to 0.030 kg	Baker, 1983	0.021 kg [a]
		0.013 to 0.024 kg	Godin, 1977	
	Drinking Water Intake Rate (l/day)	Allometric relationship between body weight (W) and drinking water rate (L) for mammals: $L = 0.10 \times W^{0.7377}$	USEPA, 1988	0.0058 l/day

NOTES:
[a] Average of reported values

TABLE H-1 (continued)
ECOLOGICAL EXPOSURE PARAMETERS

SITE INVESTIGATION REPORT
FORT DEVENS

RECEPTOR SPECIES	EXPOSURE PARAMETER	REPORTED VALUES	REFERENCE	VALUE SELECTED FOR PRE
Red-tailed hawk (Buteo jamaicensis)	Home Range (acres)	Breeding: 192- 1376 acres Winter: up to 2560 acres	DeGraaf and Rudis, 1986	500 [a]
	Percent Prey Items	Small mammals, amphibians, reptiles, nesting birds, insects, carrion, domestic animals	DeGraaf and Rudis, 1986	Small mammals: 55% Invertebrates: 5% Plants: 5% Birds: 20% Herpetofauna: 10%
	Ingestion Rate (kg/day)		Terres, 1987	0.23 kg/day [b]
	Body Weight (kg)	1.5 kg	Terres, 1987	1.5
	Drinking Water Intake Rate (l/day)	Allometric relationship (all species) L = 0.11 * W ^0.7872 W = Weight = 1.50 kg.	EPA, 1988	0.151 l/day
	Density (#/acre)	0.0014 (1 pair/2.2 square miles) 0.00076 (1 pair/4.1 square miles) 0.00625 (1 pair/0.5 square miles)	DeGraaf and Rudis, 1986	0.0028 [c]
	Lifespan (years)	4 years	Terres, 1987	4

NOTES:
[a] Selected as conservative value; actual range may be much greater
[b] Ingestion rate based upon ratio of ingestion rate to body weight for golden eagle (Terres, 1987).
using 1.5 kg body weight for hawk
[c] Average of reported values

TABLE H-2
SUMMARY OF BIOACCUMULATION FACTORS

SITE INVESTIGATION REPORT
FORT DEVENS

CHEMICAL	LOG Kow	BIOACCUMULATION FACTORS (BAFs) [a]				
		PLANT [b]	INVERTE-BRATES	SMALL MAMMAL	SMALL BIRD	REPTILE
VOLATILE ORGANICS						
Tetrachloroethene	2.6 [c]	1.000	1	1	1	1
Toluene	2.69 [d]	1.000	1	1	1	1
Trichlorofluoromethane	2.53 [c]	1.000	1	1	1	1
Xylenes	3.04 [e]	0.677	1	1	1	1
SEMI-VOLATILE ORGANICS						
Acenapthene	4.33 [d]	0.122	1	1	1	1
Acenaphthylene	4.07 [d]	0.172	1	1	1	1
Anthracene	4.45 [d]	0.104	1	1	1	1
Benzo(a)anthracene	5.6 [d]	0.022	1	1	1	1
Benzo(a)pyrene	6.04 [f]	0.012	1	1	1	1
Benzo(b)fluoranthene	6.06 [c]	0.012	1	1	1	1
Benzo(g,h,i)perylene	7.23 [f]	0.003	1	1	1	1
Benzo(k)fluoranthene	6.06 [c]	0.012	1	1	1	1
bis(2-ethylhexyl)phthalate	5.3 [d]	0.033	1	1	1	1
Carbazole	3.72	0.274	1	1	1	1
Chrysene	5.61 [d]	0.022	1	1	1	1
Dibenz(a,h)anthracene	6.8 [c]	0.005	1	1	1	1
Dibenzofuran	3.12 [c]	0.609	1	1	1	1
Fluoranthene	5.33 [d]	0.032	1	1	1	1
Fluorene	4.18 [g]	0.149	1	1	1	1
Indeno(1,2,3-cd)pyrene	6.49 [c]	0.007	1	1	1	1
Naphthalene	3.44 [c]	0.398	1	1	1	1
Phenanthrene	4.46 [d]	0.102	1	1	1	1
Pyrene	4.88 [g]	0.059	1	1	1	1
INORGANIC COMPOUNDS						
Aluminum	--	1	1	1	1	1
Antimony	--	1	1	1	1	1
Arsenic	--	0.2 [h]	1	0.37 [i]	0.56 [j]	1
Barium	--	1	1	1	1	1
Beryllium	--	1	1	1	1	1
Cadmium	--	15 [k]	17 [l]	2.61 [l]	10 [k]	10 [k]
Chromium	--	0.1 [m]	0.16	1	1	1
Cobalt	--	1	1	1	1	1
Copper	--	10 [k]	9.25 [l]	1	1	1
Lead	--	0.2 [n]	2.43 [l]	0.43 [l]	0.38 [n]	1
Manganese	--	1	1	1	1	1
Mercury	--	1	0.34	5 [o]	2.33 [p]	10 [k]
Nickel	--	3.2 [q]	1.85 [l]	0.12 [q]	1	1
Selenium	--	1	1	1	1	1
Silver	--	1	1	1	1	1
Vanadium	--	1	1	1	1	1
Zinc	--	10 [k]	7.31 [l]	5.11 [l]	10 [k]	10 [k]

TABLE H-2 (continued)
SUMMARY OF BIOACCUMULATION FACTORS

SITE INVESTIGATION REPORT
FORT DEVENS

NOTES:

[a] Bio-accumulation Factors (BAFs) were conservatively estimated to be 1 when empirical data were unavailable.
Plant BAFs were set equal to 1 when equation presented in [c] exceeded 1.

[b] Calculated using the following equation in USEPA (1990) unless otherwise indicated:
log(Plant Uptake Factor) = 1.588 - 0.578 log Kow

[c] Value from USEPA (1990).

[d] From USEPA (1985).

[e] From Verschueren (1983).

[f] From Eisler (1987).

[g] Value from Hansch and Leo (1979).

[h] Plant value from Eisler (1988).

[i] Mammal value from USEPA (1985).

[j] Bird value from USEPA (1985)

[k] Conservative BAF estimation in excess of 1.

[l] Values for earthworms and small mammals from McFadyen (1980).

[m] Plant value from USEPA (1985).

[n] Earthworm and chicken value from USEPA (1985).

[o] Mammal value from USEPA (1985).

[p] Invertebrate, mammal, and bird value from USEPA (1985)

[q] Plant and small mammal value from USEPA (1985).

TABLE H-3

SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

SITE INVESTIGATION REPORT
FORT DEVENS

CHEMICAL	TEST SPECIES	TEST TYPE	DURATION	EFFECT	ACUTE* ORAL LD50 (mg/kgBW)	ACUTE* ACUTE ORAL RISK CRITERIA (mg/kgBW)	CHRONIC* LOAEL (mg/kgBW/day)	CHRONIC* NOAEL (mg/kgBW/day)	REFERENCE
VOLATILE ORGANICS									
Tetrachloroethene	Mouse	Single oral dose		Mortality	8100	1620 [a]			TDB, 1984
	Mouse	Oral (subchronic)	6 weeks	Hepatotoxicity			71	14	IRIS, 1991
	Rat	Single oral dose		Mortality	8850	1770 [a]			NIOSH, 1985
Toluene	Rat	Single oral dose		Mortality	5000	1000 [a]			NIOSH, 1985
	Rat	Oral (subchronic)	13 weeks	Liver and kidney weight changes		4460 [b]	446	223	IRIS, 1991
	Rat	Oral (subchronic)	6 months	NOAEL for hepatic, renal, and hematological alterations			2950 [d]	590	ATSDR, 1989
	Rat	Oral (subchronic)	42 days	NOAEL for CNS effects			98.5 [d]	19.7	ATSDR, 1989
Trichlorofluoromethane	Rat	Oral (chronic)	78 weeks	Mortality		4880 [b]	488		IRIS, 1991
Xylenes	Rat	Single oral dose		Mortality	4300	860 [a]			NIOSH, 1985
	Rat	Oral (chronic)	103 weeks	Hyperactivity, decreased BW, mortality			>500	250	IRIS, 1991
	Japanese quail	Oral (acute)	5 weeks	Mortality	20000	2014 [c]	201 [b]		Hill and Camardese, 1986
SEMIVOLATILE ORGANICS									
Acenaphthene	Rat	Oral (sic)	90 days	Hepatotoxicity		3500 [b]	350	175	IRIS, 1990
	Mouse	Oral (sic)	32 days	Physiological changes		20000 [b]	2000		USEPA, 1984
Acenapthylene	Rat	Oral (subchronic)	40 days	Physiological changes		6000 [b]	600		USEPA, 1984
Anthracene	Rodents	Oral (chronic)	NS	Carcinogenicity		33000 [b]	3300		Eisler, 1987
	Mouse	Oral (subchronic)	90 days	No effects				1000	IRIS, 1990
Benzo(a)anthracene	Rodents	Oral (chronic)	NS	Carcinogenicity		20 [b]	2		Eisler, 1987
Benzo(a)pyrene	Rat	Oral (chronic)	Pregnancy	Sterility in offspring			40		USEPA, 1984
(Surrogate for	Rodents	Oral (chronic)	NS	Carcinogenicity		0.02 [b]	0.002		Eisler, 1987
Dibenz(a,h)anthracene	Rat	Oral (chronic)	NS	Papillomas in stomach			2.5		USEPA, 1985
	Rat	Oral (chronic)	Pregnancy	Decreased gonad weight			10		USEPA, 1984
	Rat	Oral (subchronic)	3.5 months	Reproductive effects			50		USEPA, 1984
	Rodents	Single oral dose		Mortality	50	10 [a]	1 [b]		Eisler, 1987
Benzo(b)fluoranthene	Rodents	Oral (chronic)	NS	Carcinogenicity		400 [b]	40		Eisler, 1987
Benzo(k)fluoranthene	Rodents	Oral (chronic)	NS	Carcinogenicity		720 [b]	72		Eisler, 1987
Benzofuran (surrogate	Rodents	Oral (subchronic)	13 weeks	Decrease in bodyweight			2.4 [c]		NTP, 1989
(for dibenzofuran)	Rodents	Oral (chronic)	2 years	Mortality		6 [b]	0.6 [c]		NTP, 1989
Bis(2-ethylhexyl)phthalate	Rat	Single oral dose		Mortality	8600	1720 [a]	172 [b]		NIOSH, 1985
	Guinea pig	Oral (chronic)	1 year	Increased liver weight			19		IRIS, 1992
	Rat	Single oral dose		Mortality	26000	5200 [a]	520 [b]		ATSDR, 1988
Carbazole	Rat	Single oral dose		Mortality	500	100 [a]	10 [b]		USEPA, 1986

TABLE H-3 (continued)
SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

SITE INVESTIGATION REPORT
FORT DEVENS

CHEMICAL	TEST SPECIES	TEST TYPE	DURATION	EFFECT	ACUTE* ORAL LD50 (mg/kgBW)	ACUTE* ACUTE ORAL RISK CRITERIA (mg/kgBW)	CHRONIC* LOAEL (mg/kgBW/day)	CHRONIC* NOAEL (mg/kgBW/day)	REFERENCE
Chrysene (surrogate for benzo[g,h,i]perylene)	Rodents	Oral (chronic)	NS	Carcinogenicity		990 [b]	99 [f]		Eisler, 1987
Fluoranthene	Rodents	Single oral dose		Mortality	2000	400 [a]	40 [b]		Eisler, 1987
	Mouse	Oral (subchronic)	90 days	Liver weight/physiological changes			250	125	IRIS, 1990
Fluorene	Mouse	Oral (subchronic)	13 weeks	Hematological changes		2500 [b]	250	125	IRIS, 1990
Indeno(1,2,3-cd)pyrene	Rodents	Oral (chronic)	NS	Carcinogenicity		720 [b]	72		Eisler, 1987
Naphthalene	Mouse	Single oral dose		Mortality	533	110 [a]			ATSDR, 1990
	Rat	Oral (subchronic)	13 weeks	Decreased body weight gain			35.7		USEPA, 1990
	Rat	Oral (chronic)	100 weeks	Ocular lesions			41		USEPA, 1990
	Rat	Oral (chronic)	700 days	NOAEL for death			205 [d]	41	ATSDR, 1990
Phenanthrene	Rodents	Single oral dose		Mortality	700	140 [a]	14 [b]		Eisler, 1987
	Rat	Oral (subchronic)	6 months	Increased liver weight			120		ATSDR, 1990
Pyrene	Mouse	Single oral dose		Mortality	800	160 [a]			NIOSH, 1985
	Mouse	Oral (subchronic)	13 weeks	Renal effects			125	75	IRIS, 1990
	Rat	Single oral dose		Mortality	2700	540 [a]			NIOSH, 1985
INORGANICS									
Aluminum	Mouse	Oral (chronic)	2-3 genrtns	Reduced body weight gain of newborns			425		NIOSH, 1985
	Rat	Oral (subchronic)	15 days	Reduced growth		1000 [b]	100		Bernuzzi, et al., 1989
Antimony	Mouse	Oral (chronic)	504-909 days	NOAEL			1.75 [d]	0.35	ATSDR, 1989
Arsenic	Rat	Oral (chronic)	NS	Weight loss		75 [b]	7.5		USEPA, 1984
	Rat	Oral (subchronic)	90 days	No hematological, hepatic and renal effects			28.5 [d]	5.7	ATSDR, 1989
	Mallard	Single oral dose		Mortality	323	64.6 [a]	6.5 [b]		Eisler, 1988
	California quail	Single oral dose		Mortality	47.6	9.5 [a]	1.0 [b]		Eisler, 1988
	Pheasant	Single oral dose		Mortality	386	77.2 [a]	7.7 [b]		Eisler, 1988
	Dog	Oral (chronic)	NS	Mortality		2500 [b]	250 [d]	50	USEPA, 1984
Barium	Mouse	Oral (chronic)	lifetime	NOEL			4.13 [d]	0.825	IRIS, 1990
	Rat	Oral (chronic)	16 months	NOEL			25.5 [d]	5.1	IRIS, 1990
	Rat	Oral (chronic)	lifetime	NOEL		10 [b]	1 [d]	0.25	IRIS, 1990
	Rat	Oral (subchronic)	13 weeks	NOEL			157.5 [d]	31.5	IRIS, 1990
Beryllium	Rat	Single oral dose		Mortality	10	2.0 [a]			USEPA, 1985
	Rat	Oral (chronic)	3.2 years	No respiratory, hepatic, renal, or cardiovascular effects			4.25 [d]	0.85	ATSDR, 1989
	Rat	Oral (chronic)	NS	Increase in lung sarcomas			0.22		USEPA, 1985
Cadmium	Mouse	Oral (chronic)	18 months	Histopathological effects		18 [b]	1.75		ATSDR, 1988
	Mouse	Oral (subchronic)	28 days	Alteration in blood chemistry			0.32		Eisler, 1985
	Mouse (young)	Oral (subchronic)	28 days	Blood chemistry altered				1.8	Eisler, 1985

TABLE H-3 (continued)

SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

SITE INVESTIGATION REPORT
FORT DEVENS

CHEMICAL	TEST SPECIES	TEST TYPE	DURATION	EFFECT	ACUTE* ORAL LD50 (mg/kgBW)	ACUTE* ACUTE ORAL RISK CRITERIA (mg/kgBW)	CHRONIC* LOAEL (mg/kgBW/day)	CHRONIC* NOAEL (mg/kgBW/day)	REFERENCE
	Rat	Single oral dose		Mortality	250	50 [a]			Eisler, 1985
	Rat	Single oral dose		Testicular damage				100	Eisler, 1985
	Rat	Oral (subchronic)	12 weeks	Hepatic and Renal necrosis			14		ATSDR, 1992
	Guinea pig	Single oral dose		Mortality	150	30 [a]	3 [b]		Eisler, 1985
	Japanese quail	Oral (subchronic)	6 weeks	Bone marrow hypoplasia		76 [b]	7.6		Eisler, 1985
	Mallard	Oral (subchronic)	90 days	Egg production suppressed		100 [b]	10 [d]	200	Eisler, 1985
	Mallard	Oral (subchronic)	90 days	NOEL				200	Eisler, 1985
	Dog	Oral (subchronic)	3 months	NOAEL			3.75 [d]	0.75	
	Mallard (young)	Oral (subchronic)	12 weeks	Kidney lesions				20	Eisler, 1985
Chromium (Cr+3)	Mouse	Oral (subchronic)	13 weeks	Testicular degeneration		57 [b]	5.7		ATSDR, 1991
	Mouse	Oral (subchronic)	19 days	Fetal resorptions, gross anomalies			57		ATSDR, 1989
	Rat	Oral (subchronic)	28 days	Renal and neurological deficits			98		ATSDR, 1989
	Rabbit	Oral (subchronic)	6 weeks	Liver and blood chemistry effects		17 [b]	1.7		Eisler, 1986
(Cr+6)	Chicken	Oral (subchronic)	32 days	Growth, survival				8	Eisler, 1986
(Cr+6)	Black duck	Oral (subchronic)	5 months	Growth patterns altered			3.5		Eisler, 1986
(Potassium dichromate)	Japanese quail	Oral (acute)	5 days	Mortality	126 [c]	25 [a]	2.5 [b]		Hill and Camardese, 1986
Cobalt	Rat	Single oral dose		Mortality	91	18 [a]	1.8 [b]		ATSDR, 1991
	Rat	Single oral dose		Hepatic/renal hyperemia		157.3			ATSDR, 1991
	Rat	Oral (subchronic)	8 weeks	Decreased body weight gain			4.2		ATSDR, 1991
	Rat	Oral (acute)	1 week	Stunted growth during gestation			0.0 [b]		ATSDR, 1991
	Rat	Oral (subchronic)	98 days	Testicular degeneration			13.25		ATSDR, 1991
	Rat	Oral (subchronic)	69 days	Testicular atrophy			20		ATSDR, 1991
	Guinea pig	Oral (subchronic)	5 week	Mortality		20			ATSDR, 1991
	Dog	Oral (subchronic)	4 weeks	Increased red blood cell count		50 [b]	5		ATSDR, 1991
Copper	Rat	Single oral dose		TDlo for reproductive effects		152	15.2 [b]		NIOSH, 1985
	Rat	Oral (subchronic)	22 weeks	Fetotoxicity; CNS abnormalities			152		NIOSH, 1985
	Rat	Oral (subchronic)	35 weeks	Pre-implantation mortality		12 [b]	1.21		NIOSH, 1985
	Swine	Oral (subchronic)	9 months	Mortality			1.4		USEPA, 1980
	Mallard	Oral (subchronic)	29 days	No effect on survivorship		2.09	0.2 [b]		Demayo et al., 1982
	Mallard	Oral (subchronic)	NS	LOAEL			29		NRC, 1977

TABLE H-3 (continued)

SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

SITE INVESTIGATION REPORT
FORT DEVENS

CHEMICAL	TEST SPECIES	TEST TYPE	DURATION	EFFECT	ACUTE* ORAL LD50 (mg/kgBW)	ACUTE* ACUTE ORAL RISK CRITERIA (mg/kgBW)	CHRONIC* LOAEL (mg/kgBW/day)	CHRONIC* NOAEL (mg/kgBW/day)	REFERENCE
Lead	Mouse	Oral (chronic)	NS	Reduced sucess of implanted ova			1.5		Eisler, 1988
	Rat	Single oral dose		Mortality	12	2 [a]			Eisler, 1988
	Rat	Single oral dose		LDLO	17	3 [a]	0.3 [b]		Eisler, 1988
	Rat	Oral (subchronic)	Days 12-14 (preg)	Increased fetal resorption rate; decreased fetal BW		2.5	0.3 [b]		McClain and Becker, 1972
	Rat	Oral (subchronic)	Days 5-15 (preg)	Increased resorptions/dam		1	0.1 [b]		Kennedy et al., 1975
	Rat	Oral (subchronic)	3 weeks	Increased locomotor activity		1.5 [c]	0.2 [b]		Eisler, 1988
	Rat	Oral (chronic)	2 years	Decreased ALAD synthesis			2.16 [c]		ATSDR, 1988
	Rat	Oral (subchronic)	3 weeks	Increased locomotor activity			25		Eisler, 1988
	Rabbit	Single oral dose		LDLO	24	5 [a]	0.5 [b]		ATSDR, 1988
	Rabbit	Oral (chronic)	NS	Mortality		5.1 [b]	0.51 [c]		USEPA, 1988
	Chicken	Oral (subchronic)	4 weeks	Growth rate suppressed			169 [c]		Eisler, 1988
	Ringed turtle-dove	Oral (acute)	NS	Some mortality; kidney damage	75	15 [a]			Eisler, 1988
	Mallard	Single oral dose		Mortality	107	21 [a]	2.1 [b]		Eisler, 1988
	Mallard	Oral (subchronic)	NS	Some mortality and ALAD decrease	151	30 [a]	3.0 [b]		Eisler, 1988
	Mallard	Oral (subchronic)	12 weeks	Decrease in ALAD activity			1.75 [c]		Eisler, 1988
	Japanese quail	Single oral dose		Mortality	24.6	4.9 [a]			Eisler, 1988
	Starling	Oral (acute)	11 days	Reduced food consumption			2.8		Eisler, 1988
	Kestrel (nestlings)	Oral (acute)	10 days	Abnormal development		125	12.5 [b]		Eisler, 1988
	Kestrel (nestlings)	Oral (acute)	10 days	ALAD depression		25	2.5 [b]		Eisler, 1988
	Kestrel (nestlings)	Oral (acute)	10 days	Mortality and developmental effects		625	62.5 [b]		Eisler, 1988
	Kestrel	Oral (subchronic)	5 months	NOEL			4.45 [d]	0.89 [c]	Eisler, 1988
	Kestrel	Oral (subchronic)	5 months	Blood ALAD reduced 80%		44 [b]	4.4 [c]		Eisler, 1988
	Cattle (calves)	Oral (subchronic)	105 days	Mortality		60 [b]	6		Eisler, 1988
	Horse	Oral (chronic)	NS	Mortality			2.4		Eisler, 1988
	Dog	Oral (acute)	NS	LDLO		300	30 [b]		ATSDR, 1988
	Dog	Oral (subchronic)	180 days	Anorexia and convulsions		30 [b]	3		Eisler, 1988
Manganese	Mouse	Oral (subchronic)	6 months	Mortality				2300	ATSDR, 1990
	Mouse	Oral (subchronic)	90 days	Delayed growth of testes			140		ATSDR, 1990
	Mouse	Oral (chronic)	103 weeks	Mortality			4050 [d]	810	ATSDR, 1990
	Rat	Single oral dose		Mortality	410				ATSDR, 1990
	Rat	Oral (subchronic)	20 day	Mortality	225	45 [a]	4.5 [b]		ATSDR, 1990
	Rat	Oral (subchronic)	10 weeks	Hepatic effects			60 [d]	12	ATSDR, 1990
	Rat	Oral (subchronic)	20 days	Decreased litter weight during gestation		1240		620	ATSDR, 1990
	Rat	Oral (chronic)	103 weeks	Mortality			930		ATSDR, 1990
	Rat	Oral (subchronic)	2 months	Biochemical alterations in CNS			600		ATSDR, 1990

TABLE H-3 (continued)

SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

SITE INVESTIGATION REPORT
FORT DEVENS

CHEMICAL	TEST SPECIES	TEST TYPE	DURATION	EFFECT	ACUTE* ORAL LD50 (mg/kgBW)	ACUTE* ACUTE ORAL RISK CRITERIA (mg/kgBW)	CHRONIC* LOAEL (mg/kgBW/day)	CHRONIC* NOAEL (mg/kgBW/day)	REFERENCE
	Guinea pig	Single oral dose		Mortality	400				USEPA, 1984
	Monkey	Oral (chronic)	18 months	Weakness, rigidity			25		ATSDR, 1990
Mercury	Mouse	Single oral dose		Mortality	22				NIOSH, 1985
	Mouse	Oral (subchronic)	18 days	Mortality; neurological symptoms			6.3		Suzuki, 1979
	Mouse	Oral (subchronic)	38 days	Mortality; neurological symptoms			5		Suzuki, 1979
	Mouse	Oral (subchronic)	50 days	Embryotoxicity and teratogenicity			0.9		Suzuki, 1979
	Mouse	Oral (subchronic)	45 days	Hypophagia, weight loss, weakness of hind legs			1		Suzuki, 1979
	Mouse	Oral (subchronic)	Day 6–17 (gest)	Stillbirths and neonatal death			4		Suzuki, 1979
	Mouse	Oral (subchronic)	Day 0–18 (gest)	Embryolethality and teratogenicity			0.7		Suzuki, 1979
	Rat	Oral (subchronic)	Day 6–14 (gest)	Retarded fetus growth and teratogenicity			4		Suzuki, 1979
	Rat	Oral (subchronic)	Gest. + 16 days	Behavioral changes in offspring			0.12 [c]		Suzuki, 1979
	Rat	Oral (chronic)	NS	Reduced fertility			0.5		Eisler, 1987
	Rat	Oral (subchronic)	38 days	Adverse behavioral change			0.16 [c]		Eisler, 1987
	Rat	Single oral dose		Mortality	18	3.6 [a]	0.36 [b]		NIOSH, 1985
	Pig	Oral (chronic)	Pregnancy	High incidence of stillbirths			0.5		Eisler, 1987
	House sparrow	Single oral dose		Mortality	12.6	2.5 [a]			Eisler, 1987
	Rock dove	Single oral dose		Mortality	22.8	4.6 [a]			Eisler, 1987
	Pigeon	Oral (subchronic)	17 days	Behavioral alterations			3		Eisler, 1987
	Pigeon	Oral (subchronic)	5 weeks	Behavioral alterations			1		Eisler, 1987
	Starling	Oral (subchronic)	8 weeks	Kidney lesions			0.25 [c]		Eisler, 1987
	Chicken	Single oral dose		Mortality	20	4 [a]			Fimreite, 1979
	Bantam chicken	Single oral dose		Mortality	190	38 [a]			Fimreite, 1979
	Prairie chicken	Single oral dose		Mortality	11.5	2 [a]	0.2 [b]		Eisler, 1987
	Chukar	Single oral dose		Mortality	26.9	5 [a]			Eisler, 1987
	Coturnix	Single oral dose		Mortality	11	2 [a]			Eisler, 1987
	Mallard	Single oral dose		Mortality	2.2	0.4 [a]			Eisler, 1987
	Mallard	Oral (chronic)	3 Generations	Behavioral and reproductive deficiencies			0.007 [c]		Eisler, 1987
	Mallard	Oral (chronic)	NS	Behavioral effects in offspring			0.036 [c]		Fimreite, 1979
	Black duck	Oral (subchronic)	28 weeks	Reproduction inhibited, brain lesions			0.22 [c]		Eisler, 1987
	Fulvous whistling duck	Single oral dose		Mortality	37.8	7.6 [a]			Eisler, 1987
	Northern bobwhite	Single oral dose		Mortality	23.8	4.8 [a]			Eisler, 1987
	Bobwhite quail	Oral (acute)	5 days	Mortality	523	105 [a]			Hill et al., 1975
	Japanese quail	Single oral dose		Mortality	14.4	2.9 [a]			Eisler, 1987
	Japanese quail	Oral (subchronic)	3 weeks	Depressed gonad weights			0.81 [c]		Eisler, 1987
	Japanese quail	Oral (subchronic)	9 weeks	Alterations in brain and plasma enzyme activities			0.10 [c]		Eisler, 1987

TABLE H-3 (continued)

SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

SITE INVESTIGATION REPORT
FORT DEVENS

CHEMICAL	TEST SPECIES	TEST TYPE	DURATION	EFFECT	ACUTE* ORAL LD50 (mg/kgBW)	ACUTE* ACUTE ORAL RISK CRITERIA (mg/kgBW)	CHRONIC* LOAEL (mg/kgBW/day)	CHRONIC* NOAEL (mg/kgBW/day)	REFERENCE
	Japanese quail	Oral (chronic)	NS	Reproductive effects			5.0 [c]		Fimreite, 1979
	Gray partridge	Single oral dose		Mortality	17.6	3.5 [a]			Eisler, 1987
	Gray pheasant	Oral (subchronic)	30 days	Reduced reproductive ability			0.64		Eisler, 1987
	Ring-necked pheasant	Single oral dose		Mortality	11.5	2.3 [a]			Eisler, 1987
	Mule deer	Single oral dose		Mortality	17.9	3.6 [a]	0.36		Eisler, 1987
	Rhesus monkey	Oral (chronic)	Pregnancy	Maternally toxic and abortient			0.5		Eisler, 1987
	River otter	Single oral dose		Mortality	2	0.4 [a]			Eisler, 1987
	Mink	Single oral dose		Mortality	1	0.2 [a]			Eisler, 1987
	Mink	Oral (subchronic)	2 months	Mortality			0.029 [c]		Eisler, 1987
	Cat	Oral (subchronic)	Day 10-58 (gest)	Increased incidence of anomalous fetuses			0.25		Eisler, 1987
	Dog	Oral (chronic)	Pregnancy	High incidence of stillbirths		1 [b]	0.1		Eisler, 1987
Nickel	Rat	Single oral dose		Mortality	67	13.4 [a]	1.3 [b]		ATSDR, 1987
	Rat	Oral (subchronic)	91 days	Mortality			25 [d]	5	ATSDR, 1987
	Rat	Oral (chronic)	2 years	Decreased bodyweight gain			50	5	ATSDR, 1987
	Japanese quail	Oral (acute)	5 days	NOEL	504 [c]	100.7 [a]	10.1 [b]		Hill and Camardese, 1986
	Dog	Oral (chronic)	2 years	Histologic lesions in bone marrow		625 [b]	62.5	25	ATSDR, 1987
Selenium	Rat	Oral (chronic)	NS	Selenosis		0.04 [c]	0.004 [b]		Eisler, 1985
	Rat	Oral (chronic)	NS	Histological changes in heart and kidney			0.045		Eisler, 1985
	Rat	Oral (chronic)	2 years	Soft bones, hepatic lesions			0.2		ATSDR, 1989
	Japanese quail	Oral (chronic)	NS	Reduced egg hatching		0.6 [c]	0.06 [b]		Eisler, 1985
	Mallard	Oral (subchronic)	3 months	Reduced hatchability			1.75		Eisler, 1985
	Horse	Single oral dose		MLD	3.3				Eisler, 1985
Silver	Mouse	Intraperitoneal (acute)		Mortality	34	6.8 [a]			NIOSH, 1985
	Rat	Oral (acute)	2 week	Mortality		3624 [b]	362.4 [d]	181.2	ATSDR, 1990
	Mouse	Oral (subchronic)	125 days	Increased hyperactivity		181 [b]	18.1		ATSDR, 1990
Vanadium	Rat	Oral (chronic)	2.5 years	Decreased hair cystine			4 [d]	0.89	IRIS, 1989
	Rat	Oral (subchronic)	103 days	Decreased hair cystine, hemoglobin		25 [b]	2.5		IRIS, 1989
	Rat	Oral (subchronic)	75-103 days	NOAEL for hematological alterations			33 [d]	6.6	ATSDR, 1991
	Japanese quail	Oral (acute)	5 days	Mortality	96 [c]	20 [a]	2 [b]		Hill and Camardese, 1986
Zinc	Rat	Single oral dose		Mortality	2510	500 [a]			Sax, 1984
	Rat	Oral (subchronic)	NS	Kidney toxicity			160		Llobet, et al., 1988

TABLE H-3 (continued)

SUMMARY OF INGESTION TOXICITY DATA FOR TERRESTRIAL WILDLIFE (REFERENCE TOXICITY VALUES)

SITE INVESTIGATION REPORT
FORT DEVENS

NOTES:

[a] For chemicals lacking LOAEL or NOAEL data, an Acute Oral Criterion (AOC) is calculated by applying a factor of 0.2 to the acute LD50; this value is expected to protect 99.9% of the exposed population from acute effects (USEPA, 1986).

[b] Estimated by applying an acute-chronic ratio of 10.

[c] Converted to dose per kilogram body weight by multiplying by ingestion rate and dividing by body weight.
The following ingestion rate and body weight data were used:

Species	Ingestion Rate (kg/day)	Body Weight (kg)	Reference
Rat (Male)	0.025	0.58	USEPA, 1988
Rat (Female)	0.02	0.25	USEPA, 1988
Rat	0.015	0.25	NIOSH, 1985
Rabbit	0.059	2.2	USEPA, 1988
Chicken	0.106	1.16	USEPA, 1988
Bobwhite	0.015	0.17	Kenaga, 1973
California quail	0.014 [e]	0.139	USEPA, 1988
Mallard Duck	0.09	1.25	Terres, 1980
Duck	0.112 [e]	1.6	USEPA, 1988
Starling	0.01	0.0437	USEPA, 1988
Kestrel	0.01	0.179	USEPA, 1988
Screech Owl	0.0086	0.169	USEPA, 1988
Mink	0.0465	1.613	USEPA, 1988
Mouse	0.0035	0.03	USEPA, 1988
Dog	0.5	14.47	USEPA, 1988

[d] Estimated by applying a LOAEL-NOAEL ratio of 5 (Newell, et al., 1987).

[e] Ingestion rate estimated from bodyweight using allometric equation for chickens in USEPA, 1988.

[f] Chrysene data used as surrogate for benzo(g,h,i)perylene

TABLE H-4
Reference Toxicity Values Selected for Derivation of Ecological Protective Contaminant Levels in Surface Soils [a]

Site Investigation Report
Fort Devens

Analyte	Ecological Receptor					
	Short-tailed shrew	White-footed mouse	American robin	Garter snake	Red fox	Red-tailed hawk
	Reference Toxicity Values (mg/kg body weight/day)					
Organics						
acenapthene	1125	1125	1125	1125	1125	1125
acenaphthylene	600	600	600	600	600	600
anthracene	3300	3300	3300	3300	3300	3300
benzo(a)anthracene	2	2	2	2	2	2
benzo(a)pyrene	1.25	1.25	1.25	1.25	1.25	1.25
benzo(b)fluoranthene	40	40	40	40	40	40
benzo(g,h,i)perylene	99	99	99	99	99	99
benzo(k)fluoranthene	72	72	72	72	72	72
bis(2-ethylhexyl)phthalate	19	19	19	19	19	19
carbazole	10	10	10	10	10	10
chrysene	99	99	99	99	99	99
dibenzo(a,h)anthracene [d]	1.25	1.25	1.25	1.25	1.25	1.25
dibenzofuran	2.4	2.4	2.4	2.4	2.4	2.4
fluoranthene	250	250	250	250	250	250
fluorene	250	250	250	250	250	250
indeno(1,2,3-cd)pyrene	72	72	72	72	72	72
naphthalene	37.9 [c]	37.9 [c]	37.9 [c]	37.9 [c]	37.9 [c]	37.9 [c]
phenanthrene	120	120	120	120	120	120
pyrene	125	125	125	125	125	125
tetrachloroethylene	71	71	71	71	71	71
toluene	446	446	446	446	446	446
trichlorofluoromethane	488	488	488	488	488	488
xylenes (total)	500	500	500	500	500	500
Inorganics						
aluminum	425	425	425	425	425	425
antimony	1.75	1.75	1.75	1.75	1.75	1.75
arsenic	7.5	7.5	5.1 [b]	5.1 [b]	250	5.1 [b]
barium	10.2 [c]	10.2 [c]	10.2 [c]	10.2 [c]	10.2 [c]	10.2 [c]
beryllium	0.22	0.22	0.22	0.22	0.22	0.22
cadmium	1.75	1.75	7.6	7.6	3.75	7.6
chromium	40.6 [c]	40.6 [c]	3.5	3.5	40.6 [c]	3.5
cobalt	12.5 [c]	12.5 [c]	12.5 [c]	12.5 [c]	5	12.5 [c]
copper	76.6 [c]	76.6 [c]	29	29	76.6 [c]	29
lead	2.1	2.1	4.4	4.4	3	4.4
manganese	370 [c]	370 [c]	370 [c]	370 [c]	25	370 [c]
mercury	0.5	0.5	1.85 [b]	1.85 [b]	0.1	1.85 [b]
nickel	50.8 [c]	50.8 [c]	10.1	10.1	62.5	10.1
selenium	0.12 [c]	0.12 [c]	1.75	1.75	0.12 [c]	1.75
silver	18.1	18.1	18.1	18.1	18.1	18.1
vanadium	2.5	2.5	2	2	2.5	2
zinc	160	160	160	160	160	160

NOTES:
[a] All values are chronic Lowest Observed Adverse Effects Levels (LOAELS), unless otherwise noted.
Values were obtained from the master Reference Toxicty Values (RTVs) summary table (I-3)
[b] Average of LOAEL bird values.
[c] Average of LOAEL values.
[d] Benzo(a)pyrene value used as a surrogate for dibenzo(a,h)anthracene.

TABLE H-5
EXPOSURE PARAMETERS FOR TERRESTRIAL WILDLIFE AT SA 21

American woodcock -- *Scolopax minor*			
Exposure parameter	Reported values	Reference [a]	Value selected for ecological risk assessment
Home range (acres)	Territory size 7.9 to 187 acres.		63 acres [b]
Exposure duration (unitless)	Summer resident, migrant. Mar.- Nov.; Arrives in northern range in early March and leaves in late September		0.75
Diet	68% earthworms; 16% beetles, flies, and insects, 5% other animals, and 10% plants.		Invertebrates: 85% Plants: 10% Soil: 5%
Ingestion rate (kg/day)			0.13 kg fresh weight/day
Body weight (kg)			0.17 kg
Daily inhalation rate (m^3/day)	Allometric relationship between body weight (BW) and inhalation rate: $IR_{air} = 0.4089 * BW(kg)^{0.77}$		0.1 m^3/day
Drinking water intake rate (l/day)	Allometric relationship between body weight (BW) and drinking water rate (L) for all birds: $L = 0.059 * BW(kg)^{0.67}$		0.018 l/day

[a] All values derived from USEPA (1993) unles otherwise indicated.
[b] Average of reported values.

EXPARA

TABLE H-5
EXPOSURE PARAMETERS FOR TERRESTRIAL WILDLIFE AT SA 21

Short-tailed shrew -- *Blarina brevicauda*			
Exposure parameter	Reported values	Reference [a]	Value selected for ecological risk assessment
Home range (acres)			0.9 acres [b]
Exposure duration (unitless)	Active year-round; longevity is less than 5 months to as much as 20 months.		1.0
Diet	Diet consists of 61% to 70.5% invertebrates, 11% to 13% vegetation, and approximately 15% "miscellaneous other".		Plants: 15% [c] Invertebrates: 80% [c] Soil: 5%
Ingestion rate (kg/day)	Reported values of 7.95 g/day and 0.49 to 0.62 g/BW-day		0.0087 kg fresh weight/day [b]
Body weight (kg)			0.017 kg [b]
Daily inhalation rate (m^3/day)	Allometric relationship between body weight (BW) and inhalation rate: $IR_{air} = 0.5458 * BW(kg)^{0.8}$		0.021 m^3/day
Drinking water intake rate (l/day)	Allometric relationship between body weight (BW) and drinking water rate (L) for all mammals: $L = 0.099 * BW(kg)^{0.9}$		0.0025 l/day

[a] All values derived from USEPA (1993) unles otherwise indicated.
[b] Average of reported values.
[c] The 15% of the dietary intake that is "miscellaneous" was accounted for by including 5% soil ingestion, and adding an additional 5% intake to plant ingestion and an additional 4% intake to invertebrate ingestion.

TABLE H-5
EXPOSURE PARAMETERS FOR TERRESTRIAL WILDLIFE AT SA 21

Red fox -- *Vulpes vulpes*			
Exposure parameter	Reported values	Reference [a]	Value selected for ecological risk assessment
Home range (acres)			2600 acres
Exposure duration (unitless)	Active year-round		1.0
Diet	Diet consists of 37% (summer) to 92% (spring) small mammals, 2% (spring) to 43% (summer) birds and eggs, up to 11% invertebrates, and up to 16% vegetation.		Plants: 16% Invertebrates: 4% Small mammals: 61% Birds: 14% Soil: 5%
Ingestion rate (kg/day)	Average of ingestion rates for free-ranging fox		0.41 kg fresh weight/day [b]
Body weight (kg)			4.3 kg [b]
Daily inhalation rate (m^3/day)			1.8 m^3/day [b]
Drinking water intake rate (l/day)	Allometric relationship between body weight (BW) and drinking water rate (L) for all mammals: $L = 0.099 * BW(kg)^{0.9}$		0.37 l/day

[a] All values derived from USEPA (1993) unles otherwise indicated.
[b] Average of reported values.

TABLE H-5
EXPOSURE PARAMETERS FOR TERRESTRIAL WILDLIFE AT SA 21

Red-tailed hawk -- *Buteo jamaicensis*			
Exposure parameter	Reported values	Reference [a]	Value selected for ecological risk assessment
Home range (acres)	Range of reported values is 150 to 2512 ha		500 acres [b]
Exposure duration (unitless)	Active year-round		1.0
Diet	Small mammals, nesting birds, insects, carrion, domestic animals.		Plants: 2% Invertebrates: 1% Small mammals: 74% Birds: 18% Soil: 5%
Ingestion rate (kg/day)			0.11 kg fresh weight/day [c]
Body weight (kg)			1.1 kg [c]
Daily inhalation rate (m^3/day)	Allometric relationship between body weight (BW) and inhalation rate: $IR_{air} = 0.4089 * BW(kg)^{0.77}$		0.44 m^3/day
Drinking water intake rate (l/day)	Allometric relationship between body weight (BW) and drinking water rate (L) for all mammals: $L = 0.099 * BW(kg)^{0.9}$		0.063 l/day

[a] All values derived from USEPA (1993) unles otherwise indicated.
[b] Selected as conservative value. Actual range may be greater.
[c] Average of reported values.

Table H-6
Bioaccumulation Data Base Used for Terrestrial Wildlife at SA 21

CHEMICAL	BIOACCUMULATION FACTOR (BAF) [a]			
	Invertebrates	Plants	Small Mammals	Small Birds [b]
INORGANICS				
Aluminum	7.5E-02 [c]	8.0E-04 [d]	7.5E-02 [e]	7.5E-02
Antimony	5.0E-02 [c]	4.0E-02 [d]	5.0E-02 [e]	5.0E-02
Arsenic	6.6E-03 [f]	8.0E-03 [d]	1.0E-01 [e]	1.0E-01
Barium	7.5E-03 [c]	3.0E-02 [d]	7.5E-03 [e]	7.5E-03
Beryllium	5.0E-02 [c]	2.0E-03 [d]	5.0E-02 [g]	5.0E-02
Cadmium	1.1E+01 [h]	3.3E+01 [i]	2.1E+00 [e]	3.8E-01 [j]
Chromium	1.6E-01 [h]	1.5E-03 [d]	2.8E-01 [e]	2.8E-01
Cobalt	1.0E+00 [c]	4.0E-03 [d]	1.0E+00 [e]	1.0E+00
Copper	1.6E-01 [h]	7.8E-01 [k]	6.0E-01 [i]	6.0E-01
Lead	1.5E-02	NA[i]	1.5E-02 [e]	1.5E-02
Manganese	2.0E-02 [c]	5.0E-02 [d]	2.0E-02 [e]	2.0E-02
Mercury	6.8E-02 [l]	1.8E-01 [d]	1.0E-02 [m]	2.3E+00 [m]
Nickel	2.3E-01 [n]	1.2E-02 [d]	3.0E-01 [e]	3.0E-01
Selenium	7.6E-01 [f]	9.0E-03 [o]	7.5E-01 [e]	5.1E-01 [p]
Silver	1.5E-01 [c]	8.0E-02 [d]	1.5E-01 [e]	1.5E-01
Vanadium	1.3E-01 [c]	1.1E-03 [d]	1.3E-01 [e]	1.3E-01
Zinc	1.8E+00 [h]	6.1E-01 [k]	2.1E+00 [q]	2.1E+00

NOTES:

[a] Units for bioaccumulation factors (BAFs) are (mg/kg fresh wt tissue over mg/kg dry wt soil) for invertebrates and plants, and (mg/kg fresh wt tissue over mg/kg fresh wt. food) for small mammals and small birds.

[b] Small mammal BAF value used unless otherwise noted.

[c] Prey-specific value not available; value shown is small mammal BAF for this chemical.

[d] Value from Baes et al. (1984) multiplied by 0.2 to represent 80% water composition of plants.

[e] Value derived from biotransfer factors (BTFs), presented in Baes et al. (1984) for uptake into cattle. BTF converted to BAF by multiplying by food ingestion rate of 50 kg/day wet weight.

[f] Average of values for industrial soils from Beyer and Cromartie (1987) multiplied by 0.2 to represent 80% water composition in earthworms.

[g] Mean of values reported for *Sorex araneus* in MacFadyen (1980).

[h] BCF for earthworms from Diercxsens et al. (1985).

[i] Mammal value for copper and plant value for cadmium from Levine et al., 1989. Lead does not accumulate in plant tissue, therefore, a BAF of zero was assigned.

[j] Based on accumulation of cadmium in kidneys of European quail in Pimentel et al. (1984).

[k] Median of values reported from Levine et al. (1989).

[l] Uptake value (fresh wt./dry wt.) for earthworms from USEPA (1985c) sludge document. Fresh weight tissue concentrations calculated assuming 80% body water content.

[m] USEPA, 1985c.

[n] Value from nickel sludge document (USEPA, 1985) multiplied by 0.2 to represent 80% water composition of earthworms.

[o] Average of values for industrial soils from Beyer and Cromartie (1987) multiplied by 0.2 to represent 80% water composition in earthworms.

[p] Based on average of reported ratio of selenium in diet to liver, kidney, and breast tissue of chickens (Eisler, 1985a).

[q] Mean of values for *Microtus agrestis* and *Apodemus sylvaticus* in MacFadyen (1980).

NA = Not applicable.

TABLE H-7

Ingestion Toxicity Data Base Used for Terrestrial Wildlife at SA 21

ANALYTE	ACUTE (mg/kgBW-day) ORAL LD_{50}	ACUTE LOAEL	CHRONIC (mg/kgBW-day) LOAEL	CHRONIC NOAEL	TEST SPECIES	TEST TYPE	DURATION	EFFECT	REFERENCE
INORGANICS									
Aluminum			425		Mouse	Oral (chronic)	2-3 genrtns	Reduced body weight gain of newborns	NIOSH, 1985
Antimony			41.8 (food)		Rat	Oral (subchronic)	24 weeks	Decreased RBC, swelling of hepatic cords	ATSDR, 1990
Arsenic			3.1		Dog	Oral (chronic)	2 years	Mortality	ATSDR, 1991
Barium		198			Rat	Oral (acute)	10 days	Decreased ovarian weight	ATSDR, 1990
Beryllium			10		Rat	Oral (subchronic)	24 - 28 days	Rickets	ATSDR, 1991
Cadmium				12.5	Rat	Oral (subchronic)	Gest., days 6-15	NOAEL for reproductive effects	Machener & Lorke, 1981
Chromium (III)				1,400	Rat	Oral (subchronic)	90 days	NOAEL for histopathologic and reproductive effects	Ivankovic and Preussman, 1975
				200	Black Duck	Oral (subchronic)	5 months	NOAEL for reproductive effects	Outridgz and Scheuhammer, 1993
Cobalt			20		Rat	Oral (chronic)	69 days	Testicular atrophy	ATSDR, 1990
Copper			100		Mice	Oral (chronic)	30 days	Decreased litter sizes with teratogenic effects	Lecyk, 1980
Lead				7	Rat	Oral (chronic)	2 generations	NOAEL for developmental effects	Kimmel et al., 1980 and
			6.25		Rock dove	Oral (chronic)	NS	Kidney pathology; learning deficiences	Anders et al., 1982 and
Manganese			250		Rodents/livestock	Oral (subchronic)	10 days - 2 months	Decreased growth rate	Cunningham et al., 1966
Mercury			0.7		Mouse	Oral (subchronic)	Day 0-18 (gest)	Embryolethality and teratogenicity	Suzuki, 1979
			0.22		Black duck	Oral (chronic)	28 weeks	Reproduction inhibited, brain lesions	Eisler, 1987
			0.1		Dog	Oral (chronic)	Pregnancy	High incidence of stillbirths	Eisler, 1987
Nickel			50		Rat	Oral (chronic)	2 years	Decreased body weight gain	ATSDR, 1991
	504	100 [c]	10 [b]		Japanese quail	Oral (acute)	5 days	NOAEL	Hill and Camardese, 1986
			62.5		Dog	Oral (chronic)	2 years	Histological lesions in bone marrow	ATSDR, 1991
Selenium			0.4		Rat	Oral (chronic)	2 years	Decrease in breeding	ATSDR, 1988
			0.6		Japanese quail	Oral (chronic)	NS	Reduced egg hatching	Eisler, 1985
Silver			18.1		Mouse	Oral (chronic)	125 days	Hypoactivity	ATSDR, 1990
Vanadium			15		Rat	Oral (subchronic)	2 months	Hypertension	Susic and Kentera, 1986
			11		Chicken	Oral (subchronic)	6 weeks	Decrease in egg-laying	USEPA, 1988
Zinc			200		Rat	Oral	Gestation	Fetal resorptions in 4 to 20% of population	Shlicker and Cox, 1968

NOTES:

[a] For chemicals lacking LOAEL or NOAEL data, an Acute Oral Criterion (AOC) is calculated by applying a factor of 0.2 to the acute LD_{50}; this value is expected to protect 99.9% of the exposed population from acute effects (USEPA, 1986).

[b] Estimated by applying an acute-chronic ratio of 10.

NS = Not Stated

BW = Body Weight

LD_{50} = Lethal dose to 50% of the test population.

LOAEL = Lowest Observed Adverse Effect Level.

NOAEL = No Observed Adverse Effect Level.

TABLE H-8
Reference Toxicity Values Used for Terrestrial Wildlife at SA 21

Chemical	Short-tailed Shrew	American Woodcock	Red Fox	Red-tailed Hawk
INORGANICS (mg/kgBW-day)				
Aluminum	425	425	425	425
Antimony	41.8	41.8	41.8	41.8
Arsenic	3.1	3.1	3.1	3.1
Barium	198	198	198	198
Beryllium	10	10	10	10
Cadmium	12.5	12.5	12.5	12.5
Chromium (III)	1,400	200	1,400	200
Cobalt	20	20	20	20
Copper	100	100	100	100
Lead	7	6.25	7	6.25
Manganese	250	250	250	250
Mercury	0.7	0.22	0.1	0.22
Nickel	50	10	62.5	10
Selenium	0.4	0.6	0.4	0.6
Silver	18.1	18.1	18.1	18.1
Vanadium	15	11	15	11
Zinc	200	200	200	200

Notes:
[1] Reference Toxicity Values (RTVs) from the ingestion toxicity database presented in Table H-7.

TABLE H-9
ECOLOGICAL PROTECTIVE CONTAMINANT LEVELS FOR ANALYTES DETECTED AT SA 21

Analyte	Shrew	Woodcock	Fox	Hawk	PCL
Inorganics (mg/kg)					
Aluminum	1.4E+04	6.2E+05	4.1E+08	7.8E+07	1.4E+04
Antimony	1.5E+03	7.1E+04	3.8E+07	7.8E+06	1.5E+03
Arsenic	1.9E+02	9.1E+03	3.2E+06	5.9E+05	1.9E+02
Barium	1.2E+04	5.5E+05	2.0E+08	3.9E+07	1.2E+04
Berylium	3.9E+02	1.8E+04	1.0E+07	1.9E+06	3.9E+02
Cadmium	3.3E+00	1.7E+02	4.4E+04	1.0E+04	3.3E+00
Calcium	NA	NA	NA	NA	NA
Chromium	2.8E+04	1.8E+05	1.0E+09	2.8E+07	2.8E+04
Cobalt	8.3E+01	3.7E+03	2.9E+06	4.9E+05	8.3E+01
Copper	1.2E+03	6.2E+04	2.3E+07	7.1E+06	1.2E+03
Iron	NA	NA	NA	NA	NA
Lead	4.0E+02	1.6E+04	7.5E+06	1.2E+06	4.0E+02
Magnesium	NA	NA	NA	NA	NA
Manganese	1.2E+04	5.7E+05	2.3E+08	4.8E+07	1.2E+04
Mercury	1.9E+01	2.9E+02	6.6E+04	4.0E+04	1.9E+01
Nickel	7.5E+02	6.7E+03	4.0E+07	1.2E+06	7.5E+02
Potassium	NA	NA	NA	NA	NA
Selenium	2.1E+00	1.4E+02	8.7E+04	2.3E+04	2.1E+00
Silver	3.5E+02	1.6E+04	1.3E+07	2.8E+06	3.5E+02
Sodium	NA	NA	NA	NA	NA
Vanadium	3.5E+02	1.2E+04	1.3E+07	1.9E+06	3.5E+02
Zinc	4.5E+02	2.0E+04	8.2E+06	1.4E+06	4.5E+02

NOTES:
NA = Not Available. No bioaccumulation or benchmark data are available for calculating PCLs.

APPENDIX I

SYNOPTIC WATER LEVEL DATA

SUMMARY OF SYNOPTIC WATER-LEVEL MEASUREMENTS

ABB-ES conducted synoptic water-level measurement rounds at Fort Devens on a quarterly basis from May 1992 through January 1995. Water levels were measured in monitoring wells and in rivers and ponds. The number of measuring points varied because new measuring locations were added during the SI program and because certain stations were not accessible or not measurable. Elevations of the water table and surface-water bodies measured at locations at and near the Group 3, 5 & 6 Study Areas are tabulated in Table I-1.

Water levels were measured at the Group 3, 5 & 6 stations as follows:

ROUND	DATE	WELLS MEASURED	STREAMS/ PONDS MEASURED
1	26 May 1992	25	3
2	15 September 1992	45	4
3	22 December 1992	43	3
4	31 March 1993	40	4
5	22 June 1993	43	4
6	30 September 1993	52	3
7	8 November 1993	54	3
8	30 March 1994	51	2
9	28 June 1994	56	4
10	4 October 1994	60	4
11	31 January 1995	57	4

TABLE I-1
SYNOPTIC WATER-LEVEL MEASUREMENTS[1]
GROUPS 3, 5, & 6

FORT DEVENS, MASSACHUSETTS

STATION/ WELL NO.	26 MAY 1992	15 SEPT. 1992	22 DEC. 1992	31 MAR. 1993	22 JUNE 1993	30 SEPT. 1993	8 NOV. 1993	30 MAR. 1994	28 JUNE 1994	4 OCT. 1994	31 JAN. 1995
G3M-92-01X	NI[2]	227.00	226.64	227.02	227.38	226.69	226.44	227.51	227.99	227.51	227.67
G3M-92-02X	NI	224.73	224.51	224.84	225.08	224.18	224.19	225.31	225.47	225.21	225.46
G3M-92-03X	NI	224.98	224.43	224.75	225.38	224.26	224.15	225.25	225.80	225.41	225.56
G3M-92-04X	NI	224.33	223.77	NM[3]	224.75	223.59	223.46	224.46	225.21	224.77	224.80
G3M-92-05X	NI	224.51	223.90	224.45	224.94	223.87	223.74	224.65	225.45	225.03	225.15
G3M-92-06X	NI	226.53	225.87	226.42	226.99	225.89	225.75	227.17	227.61	227.12	227.26
G3M-92-07X	NI	225.02	224.65	225.10	225.42	224.08	224.35	225.46	225.84	225.49	225.77
G3M-93-08X	NI	NI	NI	NI	NM	223.41	221.72	224.17	224.91	224.66	NM
G3M-93-09X	NI	NI	NI	NI	NM	223.12	223.05	225.09	224.54	224.32	225.03
G3M-93-10X	NI	NI	NI	NI	NM	224.62	224.53	225.59	226.32	225.86	225.94
G3M-93-11X	NI	NI	NI	NI	NM	224.81	224.67	225.75	226.52	226.06	226.12
MNG-1	224.34	224.29	NM	NM	224.67	NM	223.47	224.35	225.07	248.89	224.75
MNG-2	218.30	217.99	218.43	219.02	218.14	218.07	217.95	219.05	218.23	218.46	218.64
MNG-3	216.95	217.12	217.63	218.53	217.21	217.31	217.20	218.38	217.20	217.41	217.75
MNG-4	221.57	221.39	NM	NM	NM	NM	NM	NM	NM	NM	NM
MNG-5	219.93	219.73	219.63	220.07	219.94	NM	219.26	220.21	220.18	237.21	220.21
MNG-6	218.24	218.18	218.48	218.95	218.33	218.18	218.08	218.99	218.37	254.70	218.80
MNG-7	218.65	218.69	218.70	219.02	NM	214.19	214.11	NM	218.13	218.27	218.50
SWEL-04[4]	NM	216.90	NM	218.30	213.45	NM	NM	NM	215.13	215.12	215.34
SWEL-05[5]	217.84	216.79	217.62	218.64	215.14	215.28	214.90	NM	215.18	215.25	215.44
GRM-01A	NI	NI	NI	NM	NM	220.56	220.48	188.89	221.51	221.26	221.49
GRM-01B	NI	NI	NI	NM	NM	218.92	218.87	186.02	219.28	219.27	219.54
GRM-01C	NI	NI	NI	NM	NM	218.93	218.87	215.45	219.28	219.28	219.54
G5M-92-01X	NI	206.14	206.83	207.79	206.42	204.14	204.98	211.25	206.65	205.53	208.31
G5M-92-02X	NI	206.64	207.36	209.34	207.22	204.93	205.98	211.14	207.63	206.34	208.58
G5M-92-03A	NI	212.67	Dry	212.60	238.48	Dry	238.48	212.69	Dry	Dry	NM

TABLE I-1
SYNOPTIC WATER-LEVEL MEASUREMENTS[1]
GROUPS 3, 5, & 6

FORT DEVENS, MASSACHUSETTS

STATION/ WELL NO.	26 MAY 1992	15 SEPT. 1992	22 DEC. 1992	31 MAR. 1993	22 JUNE 1993	30 SEPT. 1993	8 NOV. 1993	30 MAR. 1994	28 JUNE 1994	4 OCT. 1994	31 JAN. 1995
G5M-92-03B	NI	205.53	206.45	208.84	205.92	204.17	205.11	210.69	206.62	205.71	207.31
WWTMW-01	210.31	208.65	209.31	210.93	209.67	207.09	208.02	211.99	210.26	208.60	210.92
WWTMW-01A	204.30	203.76	205.47	208.12	203.50	203.37	203.75	209.14	204.28	204.82	205.63
WWTMW-02	203.87	203.45	205.15	208.04	203.02	203.18	203.28	208.60	203.23	204.21	205.02
WWTMW-02A	203.79	203.37	205.04	208.51	202.90	203.10	203.11	208.51	202.97	204.09	204.87
WWTMW-03	203.31	202.92	204.73	208.63	202.26	202.69	202.60	208.34	202.14	203.59	204.25
WWTMW-04	204.75	204.05	205.60	207.22	203.81	203.14	203.20	208.40	203.74	204.07	205.77
WWTMW-05	202.83	202.49	204.27	207.74	201.72	202.30	201.99	207.24	201.79	203.19	203.81
WWTMW-06	220.76	215.82	216.70	NM	219.11	214.42	215.00	NM	219.89	215.17	223.30
WWTMW-07	218.19	213.97	216.54	NM	215.61	213.21	214.78	NM	216.83	213.86	218.91
WWTMW-08	209.35	207.89	208.60	209.35	208.83	206.39	207.28	211.88	209.23	207.76	210.05
WWTMW-09	203.45	203.13	205.06	NM	202.66	203.14	203.23	208.94	207.69	204.15	201.73
WWTMW-10	203.22	202.90	204.83	208.99	202.44	202.99	202.86	208.05	202.39	203.93	204.25
WWTMW-11	202.92	202.59	204.38	208.93	202.03	202.52	202.22	207.54	201.97	203.45	203.88
WWTMW-12	203.99	203.58	204.98	206.99	203.09	203.29	203.31	207.91	203.44	204.27	205.15
WWTMW-13	203.90	203.44	205.15	206.92	203.23	203.28	203.23	208.07	203.20	204.23	205.15
WWTMW-14	208.80	207.95	207.57	209.03	209.30	206.99	204.87	210.22	209.27	207.83	208.82
SWEL-02[6]	201.92	201.72	203.84	210.52	201.24	202.12	201.74	207.09	217.82	203.17	202.65
G6M-92-01X	NI	204.97	205.07	205.31	205.19	203.56	203.69	206.41	205.11	204.88	206.00
G6M-92-02X	NI	203.16	203.90	204.41	203.37	202.26	202.19	206.03	203.20	203.54	204.68
G6M-92-03X	NI	206.43	206.16	206.44	207.31	204.98	204.84	207.07	207.18	206.21	207.05
G6M-92-04X	NI	202.58	203.92	204.77	202.16	202.11	202.05	206.55	202.06	203.23	204.14
G6M-92-05X	NI	202.87	204.09	204.53	202.45	202.29	202.25	206.59	202.38	203.46	204.35
G6M-92-06X	NI	205.44	205.50	205.79	205.55	204.04	204.21	206.96	205.59	205.38	206.48
G6M-92-07X	NI	206.94	206.58	206.94	207.40	205.42	205.44	207.57	207.46	206.67	207.56
G6M-92-08X	NI	208.73	NM	208.63	209.47	NM	207.26	262.94	262.94	262.94	NM

TABLE I-1
SYNOPTIC WATER-LEVEL MEASUREMENTS[1]
GROUPS 3, 5, & 6

FORT DEVENS, MASSACHUSETTS

STATION/ WELL NO.	26 MAY 1992	15 SEPT. 1992	22 DEC. 1992	31 MAR. 1993	22 JUNE 1993	30 SEPT. 1993	8 NOV. 1993	30 MAR. 1994	28 JUNE 1994	4 OCT. 1994	31 JAN. 1995
G6M-92-09X	NI	209.81	209.21	209.58	210.33	208.32	208.30	210.16	210.60	209.69	210.20
G6M-92-10X	NI	211.69	211.73	213.43	212.55	210.91	210.96	214.46	212.94	212.03	212.92
G6M-92-11X	NI	211.87	211.78	212.39	212.55	210.87	211.07	213.66	213.07	212.18	213.04
G6M-93-12X	NI	NI	NI	NI	NM	211.11	211.21	215.61	214.13	213.13	213.64
G6M-93-13X	NI	NI	NI	NI	NM	210.33	210.52	212.98	212.98	212.11	212.70
G6M-93-14X	NI	NI	NI	NI	NM	210.71	211.07	215.25	213.99	212.78	213.73
G6M-94-15A	NI	NI	NI	NI	NI	NI	NI	NI	NI	213.33	214.05
G6M-94-16X	NI	NI	NI	NI	NI	NI	NI	NI	NI	216.16	216.63
G6M-94-17A	NI	NI	NI	NI	NI	NI	NI	NI	NI	214.39	215.27
G6M-94-18X	NI	NI	NI	NI	NI	NI	NI	NI	NI	211.74	212.53
G6M-95-19X	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	212.42
G6M-95-20X	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	212.77
G6P-95-01X	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	214.08
G6P-95-02X	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	214.08
ITMW-4	NI	NI	NI	NI	NI	NI	NI	NI	212.60	210.94	211.84
ITMW-5	NI	NI	NI	NI	NI	NI	NI	NI	209.98	206.61	209.27
SWEL-01[7]	200.72	200.08	202.31	208.06	199.55	200.84	199.70	204.91	221.16	201.55	201.38
MCPHERSON	186.49	NM	182.49	213.49	NM	182.49	NM	NM	NM	NM	NM

NOTES:

1. Water level elevations referenced to National Geodetic Vertical Datum (1929)
2. NI = Not installed
3. NM = Not measured
3. Plow Shop Pond
5. Grove Pond
6. Nashua River at Bailey bridge (North Post)
7. Nashua River at Rte. 2A bridge

APPENDIX J

GEOTECHNICAL DATA

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	0.1	76.5	23.4

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	0.49	0.26	0.16	0.087				

MATERIAL DESCRIPTION	USCS	AASHTO
o Silty SAND	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
o Location: Field Sample I.D. - BXG30125

Date: July 15, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. G3M-92-01X
As rec'd w% = 20.26

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	5.0	92.8	2.2

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.98	0.51	0.42	0.281	0.1963	0.1652	0.95	3.1

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BXG30225

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. G3M-9202X
As rec'd w% = 20.1

GRAIN SI: DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.0	98.3	1.7

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.68	0.48	0.43	0.334	0.2636	0.2339	0.99	2.1

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BXG30325

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. G3M-92-03X
As rec'd w% = 23.9

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	5.8	92.2	2.0

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	2.04	0.83	0.70	0.506	0.3581	0.2812	1.10	3.0

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BXG30424

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. G3M-92-04X
As rec'd w% = 12.2

GRAIN SIZE DISTRIBUTION TEST REPORT

CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	1.6	96.8	1.6

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.86	0.56	0.48	0.355	0.2585	0.2175	1.03	2.6

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. BXG30530

Date: July 15, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D 03M-92-05X
As rec'd w% = 21.5

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	1.4	96.6	2.0

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.67	0.46	0.40	0.305	0.2291	0.1943	1.04	2.4

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. BXG30626

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. G3M-92-06X
As rec'd w% = 23.5

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	0.0	94.1	5.9

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	0.58	0.27	0.23	0.169	0.1242	0.1009	1.04	2.7

MATERIAL DESCRIPTION	USCS	AASHTO
o Poorly Graded SAND with Silt	SP-SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
o Location: Field Sample I.D. BXG30725

Date: July 15, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. G3M-92-07X
As rec'd w% = 23.9

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	46.2	46.4	7.4

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	19.72	6.15	3.88	1.021	0.2877	0.1315	1.29	46.8

MATERIAL DESCRIPTION	USCS	AASHTO
o Well-Graded SAND with Gravel and Silt	SW-SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
o Location: Field Sample I.D. BXG50130

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. GM-92-01X S BK
As rec'd w% = 8.2

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	28.4	69.2	2.4

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	16.22	1.50	1.00	0.612	0.4169	0.3236	0.77	4.6

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND with Gravel	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BXG50216

Date: July 15, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. G5M-92-0~~3~~X 2
As rec'd w% = 15.2

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	45.7	48.2	6.1

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	20.75	5.92	3.86	0.875	0.2931	0.1726	0.75	34.3

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND with Gravel and Silt	SP-SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BXG50330

Date: July 15, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. G5M-92-03X
As rec'd w% = 8.55

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.0	95.4	4.6

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.43	0.30	0.26	0.192	0.1321	0.1062	1.15	2.8

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BXG60150

Date: July 15, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. G6M-92-01X
As rec'd w% = 2.3

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	0.0	44.3	55.7

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	0.12	0.08						

MATERIAL DESCRIPTION	USCS	AASHTO
o Sandy SILT	ML	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
o Location: Field Sample I.D. - BXG60265

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. G6M-92-02X
As rec'd w% = 22.5

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.0	85.1	14.9

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.23	0.17	0.15	0.106	0.0741			

MATERIAL DESCRIPTION	USCS	AASHTO
○ Silty SAND	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BXG60362

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. G6M-92-03X
As rec'd w% = 20.6

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	1.8	97.3	0.9

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.85	0.52	0.45	0.340	0.2667	0.2377	0.94	2.2

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. BXG60465

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. G6M-92-04X
As rec'd w% = 13.9

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	1.1	94.3	4.6

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.68	0.38	0.31	0.219	0.1529	0.1243	1.03	3.0

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BXG60562

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. G6M-92-05X
As rec'd w% = 23.1

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	2.1	94.4	3.5

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	1.08	0.48	0.40	0.304	0.2342	0.1991	0.97	2.4

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. BXG500508

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 50B-92-05X
As rec'd w% = 4.2

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.0	97.1	2.9

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.47	0.31	0.27	0.204	0.1561	0.1368	0.99	2.3

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BXG60755

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 06M-92-07X
As rec'd w% = 6.6

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.0	80.5	19.5

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.22	0.15	0.13	0.091				

MATERIAL DESCRIPTION	USCS	AASHTO
○ Silty SAND	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BXG60860

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. G6M-92-08X
As rec'd w% = 24.4

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	4.2	58.9	36.9

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.17	0.10	0.09					

MATERIAL DESCRIPTION	USCS	AASHTO
○ Silty SAND	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX500130

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 50B-92-01X
As rec'd w% = 5.3

GRAIN SIZE DISTRIBUTION TEST REPORT

CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	1.7	40.9	57.4

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.15	0.08						

MATERIAL DESCRIPTION	USCS	AASHTO
○ Sandy SILT	ML	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. BXG61010

Date: July 15, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. G6M-92-10X
As rec'd w% = 19.5

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	5.3	54.4	40.3

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.25	0.12	0.09					

MATERIAL DESCRIPTION	USCS	AASHTO
○ Silty SAND	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. BXG61110

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. G6M-92-11X
As rec'd w% = 12.9

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	12.5	84.7	2.8

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	3.35	1.05	0.82	0.525	0.3432	0.2726	0.96	3.9

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX440105

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 44B-92-01X
As rec'd w% = 3.5

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	23.4	73.8	2.8

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	13.65	1.24	0.77	0.370	0.2180	0.1793	0.61	6.9

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND with Gravel	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX440410

Date: July 15, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. 44B-92-04X
As rec'd w% = 3.9

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	4.2	93.2	2.6

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	1.41	0.68	0.57	0.398	0.2848	0.2396	0.96	2.9

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX520305

Date: July 15, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 52B-92-03X
As rec'd w% = 3.1

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	6.0	75.3	18.7

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	1.72	0.62	0.48	0.236				

MATERIAL DESCRIPTION	USCS	AASHTO
○ Silty SAND	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - DX520502

Date: July 17, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. 52B-92-05X
As rec'd ω% = 4.8

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	9.4	86.2	4.4

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	1.88	0.67	0.50	0.293	0.1886	0.1551	0.83	4.3

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX520905

Date: July 17, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 52B-92-09X
As rec'd w% = 4.2

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	5.3	88.4	6.3

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	1.88	0.72	0.59	0.382	0.2226	0.1471	1.37	4.9

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND with Silt	SP-SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX300102

Date: July 17, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 30B-92-01X
As rec'd w% = 5.4

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	8.5	87.4	4.1

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	2.11	0.89	0.68	0.406	0.2446	0.1834	1.01	4.9

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX300504

Date: July 17, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 30B-92-05X
As rec'd w% = 4.2

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	34.0	61.4	4.6

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	18.16	2.11	0.97	0.488	0.2802	0.1984	0.57	10.6

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND with Gravel	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX300702

Date: July 17, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 30B-92-07X
As rec'd w% = 6.5

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	15.2	83.6	1.2

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	4.84	0.85	0.60	0.356	0.2500	0.2152	0.69	4.0

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND with Gravel	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX300806

Date: July 17, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 30B-92-08X
As rec'd w% = 4.9

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	1.9	88.7	9.4

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	1.04	0.56	0.46	0.275	0.1393	0.0802	1.67	7.0

MATERIAL DESCRIPTION	USCS	AASHTO
○ Well Graded SAND with Silt	SW-SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX310202

Date: July 17, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 31B-92-02X
As rec'd w% = 9.7

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	3.0	92.4	4.6

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	1.20	0.66	0.56	0.375	0.2109	0.1528	1.40	4.3

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX310510

Date: July 17, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 31B-92-05X
As rec'd w% = 4.3

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	3.5	93.0	3.5

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.99	0.60	0.51	0.339	0.2058	0.1652	1.17	3.6

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX310555

Date: July 17, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 31B-92-05X
As rec'd w% = 2.9

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.0	44.0	56.0

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.14	0.08						

MATERIAL DESCRIPTION	USCS	AASHTO
○ Sandy SILT	ML	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX500306

Date: July 17, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 50B-92-03X
As rec'd w% = 4.0

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	6.1	90.1	3.8

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	1.68	0.82	0.70	0.518	0.3754	0.2914	1.12	2.8

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX500207

Date: July 17, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 50B-92-02X
As rec'd w% = 3.5

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	13.2	77.6	9.2

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	4.03	0.98	0.73	0.430	0.1752	0.0878	2.16	11.1

MATERIAL DESCRIPTION	USCS	AASHTO
○ Well-Graded SAND with Silt	SW-SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX500101

Date: July 17, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 50B-92-01X
As rec'd w% = 3.2

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	9.0	75.6	15.4

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	1.84	0.64	0.52	0.319				

MATERIAL DESCRIPTION	USCS	AASHTO
○ Silty SAND	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX500705

Date: July 17, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 50B-92-07X
As rec'd w% = 20.2

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.0	25.2	74.8

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.10							

MATERIAL DESCRIPTION	USCS	AASHTO
○ SILT	ML	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - BX501010

Date: July 17, 1992

Remarks:
Wash Sieve Analysis
Site I.D. 50B-92-10X
As rec'd w% = 21.8

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	6.4	75.4	18.2

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	1.72	0.59	0.43	0.213				

MATERIAL DESCRIPTION	USCS	AASHTO
o Silty SAND (based on grain-size)	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample I.D. - DX090100

Date: July 22, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. - 09D-92-01X
As rec'd w% = 51.85
little Organics

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	0.0	55.1	44.9

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	0.74	0.24	0.12					

MATERIAL DESCRIPTION	USCS	AASHTO
o Silty SAND (based on grain-size)	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample I.D. - DX090200

Date: July 22, 1992

Remarks:
Wash Sieve Analysis
Site I.D. - 09D-92-02X
As rec'd w% = 50.91
trace Organics

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	4.4	85.0	10.6

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	1.41	0.64	0.51	0.294	0.1299			

MATERIAL DESCRIPTION	USCS	AASHTO
o Poorly Graded SAND with Silt	SP-SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample I.D. - DX090300

Date: July 22, 1992

Remarks:
Wash Sieve Analysis
Site I.D. - 09D-92-03X
As rec'd w% = 22.81

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
O	0.0	0.0	57.6	42.4

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
O	--	--	0.17	0.10	0.09					

MATERIAL DESCRIPTION	USCS	AASHTO
O Silty SAND (based on grain-size)	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
O Location: Field Sample I.D. - DXG50100

Date: July 22, 1992

Remarks:
Wash Sieve Analysis
Site I.D. - G5D-92-01X
As rec'd w% = 84.26
trace (+) Organics

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	0.0	98.1	1.9

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	0.70	0.42	0.36	0.264	0.1930	0.1642	1.02	2.5

MATERIAL DESCRIPTION	USCS	AASHTO
o Poorly Graded SAND	SP	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample I.D. - DXG50200

Date: July 22, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. - G5D-92-02X
As rec'd w% = 33.85
standing water in jar

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.0	65.5	34.5

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--	0.21	0.13	0.11					

MATERIAL DESCRIPTION	USCS	AASHTO
○ Silty SAND (based on Grainsize)	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI\RI GROUP 3,5,6
○ Location: Field Sample I.D. - DXG50300

Date: July 15, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. G5D-92-03X
As rec'd w% = 69.1
Sediment - Organics

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	0.5	76.7	22.8

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	0.30	0.18	0.15	0.090				

MATERIAL DESCRIPTION	USCS	AASHTO
o Silty SAND (based on grain-size)	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample I.D. - DXG50400

Date: July 22, 1992

Remarks:
Wash Sieve Analysis
Site I.D. - G5D-92-04X
As rec'd w% = 53.7
little (-) Organics

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
O	0.0	0.0	83.2	16.8

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
O	--	--	0.29	0.20	0.17	0.124				

MATERIAL DESCRIPTION	USCS	AASHTO
O Silty SAND (based on grain-size)	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
O Location: Field Sample I.D. - DXG50500

Date: July 22, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. - G5D-92-05X
As rec'd w% = 57.46
little (+) Organics

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	9.1	77.8	13.1

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	0.58	0.34	0.30	0.212	0.0959			

MATERIAL DESCRIPTION	USCS	AASHTO
o Silty SAND (based on grain-size)	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample I.D. - DXG50600

Date: July 22, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. - 05D-92-06X
As rec'd w% = 61.1
little (+) Organics

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	0.0	67.7	32.3

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	0.21	0.14	0.11					

MATERIAL DESCRIPTION	USCS	AASHTO
o Silty SAND (based on grain-size)	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample I.D. - DXG50700

Date: July 22, 1992

Remarks:
Wash Sieve Analysis
Site I.D. - G5D-92-07X
As rec'd w% = 93.5
some (-) Organics

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	12.3	82.6	5.1

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	3.76	1.19	0.87	0.447	0.1514	0.1047	1.60	11.4

MATERIAL DESCRIPTION	USCS	AASHTO
o Well Graded SAND with Silt	SW-SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample I.D. - DXG50800

Date: July 22, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. - G5D-92-08X
As rec'd w% = 27.67

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
O	0.0	0.0	72.8	27.2

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
O	--	--	0.24	0.14	0.12	0.078				

MATERIAL DESCRIPTION	USCS	AASHTO
O Silty SAND (based grain-size)	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
O Location: Field Sample I.D. - DXG50900

Date: July 22, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. - G5D-92-09X
As rec'd w% = 32.52
Little (+) Organics

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	16.4	77.2	6.4

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	5.31	0.83	0.60	0.332	0.1782	0.1205	1.10	6.9

MATERIAL DESCRIPTION	USCS	AASHTO
o Well Graded SAND with Silt	SW-SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample I.D. - DXG51000

Date: July 22, 1992

Remarks:
Wash Sieve Analysis
Site I.D. - G5D-92-10X
As rec'd w% = 31.32
trace (-) Organics

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	0.0	28.7	71.3

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	0.14							

MATERIAL DESCRIPTION	USCS	AASHTO
o SILT (based on grain-size)	ML	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample I.D. - DXG60100

Date: July 23, 1993

Remarks:
Wash Sieve Analysis
Site I.D. - G6D-92-01X
As rec'd w% = 191.7
high Organic content

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	0.0	67.8	32.2

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	0.28	0.15	0.12					

MATERIAL DESCRIPTION	USCS	AASHTO
o Silty SAND (based on grain-size)	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample I.D. - DXG60200

Date: July 23, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. - 06D-92-02X
As rec'd w% = 105.19
little (+) Organics

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	7.2	63.3	29.5

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	1.88	0.57	0.37	0.078				

MATERIAL DESCRIPTION	USCS	AASHTO
o Silty SAND (based on grain-size)	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample I.D. - DXG60300

Date: July 23, 1993

Remarks:
Wash Sieve Analysis
Site I.D. - G6D-92-03X
As rec'd w% = 59.5
some (-) Organics

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	5.3	75.2	19.5

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--	0.31	0.18	0.15	0.098				

MATERIAL DESCRIPTION	USCS	AASHTO
o Silty SAND (based on grain-size)	SM	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample No. - DXG60400

Date: July 23, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. - G6D-92-04X
As rec'd w% = 61.9
trace (+) Organics

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.0	8.2	91.8

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	--								

MATERIAL DESCRIPTION	USCS	AASHTO
○ SILT (based on Grainsize)	ML	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI GROUP 3,5,6
○ Location: Field Sample I.D. - DXG30100

Date: July 15, 1992

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. G3D-92-01X
As rec'd w% = 550.0% *
Sediment - Very Organic

CT - 3092

* Free standing water noted in driller jar sample

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	0.0	7.7	92.3

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--								

MATERIAL DESCRIPTION	USCS	AASHTO
o SILT (based on grain-size)	ML	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample I.D. - DXG30200

Date: July 23, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

Remarks:
Wash Sieve Analysis
Site I.D. - G3D-92-02X
As rec'd w% = 719.8
v. high Organic content

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	0.0	4.4	95.6

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	--								

MATERIAL DESCRIPTION	USCS	AASHTO
o SILT (based on grain-size)	ML	--

Project No.: 06917.04
Project: USATHAMA - FORT DEVENS SI/RI
o Location: Field Sample I.D. - DXG30300

Date: July 23, 1993

Remarks:
Wash Sieve Analysis
Site I.D. - G3D-92-03X
as rec'd w% = 1,275
v. high Organic content

GRAIN SIZE DISTRIBUTION TEST REPORT
CIVILTEST LABORATORIES, INC.

CT - 3092

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 11 1993



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	5.1	89.1	5.8

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	-- --	1.24	0.60	0.50	0.335	0.2042	0.1318	1.41	4.6

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP-SM	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
○ Location: Ayer, MA

Date: August 5, 1993

Remarks:
Sample No. G3M-93-08X
Depth 2.0'-4.0'
Sta. BXG30802
As rec'd w% = 3.3

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.2	98.4	1.4

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	-- --	0.45	0.32	0.29	0.225	0.1708	0.1488	1.05	2.2

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
○ Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. G3M-93-08X
Depth 20.0'-22.0'
Sta. BXG30820
As rec'd w% = 23.4

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
O	0.0	1.3	97.0	1.7

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
O	--	-- --	0.95	0.63	0.55	0.417	0.3058	0.2603	1.07	2.4

MATERIAL DESCRIPTION	USCS	AASHTO
O Poorly Graded SAND	SP	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
O Location: Ayer, MA

Date: August 5, 1993

Remarks:
Sample No. 38B-93-01X
Depth 3.0'- 5.0'
Sta. BX380103
As rec'd w% = 2.6

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	25.0	71.6	3.4

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	-- --	19.61	1.49	1.02	0.539	0.3137	0.2407	0.81	6.2

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND with Gravel	SP	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
○ Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. 38B-93-12X
Depth 10.0'-12.0'
Sta. BX381210
As rec'd w% = 2.6

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	50.9	43.4	5.7

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	-- --	19.82	10.64	5.15	0.836	0.3864	0.2148	0.31	49.5

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded GRAVEL with Sand and Silt	GP-GM	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
○ Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. 38B-93-15X
Depth 10.0'-12.0'
Sta. BX381510
As rec'd w% = 2.6

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	22.0	75.9	2.1

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	-- --	8.22	0.87	0.65	0.401	0.2704	0.2198	0.84	4.0

MATERIAL DESCRIPTION	USCS	AASHTO
o Poorly Graded SAND with Gravel	SP	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
o Location: Ayer, MA

Date: August 5, 1993

Remarks:
Sample No. 38B-93-18X
Depth 5.0'- 7.0'
Sta. BX381805
As rec'd w% = 2.6

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	38.3	57.9	3.8

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	-- --	21.48	3.78	1.59	0.664	0.3443	0.2301	0.51	16.4

MATERIAL DESCRIPTION	USCS	AASHTO
o Poorly Graded SAND with Gravel	SP	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
o Location: Ayer, MA

Date: August 5, 1993

Remarks:
Sample No. 38B-93-19X
Depth 1.0'- 3.0'
Sta. BX381901
As rec'd w% = 3.5

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
O	0.0	4.4	94.0	1.6

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
O	--	-- --	1.32	0.59	0.47	0.317	0.2195	0.1847	0.93	3.2

MATERIAL DESCRIPTION	USCS	AASHTO
O Poorly Graded SAND	SP	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
O Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. 38B-93-21X
Depth 4.0'- 6.0'
Sta. BX382104
As rec'd w% = 3.5

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	7.0	91.5	1.5

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	-- --	1.70	0.69	0.56	0.353	0.2226	0.1847	0.97	3.7

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
○ Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. 38B-93-22X
Depth 1.0'- 3.0'
Sta. BX382201
As rec'd w% = 2.4

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
O	0.0	2.6	93.3	4.1

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
O	--	-- --	1.14	0.59	0.49	0.304	0.1888	0.1517	1.03	3.9

MATERIAL DESCRIPTION	USCS	AASHTO
O Poorly Graded SAND	SP	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
O Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. 38B-93-23X
Depth 3.0'- 4.0'
Sta. BX382303
As rec'd w% = 22.2

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	3.0	94.7	2.3

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	-- --	0.65	0.37	0.31	0.228	0.1702	0.1543	0.92	2.4

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
○ Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. 38B-93-25X
Depth 4.0'- 6.0'
Sta. BX382504
As rec'd w% = 3.3

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
O	0.0	3.1	95.0	1.9

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
O	--	-- --	1.07	0.68	0.60	0.457	0.3273	0.2570	1.19	2.7

MATERIAL DESCRIPTION	USCS	AASHTO
O Poorly Graded SAND	SP	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
O Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. 38B-93-25X
Depth 8.0'-10.0'
Sta. BX382508
As rec'd w% = 3.6

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
O	0.0	2.2	95.2	2.6

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
O	--	-- --	0.81	0.45	0.38	0.264	0.1847	0.1554	0.99	2.9

MATERIAL DESCRIPTION	USCS	AASHTO
O Poorly Graded SAND	SP	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
O Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. 38B-93-26X
Depth 4.0'- 6.0'
Sta. BX3826004
As rec'd w% = 8.4

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	1.5	95.6	2.9

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	-- --	1.03	0.71	0.64	0.511	0.4032	0.3203	1.15	2.2

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
○ Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. 44B-93-07X
Depth 15.0'-17.0'
Sta. BX440715
As rec'd w% = 8.4

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.6	98.2	1.2

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	-- --	0.65	0.41	0.37	0.298	0.2559	0.2153	1.02	1.9

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
○ Location: Ayer, MA

Date: August 5, 1993

Remarks:
Sample No. 44B-93-09X
Depth 9.0'-10.0'
Sta. BX440909
As rec'd w% = 4.7

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	4.0	92.4	3.6

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	-- --	1.53	0.67	0.53	0.327	0.2014	0.1563	1.01	4.3

MATERIAL DESCRIPTION	USCS	AASHTO
○ Poorly Graded SAND	SP	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
○ Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. 44B-93-10X
Depth 5.0'- 7.0'
Sta. BX441005
As rec'd w% = 4.7

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	17.5	77.4	5.1

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	-- --	5.43	1.55	1.00	0.435	0.2591	0.1654	0.74	9.4

MATERIAL DESCRIPTION	USCS	AASHTO
o Poorly Graded SAND with Silt	SP-SM	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
o Location: Ayer, MA

Date: August 5, 1993

Remarks:
Sample No. 44B-93-08X
Depth 9.0'-10.0'
Sta. BX440809
As rec'd w% = 4.4

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
O	0.0	0.0	30.6	69.4

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
O	--	-- --	0.11							

MATERIAL DESCRIPTION	USCS	AASHTO
O SILT with Sandy	ML	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
O Location: Ayer, MA

Date: August 5, 1993

Remarks:
Sample No. G6M-93-12X
Depth 15.0'-17.0'
Sta. BXG61215
As rec'd w% = 4.4

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	10.0	66.4	23.6

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	-- --	1.76	0.41	0.29	0.106				

MATERIAL DESCRIPTION	USCS	AASHTO
○ Silty SAND	SM	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
○ Location: Ayer, MA

Date: August 5, 1993

Remarks:
Sample No. 50B-93-14X
Depth 0.0'- 2.0'
Sta. BX501400
As rec'd w% = 9.8

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 11 1993



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.0	28.8	71.2

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	-- --	0.12							

MATERIAL DESCRIPTION	USCS	AASHTO
○ SILT	ML	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
○ Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. 50B-93-14X
Depth 2.0'- 4.0'
Sta. BX501402
As rec'd w% = 26.4

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
O	0.0	0.0	35.8	64.2

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
O	--	-- --	0.12							

MATERIAL DESCRIPTION	USCS	AASHTO
O SILT with Sand	ML	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
O Location: Ayer, MA

Date: August 5, 1993

Remarks:
Sample No. 50B-93-14X
Depth 4.0'- 6.0'
Sta. BX501404
As rec'd w% = 26.2

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
O	0.0	0.0	41.2	58.8

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
O	--	-- --	0.12	0.08						

MATERIAL DESCRIPTION	USCS	AASHTO
O SILT with Sand	ML	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
O Location: Ayer, MA

Date: August 5, 1993

Remarks:
Sample No. 50B-93-14X
Depth 10.0'-12.0'
Sta. BX501410
As rec'd w% = 24.8

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.0	35.8	64.2

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	-- --	0.12							

MATERIAL DESCRIPTION	USCS	AASHTO
○ SILT with Sand	ML	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
○ Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. 50B-93-14X
Depth 6.0'- 8.0'
Sta. BX501406
As rec'd w% = 26.4

SL -017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.0	47.6	52.4

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	-- --	0.13	0.08						

MATERIAL DESCRIPTION	USCS	AASHTO
○ SILT with Sand	ML	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
○ Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. 50B-93-14X
Depth 8.0'-10.0'
Sta. BX501408
As rec'd w% = 25.8

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 11 1993



	% +3"	% GRAVEL	% SAND	% FINES
O	0.0	2.3	63.1	34.6

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
O	--	-- --	0.37	0.14	0.11					

MATERIAL DESCRIPTION	USCS	AASHTO
O Silty SAND	SM	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
O Location: Ayer, MA

Date: August 5, 1993

Remarks:
Sample No. 50B-93-11X
Depth 5.0'- 7.0'
Sta. BX501105
As rec'd w% = 11.1

SL -017

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

GRAIN SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% FINES
○	0.0	0.1	52.4	47.5

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
○	--	-- --	0.13	0.09	0.08					

MATERIAL DESCRIPTION	USCS	AASHTO
○ Silty SAND	SM	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
○ Location: Ayer, MA

Date: August 5, 1993

Remarks:
Sample No. 50B-93-11X
Depth 11.0'-12.0'
Sta. BX501110
As rec'd w% = 22.0

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

SL - 017

GRAIN SIZE DISTRIBUTION TEST REPORT

RECEIVED AUG 1 1 1993



	% +3"	% GRAVEL	% SAND	% FINES
o	0.0	1.0	72.0	27.0

	LL	PI	D_{85}	D_{60}	D_{50}	D_{30}	D_{15}	D_{10}	C_c	C_u
o	--	-- --	0.87	0.41	0.29	0.090				

MATERIAL DESCRIPTION	USCS	AASHTO
o Silty SAND (some organics)	SM	-- --

Project No.: 06917-05
Project: Fort Devens SI Groups 3,5 & 6
o Location: Ayer, MA

Date: August 5, 1993

GRAIN SIZE DISTRIBUTION TEST REPORT
THE GEOTECHNICAL GROUP, INC.

Remarks:
Sample No. 21B-93-01X
Depth 1.2'- 1.6'
Sta. BX210101
As rec'd w% = 26.4

SL - 017

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	68.1	31.9		SM		

SIEVE inches size	PERCENT FINER ●		

	GRAIN SIZE		
D_{60}	0.12		
D_{30}			
D_{10}			

	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
10	100.0		
20	100.0		
40	99.9		
60	97.5		
140	53.2		
200	31.9		

Sample information:
● BXG6 2038
Tan
Clayey

Remarks:
Sieve analysis only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI

Date: 3/27/95 Data Sheet No. ——

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	74.0	26.0		SM		

SIEVE inches size	PERCENT FINER ●		

	GRAIN SIZE		
D_{60}	0.14		
D_{30}	0.08		
D_{10}			

	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
10	100.0		
20	100.0		
40	99.5		
60	91.8		
140	42.4		
200	26.0		

Sample information:
● BXG6 2036
Tan
Clayey

Remarks:
Sieve analysis only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI
Date: 3/17/95 Data Sheet No. ——

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	83.5	16.5		SM		

SIEVE inches size	PERCENT FINER ●		

	GRAIN SIZE		
D_{60}	0.16		
D_{30}	0.10		
D_{10}			

	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
4	100.0		
10	100.0		
20	99.8		
40	99.0		
60	88.0		
140	29.9		
200	16.5		

Sample information:
● BXG6 2030
Tan

Remarks:
Sieve analysis only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI

Date: 3/27/95 Data Sheet No. ——

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	81.9	18.1		SM		

SIEVE inches size	PERCENT FINER ●		
	GRAIN SIZE		
D_{60}	0.14		
D_{30}	0.09		
D_{10}			
	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
10	100.0		
20	100.0		
40	99.6		
60	93.4		
140	38.4		
200	18.1		

Sample information:
● BXG6 2028
Tan

Remarks:
Sieve analysis only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI

Date: 3/27/95 Data Sheet No. ——

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	27.5	72.5		ML		

SIEVE inches size	PERCENT FINER ●		

	GRAIN SIZE		
D_{60}			
D_{30}			
D_{10}			

	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
20	100.0		
40	100.0		
60	99.9		
140	94.2		
200	72.5		

Sample information:
● BXG6 2022
Tan
Clayey

Remarks:
Sieve analysis only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI

Date: 3/28/95 Data Sheet No.

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	86.0	14.0		SM		

SIEVE inches size	PERCENT FINER ●		
	GRAIN SIZE		
D_{60}	0.16		
D_{30}	0.10		
D_{10}			
	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
10	100.0		
20	99.8		
40	99.3		
60	92.2		
140	30.0		
200	14.0		

Sample information:
● BXG6 1958
Tan
Clayey

Remarks:
Sieve analysis only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI
Date: 3/28/95 Data Sheet No. ——

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	80.6	19.4		SM		

SIEVE inches size	PERCENT FINER ●		

	GRAIN SIZE		
D_{60}	0.15		
D_{30}	0.09		
D_{10}			

	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
10	100.0		
20	98.0		
40	97.7		
60	94.5		
140	39.4		
200	19.4		

Sample information:
● BXG6 1950
Light Brown
Clayey

Remarks:
Sieve analysis only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI
Date: 3/28/95
Data Sheet No. ____

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	80.3	19.7		SM		

SIEVE inches size	PERCENT FINER ●		
	GRAIN SIZE		
D_{60}	0.16		
D_{30}	0.09		
D_{10}			
	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
10	100.0		
20	100.0		
40	99.9		
60	95.4		
140	38.4		
200	19.7		

Sample information:
● BXG6 1948
Tan

Remarks:
Sieve analysis only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI
Date: 3/28/95 Data Sheet No. ——

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	42.2	57.8		ML		

SIEVE inches size	PERCENT FINER ●		

	GRAIN SIZE		
D_{60}	0.08		
D_{30}			
D_{10}			

	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
10	100.0		
20	100.0		
40	100.0		
60	99.9		
140	88.2		
200	57.8		

Sample information:
● BXG6 1924
Tan
Clayey

Remarks:
Sieve analysis only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI

Date: 3/27/95 Data Sheet No. ____

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	97.9	2.1		SP		

SIEVE inches size	PERCENT FINER ●		

	GRAIN SIZE		
D_{60}	0.13		
D_{30}	0.10		
D_{10}	0.08		

	COEFFICIENTS		
C_c	0.87		
C_u	1.7		

SIEVE number size	PERCENT FINER ●		
4	100.0		
10	100.0		
20	99.8		
40	98.1		
60	93.5		
140	38.4		
200	2.1		

Sample information:

● BXG6 1840

Remarks:

Sieve analysis only

ABB Environmental Services, Inc.

Project No.: 06917.13

Project: SA50 Phase III SI

Date: 3/28/95 Data Sheet No. ——

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	82.4	17.6		SM		

SIEVE inches size	PERCENT FINER ●		
	GRAIN SIZE		
D_{60}	0.15		
D_{30}	0.10		
D_{10}			
	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
10	100.0		
20	100.0		
40	99.7		
60	91.8		
140	33.8		
200	17.6		

Sample information:
● BXG6 1832
Tan.

Remarks:
Sieve Analysis Only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI
Date: 3/27/95
Data Sheet No. ——

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	82.6	17.4		SM		

SIEVE inches size	PERCENT FINER ●		
	GRAIN SIZE		
D_{60}	0.15		
D_{30}	0.10		
D_{10}			
	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
10	100.0		
20	100.0		
40	99.7		
60	92.3		
140	34.9		
200	17.4		

Sample information:
● BXG6 1828
Tan

Remarks:
Sieve analysis only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI

Date: 3/27/95 Data Sheet No. ____

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	41.0	59.0		ML		

SIEVE inches size	PERCENT FINER ●		
	GRAIN SIZE		
D_{60}	0.07		
D_{30}			
D_{10}			
	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
20	100.0		
40	100.0		
60	99.9		
140	87.5		
200	59.0		

Sample information:
● BXG6 1822
Tan
Clayey

Remarks:
Sieve Analysis Only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI

Date: 3/27/95 Data Sheet No. ——

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	22.7	77.3		ML		

SIEVE inches size	PERCENT FINER ●		
	GRAIN SIZE		
D_{60}			
D_{30}			
D_{10}			
	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
10	100.0		
20	100.0		
40	99.8		
60	99.4		
140	92.3		
200	77.3		

Sample information:
● BXG6 1734
Light Brown
Clayey

Remarks:
Sieve analysis only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI
Date: 3/28/95 Data Sheet No. ——

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.0	39.0	61.0		ML		

SIEVE inches size	PERCENT FINER ●		

	GRAIN SIZE		
D_{60}			
D_{30}			
D_{10}			

	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
10	100.0		
20	100.0		
40	100.0		
60	99.7		
140	85.2		
200	61.0		

Sample information:
● BXG6 1640
Tan
Clayey

Remarks:
Sieve Analysis Only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI

Date: 3/27/95 Data Sheet No. ——

PARTICLE SIZE DISTRIBUTION TEST REPORT



	% +3"	% GRAVEL	% SAND	% SILT	% CLAY	USCS	LL	PI
●	0.0	0.2	43.6	56.2		ML		

SIEVE inches size	PERCENT FINER ●		
0.5	100.0		
0.25	100.0		

	GRAIN SIZE		
D_{60}	0.08		
D_{30}			
D_{10}			

	COEFFICIENTS		
C_c			
C_u			

SIEVE number size	PERCENT FINER ●		
4	99.8		
10	99.5		
20	99.3		
40	99.1		
60	90.5		
140	74.1		
200	56.2		

Sample information:

● BXG6 1535
Tan
Clayey

Remarks:
Sieve Analysis Only

ABB Environmental Services, Inc.

Project No.: 06917.13
Project: SA50 Phase III SI

Date: 3/27/95 Data Sheet No. ——

APPENDIX K

LEVEL 3 ANALYTICAL DATA

LEVEL 3 ANALYTICAL DATA (IRDMIS)
SITE INVESTIGATIONS
GROUPS 3, 5, & 6 STUDY AREAS
FORT DEVENS, MASSACHUSETTS

The attached diskette contains chemical data downloaded from the USAEC IRDMIS database in January 1996. The data were taken from the "CHEM" and "CHEM2" database tables and were compressed using LHA compression shareware (Version 2.11) as self-extracting files. This diskette contains two compressed files:

- 356DATA.EXE - data from all regular (non-QC) samples
- 356CQC.EXE - all QC data for rinsate blanks, trip blanks, and MS/MSD samples, as well as surrogates

Instructions for access:

1) Copy both files onto a hard drive. Approximately 22 megabytes of free disk space are required.

2) Type the name of the file to be decompressed (e.g., "356DATA").

3) Import the resulting dBase IV files (*.dbf) into any database program to access/process the data.

In order to understand the meaning of many of the fields present in the database files, it will be necessary to have access to the USAEC "IRDMIS Data Dictionary." Contact Potomac Research, Inc. at Aberdeen Proving Ground, MD at 1-410-679-7885 to request the latest version.

APPENDIX L

GEOPHYSICS REPORT

MEMORANDUM

Date: June 17, 1992

From: Rick Allen

To: Ben Rice

Subject: Geophysical Surveys
Fort Devens, Massachusetts
Contract No. DAAA15-91-D-0008, Task Order No. 2
Base Landfill / Moore Army Airfield

INTRODUCTION

The purpose of this technical memorandum is to describe the geophysical surveys which took place at the Fort Devens North Post Landfill (Landfill No. 5) and Moore Army Airfield. The North Post Landfill, designated SA (Study Area) 9 and is part of the Group 5 Study Areas. The Moore Army Airfield fueling sustem has been designated SA 50 and is part of the Group 6 Study Areas. The purpose for these investigations was to

- delineate the actual limits of the landfill and provide insight into the nature and distribution of the landfilled materials;
- identify the location of two 25,000 gallon fuel tanks at the airfield and all piping associated with the World War II aircraft and truck-fueling systems; and
- assist in the placement of test pits, surface soil sampling and groundwater monitoring wells at both locations.

Several geophysical techniques were employed during this field effort. These include magnetometry, terrain conductivity, ground penetrating radar, and metal detector. A Site Plan showing the general areas of these investigations is presented as Figure 1.

SCHEDULE

The geophysical survey took place between April 27 and May 21, 1992.

PERSONNEL

The following ABB-ES personnel participated in the geophysical survey:

- o R. Allen
- o S. Calkin
- o D. Lovejoy

SURVEY CONTROL

All survey work at the Landfill and Airfield was conducted along a survey grid except for screening surveys intended to assist in the placement of test pits, surface soil sampling and groundwater monitoring wells. Survey grid nodes (50- by 50-feet or 100- by 100-feet) were established with a compass and cloth measuring tape using landmarks as reference points. Field sketch maps showing the relationship of grid nodes to landmarks were made at each site.

FIELD TECHNIQUES

The geophysical techniques used during this investigation are described below.

Magnetometer Survey

Magnetometers are used routinely for locating repositories of buried (drummed) wastes. Locating and quantifying these materials is essential to any remediation effort, and magnetometer surveys can provide an extra measure of safety to those personnel involved in the clean-up activities.

The earth's magnetic field is modified locally by both naturally occurring and manmade magnetic materials. The total field of the earth has a value which varies from approximately 30,000 to 60,000 gammas, depending on location: the total field value is approximately 30,000 gammas at the equator and 60,000 gammas at the poles. One can obtain the absolute value of the total earth's field intensity to an accuracy of 1 gamma or better. In the field, the operator should be aware of sources of high magnetic gradients such as would be caused by power lines, buildings, and any large iron or steel objects. If a total field survey is being conducted, base station readings should be taken frequently (every 30 minutes to 1 hour) to provide a check on any diurnal variations and magnetic storms that may occur during a survey. Typically, diurnal variations will not exceed a few tens of gammas.

Vertical gradient measurements involve the simultaneous acquisition by two sensors of two values of the total field. For this study, an EDA Omniplus Vertical Gradiometer was used. The sensors are mounted on a staff that is held vertically during a measurement. A known distance (in this case ½ meter) separates the sensors on the staff. The upper sensor is 8 feet

above the ground when a measurement is taken. This instrument records all data in an internal memory which can be transferred in the field to a PC for evaluation and data processing. The vertical gradient value is derived by obtaining the difference between the total field values of the lower and upper sensors divided by the distance between them.

Vertical gradient measurements are more sensitive to the presence of near-surface metal objects than total field values alone and are not subject to diurnal magnetic variations because any variation affects the two sensors on the magnetometer sensor staff equally.

Terrain Conductivity Measurements

Terrain conductivity surveys are used in mineral exploration for tracing conductive ore bodies (e.g., massive sulfides). They are also used for tracing conductive contaminant plumes in groundwater, since leachate from municipal landfills tends to be much more conductive than naturally occurring groundwater. Accordingly, the shape and extent of a plume can be studied with terrain conductivity surveys.

Data acquisition is more rapid than in conventional, galvanic, earth resistivity surveys. However, interpretation of conductivity data to yield a layered-earth solution is less dependable than with conventional earth resistivity. Two instruments commonly used in terrain conductivity surveys are the EM-31 and EM 34-3, both manufactured by Geonics, Ltd., in Mississauga, Ontario.

Field measurements may be recorded on a digital data logger, which is capable of recording simultaneously both the real and imaginary components (quadrature phase and in-phase components) of a measurement. The quadrature-phase component gives the ground conductivity value in millimhos per meter. The in-phase component, used also for calibration, is significantly more sensitive to metallic objects and hence is useful for looking for buried tanks and drums, among other things. Data from the in-phase component may be thought of as being equivalent to a metal detector survey.
The apparent conductivity value is comprised of the sum of the contributions from each layer that is "sampled" by the transmitter-receiver array. The volume (and therefore the depth) of earth materials sampled increases with increasing separation between the transmitter and receiver. The separation is fixed with the EM-31 (3 meters) but is operator-selectable with the EM 34-3 at 10, 20, or 40 meters.

Ground Penetrating Radar Survey

The GPR technique uses high frequency radio waves to determine the presence of subsurface objects and structures. Energy is radiated downward into the subsurface from an antenna that is pulled slowly across the ground at speeds varying from about 0.25 to 5 mph, depending on the amount of detail desired and the nature of the target. The radio wave energy is reflected from surfaces where there is a contrast in the electrical properties of subsurface materials. These surfaces may be naturally occurring geologic horizons (e.g.,

soil layers, changes in moisture content, voids and fractures in bedrock) or manmade (e.g., buried utilities, tanks, drums).

The reflected energy is processed and displayed as a continuous strip chart recording of distance versus time (where time can be thought of as proportional to depth). The depth of penetration of a GPR system is highly site-specific, and depends on the soil types at the site (clean sands are best), moisture conditions (dry is best), and the frequency of the antenna (the lower the frequency, the deeper the penetration, and the less the resolution capability).

Typical applications for GPR include delineating the boundaries of buried hazardous waste materials and the perimeters of abandoned landfills; finding steel reinforcement bars and voids in concrete structures; and locating and mapping underground storage tanks and other buried utilities.

Metal Detector Survey

Metal detection techniques are often used in hazardous waste and related studies to map the edges of trenches where hazardous materials may have been disposed in drums or other metallic containers, to trace underground utilities, to locate buried tanks, and to quickly screen large sites where metallic deposits are known or suspected. Once a general site screening has been performed, investigators are in a better position to formulate a strategy for additional exploration techniques, as appropriate.

A metal detector responds to the electrical conductivity of metal targets. The conductivity of such targets usually contrasts sharply with that of the medium surrounding them (air or soil). Although there are many different types and configurations of metal detectors, all of them consist of a transmitter and receiver. The transmitter creates an alternating (primary) magnetic field about the transmitter coil which is balanced, or nulled, in the receiver coil to cancel the effect of the primary field in the transmitter. When the transmitter is in the vicinity of a metal object, eddy currents are induced to flow in that object by the primary field generated by the transmitter. These eddy currents produce a secondary magnetic field which interacts with the primary field upsetting the existing balance (null) condition resulting in an output, normally to a meter or audio signal, or both.

RESULTS

The results of the geophysical surveys at the Fort Devens North Post Landfill (Landfill No. 5, Group 5 Study Areas, SA 9) and Moore Army Airfield (Group 6 Study Areas, SA 50) are discussed below.

North Post Landfill - SA 9

Geophysical surveys at the North Post Landfill began on May 4 and were completed on May 6, 1992 (Figure 2). The surveys consisted of simultaneous magnetic and terrain conductivity measurements on a 20- by 20-foot grid which covered approximately 16 acres. A total of 1810 measurement stations were established.

An EDA OmniPlus Gradiometer (a proton precession total field magnetometer with gradiometer option) and a Geonics EM31 DL[1] terrain conductivity meter comprised the instrumentation used.

The results of the survey are presented as a field sketch maps, Figures 3A and 3B, and contour maps, Figures 4, 5, 6, and 7. Figures 4 and 5 are the vertical gradient contours and total magnetic field contours from the magnetic survey. Figures 6 and 7 are the quadrature (conductance) and inphase contours from the terrain conductivity survey.

The interpreted limits of disposal at the landfill have been superimposed over the four contour maps for comparison. The area of the landfill thus defined is approximately 6.2 acres.

Moore Army Airfield - SA 50

Geophysical surveys at the Moore Army Airfield, SA 50, began on April 27 and were completed on May 20, 1992. The surveys consisted of magnetic and ground penetrating radar surveys to identify the location of two 25,000 gallon fuel tanks and all piping associated with the World War II aircraft and truck-fueling systems. The surveys were also intended to assist in the placement of test pits, surface soil sampling and groundwater monitoring wells at selected locations.

A 50- by 50-foot measurement grid was established in the approximate vicinity where old engineering drawings indicated the location of the two 25,000 gallon fuel tanks (Figure 8). Magnetic vertical gradient measurements were made on a 10- by 10-foot grid within the 270- by 300-foot survey area (Figure 9). The magnetic vertical gradient contours are presented as Figure 10.

ABB-ES concludes that the two tanks have been removed, although the magnetic anomaly centered at (X=200, Y=210) may reflect metal debris and piping left in place following tank removal.

---

[1]a Polycorder digital Data Logger recorded both quadrature and inphase components of the induced magnetic field. The quadrature phase is linearly related to the conductivity, whereas the inphase component is more sensitive to the detection of buried metal objects.

Based on magnetic information, a GPR survey was concentrated in an area defined by (X=130 to X=250, Y=200 to Y=280). Several of the GPR recordings made in this area (the locations for all traverses made are shown on Figure 9) indicate the presence of a possible excavation (a data sample is given as Figure 11 [Line 21]).

With the GPR data, ABB-ES verified the accuracy of the engineering drawings and mapped the indicated piping in several locations. The ground trace of existing piping was mapped in the field at the time of the survey. Piping was also mapped between the aircraft fueling pit boxes located along the northern edge of the grassy strip north of the east-west runway.

In addition to the work described above, approximately 27 prospective drilling locations were screened at various locations around the airfield for Sites SA 30, SA 31, SA 47 (also located on and around the airfield), and SA 50. The screening was accomplished by completing 2 or more GPR traverses over the exploration to determine if subsurface obstacles were present. ABB-ES uses GPR screening routinely as a supplement to as-built utility drawings and has found it invaluable for preventing damage to utilities and injury to personnel.

TABLE 1.
DAILY LOG OF FIELD ACTIVITIES

DATE	ACTIVITY
Monday 04-27-92	Mobilize crew (2) from Portland, ME to Ft. Devens, MA; proceed to **Moore Army Airfield**, brief site walk. Objective: locate 2 25,000 gallon UST's under field, associated fill lines. Lay out magnetic grid, start magnetic survey a.m. GPR survey p.m. at east end of SA 50 near top of slope 150 to 200 feet west of tank car unloading station; GPR profiling also at south end of site near aircraft fueling pit boxes; also GPR in central portion of mag grid - appears to be an excavation near where tanks were supposed to have been. Lay out additional magnetic grid 100 ft north and west of a.m. magnetic survey.
Tuesday 04-28-92	Additional magnetic survey at **Moore Army Airfield**. Complete grid laid out day before. Proceed to **Site 43Q, soccer field**. Use metal detector for quick reconnaissance screening; located several MD anomalies, ran GPR over them. Set up magnetic grid over much of site. Started magnetic survey p.m. Initial results - no UST's. Proceed to **Site 43R** (adjacent to and northeast of Site 43Q). Lay out magnetic grid and complete magnetic survey. Appears to be possible old building foundation/UST near SE corner of field. Proceed to **Site 43B**, two GPR traverses over old concrete foundation - appears to be an excavation, no UST. Site walk to **Site 43C**, fuel dispensing unit.
Wednesday 04-29-92	Arrive **Site 43R**. Lay out GPR grid in SE corner of grid where large magnetic anomaly mapped after data contoured. Appears to be a UST 15 to 18 feet long (marked and flagged). Proceed to **Site 43Q, soccer field**. Extended magnetic grid 150 ft west of previous coverage. Finish magnetic survey. Proceed to **Site 43C**. Located and mapped one tank between island and Building 3541. Proceed to **Site 43B**, lay out magnetic grid, finish magnetic survey, run GPR survey over magnetic anomaly - does not appear to be any UST here. Proceed to **Site 43N**. Locate tank with metal detector and map with GPR. Plan to do limited magnetic survey tomorrow.

Thursday 04-30-92	Arrive **Site 43N**. Lay out magnetic grid, finish magnetic survey, complete several GPR traverses to preclude possibility of additional tank.
	Proceed to **Site 43Q, soccer field**. Completed several GPR traverses with moderately high magnetic anomalies. No UST's identified.
	Proceed to **Site 43H, motor pool**. Completed GPR survey (5-foot grid both directions. Located one target parallel to Building 602 - does not appear to be UST.
	Proceed to **Site 43I** near Building 603. Completed GPR survey, 3 foot grid, both directions, did not identify UST.
	Proceed to **Site 43G** near Building T-2009. Completed GPR survey, 3 foot grid, both directions, did not identify UST.
	Proceed to **Site 43S**, near signal training area, lay out magnetic grid (will complete magnetic survey tomorrow).
Friday 05-01-92	Complete magnetic survey at **Site 43S**.
	Proceed to **Site 43D**. Mapped 2 UST's (under cyclone fence near dumpster).
	Proceed to **Site 43K**. Mapped 1 UST adjacent to Building 2514.
Monday 05-04-92	Arrive at **Base Landfill**, lay out survey grid, start magnetic/EM31 survey (20 by 20-foot grid).
Tuesday 05-05-92	Continue magnetic/EM31 survey at **Base Landfill.**
Wednesday 05-06-92	Continue magnetic/EM31 survey at **Base Landfill.** Complete survey in p.m. Lay out baseline with wooden stakes and orange flagging.
Thursday 05-14-92	R. Allen arrived at **Base landfill** in a.m. Met D. Pierce, J. Snowden, B. Rice. R. Allen mapped perimeter of landfill (based on magnetic/TC data) with pin flags. Marked four potential test pit locations with triple pink flags at (X=1100,Y=1140), (X=1100,Y=1300), (X=1160,Y=1470), and (X=930,Y=1800).

Tuesday 05-19-92	R. Allen meet D. Pierce at **Site 43J**. Doug showed R. Allen Site 43J, **Site 43A**, Building T-1422 (for gate key to Site 43A).
	GPR survey at **Site 43J**, possible UST in front of hazardous waste storage buildings; mapped UST.
	Used Metal Detector at Sites 43C, 43R (near soccer field), 43N to test effectiveness of MD for screening for UST's where GPR previously mapped UST's - very effective.
	Arrive **Site 43A**, start MD screening. Railroad ballast near tracks very "metallic", no penetration with GPR either. Screened entire site with MD (traverses 3 to 5 feet apart). Mapped four MD anomalies, used magnetometer to check each anomaly, used GPR to check two anomalies where high mag gradients. No apparent UST's based on GPR, but penetration limited; will do magnetic grid on one anomaly tomorrow.
Wednesday 05-20-92	Arrived at **Site 43E** (bank parking lot) early a.m. Screened parking lot with MD, located an anomaly. Mapped UST in this location with GPR, marked axis of UST (near Building 2020).
	Returned to **Site 43A**. Lay out mag grid, complete 10-foot grid over 50 by 100 area along Cook Street. Completed several GPR traverses with 120 MHz antenna. No apparent UST.
	Arrived **Building 3713**. D. Pierce pointed out locations for borings -01X, -06X, -05X, -02X, -03X, -04X, and -07X. Will complete later.
	Arrived **Moore Army Airfield** to map a number of borings for Sites **SA 30, SA 31, SA 47** and **SA 50**. Screened approximately 27 locations.
Thursday 05-21-92	Arrive **Building 3713**. Meet with Vin Rivard to obtain gate key to access maintenance yard. Cleared location for -04X. Then cleared -01X, -06X, -05X, -03X, -07X, and -02X. Departed Ft. Devens at 1040.



FIGURE 1
STUDY AREA LOCATIONS
FORT DEVENS, MASSACHUSETTS

ABB Environmental Services, Inc.

7053-07 A



FIGURE 2
GEOPHYSICAL SURVEY GRID AND EXPLORATION LOCATIONS
GROUP 5 STUDY AREAS
FORT DEVENS, MA

ABB Environmental Services, Inc.

6917-07(c)1 3 9

PROJECT FT DEVENS LANDFILL	COMP. BY	JOB NO.
	CHK. BY	DATE 5/5/92



FIGURE 34

FORM 00.01 REV. 4/81

ABB Environmental Services, Inc.

377
17.7
= mps

PROJECT	COMP. BY	JOB NO.
LANDFILL FT. DEVENS 1"=100'		06917-04 080 00
	CHK. BY	DATE 5/4/92 - 5/9/92



FORM 00.01 REV. 4/91

ABB Environmental Services, Inc.

FIGURE 3B

VERTICAL GRADIENT CONTOURS - BASE LANDFILL



FIGURE 4

TOTAL (MAGNETIC) FIELD CONTOURS - BASE LANDFILL



FIGURE 5

QUADRATURE PHASE CONTOURS - BASE LANDFILL



FIGURE 6

IN PHASE CONTOURS - BASE LANDFILL



FIGURE 7



FIGURE 8
LOCATION OF WW II FUELING SYSTEMS
GROUP 6 STUDY AREAS/ SA 50
FORT DEVENS, MA

ABB Environmental Services, Inc.

6917-07(b) 4

PROJECT: MOORE ARMY AIRFIELD

COMP. BY

CHK. BY

JOB NO.

DATE 4/27 / 4/28



FIGURE 9

FORM 00.01 REV. 4/81

ABB Environmental Services, Inc.

VERTICAL GRADIENT CONTOURS
MOORE ARMY AIRFIELD
FORT DEVENS, MASSACHUSETTS



FIGURE 10



FIGURE 11

APPENDIX M

COLIFORM BACTERIA RESULTS

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

Client: ABB ENVIRONMENTAL
REVET Account No.: D1207
Date Received: 04/07/92
Method: Total Coliform -303
Fecal Coliform -909

Contact: DOUG PIERCE
Location/PO: FORT DEVENS/P.N. 6917-05
Matrix: Water
Analysis Date: 04/07/92

QC Dept: David Cooper for
Quality Control Office

Date: 4/14/92

REVET ID	Client ID	Date Sampled	Total Coliform Results, org/100 ml	Fecal Coliform Results, org/100 ml
1227	D-1-1	04/07/92	0	0
1228	D-1-2	04/07/92	0	0

SOURCE
WATER
SAMPLES

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

Client: ABB
REVET Account No.: D1472
Date Received: 07/14/92
Method: Total Coliform -SM 9222 B
Fecal Coliform -SM 9222 D

Contact: D. Pierce
Location/PO: Fort Devens/06917-04
Matrix: Water

QC Dept: ____________
Quality Control Office

Date: ____________

REVET ID	Client ID	Date Sampled	Total Coliform Results org/100 ml	Fecal Coliform Results org/100 ml
2894	G5M-92-02X	07/14/92	1	0
2895	G5M-92-01X	07/14/92	20	0
2896	WWTMW-08	07/14/92	0	0

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

Client:	ABB ENVIRONMENTAL	Contact:	DOUG PIERCE
REVET Account No.:	D1470	Location/PO:	FORT DEVENS/06917-04
Date Received:	07/13/92	Matrix:	Water
Method:	Total Coliform -SM 9222 B		
	Fecal Coliform -SM 9222 D		

QC Dept: O. Tayla fn
Quality Control Office

Date: 7/14/92

REVET ID	Client ID	Date Sampled	Total Coliform Results org/100 ml	Fecal Coliform Results org/100 ml
2891	MXG-503-X1	07/13/92	0	0

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

Client: ABB ENVIRONMENTAL
REVET Account No.: D1484
Date Received: 07/16/92
Method: Total Coliform -SM 9222 B
Fecal Coliform -MS 9222 D

Contact: DOUGLAS PIERCE
Location/PO: FORT DEVENS/P.N. 06917-05
Matrix: Water

QC Dept: Paul Cospi for
Quality Control Office

Date: 7/7/92

REVET ID	Client ID	Date Sampled	Total Coliform Results org/100 ml	Fecal Coliform Results org/100 ml
2956	WWTMW-2A	07/16/92	100	<10
2957	WWTMW-3	07/16/92	<50	<10
2958	WWTMW-4	07/16/92	<50	<10

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

===

Client:	ABB ENVIRONMENTAL	Contact:	DOUGLAS PIERCE
REVET Account No.:	D1489	Location/PO:	FORT DEVENS/PN. 06917-04
Date Received:	07/17/92	Matrix:	Water
Method:	Total Coliform -SM 9222 B		
	Fecal Coliform -SM 9222 D		

QC Dept: [illegible] for Date: 9/30/92
Quality Control Office

REVET ID	Client ID	Date Sampled	Total Coliform Results org/100 ml	Fecal Coliform Results org/100 ml
2969	WWTMW-06	07/17/92	<50	<10
2970	WWTMW-05	07/17/92	<50	<10

===

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

Client: ABB ENVIRONMENTAL
REVET Account No.: D1502
Date Received: 07/22/92
Method: Total Coliform - SM 9222 B
Fecal Coliform - SM 9222 D

Contact: DOUGLAS PIERCE
Location/PO: FORT DEVENS/06917-04
Matrix: Water

QC Dept: E. Taylor for
Quality Control Office

Date: 7/24/92

REVET ID	Client ID	Date Sampled	Total Coliform Results org/100 ml	Fecal Coliform Results org/100 ml
3061	WWT-MW-02	07/22/92	7	0
3062	WWT-MW-07	07/22/92	0	0

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

Client: ABB ENVIRONMENTAL
REVET Account No.: D1474
Date Received: 07/15/92
Method: Total Coliform -SM 9222 B
Fecal Coliform -SM 9222 D

Contact: DOUGLAS PIERCE
Location/PO: FORT DEVENS/P.N. 06917-04
Matrix: Water

QC Dept: David Cooper for
Quality Control Office

Date: 7/20/92

REVET ID	Client ID	Date Sampled	Total Coliform Results org/100 ml	Fecal Coliform Results org/100 ml
2899	MXM-W01-X1	07/15/92	0	0
2900	MXM-W10-X1	07/15/92	50	0
2901	MXM-W09-X1	07/15/92	17	0

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

==

Client: ABB ENVIRONMENTAL
REVET Account No.: D1498
Date Received: 07/21/92
Method: Total Coliform - SM 9222 B
Fecal Coliform - SM 9222 D

Contact: DOUGLAS PIERCE
Location/PO: FORT DEVENS/P.N. 06917-05
Matrix: Water

QC Dept: E. Taylor for
Quality Control Office

Date: 7/23/92

REVET ID	Client ID	Date Sampled	Total Coliform Results org/100 ml	Fecal Coliform Results org/100 ml
3040	WWTMW-11	07/21/92	0	0
3041	WWTMW-12	07/21/92	0	0
3042	WWTMW-1A	07/21/92	0	0

==

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

Client: ABB ENVIRONMENTAL
REVET Account No.: 01491
Date Received: 07/20/92
Method: Total Coliform - SM 9222 B
Fecal Coliform - SM 9222 D

Contact: DOUGLAS PIERCE
Location/PO: FORT DEVENS/P.N. 06917-04
Matrix: Water

QC Dept: Paul Tompi for
Quality Control Office

Date: 7/21/92

REVET ID	Client ID	Date Sampled	Total Coliform Results org/100 ml	Fecal Coliform Results org/100 ml
2974	MXM-W14-X1	07/20/92	0	0
2975	MXM-W13-X1	07/20/92	0	0
2976	MDM-W13-X1	07/20/92	0	0

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

Client: ABB ENVIRONMENTAL
REVET Account No.: D1397
Date Received: 06/17/92
Method: Total Coliform -SM 9222 B
Fecal Coliform -SM 9222 D

Contact: DOUGLAS PIERCE
Location/PO: FORT DEVENS/P.N. 06917-05
Matrix: Water

QC Dept: David Tougin for
Quality Control Office

Date: 6/23/92

REVET ID	Client ID	Date Sampled	Total Coliform Results org/100 ml	Fecal Coliform Results org/100 ml
2548	WXG-501-XX	06/17/92	1050	30
2549	WXG-503-XX	06/17/92	500	86
2550	WXG-504-XX	06/17/92	500	100

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

Client: ABB ENVIRONMENTAL
REVET Account No.: D1406
Date Received: 06/18/92
Method: Total Coliform -SM 9222 B
Fecal Coliform -SM 9222 D

Contact: DOUGLAS PIERCE
Location/PO: FORT DEVENS/P.N. 06917-05
Matrix: Water

QC Dept: David Torpi for
Quality Control Office

Date: 6/23/92

REVET ID	Client ID	Date Sampled	Total Coliform Results org/100 ml	Fecal Coliform Results org/100 ml
2587	WXG-507-XX	06/18/92	2350	54
2588	WXG-506-XX	06/18/92	1100	55
2589	WDG-507-XX	06/18/92	2050	66
2590	WXG-502-XX	06/18/92	350	105
2591	WXG-505-XX	06/18/92	200	12

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

Client: ABB ENVIRONMENTAL
REVET Account No.: D1411
Date Received: 06/22/92
Matrix: Water

Contact: DOUGLAS PIERCE
Location / PO: FORT DEVENS/P.N. 06917-0

QC Dept: David Korpi for

Date: 6/25/92

REVET ID	2617	2618	2619		
Client ID	WXG-508-XX	WXG-510-XX	WXG-601-XX		
Date Sampled	06/22/92	06/22/92	06/22/92	Units	Method
Total Coliform	2250	200	4050	org/100 ml	SM 9222 B
Fecal Coliform	145	5	118	org/100 ml	SM 9222 D

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

==

Client: ABB ENVIRONMENTAL
REVET Account No.: D1422
Date Received: 06/24/92
Matrix: Water

Contact: DOUGLAS PIERCE
Location / PO: P.N. 06917-0

QC Dept: David Tompi for Date: 6/26/92

REVET ID	2725	2726		
Client ID	WXG-602-XX	WXG-509-XX		
Date Sampled	06/24/92	06/24/92	Units	Method
Total Coliform	1150	2500	org/100 ml	SM 9222 B
Fecal Coliform	70	400	org/100 ml	SM 9222 D

==

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

Client: ABB ENVIRONMENTAL
Contact: DOUGLAS PIERCE
REVET Account No.: D1409
Location/PO: FORT DEVENS/PN.N 06917-05
Date Received: 06/19/92
Matrix: Water
Method: Total Coliform -SM 9222 B
Fecal Coliform -SM 9222 D

QC Dept: David Cooper
Quality Control Officer
Date: 6/23/92

			Total Coliform	Fecal Coliform
REVET ID	Client ID	Date Sampled	Results org/100 ml	Results org/100 ml
2607	WXG-604-XX	06/19/92	350	4
2608	WXG-603-XX	06/19/92	450	3

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

Client: ABB ENVIRONMENTAL
REVET Account No.: D1394
Date Received: 06/16/92
Method: Total Coliform -SM 9222B
Fecal Coliform -SM 9222D

Contact: D. PIERCE
Location/PO: FORT DEVENS/06917-05
Matrix: Water

QC Dept: C. Taylor for
Quality Control Office

Date: 6/17/92

REVET ID	Client ID	Date Sampled	Total Coliform Results org/100 ml	Fecal Coliform Results org/100 ml
2540	WX0902XX	06/16/92	TNTC	31
2541	WX0903XX	06/16/92	TNTC	53
2542	WX0901XX	06/16/92	TNTC	26

Notes: TNTC = Too Numerous To Count.

REVET ENVIRONMENTAL & ANALYTICAL LABORATORIES, INC.
15 Belmont Street
Worcester, MA 01605
DEP Certification # MA082
(508) 753-3738

Client: ABB ENVIRONMENTAL
REVET Account No.: D1766
Date Received: 10/20/92
Method: Total Coliform - SM 9222 B
Fecal Coliform - SM 9222 D

Contact: DOUGLAS PIERCE
Location/PO: FORT DEVENS/P.N. 06917-04
Matrix: Water

QC Dept: ____________ Date: 11/2/92
Quality Control Officer

REVET ID	Client ID	Date Sampled	Total Coliform Results org/100 ml	Fecal Coliform Results org/100 ml
4584	GSM-92-03B	10/20/92	0	0
4585	GSM-92-02X	10/20/92	0	0
4597	GSM-92-01X	10/21/92	0	0
4598	WWT-MW8	10/21/92	1	0
4599	WWT-MW1	10/21/92	40	0
4600	WWT-MW9	10/21/92	0	0
4611	WWTMW10	10/22/92	0	0
4612	WWTMW3	10/22/92	10	0
4613	WWTMW2A	10/22/92	1	0
4614	WWTMW4	10/22/92	0	0
4789	WWTMW6	10/23/92	15	0
4790	WWTMW5	10/23/92	0	0
4815	WWTMW13	10/26/92	0	0
4816	WWTMW14	10/26/92	0	0
4846	WWTMW-11	10/27/92	3	0
4847	WWTMW-12	10/27/92	4	0
4848	WWTMW-01A	10/27/92	1	0
4852	WWTMW-02	10/28/92	0	0
4853	WWTMW-07	10/28/92	0	0

Notes: * = Date analyzed is the same as date sampled.
Subcontracted to Thorstensen Laboratory, Inc.
MA Certification MA#048